

Datei: KVS_API.csproj

```
<Project Sdk="Microsoft.NET.Sdk.Web">

  <PropertyGroup>
    <TargetFramework>net10.0</TargetFramework>
    <Nullable>enable</Nullable>
    <ImplicitUsings>enable</ImplicitUsings>
  </PropertyGroup>

  <ItemGroup>
    <PackageReference Include="Microsoft.AspNetCore.OpenApi" Version="10.0.8" />
    <PackageReference Include="Microsoft.EntityFrameworkCore.Design" Version="10.0.0-*">
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</IncludeAssets>
      <PrivateAssets>all</PrivateAssets>
    </PackageReference>
    <PackageReference Include="Microsoft.EntityFrameworkCore.Tools" Version="10.0.0-*">
      <PrivateAssets>all</PrivateAssets>
      <IncludeAssets>runtime; build; native; contentfiles; analyzers; buildtransitive</IncludeAssets>
    </PackageReference>
    <PackageReference Include="Npgsql.EntityFrameworkCore.PostgreSQL" Version="10.0.0-*" />
  </ItemGroup>

</Project>
```

Datei: KVS_API.csproj.user

```
<?xml version="1.0" encoding="utf-8"?>
<Project ToolsVersion="Current" xmlns="http://schemas.microsoft.com/developer/msbuild/2003">
  <PropertyGroup>
    <ActiveDebugProfile>http://ActiveDebugProfile>
      <Controller_SelectedScaffolderID>MvcControllerEmptyScaffolder</Controller_SelectedScaff>
      <Controller_SelectedScaffolderCategoryPath>root/Common/MVC/Controller</Controller_Select>
    </PropertyGroup>
    <PropertyGroup Condition="'$(Configuration)|$(Platform)'=='Debug|AnyCPU'">
      <DebuggerFlavor>ProjectDebugger</DebuggerFlavor>
    </PropertyGroup>
  </Project>
```

Datei: KVS_API.http

```
@KVS_API_HostAddress = http://localhost:5242/api/konto
```

```
GET {{KVS_API_HostAddress}}/erstelle-user  
Accept: application/json
```

```
###
```

Datei: Program.cs

```
using KVS_API.Models;
using Microsoft.EntityFrameworkCore;
using KVS_API.Services;

namespace KVS_API
{
    public class Program
    {
        public static void Main(string[] args)
        {
            var builder = WebApplication.CreateBuilder(args);

            // Add services to the container.

            builder.Services.AddControllers();

            builder.Services.AddOpenApi();

            builder.Services.AddDbContext<ApplicationDbContext>(options =>{
                options.UseNpgsql(builder.Configuration.GetConnectionString("DefaultConnection"))
                    .EnableSensitiveDataLogging()
            });

            builder.Services.AddHostedService<KVS_API.BackgroundServices.AbrechnungsService>();
            builder.Services.AddScoped<IKontoService, KontoService>();
            builder.Services.AddExceptionHandler<KVS_API.Middlewares.GlobalExceptionHandler>();
            builder.Services.AddProblemDetails();

            builder.Services.AddCors(options =>{
                {
                    options.AddPolicy("ErlaubeFrontend", policy =>{
                        {
                            policy.WithOrigins("http://localhost:4200")
                                .AllowAnyHeader()
                                .AllowAnyMethod();
                        }
                    });
                }
            });

            var app = builder.Build();

            // Configure the HTTP request pipeline.
            if (app.Environment.IsDevelopment())
            {
                app.MapOpenApi();
            }

            app.UseHttpsRedirection();
            app.UseCors("ErlaubeFrontend");
            app.UseAuthorization();

            app.MapControllers();

            app.Run();
        }
    }
}
```

Datei: appsettings.Development.json

```
{
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  }
}
```

Datei: appsettings.json

```
{
  "ConnectionStrings": {
    "DefaultConnection": "Host=aws-1-eu-west-2.pooler.supabase.com;Database=postgres;Username=po
  },
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  },
  "AllowedHosts": "*"
}
```

Datei: Abrechnungsservice.cs

```
using KVS_API.Models;
using Microsoft.EntityFrameworkCore;

namespace KVS_API.BackgroundServices
{
    // Die Klasse muss von BackgroundService erben!
    public class AbrechnungService : BackgroundService
    {
        private readonly IServiceProvider _serviceProvider;
        private readonly ILogger<AbrechnungService> _logger;

        // Warum IServiceProvider? Ein BackgroundService läuft als "Singleton" (für immer).
        // Die Datenbank (DbContext) existiert aber eigentlich nur kurz pro HTTP-Request.
        // Mit dem ServiceProvider können wir uns selbst kurz eine Datenbank-Verbindung holen.
        public AbrechnungService(IServiceProvider serviceProvider, ILogger<AbrechnungService> logger)
        {
            _serviceProvider = serviceProvider;
            _logger = logger;
        }

        // Diese Methode wird automatisch gestartet, wenn die API hochfährt
        protected override async Task ExecuteAsync(CancellationToken stoppingToken)
        {
            _logger.LogInformation("Der Abrechnungs-Service wurde im Hintergrund gestartet.");

            // Diese Schleife läuft, solange deine API eingeschaltet ist
            while (!stoppingToken.IsCancellationRequested)
            {
                try
                {
                    // 1. Wir öffnen einen neuen "Scope" (eine neue Arbeitsumgebung)
                    using var scope = _serviceProvider.CreateScope();

                    // 2. Wir holen uns unsere Datenbank
                    var dbContext = scope.ServiceProvider.GetRequiredService<ApplicationDbContext>();

                    // 3. Wir holen alle Konten aus der Datenbank
                    var konten = await dbContext.Konten.ToListAsync(stoppingToken);

                    // 4. Für jedes Konto die von dir geschriebene Methode ausführen
                    foreach (var konto in konten)
                    {
                        konto.MonatlicheAbrechnung();
                    }

                    // 5. Alle Änderungen (neue Salden) in der DB speichern
                    await dbContext.SaveChangesAsync(stoppingToken);

                    _logger.LogInformation($"Monatliche Abrechnung für {konten.Count} Konten erfolgr");
                }
                catch (Exception ex)
                {
                    _logger.LogError(ex, "Fehler bei der monatlichen Abrechnung.");
                }

                await Task.Delay(TimeSpan.FromDays(30), stoppingToken);
            }
        }
    }
}
```

Datei: Humanizer.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.deps.json

```
{
  "runtimeTarget": {
    "name": ".NETCoreApp,Version=v10.0",
    "signature": ""
  },
  "compilationOptions": {},
  "targets": {
    ".NETCoreApp,Version=v10.0": {
      "KVS_API/1.0.0": {
        "dependencies": {
          "Microsoft.AspNetCore.OpenApi": "10.0.8",
          "Microsoft.EntityFrameworkCore.Design": "10.0.0",
          "Npgsql.EntityFrameworkCore.PostgreSQL": "10.0.0"
        },
        "runtime": {
          "KVS_API.dll": {}
        }
      },
      "Humanizer.Core/2.14.1": {
        "runtime": {
          "lib/net6.0/Humanizer.dll": {
            "assemblyVersion": "2.14.0.0",
            "fileVersion": "2.14.1.48190"
          }
        }
      },
      "Microsoft.AspNetCore.OpenApi/10.0.8": {
        "dependencies": {
          "Microsoft.OpenApi": "2.0.0"
        },
        "runtime": {
          "lib/net10.0/Microsoft.AspNetCore.OpenApi.dll": {
            "assemblyVersion": "10.0.8.0",
            "fileVersion": "10.0.826.23019"
          }
        }
      },
      "Microsoft.Build/17.7.2": {
        "dependencies": {
          "Microsoft.Build.Framework": "17.14.28",
          "Microsoft.NET.StringTools": "17.14.28",
          "System.Configuration.ConfigurationManager": "9.0.0",
          "System.Reflection.MetadataLoadContext": "7.0.0",
          "System.Security.Permissions": "9.0.0"
        },
        "runtime": {
          "lib/net7.0/Microsoft.Build.dll": {
            "assemblyVersion": "15.1.0.0",
            "fileVersion": "17.7.2.37605"
          }
        }
      },
      "Microsoft.Build.Framework/17.14.28": {
        "runtime": {
          "lib/net9.0/Microsoft.Build.Framework.dll": {
            "assemblyVersion": "15.1.0.0",
            "fileVersion": "17.14.28.46601"
          }
        }
      },
      "Microsoft.Build.Tasks.Core/17.14.28": {
        "dependencies": {
          "Microsoft.Build.Framework": "17.14.28",
          "Microsoft.Build.Utilities.Core": "17.14.28",
          "Microsoft.NET.StringTools": "17.14.28",
          "System.CodeDom": "9.0.0",
          "System.Configuration.ConfigurationManager": "9.0.0",
          "System.Formats.Nrbf": "9.0.0",
          "System.Resources.Extensions": "9.0.0",
          "System.Security.Cryptography.ProtectedData": "9.0.0"
        },
        "runtime": {
          "lib/net9.0/Microsoft.Build.Tasks.Core.dll": {
            "assemblyVersion": "15.1.0.0",

```

```

        "fileVersion": "17.14.28.46601"
    }
}
},
"Microsoft.Build.Utilities.Core/17.14.28": {
    "dependencies": {
        "Microsoft.Build.Framework": "17.14.28",
        "Microsoft.NET.StringTools": "17.14.28",
        "System.Configuration.ConfigurationManager": "9.0.0",
        "System.Security.Cryptography.ProtectedData": "9.0.0"
    },
    "runtime": {
        "lib/net9.0/Microsoft.Build.Utilities.Core.dll": {
            "assemblyVersion": "15.1.0.0",
            "fileVersion": "17.14.28.46601"
        }
    }
},
"Microsoft.CodeAnalysis.Common/4.14.0": {
    "runtime": {
        "lib/net9.0/Microsoft.CodeAnalysis.dll": {
            "assemblyVersion": "4.14.0.0",
            "fileVersion": "4.1400.25.26210"
        }
    },
    "resources": {
        "lib/net9.0/cs/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "cs"
        },
        "lib/net9.0/de/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "de"
        },
        "lib/net9.0/es/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "es"
        },
        "lib/net9.0/fr/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "fr"
        },
        "lib/net9.0/it/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "it"
        },
        "lib/net9.0/ja/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "ja"
        },
        "lib/net9.0/ko/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "ko"
        },
        "lib/net9.0/pl/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "pl"
        },
        "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "pt-BR"
        },
        "lib/net9.0/ru/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "ru"
        },
        "lib/net9.0/tr/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "tr"
        },
        "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "zh-Hans"
        },
        "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.resources.dll": {
            "locale": "zh-Hant"
        }
    }
},
"Microsoft.CodeAnalysis.CSharp/4.14.0": {
    "dependencies": {
        "Microsoft.CodeAnalysis.Common": "4.14.0"
    },
    "runtime": {
        "lib/net9.0/Microsoft.CodeAnalysis.CSharp.dll": {
            "assemblyVersion": "4.14.0.0",
            "fileVersion": "4.1400.25.26210"
        }
    }
},

```

```

"resources": {
  "lib/net9.0/cs/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "cs"
  },
  "lib/net9.0/de/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "de"
  },
  "lib/net9.0/es/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "es"
  },
  "lib/net9.0/fr/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "fr"
  },
  "lib/net9.0/it/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "it"
  },
  "lib/net9.0/ja/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "ja"
  },
  "lib/net9.0/ko/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "ko"
  },
  "lib/net9.0/pl/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "pl"
  },
  "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "pt-BR"
  },
  "lib/net9.0/ru/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "ru"
  },
  "lib/net9.0/tr/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "tr"
  },
  "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "zh-Hans"
  },
  "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.resources.dll": {
    "locale": "zh-Hant"
  }
}
},
"Microsoft.CodeAnalysis.CSharp.Workspaces/4.14.0": {
  "dependencies": {
    "Humanizer.Core": "2.14.1",
    "Microsoft.CodeAnalysis.CSharp": "4.14.0",
    "Microsoft.CodeAnalysis.Common": "4.14.0",
    "Microsoft.CodeAnalysis.Workspaces.Common": "4.14.0",
    "System.Composition": "9.0.0"
  },
  "runtime": {
    "lib/net9.0/Microsoft.CodeAnalysis.CSharp.Workspaces.dll": {
      "assemblyVersion": "4.14.0.0",
      "fileVersion": "4.1400.25.26210"
    }
  },
  "resources": {
    "lib/net9.0/cs/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "cs"
    },
    "lib/net9.0/de/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "de"
    },
    "lib/net9.0/es/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "es"
    },
    "lib/net9.0/fr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "fr"
    },
    "lib/net9.0/it/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "it"
    },
    "lib/net9.0/ja/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "ja"
    },
    "lib/net9.0/ko/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "ko"
    }
  }
}

```

```

    },
    "lib/net9.0/pl/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "pl"
    },
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "pt-BR"
    },
    "lib/net9.0/ru/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "ru"
    },
    "lib/net9.0/tr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "tr"
    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "zh-Hant"
    }
  }
},
"Microsoft.CodeAnalysis.Workspaces.Common/4.14.0": {
  "dependencies": {
    "Humanizer.Core": "2.14.1",
    "Microsoft.CodeAnalysis.Common": "4.14.0",
    "System.Composition": "9.0.0"
  },
  "runtime": {
    "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.dll": {
      "assemblyVersion": "4.14.0.0",
      "fileVersion": "4.1400.25.26210"
    }
  },
  "resources": {
    "lib/net9.0/cs/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "cs"
    },
    "lib/net9.0/de/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "de"
    },
    "lib/net9.0/es/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "es"
    },
    "lib/net9.0/fr/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "fr"
    },
    "lib/net9.0/it/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "it"
    },
    "lib/net9.0/ja/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "ja"
    },
    "lib/net9.0/ko/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "ko"
    },
    "lib/net9.0/pl/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "pl"
    },
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "pt-BR"
    },
    "lib/net9.0/ru/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "ru"
    },
    "lib/net9.0/tr/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "tr"
    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "zh-Hant"
    }
  }
},
"Microsoft.CodeAnalysis.Workspaces.MSBuild/4.14.0": {
  "dependencies": {

```

```

    "Humanizer.Core": "2.14.1",
    "Microsoft.Build": "17.7.2",
    "Microsoft.Build.Framework": "17.14.28",
    "Microsoft.Build.Tasks.Core": "17.14.28",
    "Microsoft.Build.Utilities.Core": "17.14.28",
    "Microsoft.CodeAnalysis.Workspaces.Common": "4.14.0",
    "Newtonsoft.Json": "13.0.3",
    "System.CodeDom": "9.0.0",
    "System.Composition": "9.0.0",
    "System.Configuration.ConfigurationManager": "9.0.0",
    "System.Resources.Extensions": "9.0.0",
    "System.Security.Cryptography.ProtectedData": "9.0.0",
    "System.Security.Permissions": "9.0.0",
    "System.Windows.Extensions": "9.0.0"
  },
  "runtime": {
    "lib/net9.0/Microsoft.CodeAnalysis.ExternalAccess.RazorCompiler.dll": {
      "assemblyVersion": "4.14.0.0",
      "fileVersion": "4.1400.25.26210"
    },
    "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.dll": {
      "assemblyVersion": "4.14.0.0",
      "fileVersion": "4.1400.25.26210"
    }
  },
  "resources": {
    "lib/net9.0/cs/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "cs"
    },
    "lib/net9.0/de/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "de"
    },
    "lib/net9.0/es/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "es"
    },
    "lib/net9.0/fr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "fr"
    },
    "lib/net9.0/it/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "it"
    },
    "lib/net9.0/ja/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "ja"
    },
    "lib/net9.0/ko/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "ko"
    },
    "lib/net9.0/pl/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "pl"
    },
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "pt-BR"
    },
    "lib/net9.0/ru/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "ru"
    },
    "lib/net9.0/tr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "tr"
    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll": {
      "locale": "zh-Hant"
    }
  }
},
"Microsoft.EntityFrameworkCore/10.0.0": {
  "dependencies": {
    "Microsoft.EntityFrameworkCore.Abstractions": "10.0.0"
  },
  "runtime": {
    "lib/net10.0/Microsoft.EntityFrameworkCore.dll": {
      "assemblyVersion": "10.0.0.0",
      "fileVersion": "10.0.25.52411"
    }
  }
}

```

```

},
"Microsoft.EntityFrameworkCore.Abstractions/10.0.0": {
  "runtime": {
    "lib/net10.0/Microsoft.EntityFrameworkCore.Abstractions.dll": {
      "assemblyVersion": "10.0.0.0",
      "fileVersion": "10.0.25.52411"
    }
  }
},
"Microsoft.EntityFrameworkCore.Design/10.0.0": {
  "dependencies": {
    "Humanizer.Core": "2.14.1",
    "Microsoft.Build.Framework": "17.14.28",
    "Microsoft.Build.Tasks.Core": "17.14.28",
    "Microsoft.Build.Utilities.Core": "17.14.28",
    "Microsoft.CodeAnalysis.CSharp": "4.14.0",
    "Microsoft.CodeAnalysis.CSharp.Workspaces": "4.14.0",
    "Microsoft.CodeAnalysis.Workspaces.MSBuild": "4.14.0",
    "Microsoft.EntityFrameworkCore.Relational": "10.0.0",
    "Microsoft.Extensions.DependencyModel": "10.0.0",
    "Mono.TextTemplating": "3.0.0",
    "Newtonsoft.Json": "13.0.3"
  },
  "runtime": {
    "lib/net10.0/Microsoft.EntityFrameworkCore.Design.dll": {
      "assemblyVersion": "10.0.0.0",
      "fileVersion": "10.0.25.52411"
    }
  }
},
"Microsoft.EntityFrameworkCore.Relational/10.0.0": {
  "dependencies": {
    "Microsoft.EntityFrameworkCore": "10.0.0"
  },
  "runtime": {
    "lib/net10.0/Microsoft.EntityFrameworkCore.Relational.dll": {
      "assemblyVersion": "10.0.0.0",
      "fileVersion": "10.0.25.52411"
    }
  }
},
"Microsoft.Extensions.DependencyModel/10.0.0": {
  "runtime": {
    "lib/net10.0/Microsoft.Extensions.DependencyModel.dll": {
      "assemblyVersion": "10.0.0.0",
      "fileVersion": "10.0.25.52411"
    }
  }
},
"Microsoft.NET.StringTools/17.14.28": {
  "runtime": {
    "lib/net9.0/Microsoft.NET.StringTools.dll": {
      "assemblyVersion": "1.0.0.0",
      "fileVersion": "17.14.28.46601"
    }
  }
},
"Microsoft.OpenApi/2.0.0": {
  "runtime": {
    "lib/net8.0/Microsoft.OpenApi.dll": {
      "assemblyVersion": "2.0.0.0",
      "fileVersion": "2.0.0.0"
    }
  }
},
"Mono.TextTemplating/3.0.0": {
  "dependencies": {
    "System.CodeDom": "9.0.0"
  },
  "runtime": {
    "lib/net6.0/Mono.TextTemplating.dll": {
      "assemblyVersion": "3.0.0.0",
      "fileVersion": "3.0.0.1"
    }
  }
},
"Newtonsoft.Json/13.0.3": {

```

```

    "runtime": {
      "lib/net6.0/Newtonsoft.Json.dll": {
        "assemblyVersion": "13.0.0.0",
        "fileVersion": "13.0.3.27908"
      }
    },
    "Npgsql/10.0.0": {
      "runtime": {
        "lib/net10.0/Npgsql.dll": {
          "assemblyVersion": "10.0.0.0",
          "fileVersion": "10.0.0.0"
        }
      }
    },
    "Npgsql.EntityFrameworkCore.PostgreSQL/10.0.0": {
      "dependencies": {
        "Microsoft.EntityFrameworkCore": "10.0.0",
        "Microsoft.EntityFrameworkCore.Relational": "10.0.0",
        "Npgsql": "10.0.0"
      },
      "runtime": {
        "lib/net10.0/Npgsql.EntityFrameworkCore.PostgreSQL.dll": {
          "assemblyVersion": "10.0.0.0",
          "fileVersion": "10.0.0.0"
        }
      }
    },
    "System.CodeDom/9.0.0": {
      "runtime": {
        "lib/net9.0/System.CodeDom.dll": {
          "assemblyVersion": "9.0.0.0",
          "fileVersion": "9.0.24.52809"
        }
      }
    },
    "System.Composition/9.0.0": {
      "dependencies": {
        "System.Composition.AttributedModel": "9.0.0",
        "System.Composition.Convention": "9.0.0",
        "System.Composition.Hosting": "9.0.0",
        "System.Composition.Runtime": "9.0.0",
        "System.Composition.TypedParts": "9.0.0"
      }
    },
    "System.Composition.AttributedModel/9.0.0": {
      "runtime": {
        "lib/net9.0/System.Composition.AttributedModel.dll": {
          "assemblyVersion": "9.0.0.0",
          "fileVersion": "9.0.24.52809"
        }
      }
    },
    "System.Composition.Convention/9.0.0": {
      "dependencies": {
        "System.Composition.AttributedModel": "9.0.0"
      },
      "runtime": {
        "lib/net9.0/System.Composition.Convention.dll": {
          "assemblyVersion": "9.0.0.0",
          "fileVersion": "9.0.24.52809"
        }
      }
    },
    "System.Composition.Hosting/9.0.0": {
      "dependencies": {
        "System.Composition.Runtime": "9.0.0"
      },
      "runtime": {
        "lib/net9.0/System.Composition.Hosting.dll": {
          "assemblyVersion": "9.0.0.0",
          "fileVersion": "9.0.24.52809"
        }
      }
    },
    "System.Composition.Runtime/9.0.0": {
      "runtime": {

```

```

        "lib/net9.0/System.Composition.Runtime.dll": {
            "assemblyVersion": "9.0.0.0",
            "fileVersion": "9.0.24.52809"
        }
    },
    "System.Composition.TypedParts/9.0.0": {
        "dependencies": {
            "System.Composition.AttributedModel": "9.0.0",
            "System.Composition.Hosting": "9.0.0",
            "System.Composition.Runtime": "9.0.0"
        },
        "runtime": {
            "lib/net9.0/System.Composition.TypedParts.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "System.Configuration.ConfigurationManager/9.0.0": {
        "dependencies": {
            "System.Security.Cryptography.ProtectedData": "9.0.0"
        },
        "runtime": {
            "lib/net9.0/System.Configuration.ConfigurationManager.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "System.Formats.Nrbf/9.0.0": {
        "runtime": {
            "lib/net9.0/System.Formats.Nrbf.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "System.Reflection.MetadataLoadContext/7.0.0": {
        "runtime": {
            "lib/net7.0/System.Reflection.MetadataLoadContext.dll": {
                "assemblyVersion": "7.0.0.0",
                "fileVersion": "7.0.22.51805"
            }
        }
    },
    "System.Resources.Extensions/9.0.0": {
        "dependencies": {
            "System.Formats.Nrbf": "9.0.0"
        },
        "runtime": {
            "lib/net9.0/System.Resources.Extensions.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "System.Security.Cryptography.ProtectedData/9.0.0": {
        "runtime": {
            "lib/net9.0/System.Security.Cryptography.ProtectedData.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "System.Security.Permissions/9.0.0": {
        "dependencies": {
            "System.Windows.Extensions": "9.0.0"
        },
        "runtime": {
            "lib/net9.0/System.Security.Permissions.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "System.Windows.Extensions/9.0.0": {

```



```

        "runtime": {
            "lib/net9.0/System.Windows.Extensions.dll": {
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        },
        "runtimeTargets": {
            "runtimes/win/lib/net9.0/System.Windows.Extensions.dll": {
                "rid": "win",
                "assetType": "runtime",
                "assemblyVersion": "9.0.0.0",
                "fileVersion": "9.0.24.52809"
            }
        }
    },
    "libraries": {
        "KVS_API/1.0.0": {
            "type": "project",
            "serviceable": false,
            "sha512": ""
        },
        "Humanizer.Core/2.14.1": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-lQKvtaTD0XnoVJ20ibTuSIOf2i0u00MPbDhd1jm238I+U/2ZnRENj0cktKZhtchBMTcUSRQ5v4xB",
            "path": "humanizer.core/2.14.1",
            "hashPath": "humanizer.core.2.14.1.nupkg.sha512"
        },
        "Microsoft.AspNetCore.OpenApi/10.0.8": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-cw24xHE2QawWYEG9GQwFbjboyabub6Vd80DIItUGENzcQ0a/BEnTrXsg2GADqWTmY/3ycqk9ToL",
            "path": "microsoft.aspnetcore.openapi/10.0.8",
            "hashPath": "microsoft.aspnetcore.openapi.10.0.8.nupkg.sha512"
        },
        "Microsoft.Build/17.7.2": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-AmWnumxsMiRycFfE3kq/XnFFTAoPpCWl3UuiKQWCa5Z0+hBKVoizdS2iXJGd3x+jry+qaTR9Gzo",
            "path": "microsoft.build/17.7.2",
            "hashPath": "microsoft.build.17.7.2.nupkg.sha512"
        },
        "Microsoft.Build.Framework/17.14.28": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-wRcyTzGV0LRAtFdrddtioh59Ky4/zbvyraP0cQkDzRSRkhgAQb0K88D/JNC6VHLIXanRi3mtV1jU",
            "path": "microsoft.build.framework/17.14.28",
            "hashPath": "microsoft.build.framework.17.14.28.nupkg.sha512"
        },
        "Microsoft.Build.Tasks.Core/17.14.28": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-jk300tXp9QWPXhLJ7Pl8wm/eGtGgA1++vwHGWEmnwMU6eP//ghtcCUPqh9CQMwEKGdNH0aJf285V",
            "path": "microsoft.build.tasks.core/17.14.28",
            "hashPath": "microsoft.build.tasks.core.17.14.28.nupkg.sha512"
        },
        "Microsoft.Build.Utilities.Core/17.14.28": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-rhSdPo8QfLXXWM+rY0x0z1G4KK4ZhMoIbHR0YDj8MUBFab9nvHR0NaMnjz0gXldhmd2zi2ir8d6x",
            "path": "microsoft.build.utilities.core/17.14.28",
            "hashPath": "microsoft.build.utilities.core.17.14.28.nupkg.sha512"
        },
        "Microsoft.CodeAnalysis.Common/4.14.0": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-PC3tuwZYnC+idaPuoC/AzpEdwrtX7qFpmnrfQkgobGIWiYmGi5MCRTl5mx6QrfMGQpK78X2lfIEO",
            "path": "microsoft.codeanalysis.common/4.14.0",
            "hashPath": "microsoft.codeanalysis.common.4.14.0.nupkg.sha512"
        },
        "Microsoft.CodeAnalysis.CSharp/4.14.0": {
            "type": "package",
            "serviceable": true,
            "sha512": "sha512-568a6wcTivauIhbeWcCwfWIn7UV7MeHEBvFB2uzGIpM20hJ4eM/FZ8KS0yhPoNxnSpjGzz7x7CI",
            "path": "microsoft.codeanalysis.csharp/4.14.0",
            "hashPath": "microsoft.codeanalysis.csharp.4.14.0.nupkg.sha512"
        }
    }
}

```

```
    "hashPath": "microsoft.codeanalysis.csharp.4.14.0.nupkg.sha512"
  },
  "Microsoft.CodeAnalysis.CSharp.Workspaces/4.14.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-QkgCEM4qJo6gdtbLXtNgHqtykS61fxw+820hx5JN6n9DD4mQtqNB+6fPeJ3GQWg6jkkGz6oG9yZQ",
    "path": "microsoft.codeanalysis.csharp.workspaces/4.14.0",
    "hashPath": "microsoft.codeanalysis.csharp.workspaces.4.14.0.nupkg.sha512"
  },
  "Microsoft.CodeAnalysis.Workspaces.Common/4.14.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-wNVK9JrqqjQDC/WgBUFV6henDfrW87NPfo98nzah/+M/G1D6sB0PtXwqce3UQNn+6AjTnmkHYN1WV",
    "path": "microsoft.codeanalysis.workspaces.common/4.14.0",
    "hashPath": "microsoft.codeanalysis.workspaces.common.4.14.0.nupkg.sha512"
  },
  "Microsoft.CodeAnalysis.Workspaces.MSBuild/4.14.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-YU7Sguzm1Cuhi2U6S0DRKcVpqAdBd2QmatpyE0KqYMJogJ9E27KH0WGUzA0jsyjAM7sNaUk+a8VP",
    "path": "microsoft.codeanalysis.workspaces.msbuild/4.14.0",
    "hashPath": "microsoft.codeanalysis.workspaces.msbuild.4.14.0.nupkg.sha512"
  },
  "Microsoft.EntityFrameworkCore/10.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-hHa2amRjMyBLUH/KTML6FgIAhZ0VFYkhCKwWEax0r06iNeM1P5MflyeQLE5dniSI0ZHc30qyv5UI",
    "path": "microsoft.entityframeworkcore/10.0.0",
    "hashPath": "microsoft.entityframeworkcore.10.0.0.nupkg.sha512"
  },
  "Microsoft.EntityFrameworkCore.Abstractions/10.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-C+TT9k7f1GQ8ag0Fv512K9iwrzi76RXVSDiLx+iwC9pz3QhEpSF1Dyk+FpVvd8ULQ+rqymfM8KQ7",
    "path": "microsoft.entityframeworkcore.abstractions/10.0.0",
    "hashPath": "microsoft.entityframeworkcore.abstractions.10.0.0.nupkg.sha512"
  },
  "Microsoft.EntityFrameworkCore.Design/10.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-R7BeFniEpBrHw8kKVtWiMG4PRAWJ4K1RZoQWB32Ak8ws3uvYH98DVP9Y2UBUgbwY5lR9wPlrxp7P",
    "path": "microsoft.entityframeworkcore.design/10.0.0",
    "hashPath": "microsoft.entityframeworkcore.design.10.0.0.nupkg.sha512"
  },
  "Microsoft.EntityFrameworkCore.Relational/10.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-A3MX1ee7RDxwCUdx/KqP+74fbksZ0UIhkVZh56YHvbPKEKsffCXgHU3LGRDwqR/MrBNWLCWC/IV",
    "path": "microsoft.entityframeworkcore.relational/10.0.0",
    "hashPath": "microsoft.entityframeworkcore.relational.10.0.0.nupkg.sha512"
  },
  "Microsoft.Extensions.DependencyModel/10.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-RFYJR7APio/BiqdQunRq6DB+nDB6nc2qhHr77mlvZ0q0BT8PubMXN7XicmfzCbrDE/dzhBnUKBRX",
    "path": "microsoft.extensions.dependencymodel/10.0.0",
    "hashPath": "microsoft.extensions.dependencymodel.10.0.0.nupkg.sha512"
  },
  "Microsoft.NET.StringTools/17.14.28": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-DMiEwDlx0Wz0DIhJZ2FMoGQAN2yrGZ0i5jjFhRYHWR50Nd0CS6IpAHLRnA7uA/5BF+BADvgsETX",
    "path": "microsoft.net.stringtools/17.14.28",
    "hashPath": "microsoft.net.stringtools.17.14.28.nupkg.sha512"
  },
  "Microsoft.OpenApi/2.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-GGYLfzV/G/ct800Z45JxnWP7NvMX1BCugn/LX7TH500lcVaviavsLMTxmFV2AybXWjbi3h6FF1vg",
    "path": "microsoft.openapi/2.0.0",
    "hashPath": "microsoft.openapi.2.0.0.nupkg.sha512"
  },
  "Mono.TextTemplating/3.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-YqueG52R/Xej4VVbKuRIodjiAhV0HR/XVbLbNrJhCZnzjnSjgMJ/dCdV0akQQxavX6hp/LC6rqLGI",
    "path": "mono.texttemplating/3.0.0",
    "hashPath": "mono.texttemplating.3.0.0.nupkg.sha512"
  }
}
```

```
"hashPath": "mono.texttemplating.3.0.0.nupkg.sha512"
},
"Newtonsoft.Json/13.0.3": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-HrC5BXdl00IP9zeV+0Z848QWPAoCr9P3bDEZguI+gkLcBKA0xix/tLEAAHC+UvDNPv4a2d18l0REl",
  "path": "newtonsoft.json/13.0.3",
  "hashPath": "newtonsoft.json.13.0.3.nupkg.sha512"
},
"Npgsql/10.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-xZAYhP0U2rUIFpV48xsqhCx9vXs6Y+0jX2LCoSEfDFYmW9jtA0Uk3iQsCnDLrFiv9NT3JGMihn7n",
  "path": "npgsql/10.0.0",
  "hashPath": "npgsql.10.0.0.nupkg.sha512"
},
"Npgsql.EntityFrameworkCore.PostgreSQL/10.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-E2+uSWxSB8LdsUVwPaqRW0cG0P92biry2JEwc0KJmDLJF+aZdczeIdEXVwEyv4nSVMQJH0o8tLhy",
  "path": "npgsql.entityframeworkcore.postgresql/10.0.0",
  "hashPath": "npgsql.entityframeworkcore.postgresql.10.0.0.nupkg.sha512"
},
"System.CodeDom/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-oTE5IfuMoET8yaZP/vdvy9x047guAv/r0he4D0DuFBN3ySprcQ0lXq03j+e/H/YpKKR5sglrRaZ",
  "path": "system.codedom/9.0.0",
  "hashPath": "system.codedom.9.0.0.nupkg.sha512"
},
"System.Composition/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-3Djj70fFTra0arSKmRnmRy/zm4YurICm+kiCtI0dYRqGJnLX6nJ+G3WYuFJ173cAPax/gh96REcb",
  "path": "system.composition/9.0.0",
  "hashPath": "system.composition.9.0.0.nupkg.sha512"
},
"System.Composition.AttributedModel/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-iri00l/zIX9g4lHMY+Nz0qV1n40+jFYAmsaiNn16xvt2RDwlqByNG4wgb lagnDYxm3YSQQ0jLLC",
  "path": "system.composition.attributedmodel/9.0.0",
  "hashPath": "system.composition.attributedmodel.9.0.0.nupkg.sha512"
},
"System.Composition.Convention/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-+vuqVP6xpi582XIjJi60CsIxuoTZfR0M7Wwufk3uGDeCl3wGW6KnpylUJ3iiXdPByPE0vR5TjJgR",
  "path": "system.composition.convention/9.0.0",
  "hashPath": "system.composition.convention.9.0.0.nupkg.sha512"
},
"System.Composition.Hosting/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-0FqSeFeJYr7kHXDfaViGM1ymk7d4JxK//VSoNF9Ux0gpqkLsauZpu89kTHHNdCwfSLjbFcvAafG",
  "path": "system.composition.hosting/9.0.0",
  "hashPath": "system.composition.hosting.9.0.0.nupkg.sha512"
},
"System.Composition.Runtime/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-w1H0lQY1zs0WYussjFGZCEYF2UZXgvoYnS94NIu2CBnAGMbXfAX8PY8c92KwUItPmowal68jnvLB",
  "path": "system.composition.runtime/9.0.0",
  "hashPath": "system.composition.runtime.9.0.0.nupkg.sha512"
},
"System.Composition.TypedParts/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-aRZlojCCGEHDKqh43jaDgaVpYETsgd7Nx4g1zwLKmtv4iT00627715ajEFNpEEBTgLMvZuv8K0EV",
  "path": "system.composition.typedparts/9.0.0",
  "hashPath": "system.composition.typedparts.9.0.0.nupkg.sha512"
},
"System.Configuration.ConfigurationManager/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-PdkuMrwDhXoKfO/JxISIi9E8L+QGn9Iquj20KDWHB6Y/HnU0uBouF7uS3R4Hw3FoNmwwMo6hWgaz",
  "path": "system.configuration.configurationmanager/9.0.0",
  "hashPath": "system.configuration.configurationmanager.9.0.0.nupkg.sha512"
}
```

```
    "hashPath": "system.configuration.configurationmanager.9.0.0.nupkg.sha512"
  },
  "System.Formats.Nrbf/9.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-F/6tNE+ckmdFeSQAYQo26bQ0qfPFKEfZcuqnp4kBE6/7jP26diP+QTHCJJ6vpEfaY6bLy+hBLiIQ",
    "path": "system.formats.nrbf/9.0.0",
    "hashPath": "system.formats.nrbf.9.0.0.nupkg.sha512"
  },
  "System.Reflection.MetadataLoadContext/7.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-z9PvtMJra5hK8n+g0wmPtaG7HQRZpTmIPRw5Z0LEemlcdQMhuTD5D70AY/fZuuz1L9db++Q0cDF0",
    "path": "system.reflection.metadataloadcontext/7.0.0",
    "hashPath": "system.reflection.metadataloadcontext.7.0.0.nupkg.sha512"
  },
  "System.Resources.Extensions/9.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-tvhuT1D20wPR0dL1kRWtaTJlIqo0WdyhvwDpd8RM997G7m3Hya5nhbYhNTS75x6Vu+ypS0gL5qx",
    "path": "system.resources.extensions/9.0.0",
    "hashPath": "system.resources.extensions.9.0.0.nupkg.sha512"
  },
  "System.Security.Cryptography.ProtectedData/9.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-CJW+x/F6fmRQ7N6K8paasTw9PDZp4t7G76UjGNLSDgoHPF0h08vTzLYbLZp0LEJSg35d5wy2jCXG",
    "path": "system.security.cryptography.protecteddata/9.0.0",
    "hashPath": "system.security.cryptography.protecteddata.9.0.0.nupkg.sha512"
  },
  "System.Security.Permissions/9.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-H2VFD4SFVxieyWNxn9/epb63/I0cPPfA0W0tFkljzNfu7GCcHIBQNuWP6zGCEIi7Ci/oj8aLPUNK",
    "path": "system.security.permissions/9.0.0",
    "hashPath": "system.security.permissions.9.0.0.nupkg.sha512"
  },
  "System.Windows.Extensions/9.0.0": {
    "type": "package",
    "serviceable": true,
    "sha512": "sha512-U9msthvnH2Fsw7xwAvIhNH0dnIj0QTW0c8Vd0oG0siRcGMGoBFUD6qtYawRUoQdKH9ysxesZ9ju",
    "path": "system.windows.extensions/9.0.0",
    "hashPath": "system.windows.extensions.9.0.0.nupkg.sha512"
  }
}
```

Datei: KVS_API.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.exe

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.pdb

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.runtimeconfig.json

```
{
  "runtimeOptions": {
    "tfm": "net10.0",
    "frameworks": [
      {
        "name": "Microsoft.NETCore.App",
        "version": "10.0.0"
      },
      {
        "name": "Microsoft.AspNetCore.App",
        "version": "10.0.0"
      }
    ],
    "configProperties": {
      "System.GC.Server": true,
      "System.Reflection.NullabilityInfoContext.IsSupported": true,
      "System.Runtime.Serialization.EnableUnsafeBinaryFormatterSerialization": false
    }
  }
}
```


Datei: KVS_API.staticwebassets.endpoints.json

```
{"Version":1,"ManifestType":"Build","Endpoints":[]}
```

Datei: Microsoft.AspNetCore.OpenApi.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.Build.Framework.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.Build.Tasks.Core.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.Build.Utilities.Core.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.Build.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.ExternalAccess.RazorCompiler.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.MSBuild.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.EntityFrameworkCore.Abstractions.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.EntityFrameworkCore.Design.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.EntityFrameworkCore.Relational.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.EntityFrameworkCore.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.Extensions.DependencyModel.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.NET.StringTools.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.OpenApi.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Mono.TextTemplating.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Newtonsoft.Json.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Npgsql.EntityFrameworkCore.PostgreSQL.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Npgsql.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.CodeDom.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Composition.AttributedModel.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Composition.Convention.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Composition.Hosting.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Composition.Runtime.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Composition.TypedParts.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Configuration.ConfigurationManager.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Formats.Nrbf.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Reflection.MetadataLoadContext.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Resources.Extensions.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Security.Cryptography.ProtectedData.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Security.Permissions.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Windows.Extensions.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: appsettings.Development.json

```
{
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  }
}
```

Datei: appsettings.json

```
{
  "ConnectionStrings": {
    "DefaultConnection": "Host=aws-1-eu-west-2.pooler.supabase.com;Database=postgres;Username=po",
  },
  "Logging": {
    "LogLevel": {
      "Default": "Information",
      "Microsoft.AspNetCore": "Warning"
    }
  },
  "AllowedHosts": "*"
}
```

Datei: Microsoft.Build.Locator.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

File: Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe.config

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <startup>
    <supportedRuntime version="v4.0" sku=".NETFramework,Version=v4.7.2" />
  </startup>
  <runtime>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build.Framework" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build.Utilities.Core" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build.Tasks.Core" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.IO.Redist" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.1" newVersion="6.0.0.1" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Collections.Immutable" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-9.0.0.0" newVersion="9.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Memory" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-4.0.1.2" newVersion="4.0.1.2" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Runtime.CompilerServices.Unsafe" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
  </runtime>
</configuration>
```

Datei: Microsoft.IO.Redist.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Newtonsoft.Json.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Buffers.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Collections.Immutable.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Memory.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Numerics.Vectors.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: System.Runtime.CompilerServices.Unsafe.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Threading.Tasks.Extensions.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.Build.Locator.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.deps.json

```
{
  "runtimeTarget": {
    "name": ".NETCoreApp,Version=v6.0",
    "signature": ""
  },
  "compilationOptions": {},
  "targets": {
    ".NETCoreApp,Version=v6.0": {
      "Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost/4.14.0-3.25262.10": {
        "dependencies": {
          "Microsoft.Build.Locator": "1.6.10",
          "Microsoft.CodeAnalysis.NetAnalyzers": "8.0.0-preview.23468.1",
          "Microsoft.CodeAnalysis.PerformanceSensitiveAnalyzers": "3.3.4-beta1.22504.1",
          "Microsoft.DotNet.XliffTasks": "9.0.0-beta.25255.5",
          "Microsoft.VisualStudio.Threading.Analyzers": "17.13.2",
          "Newtonsoft.Json": "13.0.3",
          "Roslyn.Diagnostics.Analyzers": "3.11.0-beta1.24081.1",
          "System.Collections.Immutable": "9.0.0",
          "System.CommandLine": "2.0.0-beta4.24528.1"
        },
        "runtime": {
          "Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll": {}
        },
        "resources": {
          "cs/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "cs"
          },
          "de/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "de"
          },
          "es/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "es"
          },
          "fr/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "fr"
          },
          "it/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "it"
          },
          "ja/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "ja"
          },
          "ko/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "ko"
          },
          "pl/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "pl"
          },
          "pt-BR/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "pt-BR"
          },
          "ru/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "ru"
          },
          "tr/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "tr"
          },
          "zh-Hans/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "zh-Hans"
          },
          "zh-Hant/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.resources.dll": {
            "locale": "zh-Hant"
          }
        }
      },
      "Microsoft.Build.Locator/1.6.10": {
        "runtime": {
          "lib/net6.0/Microsoft.Build.Locator.dll": {
            "assemblyVersion": "1.0.0.0",
            "fileVersion": "1.6.10.57384"
          }
        }
      }
    }
  }
}
```

```

},
"Microsoft.CodeAnalysis.BannedApiAnalyzers/3.11.0-beta1.24081.1": {},
"Microsoft.CodeAnalysis.NetAnalyzers/8.0.0-preview.23468.1": {},
"Microsoft.CodeAnalysis.PerformanceSensitiveAnalyzers/3.3.4-beta1.22504.1": {},
"Microsoft.CodeAnalysis.PublicApiAnalyzers/3.11.0-beta1.24081.1": {},
"Microsoft.DotNet.XliffTasks/9.0.0-beta.25255.5": {},
"Microsoft.VisualStudio.Threading.Analyzers/17.13.2": {},
"Newtonsoft.Json/13.0.3": {
  "runtime": {
    "lib/net6.0/Newtonsoft.Json.dll": {
      "assemblyVersion": "13.0.0.0",
      "fileVersion": "13.0.3.27908"
    }
  }
},
"Roslyn.Diagnostics.Analyzers/3.11.0-beta1.24081.1": {
  "dependencies": {
    "Microsoft.CodeAnalysis.BannedApiAnalyzers": "3.11.0-beta1.24081.1",
    "Microsoft.CodeAnalysis.PublicApiAnalyzers": "3.11.0-beta1.24081.1"
  }
},
"System.Collections.Immutable/9.0.0": {
  "dependencies": {
    "System.Memory": "4.5.5",
    "System.Runtime.CompilerServices.Unsafe": "6.0.0"
  },
  "runtime": {
    "lib/netstandard2.0/System.Collections.Immutable.dll": {
      "assemblyVersion": "9.0.0.0",
      "fileVersion": "9.0.24.52809"
    }
  }
},
"System.CommandLine/2.0.0-beta4.24528.1": {
  "dependencies": {
    "System.Memory": "4.5.5"
  },
  "runtime": {
    "lib/netstandard2.0/System.CommandLine.dll": {
      "assemblyVersion": "2.0.0.0",
      "fileVersion": "2.0.24.52801"
    }
  },
  "resources": {
    "lib/netstandard2.0/cs/System.CommandLine.resources.dll": {
      "locale": "cs"
    },
    "lib/netstandard2.0/de/System.CommandLine.resources.dll": {
      "locale": "de"
    },
    "lib/netstandard2.0/es/System.CommandLine.resources.dll": {
      "locale": "es"
    },
    "lib/netstandard2.0/fr/System.CommandLine.resources.dll": {
      "locale": "fr"
    },
    "lib/netstandard2.0/it/System.CommandLine.resources.dll": {
      "locale": "it"
    },
    "lib/netstandard2.0/ja/System.CommandLine.resources.dll": {
      "locale": "ja"
    },
    "lib/netstandard2.0/ko/System.CommandLine.resources.dll": {
      "locale": "ko"
    },
    "lib/netstandard2.0/pl/System.CommandLine.resources.dll": {
      "locale": "pl"
    },
    "lib/netstandard2.0/pt-BR/System.CommandLine.resources.dll": {
      "locale": "pt-BR"
    },
    "lib/netstandard2.0/ru/System.CommandLine.resources.dll": {
      "locale": "ru"
    },
    "lib/netstandard2.0/tr/System.CommandLine.resources.dll": {
      "locale": "tr"
    }
  },

```

```

        "lib/netstandard2.0/zh-Hans/System.CommandLine.resources.dll": {
            "locale": "zh-Hans"
        },
        "lib/netstandard2.0/zh-Hant/System.CommandLine.resources.dll": {
            "locale": "zh-Hant"
        }
    },
    "System.Memory/4.5.5": {},
    "System.Runtime.CompilerServices.Unsafe/6.0.0": {}
},
"libraries": {
    "Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost/4.14.0-3.25262.10": {
        "type": "project",
        "serviceable": false,
        "sha512": ""
    },
    "Microsoft.Build.Locator/1.6.10": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-DJhCkTGqy1LMJzEmG/2qxRTMhwdPc3WdVoGQI5o5mKHVo4dsHrCMLIyruwU/NSvPNSdvONlaf7jd",
        "path": "microsoft.build.locator/1.6.10",
        "hashPath": "microsoft.build.locator.1.6.10.nupkg.sha512"
    },
    "Microsoft.CodeAnalysis.BannedApiAnalyzers/3.11.0-beta1.24081.1": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-DH6L3rsbjppLrHM2l2/NKbnMayd0NFHx2pjZaFdrVcRkONrV3i9FHV6Id8Dp6/TmjhXQsJVJJFbhl",
        "path": "microsoft.codeanalysis.bannedapianalyzers/3.11.0-beta1.24081.1",
        "hashPath": "microsoft.codeanalysis.bannedapianalyzers.3.11.0-beta1.24081.1.nupkg.sha512"
    },
    "Microsoft.CodeAnalysis.NetAnalyzers/8.0.0-preview.23468.1": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-ZhIvyxmUCqb80iU/VQfxfuAmIB4lQs jqhMVYKeoyxzSI+d7uR5Pzx3ZKoaIhPizQ15wa4lNyD6wg",
        "path": "microsoft.codeanalysis.netanalyzers/8.0.0-preview.23468.1",
        "hashPath": "microsoft.codeanalysis.netanalyzers.8.0.0-preview.23468.1.nupkg.sha512"
    },
    "Microsoft.CodeAnalysis.PerformanceSensitiveAnalyzers/3.3.4-beta1.22504.1": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-2XRlqPAzVke7Sb80+UqaC7o570wfK+tIr+aIOxrx41RWDMeR2SBuW7kL4sd6hfLFFBNSLo3W5PT+",
        "path": "microsoft.codeanalysis.performancesensitiveanalyzers/3.3.4-beta1.22504.1",
        "hashPath": "microsoft.codeanalysis.performancesensitiveanalyzers.3.3.4-beta1.22504.1.nupkg.sha512"
    },
    "Microsoft.CodeAnalysis.PublicApiAnalyzers/3.11.0-beta1.24081.1": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-3bYGBihvN00rhCOG1U9050/4Q8suZ+glHqQLIAcKvnodSnSW+dYWYzTNb1UbS8pUS8nAUfxSFMw",
        "path": "microsoft.codeanalysis.publicapianalyzers/3.11.0-beta1.24081.1",
        "hashPath": "microsoft.codeanalysis.publicapianalyzers.3.11.0-beta1.24081.1.nupkg.sha512"
    },
    "Microsoft.DotNet.XliffTasks/9.0.0-beta.25255.5": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-bb0fZB5ViPscdfYewlmtYXJMzNkgcPkV5RWmXktfV9lwIUZgNZmFotUXrdCTyZrN7v1tQK/Y6BG",
        "path": "microsoft.dotnet.xlifftasks/9.0.0-beta.25255.5",
        "hashPath": "microsoft.dotnet.xlifftasks.9.0.0-beta.25255.5.nupkg.sha512"
    },
    "Microsoft.VisualStudio.Threading.Analyzers/17.13.2": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-Qcd8IlaTXZVq3wo1Bnzby1P7kWiHdWaExtD8riumiKuG1sHa8EgjV/o70TMjTaeUMhomBbhfdC9O",
        "path": "microsoft.visualstudio.threading.analyzers/17.13.2",
        "hashPath": "microsoft.visualstudio.threading.analyzers.17.13.2.nupkg.sha512"
    },
    "Newtonsoft.Json/13.0.3": {
        "type": "package",
        "serviceable": true,
        "sha512": "sha512-HrC5BXdl00IP9zeV+0Z848QWPaoCr9P3bDEZguI+gkLcBKA0xix/tLEAAHC+UvDNPv4a2d18l0Re",
        "path": "newtonsoft.json/13.0.3",
        "hashPath": "newtonsoft.json.13.0.3.nupkg.sha512"
    },
    "Roslyn.Diagnostics.Analyzers/3.11.0-beta1.24081.1": {
        "type": "package",
        "serviceable": true,

```

```
"sha512": "sha512-reHqZCDKifA+DURcL8jUfYkMGL4FpgNt5LI0uWTS6IpM8kKVbu/k08byZsqfhBu4wUzT3MBDcoMf",
"path": "roslyn.diagnostics.analyzers/3.11.0-beta1.24081.1",
"hashPath": "roslyn.diagnostics.analyzers.3.11.0-beta1.24081.1.nupkg.sha512"
},
"System.Collections.Immutable/9.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-QhkXU12gNrQtpmtBTQHb0YsUrDiDQ2QS09YbtTTiSjGcf7NBqtYbrG/BE06zcBPCKEwQGzIv13I",
  "path": "system.collections.immutable/9.0.0",
  "hashPath": "system.collections.immutable.9.0.0.nupkg.sha512"
},
"System.CommandLine/2.0.0-beta4.24528.1": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-Xt8tsSU8yd0ZpbT9gl5DAwkMYWLo8PV1fq2R/belrUbHVVOIKqhlfbwksbdknUDpmzMHZenBtD6A",
  "path": "system.commandline/2.0.0-beta4.24528.1",
  "hashPath": "system.commandline.2.0.0-beta4.24528.1.nupkg.sha512"
},
"System.Memory/4.5.5": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-XIWiDvKPXaTveaB7HVganDlOCRoJ03l+jrwNvcge/t8vhGYKvqV+dMv6G4SAX2NoNmN0wZfVPTA",
  "path": "system.memory/4.5.5",
  "hashPath": "system.memory.4.5.5.nupkg.sha512"
},
"System.Runtime.CompilerServices.Unsafe/6.0.0": {
  "type": "package",
  "serviceable": true,
  "sha512": "sha512-/iUeP3tq1S0XdNNoMz5C9twLSrM/TH+qElHkXWapVuN0t+99G75NrV00S2EqHx5wMN7popYjpc8",
  "path": "system.runtime.compilerservices.unsafe/6.0.0",
  "hashPath": "system.runtime.compilerservices.unsafe.6.0.0.nupkg.sha512"
}
}
}
```

Datei: Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

File: Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll.config

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <runtime>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build.Framework" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build.Utilities.Core" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Build.Tasks.Core" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-15.1.0.0" newVersion="15.1.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Collections.Immutable" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-9.0.0.0" newVersion="9.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.VisualBasic.Core" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-11.0.0.0" newVersion="11.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Win32.Primitives" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="Microsoft.Win32.Registry" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System Buffers" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Collections.Concurrent" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Collections.NonGeneric" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
      <dependentAssembly>
        <assemblyIdentity name="System.Collections.Specialized" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
        <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
      </dependentAssembly>
    </assemblyBinding>
  </runtime>
</configuration>
```

```
<bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
</dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Collections" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.ComponentModel.Annotations" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.ComponentModel.EventBasedAsync" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.ComponentModel.Primitives" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.ComponentModel.TypeConverter" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.ComponentModel" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Console" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Data.Common" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Diagnostics.Contracts" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Diagnostics.FileVersionInfo" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Diagnostics.Process" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Diagnostics.StackTrace" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
</assemblyBinding>
```

```
<assemblyIdentity name="System.Diagnostics.TextWriterTraceListener" publicKeyToken="b03f5f7f11d50a3a" />
  <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
</dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Diagnostics.TraceSource" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Diagnostics.Tracing" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Drawing.Primitives" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.Compression.ZipFile" publicKeyToken="b77a5c561934e089" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.Compression" publicKeyToken="b77a5c561934e089" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.FileSystem.AccessControl" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.FileSystem.DriveInfo" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.FileSystem.Watcher" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.IsolatedStorage" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.MemoryMappedFiles" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.Pipes.AccessControl" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.IO.Pipes" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
```



```
<dependentAssembly>
  <assemblyIdentity name="System.Linq.Expressions" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
  <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
</dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Linq.Parallel" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Linq.Queryable" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Linq" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Memory" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.HttpListener" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.Mail" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.NameResolution" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.NetworkInformation" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.Ping" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.Primitives" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.Requests" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.Security" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
```

```
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.ServicePoint" publicKeyToken="cc7b13ffcd2ddd51" culture="ne
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.Sockets" publicKeyToken="b03f5f7f11d50a3a" culture="ne
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.WebClient" publicKeyToken="cc7b13ffcd2ddd51" culture="ne
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.WebHeaderCollection" publicKeyToken="b03f5f7f11d50a3a"
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.WebProxy" publicKeyToken="cc7b13ffcd2ddd51" culture="ne
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.WebSockets.Client" publicKeyToken="b03f5f7f11d50a3a" c
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Net.WebSockets" publicKeyToken="b03f5f7f11d50a3a" culture="
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Numerics.Vectors" publicKeyToken="b03f5f7f11d50a3a" culture
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.ObjectModel" publicKeyToken="b03f5f7f11d50a3a" culture="ne
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Reflection.Emit.ILGeneration" publicKeyToken="b03f5f7f11d50
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Reflection.Emit.Lightweight" publicKeyToken="b03f5f7f11d50
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Reflection.Emit" publicKeyToken="b03f5f7f11d50a3a" culture=
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Reflection.Primitives" publicKeyToken="b03f5f7f11d50a3a" c
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
```

```
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Resources.Writer" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.CompilerServices.VisualC" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.InteropServices.RuntimeInformation" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.InteropServices" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.Numerics" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.Serialization.Formatter" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.Serialization.Json" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.Serialization.Primitives" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime.Serialization.Xml" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Runtime" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.AccessControl" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Claims" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.Algorithms" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
```

```
</dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.Cng" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.Csp" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.Encoding" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.Primitives" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.X509Certificates" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Principal.Windows" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Text.Encoding.Extensions" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Text.RegularExpressions" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Threading.Overlapped" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Threading.Tasks.Parallel" publicKeyToken="b03f5f7f11d50a3a" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Threading.Thread" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Threading.ThreadPool" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Threading" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
  </dependentAssembly>
</assemblyBinding>
```

```
<bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
</dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Transactions.Local" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Web.HttpUtility" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Xml.ReaderWriter" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Xml.XDocument" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Xml.XPath.XDocument" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Xml.XPath" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Xml.XmlSerializer" publicKeyToken="b03f5f7f11d50a3a" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="netstandard" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-2.1.0.0" newVersion="2.1.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Configuration.ConfigurationManager" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.Security.Cryptography.Xml" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
<assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
  <dependentAssembly>
    <assemblyIdentity name="System.CodeDom" publicKeyToken="cc7b13ffcd2ddd51" culture="neutral" />
    <bindingRedirect oldVersion="0.0.0.0-6.0.0.0" newVersion="6.0.0.0" />
  </dependentAssembly>
</assemblyBinding>
</runtime>
</configuration>
```

Datei: Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.runtimeconfig.json

```
{
  "runtimeOptions": {
    "tfm": "net6.0",
    "framework": {
      "name": "Microsoft.NETCore.App",
      "version": "6.0.0"
    },
    "rollForward": "Major",
    "configProperties": {
      "System.Reflection.Metadata.MetadataUpdater.IsSupported": false
    }
  }
}
```

Datei: Newtonsoft.Json.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Collections.Immutable.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.CommandLine.resources.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: **System.Windows.Extensions.dll**

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.CSharp.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei:

Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.Workspaces.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: Microsoft.CodeAnalysis.resources.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KontoController.cs

```
using Microsoft.AspNetCore.Mvc;
using KVS_API.Models;
using KVS_API.Services;

namespace KVS_API.Controllers
{
    [ApiController]
    [Route("api/konto")]
    public class KontoController : ControllerBase
    {
        private readonly IKontoService _kontoService;

        public KontoController(IKontoService kontoService)
        {
            _kontoService = kontoService;
        }

        [HttpGet("getall/{userId:guid}")]
        public async Task<IActionResult> GetAlleKonten(Guid userId)
        {
            var konten = await _kontoService.GetAlleKontenAsync(userId);
            return Ok(konten);
        }

        [HttpGet("{kontonummer}")]
        public async Task<IActionResult> GetKonto(string kontonummer)
        {
            var konto = await _kontoService.GetKontoAsync(kontonummer);
            return Ok(konto);
        }

        [HttpPost("sparkonto/{userId:guid}")]
        public async Task<IActionResult> ErstelleSparkonto(Guid userId)
        {
            var konto = await _kontoService.ErstelleSparkontoAsync(userId);
            return Ok(konto);
        }

        [HttpPost("privatkonto/{userId:guid}")]
        public async Task<IActionResult> ErstellePrivatkonto(Guid userId)
        {
            var konto = await _kontoService.ErstellePrivatkontoAsync(userId);
            return Ok(konto);
        }

        [HttpPost("{kontonummer}/einzahlen")]
        public async Task<IActionResult> Einzahlen(string kontonummer, [FromBody] EinzahlenRequest request)
        {
            var response = await _kontoService.EinzahlenAsync(kontonummer, request.Betrag);
            return Ok(response);
        }

        [HttpPost("{kontonummer}/auszahlen")]
        public async Task<IActionResult> Auszahlen(string kontonummer, [FromBody] AuszahlenRequest request)
        {
            var response = await _kontoService.AuszahlenAsync(kontonummer, request.Betrag);
            return Ok(response);
        }

        [HttpPost("umbuchen")]
        public async Task<IActionResult> Umbuchen([FromBody] UmbuchenRequest request)
        {
            var response = await _kontoService.UmbuchenAsync(request.VonKontonummer, request.NachKontonummer, request.Betrag);
            return Ok(response);
        }
    }
}
```

Datei: UserController.cs

```
using Microsoft.AspNetCore.Mvc;
using KVS_API.Models;
using Microsoft.EntityFrameworkCore;

namespace KVS_API.Controllers
{
    [ApiController]
    [Route("api/user")]
    public class UserController : ControllerBase
    {
        private readonly ApplicationDbContext _context;
        public UserController(ApplicationDbContext context)
        {
            this._context = context;
        }

        [HttpGet("{id}")]
        public async Task<IActionResult> GetUser(Guid id)
        {
            var user = await _context.Users.FindAsync(id);

            if (user == null) return NotFound("User nicht gefunden");

            return Ok(new UserResponse(user.Id, user.Username, user.Email));
        }
    }
}
```

Datei: KontoNotFoundException.cs

```
namespace KVS_API.Exceptions;
public class KontoNotFoundException : Exception
{
    public KontoNotFoundException(string nachricht) : base(nachricht)
    {
    }
}
```

Datei: UngueltigerBetragException.cs

```
namespace KVS_API.Exceptions;
public class UngueltigerBetragException : Exception
{
    public UngueltigerBetragException(string nachricht) : base(nachricht)
    {
    }
}
```

Datei: UnzureichendeDeckungException.cs

```
namespace KVS_API.Exceptions;
public class UnzureichendeDeckungException : Exception
{
    public UnzureichendeDeckungException(string nachricht) : base(nachricht)
    {
    }
}
```

Datei: UserNotFoundException.cs

```
namespace KVS_API.Exceptions;
public class UserNotFoundException : Exception
{
    public UserNotFoundException(string nachricht) : base(nachricht)
    {
    }
}
```

Datei: GlobalExceptionHandler.cs

```
using Microsoft.AspNetCore.Diagnostics;
using Microsoft.AspNetCore.Mvc;
using KVS_API.Exceptions;

namespace KVS_API.Middleware
{
    public class GlobalExceptionHandler : IExceptionHandler
    {
        private readonly ILogger<GlobalExceptionHandler> _logger;

        public GlobalExceptionHandler(ILogger<GlobalExceptionHandler> logger)
        {
            _logger = logger;
        }

        public async ValueTask<bool> TryHandleAsync(HttpContext httpContext, Exception exception)
        {
            // 1. Den Fehler in der Konsole loggen (für dich als Entwickler wichtig)
            _logger.LogError(exception, "Ein Fehler ist aufgetreten: {Message}", exception.Message);

            // 2. Ein standardisiertes Fehler-Objekt vorbereiten
            var problemDetails = new ProblemDetails
            {
                Instance = httpContext.Request.Path
            };

            // 3. Fehler je nach Typ in die passenden HTTP-Statuscodes übersetzen
            if (exception is KontoNotFoundException || exception is UserNotFoundException)
            {
                httpContext.Response.StatusCode = StatusCodes.Status404NotFound;
                problemDetails.Title = "Nicht gefunden";
                problemDetails.Detail = exception.Message;
                problemDetails.Status = StatusCodes.Status404NotFound;
            }
            else if (exception is UngültigerBetragException || exception is UnzureichendeDeckungException)
            {
                httpContext.Response.StatusCode = StatusCodes.Status400BadRequest;
                problemDetails.Title = "Ungültige Anfrage";
                problemDetails.Detail = exception.Message;
                problemDetails.Status = StatusCodes.Status400BadRequest;
            }
            else
            {
                // Für alle anderen "echten" Abstürze (z. B. Datenbank down)
                httpContext.Response.StatusCode = StatusCodes.Status500InternalServerError;
                problemDetails.Title = "Interner Serverfehler";
                problemDetails.Detail = "Ein unerwarteter Fehler ist aufgetreten.";
                problemDetails.Status = StatusCodes.Status500InternalServerError;
            }

            // 4. Die saubere JSON-Antwort an das Frontend (Angular) schicken
            await httpContext.Response.WriteAsJsonAsync(problemDetails, cancellationToken);

            return true; // Signalisiert .NET, dass wir den Fehler erfolgreich abgefangen haben
        }
    }
}
```

Datei: 20260625155442_UpdateUserModel.Designer.cs

```
/// <auto-generated />
using System;
using KVS_API.Models;
using Microsoft.EntityFrameworkCore;
using Microsoft.EntityFrameworkCore.Infrastructure;
using Microsoft.EntityFrameworkCore.Migrations;
using Microsoft.EntityFrameworkCore.Storage.ValueConversion;
using Npgsql.EntityFrameworkCore.PostgreSQL.Metadata;

#nullable disable

namespace KVS_API.Migrations
{
    [DbContext(typeof(ApplicationDbContext))]
    [Migration("20260625155442_UpdateUserModel")]
    partial class UpdateUserModel
    {
        /// <inheritdoc />
        protected override void BuildTargetModel(ModelBuilder modelBuilder)
        {
#pragma warning disable 612, 618
            modelBuilder
                .HasAnnotation("ProductVersion", "10.0.0")
                .HasAnnotation("Relational:MaxIdentifierLength", 63);

            NpgsqlModelBuilderExtensions.UseIdentityByDefaultColumns(modelBuilder);

            modelBuilder.Entity("KVS_API.Models.Konto", b =>
            {
                b.Property<string>("Kontonummer")
                    .HasColumnType("text")
                    .HasColumnName("kontonummer");

                b.Property<DateTime>("Erstelltam")
                    .HasColumnType("timestamp with time zone")
                    .HasColumnName("erstelltam");

                b.Property<string>("Typ")
                    .IsRequired()
                    .HasMaxLength(13)
                    .HasColumnType("character varying(13)")
                    .HasColumnName("typ");

                b.Property<Guid>("UserId")
                    .HasColumnType("uuid")
                    .HasColumnName("userid");

                b.HasKey("Kontonummer");

                b.HasIndex("UserId");

                b.ToTable("konten", (string)null);

                b.HasDiscriminator<string>("Typ").HasValue("Konto");

                b.UseTphMappingStrategy();
            });

            modelBuilder.Entity("KVS_API.Models.User", b =>
            {
                b.Property<Guid>("Id")
                    .ValueGeneratedOnAdd()
                    .HasColumnType("uuid")
                    .HasColumnName("id");

                b.Property<string>("Email")
                    .IsRequired()
                    .HasColumnType("text")
                    .HasColumnName("email");

                b.Property<DateTime>("Erstelltam")
                    .HasColumnType("timestamp with time zone")
                    .HasColumnName("erstelltam");

                b.Property<string>("Passwordhash")
```



```

        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("passwordhash");

        b.Property<string>("Username")
        .IsRequired()
        .HasColumnType("text")
        .HasColumnName("username");

        b.HasKey("Id");

        b.ToTable("users", (string)null);
    });

    modelBuilder.Entity("KVS_API.Models.Privatkonto", b =>
    {
        b.HasBaseType("KVS_API.Models.Konto");

        b.HasDiscriminator().HasValue("Privatkonto");
    });

    modelBuilder.Entity("KVS_API.Models.Sparkonto", b =>
    {
        b.HasBaseType("KVS_API.Models.Konto");

        b.HasDiscriminator().HasValue("Sparkonto");
    });

    modelBuilder.Entity("KVS_API.Models.Konto", b =>
    {
        b.HasOne("KVS_API.Models.User", "User")
        .WithMany("Konten")
        .HasForeignKey("UserId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

        b.Navigation("User");
    });

    modelBuilder.Entity("KVS_API.Models.User", b =>
    {
        b.Navigation("Konten");
    });
#pragma warning restore 612, 618
    }
}

```

Datei: 20260625155442_UpdateUserModel.cs

```
using System;
using Microsoft.EntityFrameworkCore.Migrations;

#nullable disable

namespace KVS_API.Migrations
{
    /// <inheritdoc />
    public partial class UpdateUserModel : Migration
    {
        /// <inheritdoc />
        protected override void Up(MigrationBuilder migrationBuilder)
        {
            migrationBuilder.CreateTable(
                name: "users",
                columns: table => new
                {
                    id = table.Column<Guid>(type: "uuid", nullable: false),
                    username = table.Column<string>(type: "text", nullable: false),
                    email = table.Column<string>(type: "text", nullable: false),
                    passwordhash = table.Column<string>(type: "text", nullable: false),
                    erstelltam = table.Column<DateTime>(type: "timestamp with time zone", nullable: false),
                },
                constraints: table =>
                {
                    table.PrimaryKey("PK_users", x => x.id);
                });

            migrationBuilder.CreateTable(
                name: "konten",
                columns: table => new
                {
                    kontonummer = table.Column<string>(type: "text", nullable: false),
                    userid = table.Column<Guid>(type: "uuid", nullable: false),
                    typ = table.Column<string>(type: "character varying(13)", maxLength: 13, nullable: false),
                    erstelltam = table.Column<DateTime>(type: "timestamp with time zone", nullable: false),
                },
                constraints: table =>
                {
                    table.PrimaryKey("PK_konten", x => x.kontonummer);
                    table.ForeignKey(
                        name: "FK_konten_users_userid",
                        column: x => x.userid,
                        principalTable: "users",
                        principalColumn: "id",
                        onDelete: ReferentialAction.Cascade);
                });

            migrationBuilder.CreateIndex(
                name: "IX_konten_userid",
                table: "konten",
                column: "userid");
        }

        /// <inheritdoc />
        protected override void Down(MigrationBuilder migrationBuilder)
        {
            migrationBuilder.DropTable(
                name: "konten");

            migrationBuilder.DropTable(
                name: "users");
        }
    }
}
```

Datei: ApplicationDbContextModelSnapshot.cs

```

    /// <auto-generated />
    using System;
    using KVS_API.Models;
    using Microsoft.EntityFrameworkCore;
    using Microsoft.EntityFrameworkCore.Infrastructure;
    using Microsoft.EntityFrameworkCore.Storage.ValueConversion;
    using Npgsql.EntityFrameworkCore.PostgreSQL.Metadata;

    #nullable disable

    namespace KVS_API.Migrations
    {
        [DbContext(typeof(ApplicationDbContext))]
        partial class ApplicationDbContextModelSnapshot : ModelSnapshot
        {
            protected override void BuildModel(ModelBuilder modelBuilder)
            {
#pragma warning disable 612, 618
                modelBuilder
                    .HasAnnotation("ProductVersion", "10.0.0")
                    .HasAnnotation("Relational:MaxIdentifierLength", 63);

                NpgsqlModelBuilderExtensions.UseIdentityByDefaultColumns(modelBuilder);

                modelBuilder.Entity("KVS_API.Models.Konto", b =>
                {
                    b.Property<string>("Kontonummer")
                        .HasColumnType("text")
                        .HasColumnName("kontonummer");

                    b.Property<DateTime>("Erstelltam")
                        .HasColumnType("timestamp with time zone")
                        .HasColumnName("erstelltam");

                    b.Property<string>("Typ")
                        .IsRequired()
                        .HasMaxLength(13)
                        .HasColumnType("character varying(13)")
                        .HasColumnName("typ");

                    b.Property<Guid>("UserId")
                        .HasColumnType("uuid")
                        .HasColumnName("userid");

                    b.HasKey("Kontonummer");

                    b.HasIndex("UserId");

                    b.ToTable("konten", (string)null);

                    b.HasDiscriminator<string>("Typ").HasValue("Konto");

                    b.UseTphMappingStrategy();
                });

                modelBuilder.Entity("KVS_API.Models.User", b =>
                {
                    b.Property<Guid>("Id")
                        .ValueGeneratedOnAdd()
                        .HasColumnType("uuid")
                        .HasColumnName("id");

                    b.Property<string>("Email")
                        .IsRequired()
                        .HasColumnType("text")
                        .HasColumnName("email");

                    b.Property<DateTime>("Erstelltam")
                        .HasColumnType("timestamp with time zone")
                        .HasColumnName("erstelltam");

                    b.Property<string>("Passwordhash")
                        .IsRequired()
                        .HasColumnType("text")

```

```

        .HasColumnName("passwordhash");

        b.Property<string>("Username")
            .IsRequired()
            .HasColumnType("text")
            .HasColumnName("username");

        b.HasKey("Id");

        b.ToTable("users", (string)null);
    });

modelBuilder.Entity("KVS_API.Models.Privatkonto", b =>
{
    b.HasBaseType("KVS_API.Models.Konto");

    b.HasDiscriminator().HasValue("Privatkonto");
});

modelBuilder.Entity("KVS_API.Models.Sparkonto", b =>
{
    b.HasBaseType("KVS_API.Models.Konto");

    b.HasDiscriminator().HasValue("Sparkonto");
});

modelBuilder.Entity("KVS_API.Models.Konto", b =>
{
    b.HasOne("KVS_API.Models.User", "User")
        .WithMany("Konten")
        .HasForeignKey("UserId")
        .OnDelete(DeleteBehavior.Cascade)
        .IsRequired();

    b.Navigation("User");
});

modelBuilder.Entity("KVS_API.Models.User", b =>
{
    b.Navigation("Konten");
});
#pragma warning restore 612, 618
    }
}

```

Datei: ApplicationDbContext.cs

```
using Microsoft.EntityFrameworkCore;

namespace KVS_API.Models
{
    public class ApplicationDbContext : DbContext
    {
        public ApplicationDbContext(DbContextOptions<ApplicationDbContext> options) : base(options)
        {
        }

        public DbSet<User> Users { get; set; }
        public DbSet<Konto> Konten { get; set; }

        //Vererbung
        protected override void OnModelCreating(ModelBuilder modelBuilder)
        {
            base.OnModelCreating(modelBuilder);
            modelBuilder.Entity<User>().ToTable("users");
            modelBuilder.Entity<Konto>().ToTable("konten");

            modelBuilder.Entity<Konto>()
                .HasDiscriminator<string>(k => k.Typ)
                .HasValue<Privatkonto>("Privatkonto")
                .HasValue<Sparkonto>("Sparkonto");
        }
    }
}
```

Datei: Konto.cs

```
using System.ComponentModel.DataAnnotations;
using System.ComponentModel.DataAnnotations.Schema;
using System.Globalization;
using KVS_API.Exceptions;

namespace KVS_API.Models
{
    public abstract class Konto
    {
        [Key]
        [Column("kontonummer")]
        public string Kontonummer { get; private set; }

        [Column("saldo")]
        private decimal _saldo = 0;

        public virtual User User { get; set; }

        [Column("userid")]
        public Guid UserId { get; set; }

        [Column("typ")]
        public string Typ { get; private set; }
        [Column("erstelltam")]
        public DateTime Erstelltam { get; private set; } = DateTime.Now;

        protected Konto(string typ, decimal anfangsbestand)
        {
            this.Typ = typ;
            this.Kontonummer = GetKontonummer();
            if (anfangsbestand >= 0)
            {
                this._saldo = anfangsbestand;
            }
        }

        public void Einzahlen(decimal betrag)
        {
            if (betrag > 0)
            {
                _saldo += betrag;
            }
            else
            {
                throw new UngueltigerBetragException("Der Betrag ist ungültig");
            }
        }

        public bool Auszahlen(decimal betrag)
        {
            if (betrag > 0 && betrag <= _saldo)
            {
                _saldo -= betrag;
                return true;
            }
            else
            {
                return false;
            }
        }

        public decimal GetSaldo()
        {
            return _saldo;
        }

        private static string GetKontonummer()
        {
            var region = new RegionInfo(CultureInfo.InstalledUICulture.Name);
            var kontonummer = region.TwoLetterISORegionName + Guid.NewGuid().ToString().Substring(0,
            return kontonummer;
        }

        public abstract void MonatlicheAbrechnung();
    }
}
```


Datei: KontoDtos.cs

```
using System;

namespace KVS_API.Models
{
    public record ErstelleKontoRequest(Guid UserId, string Typ);
    public record EinzahlenRequest(decimal Betrag);
    public record AuszahlenRequest(decimal Betrag);
    public record UmbuchenRequest(string VonKontonummer, string NachKontonummer, decimal Betrag);

    public record KontoResponse(string Kontonummer, string Typ, decimal Saldo, DateTime ErstelltAm);
    public record UmbuchungResponse(bool Erfolgreich, string Nachricht, decimal NeuerSaldoVon, decimal NeuerSaldoNach);
}
```


Datei: Privatkonto.cs

```
using System;
using System.Collections.Generic;
using System.Text;

namespace KVS_API.Models
{
    public class Privatkonto : Konto
    {
        public Privatkonto() : base("Privatkonto", 50)
        {
        }

        public override void MonatlicheAbrechnung()
        {
            decimal gebuehr = GetSaldo() * 0.025m;
            Auszahlen(gebuehr);
        }
    }
}
```

Datei: Sparkonto.cs

```
using System;
using System.Collections.Generic;
using System.Text;

namespace KVS_API.Models
{
    public class Sparkonto : Konto
    {
        public Sparkonto() : base("Sparkonto", 50) { }

        public override void MonatlicheAbrechnung()
        {
            decimal gebuehr = GetSaldo() * 0.025m;
            Einzahlen(gebuehr);
        }
    }
}
```

Datei: User.cs

```
using System.ComponentModel.DataAnnotations.Schema;
using KVS_API.Exceptions;
namespace KVS_API.Models
{
    public class User
    {
        [Column("id")]
        public Guid Id { get; private set; }

        [Column("username")]
        public string Username { get; private set; }

        [Column("email")]
        public string Email { get; set; }

        [Column("passwordhash")]
        public string Passwordhash { get; private set; }

        [Column("erstelltam")]
        public DateTime Erstelltam { get; private set; } = DateTime.Now;

        public ICollection<Konto> Konten { get; private set; } = new List<Konto>();

        public User(string username, string email, string passwordhash)
        {
            this.Username = username;
            this.Email = email;
            this.Passwordhash = passwordhash;
        }

        public void KontoHinzufuegen(Konto neuesKonto)
        {
            Konten.Add(neuesKonto);
        }

        public void Umbuchen(Konto vonkonto, Konto nachkonto, decimal betrag)
        {
            bool betragausbezahlt = vonkonto.Auszahlen(betrag);
            if (!betragausbezahlt)
            {
                throw new UnzureichendeDeckungException("Nicht genügend Deckung.");
            }

            nachkonto.Einzahlen(betrag);
        }
    }
}
```

Datei: UserDtos.cs

```
namespace KVS_API.Models
{
    public record UserResponse(Guid Id, string Username, string Email);
}
```

Datei: KVS_API.csproj.nuget.dgspec.json

```
{
  "format": 1,
  "restore": {
    "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj": {}
  },
  "projects": {
    "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj": {
      "version": "1.0.0",
      "restore": {
        "projectUniqueName": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj",
        "projectName": "KVS_API",
        "projectPath": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj",
        "packagesPath": "C:\\Users\\qemal\\.nuget\\packages\\",
        "outputPath": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\obj\\",
        "projectStyle": "PackageReference",
        "fallbackFolders": [
          "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages"
        ],
        "configFilePaths": [
          "C:\\Users\\qemal\\AppData\\Roaming\\NuGet\\NuGet.Config",
          "C:\\Program Files (x86)\\NuGet\\Config\\Microsoft.VisualStudio.FallbackLocation.config",
          "C:\\Program Files (x86)\\NuGet\\Config\\Microsoft.VisualStudio.Offline.config"
        ],
        "originalTargetFrameworks": [
          "net10.0"
        ],
        "sources": {
          "C:\\Program Files (x86)\\Microsoft SDKs\\NuGetPackages\\": {},
          "https://api.nuget.org/v3/index.json": {}
        },
        "frameworks": {
          "net10.0": {
            "framework": "net10.0",
            "targetAlias": "net10.0",
            "projectReferences": {}
          }
        },
        "warningProperties": {
          "warnAsError": [
            "NU1605"
          ]
        },
        "restoreAuditProperties": {
          "enableAudit": "true",
          "auditLevel": "low",
          "auditMode": "all"
        },
        "SdkAnalysisLevel": "10.0.300"
      },
      "frameworks": {
        "net10.0": {
          "framework": "net10.0",
          "targetAlias": "net10.0",
          "dependencies": {
            "Microsoft.AspNetCore.OpenApi": {
              "target": "Package",
              "version": "[10.0.8, )"
            },
            "Microsoft.EntityFrameworkCore.Design": {
              "include": "Runtime, Build, Native, ContentFiles, Analyzers, BuildTransitive",
              "suppressParent": "All",
              "target": "Package",
              "version": "[10.0.0-*, )"
            },
            "Microsoft.EntityFrameworkCore.Tools": {
              "include": "Runtime, Build, Native, ContentFiles, Analyzers, BuildTransitive",
              "suppressParent": "All",
              "target": "Package",
              "version": "[10.0.0-*, )"
            },
            "Npgsql.EntityFrameworkCore.PostgreSQL": {
              "target": "Package",
              "version": "[10.0.0-*, )"
            }
          }
        }
      }
    }
  }
}
```

```

},
"imports": [
  "net461",
  "net462",
  "net47",
  "net471",
  "net472",
  "net48",
  "net481"
],
"assetTargetFallback": true,
"warn": true,
"frameworkReferences": {
  "Microsoft.AspNetCore.App": {
    "privateAssets": "none"
  },
  "Microsoft.NETCore.App": {
    "privateAssets": "all"
  }
},
"runtimeIdentifierGraphPath": "C:\\Program Files\\dotnet\\sdk\\10.0.300\\PortableRuntimeIdentifierGraphPath",
"packagesToPrune": {
  "Microsoft.AspNetCore": "(,10.0.32767]",
  "Microsoft.AspNetCore.Antiforgery": "(,10.0.32767]",
  "Microsoft.AspNetCore.App": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authentication": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authentication.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authentication.BearerToken": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authentication.Cookies": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authentication.Core": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authentication.OAuth": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authorization": "(,10.0.32767]",
  "Microsoft.AspNetCore.Authorization.Policy": "(,10.0.32767]",
  "Microsoft.AspNetCore.Components": "(,10.0.32767]",
  "Microsoft.AspNetCore.Components.Authorization": "(,10.0.32767]",
  "Microsoft.AspNetCore.Components.Endpoints": "(,10.0.32767]",
  "Microsoft.AspNetCore.Components.Forms": "(,10.0.32767]",
  "Microsoft.AspNetCore.Components.Server": "(,10.0.32767]",
  "Microsoft.AspNetCore.Components.Web": "(,10.0.32767]",
  "Microsoft.AspNetCore.Connections.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.CookiePolicy": "(,10.0.32767]",
  "Microsoft.AspNetCore.Cors": "(,10.0.32767]",
  "Microsoft.AspNetCore.Cryptography.Internal": "(,10.0.32767]",
  "Microsoft.AspNetCore.Cryptography.KeyDerivation": "(,10.0.32767]",
  "Microsoft.AspNetCore.DataProtection": "(,10.0.32767]",
  "Microsoft.AspNetCore.DataProtection.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.DataProtection.Extensions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Diagnostics": "(,10.0.32767]",
  "Microsoft.AspNetCore.Diagnostics.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Diagnostics.HealthChecks": "(,10.0.32767]",
  "Microsoft.AspNetCore.HostFiltering": "(,10.0.32767]",
  "Microsoft.AspNetCore.Hosting": "(,10.0.32767]",
  "Microsoft.AspNetCore.Hosting.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Hosting.Server.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Html.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http.Connections": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http.Connections.Common": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http.Extensions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http.Features": "(,10.0.32767]",
  "Microsoft.AspNetCore.Http.Results": "(,10.0.32767]",
  "Microsoft.AspNetCore.HttpLogging": "(,10.0.32767]",
  "Microsoft.AspNetCore.HttpOverrides": "(,10.0.32767]",
  "Microsoft.AspNetCore.HttpsPolicy": "(,10.0.32767]",
  "Microsoft.AspNetCore.Identity": "(,10.0.32767]",
  "Microsoft.AspNetCore.Localization": "(,10.0.32767]",
  "Microsoft.AspNetCore.Localization.Routing": "(,10.0.32767]",
  "Microsoft.AspNetCore.Metadata": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.Abstractions": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.ApiExplorer": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.Core": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.Cors": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.DataAnnotations": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.Formatters.Json": "(,10.0.32767]",
  "Microsoft.AspNetCore.Mvc.Formatters.Xml": "(,10.0.32767]",

```

"Microsoft.AspNetCore.Mvc.Localization": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Razor": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.RazorPages": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.TagHelpers": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.ViewFeatures": "(,10.0.32767]",
"Microsoft.AspNetCore.OutputCaching": "(,10.0.32767]",
"Microsoft.AspNetCore.RateLimiting": "(,10.0.32767]",
"Microsoft.AspNetCore.Razor": "(,10.0.32767]",
"Microsoft.AspNetCore.Razor.Runtime": "(,10.0.32767]",
"Microsoft.AspNetCore.RequestDecompression": "(,10.0.32767]",
"Microsoft.AspNetCore.ResponseCaching": "(,10.0.32767]",
"Microsoft.AspNetCore.ResponseCaching.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.ResponseCompression": "(,10.0.32767]",
"Microsoft.AspNetCore.Rewrite": "(,10.0.32767]",
"Microsoft.AspNetCore.Routing": "(,10.0.32767]",
"Microsoft.AspNetCore.Routing.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.HttpSys": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.IIS": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.IISIntegration": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Core": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Transport.NamedPipes": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Transport.Quic": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Transport.Sockets": "(,10.0.32767]",
"Microsoft.AspNetCore.Session": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR.Common": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR.Core": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR.Protocols.Json": "(,10.0.32767]",
"Microsoft.AspNetCore.StaticAssets": "(,10.0.32767]",
"Microsoft.AspNetCore.StaticFiles": "(,10.0.32767]",
"Microsoft.AspNetCore.WebSockets": "(,10.0.32767]",
"Microsoft.AspNetCore.WebUtilities": "(,10.0.32767]",
"Microsoft.CSharp": "(,4.7.32767]",
"Microsoft.Extensions.Caching.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Caching.Memory": "(,10.0.32767]",
"Microsoft.Extensions.Configuration": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Binder": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.CommandLine": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.EnvironmentVariables": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.FileExtensions": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Ini": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Json": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.KeyPerFile": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.UserSecrets": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Xml": "(,10.0.32767]",
"Microsoft.Extensions.DependencyInjection": "(,10.0.32767]",
"Microsoft.Extensions.DependencyInjection.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics.HealthChecks": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics.HealthChecks.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Features": "(,10.0.32767]",
"Microsoft.Extensions.FileProviders.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.FileProviders.Composite": "(,10.0.32767]",
"Microsoft.Extensions.FileProviders.Physical": "(,10.0.32767]",
"Microsoft.Extensions.FileSystemGlobbing": "(,10.0.32767]",
"Microsoft.Extensions.Hosting": "(,10.0.32767]",
"Microsoft.Extensions.Hosting.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Http": "(,10.0.32767]",
"Microsoft.Extensions.Identity.Core": "(,10.0.32767]",
"Microsoft.Extensions.Identity.Stores": "(,10.0.32767]",
"Microsoft.Extensions.Localization": "(,10.0.32767]",
"Microsoft.Extensions.Localization.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Logging": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Configuration": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Console": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Debug": "(,10.0.32767]",
"Microsoft.Extensions.Logging.EventLog": "(,10.0.32767]",
"Microsoft.Extensions.Logging.EventSource": "(,10.0.32767]",
"Microsoft.Extensions.Logging.TraceSource": "(,10.0.32767]",
"Microsoft.Extensions.ObjectPool": "(,10.0.32767]",
"Microsoft.Extensions.Options": "(,10.0.32767]",
"Microsoft.Extensions.Options.ConfigurationExtensions": "(,10.0.32767]",
"Microsoft.Extensions.Options.DataAnnotations": "(,10.0.32767]",

"Microsoft.Extensions.Primitives": "(,10.0.32767]",
"Microsoft.Extensions.Validation": "(,10.0.32767]",
"Microsoft.Extensions.WebEncoders": "(,10.0.32767]",
"Microsoft.JSInterop": "(,10.0.32767]",
"Microsoft.Net.Http.Headers": "(,10.0.32767]",
"Microsoft.VisualBasic": "(,10.4.32767]",
"Microsoft.Win32.Primitives": "(,4.3.32767]",
"Microsoft.Win32.Registry": "(,5.0.32767]",
"runtime.any.System.Collections": "(,4.3.32767]",
"runtime.any.System.Diagnostics.Tools": "(,4.3.32767]",
"runtime.any.System.Diagnostics.Tracing": "(,4.3.32767]",
"runtime.any.System.Globalization": "(,4.3.32767]",
"runtime.any.System.Globalization.Calendars": "(,4.3.32767]",
"runtime.any.System.IO": "(,4.3.32767]",
"runtime.any.System.Reflection": "(,4.3.32767]",
"runtime.any.System.Reflection.Extensions": "(,4.3.32767]",
"runtime.any.System.Reflection.Primitives": "(,4.3.32767]",
"runtime.any.System.Resources.ResourceManager": "(,4.3.32767]",
"runtime.any.System.Runtime": "(,4.3.32767]",
"runtime.any.System.Runtime.Handles": "(,4.3.32767]",
"runtime.any.System.Runtime.InteropServices": "(,4.3.32767]",
"runtime.any.System.Text.Encoding": "(,4.3.32767]",
"runtime.any.System.Text.Encoding.Extensions": "(,4.3.32767]",
"runtime.any.System.Threading.Tasks": "(,4.3.32767]",
"runtime.any.System.Threading.Timer": "(,4.3.32767]",
"runtime.aot.System.Collections": "(,4.3.32767]",
"runtime.aot.System.Diagnostics.Tools": "(,4.3.32767]",
"runtime.aot.System.Diagnostics.Tracing": "(,4.3.32767]",
"runtime.aot.System.Globalization": "(,4.3.32767]",
"runtime.aot.System.Globalization.Calendars": "(,4.3.32767]",
"runtime.aot.System.IO": "(,4.3.32767]",
"runtime.aot.System.Reflection": "(,4.3.32767]",
"runtime.aot.System.Reflection.Extensions": "(,4.3.32767]",
"runtime.aot.System.Reflection.Primitives": "(,4.3.32767]",
"runtime.aot.System.Resources.ResourceManager": "(,4.3.32767]",
"runtime.aot.System.Runtime": "(,4.3.32767]",
"runtime.aot.System.Runtime.Handles": "(,4.3.32767]",
"runtime.aot.System.Runtime.InteropServices": "(,4.3.32767]",
"runtime.aot.System.Text.Encoding": "(,4.3.32767]",
"runtime.aot.System.Text.Encoding.Extensions": "(,4.3.32767]",
"runtime.aot.System.Threading.Tasks": "(,4.3.32767]",
"runtime.aot.System.Threading.Timer": "(,4.3.32767]",
"runtime.debian.8-x64.runtime.native.System": "(,4.3.32767]",
"runtime.debian.8-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.debian.8-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.debian.8-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.debian.8-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.debian.8-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.debian.9-x64.runtime.native.System": "(,4.3.32767]",
"runtime.debian.9-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.debian.9-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.debian.9-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.fedora.23-x64.runtime.native.System": "(,4.3.32767]",
"runtime.fedora.23-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.fedora.23-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.fedora.23-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.fedora.23-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.fedora.23-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.fedora.24-x64.runtime.native.System": "(,4.3.32767]",
"runtime.fedora.24-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.fedora.24-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.fedora.24-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.fedora.24-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.fedora.24-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.fedora.27-x64.runtime.native.System": "(,4.3.32767]",
"runtime.fedora.27-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.fedora.27-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.fedora.27-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.fedora.28-x64.runtime.native.System": "(,4.3.32767]",
"runtime.fedora.28-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.fedora.28-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.fedora.28-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.opensuse.13.2-x64.runtime.native.System": "(,4.3.32767]",
"runtime.opensuse.13.2-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.opensuse.13.2-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.opensuse.13.2-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.opensuse.13.2-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",

"runtime.opensuse.13.2-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.opensuse.42.1-x64.runtime.native.System": "(,4.3.32767]",
"runtime.opensuse.42.1-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.opensuse.42.1-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.opensuse.42.1-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.opensuse.42.1-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.opensuse.42.1-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.opensuse.42.3-x64.runtime.native.System": "(,4.3.32767]",
"runtime.opensuse.42.3-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.opensuse.42.3-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.opensuse.42.3-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System.Security.Cryptography.Apple": "(,4.3.32767]",
"runtime.osx.10.10-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.rhel.7-x64.runtime.native.System": "(,4.3.32767]",
"runtime.rhel.7-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.rhel.7-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.rhel.7-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.rhel.7-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.rhel.7-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.ubuntu.14.04-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.14.04-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.14.04-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.14.04-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.ubuntu.14.04-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.ubuntu.14.04-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.unix.Microsoft.Win32.Primitives": "(,4.3.32767]",
"runtime.unix.System.Console": "(,4.3.32767]",
"runtime.unix.System.Diagnostics.Debug": "(,4.3.32767]",
"runtime.unix.System.IO.FileSystem": "(,4.3.32767]",
"runtime.unix.System.Net.Primitives": "(,4.3.32767]",
"runtime.unix.System.Net.Sockets": "(,4.3.32767]",
"runtime.unix.System.Private.Uri": "(,4.3.32767]",
"runtime.unix.System.Runtime.Extensions": "(,4.3.32767]",
"runtime.win.Microsoft.Win32.Primitives": "(,4.3.32767]",
"runtime.win.System.Console": "(,4.3.32767]",
"runtime.win.System.Diagnostics.Debug": "(,4.3.32767]",
"runtime.win.System.IO.FileSystem": "(,4.3.32767]",
"runtime.win.System.Net.Primitives": "(,4.3.32767]",
"runtime.win.System.Net.Sockets": "(,4.3.32767]",
"runtime.win.System.Runtime.Extensions": "(,4.3.32767]",
"runtime.win10-arm-aot.runtime.native.System.IO.Compression": "(,4.0.32767]",
"runtime.win10-arm64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.win10-x64-aot.runtime.native.System.IO.Compression": "(,4.0.32767]",
"runtime.win10-x86-aot.runtime.native.System.IO.Compression": "(,4.0.32767]",
"runtime.win7-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.win7-x86.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.win7.System.Private.Uri": "(,4.3.32767]",
"runtime.win8-arm.runtime.native.System.IO.Compression": "(,4.3.32767]",
"System.AppContext": "(,4.3.32767]",
"System.Buffers": "(,5.0.32767]",
"System.Collections": "(,4.3.32767]",
"System.Collections.Concurrent": "(,4.3.32767]",
"System.Collections.Immutable": "(,10.0.32767]",
"System.Collections.NonGeneric": "(,4.3.32767]",
"System.Collections.Specialized": "(,4.3.32767]",
"System.ComponentModel": "(,4.3.32767]",

"System.ComponentModel.Annotations": "(,4.3.32767]",
"System.ComponentModel.EventBasedAsync": "(,4.3.32767]",
"System.ComponentModel.Primitives": "(,4.3.32767]",
"System.ComponentModel.TypeConverter": "(,4.3.32767]",
"System.Console": "(,4.3.32767]",
"System.Data.Common": "(,4.3.32767]",
"System.Data.DataSetExtensions": "(,4.4.32767]",
"System.Diagnostics.Contracts": "(,4.3.32767]",
"System.Diagnostics.Debug": "(,4.3.32767]",
"System.Diagnostics.DiagnosticSource": "(,10.0.32767]",
"System.Diagnostics.EventLog": "(,10.0.32767]",
"System.Diagnostics.FileVersionInfo": "(,4.3.32767]",
"System.Diagnostics.Process": "(,4.3.32767]",
"System.Diagnostics.StackTrace": "(,4.3.32767]",
"System.Diagnostics.TextWriterTraceListener": "(,4.3.32767]",
"System.Diagnostics.Tools": "(,4.3.32767]",
"System.Diagnostics.TraceSource": "(,4.3.32767]",
"System.Diagnostics.Tracing": "(,4.3.32767]",
"System.Drawing.Primitives": "(,4.3.32767]",
"System.Dynamic.Runtime": "(,4.3.32767]",
"System.Formats.Asn1": "(,10.0.32767]",
"System.Formats.Cbor": "(,10.0.32767]",
"System.Formats.Tar": "(,10.0.32767]",
"System.Globalization": "(,4.3.32767]",
"System.Globalization.Calendars": "(,4.3.32767]",
"System.Globalization.Extensions": "(,4.3.32767]",
"System.IO": "(,4.3.32767]",
"System.IO.Compression": "(,4.3.32767]",
"System.IO.Compression.ZipFile": "(,4.3.32767]",
"System.IO.FileSystem": "(,4.3.32767]",
"System.IO.FileSystem.AccessControl": "(,4.4.32767]",
"System.IO.FileSystem.DriveInfo": "(,4.3.32767]",
"System.IO.FileSystem.Primitives": "(,4.3.32767]",
"System.IO.FileSystem.Watcher": "(,4.3.32767]",
"System.IO.IsolatedStorage": "(,4.3.32767]",
"System.IO.MemoryMappedFiles": "(,4.3.32767]",
"System.IO.Pipelines": "(,10.0.32767]",
"System.IO.Pipes": "(,4.3.32767]",
"System.IO.Pipes.AccessControl": "(,5.0.32767]",
"System.IO.UnmanagedMemoryStream": "(,4.3.32767]",
"System.Linq": "(,4.3.32767]",
"System.Linq.AsyncEnumerable": "(,10.0.32767]",
"System.Linq.Expressions": "(,4.3.32767]",
"System.Linq.Parallel": "(,4.3.32767]",
"System.Linq.Queryable": "(,4.3.32767]",
"System.Memory": "(,5.0.32767]",
"System.Net.Http": "(,4.3.32767]",
"System.Net.Http.Json": "(,10.0.32767]",
"System.Net.NameResolution": "(,4.3.32767]",
"System.Net.NetworkInformation": "(,4.3.32767]",
"System.Net.Ping": "(,4.3.32767]",
"System.Net.Primitives": "(,4.3.32767]",
"System.Net.Requests": "(,4.3.32767]",
"System.Net.Security": "(,4.3.32767]",
"System.Net.ServerSentEvents": "(,10.0.32767]",
"System.Net.Sockets": "(,4.3.32767]",
"System.Net.WebHeaderCollection": "(,4.3.32767]",
"System.Net.WebSockets": "(,4.3.32767]",
"System.Net.WebSockets.Client": "(,4.3.32767]",
"System.Numerics.Vectors": "(,5.0.32767]",
"System.ObjectModel": "(,4.3.32767]",
"System.Private.DataContractSerialization": "(,4.3.32767]",
"System.Private.Uri": "(,4.3.32767]",
"System.Reflection": "(,4.3.32767]",
"System.Reflection.DispatchProxy": "(,6.0.32767]",
"System.Reflection.Emit": "(,4.7.32767]",
"System.Reflection.Emit.ILGeneration": "(,4.7.32767]",
"System.Reflection.Emit.Lightweight": "(,4.7.32767]",
"System.Reflection.Extensions": "(,4.3.32767]",
"System.Reflection.Metadata": "(,10.0.32767]",
"System.Reflection.Primitives": "(,4.3.32767]",
"System.Reflection.TypeExtensions": "(,4.3.32767]",
"System.Resources.Reader": "(,4.3.32767]",
"System.Resources.ResourceManager": "(,4.3.32767]",
"System.Resources.Writer": "(,4.3.32767]",
"System.Runtime": "(,4.3.32767]",
"System.Runtime.CompilerServices.Unsafe": "(,7.0.32767]",

```
"System.Runtime.CompilerServices.VisualC": "(,4.3.32767]",
"System.Runtime.Extensions": "(,4.3.32767]",
"System.Runtime.Handles": "(,4.3.32767]",
"System.Runtime.InteropServices": "(,4.3.32767]",
"System.Runtime.InteropServices.RuntimeInformation": "(,4.3.32767]",
"System.Runtime.Loader": "(,4.3.32767]",
"System.Runtime.Numerics": "(,4.3.32767]",
"System.Runtime.Serialization.Formatter": "(,4.3.32767]",
"System.Runtime.Serialization.Json": "(,4.3.32767]",
"System.Runtime.Serialization.Primitives": "(,4.3.32767]",
"System.Runtime.Serialization.Xml": "(,4.3.32767]",
"System.Security.AccessControl": "(,6.0.32767]",
"System.Security.Claims": "(,4.3.32767]",
"System.Security.Cryptography.Algorithms": "(,4.3.32767]",
"System.Security.Cryptography.Cng": "(,5.0.32767]",
"System.Security.Cryptography.Csp": "(,4.3.32767]",
"System.Security.Cryptography.Encoding": "(,4.3.32767]",
"System.Security.Cryptography.OpenSsl": "(,5.0.32767]",
"System.Security.Cryptography.Primitives": "(,4.3.32767]",
"System.Security.Cryptography.X509Certificates": "(,4.3.32767]",
"System.Security.Cryptography.Xml": "(,10.0.32767]",
"System.Security.Principal": "(,4.3.32767]",
"System.Security.Principal.Windows": "(,5.0.32767]",
"System.Security.SecureString": "(,4.3.32767]",
"System.Text.Encoding": "(,4.3.32767]",
"System.Text.Encoding.CodePages": "(,10.0.32767]",
"System.Text.Encoding.Extensions": "(,4.3.32767]",
"System.Text.Encodings.Web": "(,10.0.32767]",
"System.Text.Json": "(,10.0.32767]",
"System.Text.RegularExpressions": "(,4.3.32767]",
"System.Threading": "(,4.3.32767]",
"System.Threading.AccessControl": "(,10.0.32767]",
"System.Threading.Channels": "(,10.0.32767]",
"System.Threading.Overlapped": "(,4.3.32767]",
"System.Threading.RateLimiting": "(,10.0.32767]",
"System.Threading.Tasks": "(,4.3.32767]",
"System.Threading.Tasks.Dataflow": "(,10.0.32767]",
"System.Threading.Tasks.Extensions": "(,5.0.32767]",
"System.Threading.Tasks.Parallel": "(,4.3.32767]",
"System.Threading.Thread": "(,4.3.32767]",
"System.Threading.ThreadPool": "(,4.3.32767]",
"System.Threading.Timer": "(,4.3.32767]",
"System.ValueTuple": "(,4.5.32767]",
"System.Xml.ReaderWriter": "(,4.3.32767]",
"System.Xml.XDocument": "(,4.3.32767]",
"System.Xml.XmlDocument": "(,4.3.32767]",
"System.Xml.XmlSerializer": "(,4.3.32767]",
"System.Xml.XPath": "(,4.3.32767]",
"System.Xml.XPath.XDocument": "(,5.0.32767]"
```

```
}
}
}
}
}
```

Datei: KVS_API.csproj.nuget.g.props

```
<?xml version="1.0" encoding="utf-8" standalone="no"?><br><Project ToolsVersion="14.0" xmlns="http://schemas.microsoft.com/developer/msbuild/2003"><br>  <PropertyGroup Condition="'$(ExcludeRestorePackageImports)' != 'true'"><br>    <RestoreSuccess Condition="'$(RestoreSuccess)' == '' ">True</RestoreSuccess><br>    <RestoreTool Condition="'$(RestoreTool)' == '' ">NuGet</RestoreTool><br>    <ProjectAssetsFile Condition="'$(ProjectAssetsFile)' == '' ">$(MSBuildThisFileDirectory)packages.config</ProjectAssetsFile><br>    <NuGetPackageRoot Condition="'$(NuGetPackageRoot)' == '' ">$(UserProfile)\.nuget\packages</NuGetPackageRoot><br>    <NuGetPackageFolders Condition="'$(NuGetPackageFolders)' == '' ">C:\Users\qemal\.nuget\packages</NuGetPackageFolders><br>    <NuGetProjectStyle Condition="'$(NuGetProjectStyle)' == '' ">PackageReference</NuGetProjectStyle><br>    <NuGetToolVersion Condition="'$(NuGetToolVersion)' == '' ">7.0.0</NuGetToolVersion><br>  </PropertyGroup><br>  <ItemGroup Condition="'$(ExcludeRestorePackageImports)' != 'true'"><br>    <SourceRoot Include="C:\Users\qemal\.nuget\packages\" /><br>    <SourceRoot Include="C:\Program Files (x86)\Microsoft Visual Studio\Shared\NuGetPackages\" /><br>  </ItemGroup><br>  <ItemGroup Condition="'$(ExcludeRestorePackageImports)' != 'true'"><br>    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\contentfiles\<br>      <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId><br>      <NuGetPackageVersion>4.14.0</NuGetPackageVersion><br>      <NuGetItemType>Content</NuGetItemType><br>      <Pack>false</Pack><br>      <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory><br>      <TargetPath>BuildHost-net472\Microsoft.Build.Locator.dll</TargetPath><br>      <DestinationSubDirectory>BuildHost-net472</DestinationSubDirectory><br>      <Private>True</Private><br>      <Link>BuildHost-net472\Microsoft.Build.Locator.dll</Link><br>    </Content><br>    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\contentfiles\<br>      <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId><br>      <NuGetPackageVersion>4.14.0</NuGetPackageVersion><br>      <NuGetItemType>Content</NuGetItemType><br>      <Pack>false</Pack><br>      <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory><br>      <TargetPath>BuildHost-net472\Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe</TargetPath><br>      <DestinationSubDirectory>BuildHost-net472</DestinationSubDirectory><br>      <Private>True</Private><br>      <Link>BuildHost-net472\Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe</Link><br>    </Content><br>    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\contentfiles\<br>      <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId><br>      <NuGetPackageVersion>4.14.0</NuGetPackageVersion><br>      <NuGetItemType>Content</NuGetItemType><br>      <Pack>false</Pack><br>      <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory><br>      <TargetPath>BuildHost-net472\Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe.config</TargetPath><br>      <DestinationSubDirectory>BuildHost-net472</DestinationSubDirectory><br>      <Private>True</Private><br>      <Link>BuildHost-net472\Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe.config</Link><br>    </Content><br>    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\contentfiles\<br>      <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId><br>      <NuGetPackageVersion>4.14.0</NuGetPackageVersion><br>      <NuGetItemType>Content</NuGetItemType><br>      <Pack>false</Pack><br>      <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory><br>      <TargetPath>BuildHost-net472\Microsoft.IO.Redist.dll</TargetPath><br>      <DestinationSubDirectory>BuildHost-net472</DestinationSubDirectory><br>      <Private>True</Private><br>      <Link>BuildHost-net472\Microsoft.IO.Redist.dll</Link><br>    </Content><br>    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\contentfiles\<br>      <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId><br>      <NuGetPackageVersion>4.14.0</NuGetPackageVersion><br>      <NuGetItemType>Content</NuGetItemType><br>      <Pack>false</Pack><br>      <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory><br>      <TargetPath>BuildHost-net472\Newtonsoft.Json.dll</TargetPath><br>      <DestinationSubDirectory>BuildHost-net472</DestinationSubDirectory><br>      <Private>True</Private><br>      <Link>BuildHost-net472\Newtonsoft.Json.dll</Link><br>    </Content><br>    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\contentfiles\<br>      <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId><br>      <NuGetPackageVersion>4.14.0</NuGetPackageVersion><br>      <NuGetItemType>Content</NuGetItemType><br>      <Pack>false</Pack><br>      <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory><br>      <TargetPath>BuildHost-net472\Newtonsoft.Json.dll</TargetPath><br>      <DestinationSubDirectory>BuildHost-net472</DestinationSubDirectory><br>      <Private>True</Private><br>      <Link>BuildHost-net472\Newtonsoft.Json.dll</Link><br>    </Content></ItemGroup></Project>
```

[illegible]

```
<!--><NuGetItem Type=Content Content=/NuGetItem Type=Content;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\cs\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\cs\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\cs\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
NuGetItemType=Content;/NuGetItemType;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\de\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\de\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\de\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
NuGetItemType=Content;/NuGetItemType;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\es\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\es\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\es\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
NuGetItemType=Content;/NuGetItemType;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\fr\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\fr\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\fr\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
NuGetItemType=Content;/NuGetItemType;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\it\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\it\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\it\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
NuGetItemType=Content;/NuGetItemType;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\ja\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\ja\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\ja\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
NuGetItemType=Content;/NuGetItemType;
Pack=false;/Pack;
CopyToOutputDirectory=PreserveNewest;/CopyToOutputDirectory;
TargetPath=BuildHost-net472\ko\System.CommandLine.resources.dll;/TargetPath;
DestinationSubDirectory=BuildHost-net472\ko\;/DestinationSubDirectory;
Private=True;/Private;
Link=BuildHost-net472\ko\System.CommandLine.resources.dll;/Link;
/Content;
Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
NuGetPackageId=Microsoft.CodeAnalysis.Workspaces.MSBuild;/NuGetPackageId;
NuGetPackageVersion=4.14.0;/NuGetPackageVersion;
-->
```

[illegible]

[illegible]

[illegible]

```

        <NuGetItemType>Content</NuGetItemType>
        <Pack>false</Pack>
        <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory>
        <TargetPath>BuildHost-netcore\pl\System.CommandLine.resources.dll</TargetPath>
        <DestinationSubDirectory>BuildHost-netcore\pl</DestinationSubDirectory>
        <Private>True</Private>
        <Link>BuildHost-netcore\pl\System.CommandLine.resources.dll</Link>
    </Content>
    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
        <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId>
        <NuGetPackageVersion>4.14.0</NuGetPackageVersion>
        <NuGetItemType>Content</NuGetItemType>
        <Pack>false</Pack>
        <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory>
        <TargetPath>BuildHost-netcore\pt-BR\System.CommandLine.resources.dll</TargetPath>
        <DestinationSubDirectory>BuildHost-netcore\pt-BR</DestinationSubDirectory>
        <Private>True</Private>
        <Link>BuildHost-netcore\pt-BR\System.CommandLine.resources.dll</Link>
    </Content>
    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
        <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId>
        <NuGetPackageVersion>4.14.0</NuGetPackageVersion>
        <NuGetItemType>Content</NuGetItemType>
        <Pack>false</Pack>
        <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory>
        <TargetPath>BuildHost-netcore\ru\System.CommandLine.resources.dll</TargetPath>
        <DestinationSubDirectory>BuildHost-netcore\ru</DestinationSubDirectory>
        <Private>True</Private>
        <Link>BuildHost-netcore\ru\System.CommandLine.resources.dll</Link>
    </Content>
    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
        <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId>
        <NuGetPackageVersion>4.14.0</NuGetPackageVersion>
        <NuGetItemType>Content</NuGetItemType>
        <Pack>false</Pack>
        <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory>
        <TargetPath>BuildHost-netcore\tr\System.CommandLine.resources.dll</TargetPath>
        <DestinationSubDirectory>BuildHost-netcore\tr</DestinationSubDirectory>
        <Private>True</Private>
        <Link>BuildHost-netcore\tr\System.CommandLine.resources.dll</Link>
    </Content>
    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
        <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId>
        <NuGetPackageVersion>4.14.0</NuGetPackageVersion>
        <NuGetItemType>Content</NuGetItemType>
        <Pack>false</Pack>
        <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory>
        <TargetPath>BuildHost-netcore\zh-Hans\System.CommandLine.resources.dll</TargetPath>
        <DestinationSubDirectory>BuildHost-netcore\zh-Hans</DestinationSubDirectory>
        <Private>True</Private>
        <Link>BuildHost-netcore\zh-Hans\System.CommandLine.resources.dll</Link>
    </Content>
    <Content Include="$(NuGetPackageRoot)microsoft.codeanalysis.workspaces.msbuild\4.14.0\content
        <NuGetPackageId>Microsoft.CodeAnalysis.Workspaces.MSBuild</NuGetPackageId>
        <NuGetPackageVersion>4.14.0</NuGetPackageVersion>
        <NuGetItemType>Content</NuGetItemType>
        <Pack>false</Pack>
        <CopyToOutputDirectory>PreserveNewest</CopyToOutputDirectory>
        <TargetPath>BuildHost-netcore\zh-Hant\System.CommandLine.resources.dll</TargetPath>
        <DestinationSubDirectory>BuildHost-netcore\zh-Hant</DestinationSubDirectory>
        <Private>True</Private>
        <Link>BuildHost-netcore\zh-Hant\System.CommandLine.resources.dll</Link>
    </Content>
    </ItemGroup>
    <ImportGroup Condition=" $(ExcludeRestorePackageImports) != 'true' ">
        <Import Project="$(NuGetPackageRoot)microsoft.entityframeworkcore\10.0.0\buildTransitive\net1
        <Import Project="$(NuGetPackageRoot)microsoft.codeanalysis.analyzers\3.11.0\buildTransitive\M
        <Import Project="$(NuGetPackageRoot)microsoft.entityframeworkcore.design\10.0.0\build\net10.0
    </ImportGroup>
    <PropertyGroup Condition=" $(ExcludeRestorePackageImports) != 'true' ">
        <PkgMicrosoft_CodeAnalysis_Analyzers Condition=" $(PkgMicrosoft_CodeAnalysis_Analyzers) ==
        <PkgMicrosoft_EntityFrameworkCore_Tools Condition=" $(PkgMicrosoft_EntityFrameworkCore_Tools
    </PropertyGroup>
</Project>

```

Datei: KVS_API.csproj.nuget.g.targets

```
<?xml version="1.0" encoding="utf-8" standalone="no"?>
<Project ToolsVersion="14.0" xmlns="http://schemas.microsoft.com/developer/msbuild/2003">
  <ImportGroup Condition=" '$(ExcludeRestorePackageImports)' != 'true' ">
    <Import Project="$(NuGetPackageRoot)mono.texttemplating\3.0.0\buildTransitive\Mono.TextTemplating\3.0.0\buildTransitive\Mono.TextTemplating.targets" />
    <Import Project="$(NuGetPackageRoot)microsoft.codeanalysis.analyzers\3.11.0\buildTransitive\Microsoft.CodeAnalysis.Analyzers\3.11.0\buildTransitive\Microsoft.CodeAnalysis.Analyzers.targets" />
    <Import Project="$(NuGetPackageRoot)microsoft.aspnetcore.openapi\10.0.8\build\Microsoft.AspNetCore.OpenApi\10.0.8\build\Microsoft.AspNetCore.OpenApi.targets" />
  </ImportGroup>
</Project>
```

Datei: project.assets.json

```
{
  "version": 4,
  "targets": {
    "net10.0": {
      "Humanizer.Core/2.14.1": {
        "type": "package",
        "compile": {
          "lib/net6.0/_._": {
            "related": ".xml"
          }
        },
        "runtime": {
          "lib/net6.0/Humanizer.dll": {
            "related": ".xml"
          }
        }
      },
      "Microsoft.AspNetCore.OpenApi/10.0.8": {
        "type": "package",
        "dependencies": {
          "Microsoft.OpenApi": "2.0.0"
        },
        "compile": {
          "lib/net10.0/Microsoft.AspNetCore.OpenApi.dll": {
            "related": ".xml"
          }
        },
        "runtime": {
          "lib/net10.0/Microsoft.AspNetCore.OpenApi.dll": {
            "related": ".xml"
          }
        },
        "frameworkReferences": [
          "Microsoft.AspNetCore.App"
        ],
        "build": {
          "build/Microsoft.AspNetCore.OpenApi.targets": {}
        }
      },
      "Microsoft.Build/17.7.2": {
        "type": "package",
        "dependencies": {
          "Microsoft.Build.Framework": "17.7.2",
          "Microsoft.NET.StringTools": "17.7.2",
          "System.Configuration.ConfigurationManager": "7.0.0",
          "System.Reflection.MetadataLoadContext": "7.0.0",
          "System.Security.Permissions": "7.0.0"
        },
        "compile": {
          "ref/net7.0/_._": {
            "related": ".xml"
          }
        },
        "runtime": {
          "lib/net7.0/Microsoft.Build.dll": {
            "related": ".pdb;.xml"
          }
        }
      },
      "Microsoft.Build.Framework/17.14.28": {
        "type": "package",
        "compile": {
          "ref/net9.0/_._": {
            "related": ".xml"
          }
        },
        "runtime": {
          "lib/net9.0/Microsoft.Build.Framework.dll": {
            "related": ".pdb;.xml"
          }
        }
      },
      "Microsoft.Build.Tasks.Core/17.14.28": {
        "type": "package",
```

```

"dependencies": {
  "Microsoft.Build.Framework": "17.14.28",
  "Microsoft.Build.Utilities.Core": "17.14.28",
  "Microsoft.NET.StringTools": "17.14.28",
  "System.CodeDom": "9.0.0",
  "System.Configuration.ConfigurationManager": "9.0.0",
  "System.Formats.Nrbf": "9.0.0",
  "System.Resources.Extensions": "9.0.0",
  "System.Security.Cryptography.Pkcs": "9.0.0",
  "System.Security.Cryptography.ProtectedData": "9.0.0"
},
"compile": {
  "ref/net9.0/_._": {
    "related": ".xml"
  }
},
"runtime": {
  "lib/net9.0/Microsoft.Build.Tasks.Core.dll": {
    "related": ".pdb;.xml"
  }
}
},
"Microsoft.Build.Utilities.Core/17.14.28": {
  "type": "package",
  "dependencies": {
    "Microsoft.Build.Framework": "17.14.28",
    "Microsoft.NET.StringTools": "17.14.28",
    "System.Configuration.ConfigurationManager": "9.0.0",
    "System.Security.Cryptography.ProtectedData": "9.0.0"
  },
  "compile": {
    "ref/net9.0/_._": {
      "related": ".xml"
    }
  },
  "runtime": {
    "lib/net9.0/Microsoft.Build.Utilities.Core.dll": {
      "related": ".pdb;.xml"
    }
  }
},
"Microsoft.CodeAnalysis.Analyzers/3.11.0": {
  "type": "package",
  "build": {
    "buildTransitive/Microsoft.CodeAnalysis.Analyzers.props": {},
    "buildTransitive/Microsoft.CodeAnalysis.Analyzers.targets": {}
  }
},
"Microsoft.CodeAnalysis.Common/4.14.0": {
  "type": "package",
  "dependencies": {
    "Microsoft.CodeAnalysis.Analyzers": "3.11.0"
  },
  "compile": {
    "lib/net9.0/_._": {
      "related": ".pdb;.xml"
    }
  },
  "runtime": {
    "lib/net9.0/Microsoft.CodeAnalysis.dll": {
      "related": ".pdb;.xml"
    }
  },
  "resource": {
    "lib/net9.0/cs/Microsoft.CodeAnalysis.resources.dll": {
      "locale": "cs"
    },
    "lib/net9.0/de/Microsoft.CodeAnalysis.resources.dll": {
      "locale": "de"
    },
    "lib/net9.0/es/Microsoft.CodeAnalysis.resources.dll": {
      "locale": "es"
    },
    "lib/net9.0/fr/Microsoft.CodeAnalysis.resources.dll": {
      "locale": "fr"
    },
    "lib/net9.0/it/Microsoft.CodeAnalysis.resources.dll": {

```

```

        "locale": "it"
    },
    "lib/net9.0/ja/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "ja"
    },
    "lib/net9.0/ko/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "ko"
    },
    "lib/net9.0/pl/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "pl"
    },
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "pt-BR"
    },
    "lib/net9.0/ru/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "ru"
    },
    "lib/net9.0/tr/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "tr"
    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.resources.dll": {
        "locale": "zh-Hant"
    }
}
},
"Microsoft.CodeAnalysis.CSharp/4.14.0": {
    "type": "package",
    "dependencies": {
        "Microsoft.CodeAnalysis.Analyzers": "3.11.0",
        "Microsoft.CodeAnalysis.Common": "[4.14.0]"
    },
    "compile": {
        "lib/net9.0/_.xml": {
            "related": ".pdb;.xml"
        }
    },
    "runtime": {
        "lib/net9.0/Microsoft.CodeAnalysis.CSharp.dll": {
            "related": ".pdb;.xml"
        }
    },
    "resource": {
        "lib/net9.0/cs/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "cs"
        },
        "lib/net9.0/de/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "de"
        },
        "lib/net9.0/es/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "es"
        },
        "lib/net9.0/fr/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "fr"
        },
        "lib/net9.0/it/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "it"
        },
        "lib/net9.0/ja/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "ja"
        },
        "lib/net9.0/ko/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "ko"
        },
        "lib/net9.0/pl/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "pl"
        },
        "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "pt-BR"
        },
        "lib/net9.0/ru/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "ru"
        },
        "lib/net9.0/tr/Microsoft.CodeAnalysis.CSharp.resources.dll": {
            "locale": "tr"
        }
    }
}

```

```

    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.resources.dll": {
      "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.resources.dll": {
      "locale": "zh-Hant"
    }
  }
},
"Microsoft.CodeAnalysis.CSharp.Workspaces/4.14.0": {
  "type": "package",
  "dependencies": {
    "Humanizer.Core": "2.14.1",
    "Microsoft.CodeAnalysis.Analyzers": "3.11.0",
    "Microsoft.CodeAnalysis.CSharp": "[4.14.0]",
    "Microsoft.CodeAnalysis.Common": "[4.14.0]",
    "Microsoft.CodeAnalysis.Workspaces.Common": "[4.14.0]",
    "System.Composition": "9.0.0"
  },
  "compile": {
    "lib/net9.0/_._": {
      "related": ".pdb;.xml"
    }
  },
  "runtime": {
    "lib/net9.0/Microsoft.CodeAnalysis.CSharp.Workspaces.dll": {
      "related": ".pdb;.xml"
    }
  },
  "resource": {
    "lib/net9.0/cs/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "cs"
    },
    "lib/net9.0/de/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "de"
    },
    "lib/net9.0/es/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "es"
    },
    "lib/net9.0/fr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "fr"
    },
    "lib/net9.0/it/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "it"
    },
    "lib/net9.0/ja/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "ja"
    },
    "lib/net9.0/ko/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "ko"
    },
    "lib/net9.0/pl/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "pl"
    },
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "pt-BR"
    },
    "lib/net9.0/ru/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "ru"
    },
    "lib/net9.0/tr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "tr"
    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll": {
      "locale": "zh-Hant"
    }
  }
},
"Microsoft.CodeAnalysis.Workspaces.Common/4.14.0": {
  "type": "package",
  "dependencies": {
    "Humanizer.Core": "2.14.1",
    "Microsoft.CodeAnalysis.Analyzers": "3.11.0",
    "Microsoft.CodeAnalysis.Common": "[4.14.0]",

```

```

    "System.Composition": "9.0.0"
  },
  "compile": {
    "lib/net9.0/_._": {
      "related": ".pdb;.xml"
    }
  },
  "runtime": {
    "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.dll": {
      "related": ".pdb;.xml"
    }
  },
  "resource": {
    "lib/net9.0/cs/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "cs"
    },
    "lib/net9.0/de/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "de"
    },
    "lib/net9.0/es/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "es"
    },
    "lib/net9.0/fr/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "fr"
    },
    "lib/net9.0/it/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "it"
    },
    "lib/net9.0/ja/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "ja"
    },
    "lib/net9.0/ko/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "ko"
    },
    "lib/net9.0/pl/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "pl"
    },
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "pt-BR"
    },
    "lib/net9.0/ru/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "ru"
    },
    "lib/net9.0/tr/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "tr"
    },
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "zh-Hans"
    },
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.resources.dll": {
      "locale": "zh-Hant"
    }
  }
},
"Microsoft.CodeAnalysis.Workspaces.MSBuild/4.14.0": {
  "type": "package",
  "dependencies": {
    "Humanizer.Core": "2.14.1",
    "Microsoft.Build": "17.7.2",
    "Microsoft.Build.Framework": "17.7.2",
    "Microsoft.Build.Tasks.Core": "17.7.2",
    "Microsoft.Build.Utilities.Core": "17.7.2",
    "Microsoft.CodeAnalysis.Analyzers": "3.11.0",
    "Microsoft.CodeAnalysis.Workspaces.Common": "[4.14.0]",
    "Newtonsoft.Json": "13.0.3",
    "System.CodeDom": "7.0.0",
    "System.Composition": "9.0.0",
    "System.Configuration.ConfigurationManager": "9.0.0",
    "System.Resources.Extensions": "9.0.0",
    "System.Security.Cryptography.Pkcs": "7.0.2",
    "System.Security.Cryptography.ProtectedData": "9.0.0",
    "System.Security.Permissions": "9.0.0",
    "System.Windows.Extensions": "9.0.0"
  },
  "compile": {
    "lib/net9.0/_._": {}
  },

```



```

"runtime": {
  "lib/net9.0/Microsoft.CodeAnalysis.ExternalAccess.RazorCompiler.dll": {},
  "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.MSBUILD.dll": {
    "related": ".pdb;.xml"
  }
},
"resource": {
  "lib/net9.0/cs/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "cs"
  },
  "lib/net9.0/de/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "de"
  },
  "lib/net9.0/es/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "es"
  },
  "lib/net9.0/fr/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "fr"
  },
  "lib/net9.0/it/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "it"
  },
  "lib/net9.0/ja/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "ja"
  },
  "lib/net9.0/ko/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "ko"
  },
  "lib/net9.0/pl/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "pl"
  },
  "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "pt-BR"
  },
  "lib/net9.0/ru/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "ru"
  },
  "lib/net9.0/tr/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "tr"
  },
  "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "zh-Hans"
  },
  "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.MSBUILD.resources.dll": {
    "locale": "zh-Hant"
  }
},
"contentFiles": {
  "contentFiles/any/any/BuildHost-net472/Microsoft.Build.Locator.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/Microsoft.Build.Locator.dll"
  },
  "contentFiles/any/any/BuildHost-net472/Microsoft.CodeAnalysis.Workspaces.MSBUILD.BuildHost": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/Microsoft.CodeAnalysis.Workspaces.MSBUILD.BuildHost.exe"
  },
  "contentFiles/any/any/BuildHost-net472/Microsoft.CodeAnalysis.Workspaces.MSBUILD.BuildHost": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/Microsoft.CodeAnalysis.Workspaces.MSBUILD.BuildHost.exe."
  },
  "contentFiles/any/any/BuildHost-net472/Microsoft.IO.Redist.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/Microsoft.IO.Redist.dll"
  },
  "contentFiles/any/any/BuildHost-net472/Newtonsoft.Json.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/Newtonsoft.Json.dll"
  }
}

```

```

},
"contentFiles/any/any/BuildHost-net472/System Buffers.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System Buffers.dll"
},
"contentFiles/any/any/BuildHost-net472/System.Collections.Immutable.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System.Collections.Immutable.dll"
},
"contentFiles/any/any/BuildHost-net472/System.CommandLine.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System.CommandLine.dll"
},
"contentFiles/any/any/BuildHost-net472/System.Memory.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System.Memory.dll"
},
"contentFiles/any/any/BuildHost-net472/System.Numerics.Vectors.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System.Numerics.Vectors.dll"
},
"contentFiles/any/any/BuildHost-net472/System.Runtime.CompilerServices.Unsafe.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System.Runtime.CompilerServices.Unsafe.dll"
},
"contentFiles/any/any/BuildHost-net472/System.Threading.Tasks.Extensions.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/System.Threading.Tasks.Extensions.dll"
},
"contentFiles/any/any/BuildHost-net472/cs/System.CommandLine.resources.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/cs/System.CommandLine.resources.dll"
},
"contentFiles/any/any/BuildHost-net472/de/System.CommandLine.resources.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/de/System.CommandLine.resources.dll"
},
"contentFiles/any/any/BuildHost-net472/es/System.CommandLine.resources.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/es/System.CommandLine.resources.dll"
},
"contentFiles/any/any/BuildHost-net472/fr/System.CommandLine.resources.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/fr/System.CommandLine.resources.dll"
},
"contentFiles/any/any/BuildHost-net472/it/System.CommandLine.resources.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,
  "outputPath": "BuildHost-net472/it/System.CommandLine.resources.dll"
},
"contentFiles/any/any/BuildHost-net472/ja/System.CommandLine.resources.dll": {
  "buildAction": "Content",
  "codeLanguage": "any",
  "copyToOutput": true,

```

```
    "outputPath": "BuildHost-net472/ja/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/ko/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/ko/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/pl/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/pl/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/pt-BR/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/pt-BR/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/ru/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/ru/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/tr/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/tr/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/zh-Hans/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/zh-Hans/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-net472/zh-Hant/System.CommandLine.resources.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-net472/zh-Hant/System.CommandLine.resources.dll"
  },
  "contentFiles/any/any/BuildHost-netcore/Microsoft.Build.Locator.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-netcore/Microsoft.Build.Locator.dll"
  },
  "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.deps.json": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.deps.json"
  },
  "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll"
  },
  "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll.config": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.dll.config"
  },
  "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.runconfig.json": {
    "buildAction": "Content",
    "codeLanguage": "any",
    "copyToOutput": true,
    "outputPath": "BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.runconfig.json"
  },
  "contentFiles/any/any/BuildHost-netcore/Newtonsoft.Json.dll": {
    "buildAction": "Content",
    "codeLanguage": "any",
```

```

        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/Newtonsoft.Json.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/System.Collections.Immutable.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/System.Collections.Immutable.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/System.CommandLine.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/System.CommandLine.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/cs/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/cs/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/de/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/de/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/es/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/es/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/fr/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/fr/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/it/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/it/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/ja/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/ja/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/ko/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/ko/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/pl/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/pl/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/pt-BR/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/pt-BR/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/ru/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/ru/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/tr/System.CommandLine.resources.dll": {
        "buildAction": "Content",

```

```

        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/tr/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/zh-Hans/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/zh-Hans/System.CommandLine.resources.dll"
    },
    "contentFiles/any/any/BuildHost-netcore/zh-Hant/System.CommandLine.resources.dll": {
        "buildAction": "Content",
        "codeLanguage": "any",
        "copyToOutput": true,
        "outputPath": "BuildHost-netcore/zh-Hant/System.CommandLine.resources.dll"
    }
}
},
"Microsoft.EntityFrameworkCore/10.0.0": {
    "type": "package",
    "dependencies": {
        "Microsoft.EntityFrameworkCore.Abstractions": "10.0.0",
        "Microsoft.EntityFrameworkCore.Analyzers": "10.0.0"
    },
    "compile": {
        "lib/net10.0/Microsoft.EntityFrameworkCore.dll": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net10.0/Microsoft.EntityFrameworkCore.dll": {
            "related": ".xml"
        }
    },
    "build": {
        "buildTransitive/net10.0/Microsoft.EntityFrameworkCore.props": {}
    }
},
"Microsoft.EntityFrameworkCore.Abstractions/10.0.0": {
    "type": "package",
    "compile": {
        "lib/net10.0/Microsoft.EntityFrameworkCore.Abstractions.dll": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net10.0/Microsoft.EntityFrameworkCore.Abstractions.dll": {
            "related": ".xml"
        }
    }
},
"Microsoft.EntityFrameworkCore.Analyzers/10.0.0": {
    "type": "package"
},
"Microsoft.EntityFrameworkCore.Design/10.0.0": {
    "type": "package",
    "dependencies": {
        "Humanizer.Core": "2.14.1",
        "Microsoft.Build.Framework": "17.14.28",
        "Microsoft.Build.Tasks.Core": "17.14.28",
        "Microsoft.Build.Utilities.Core": "17.14.28",
        "Microsoft.CodeAnalysis.CSharp": "4.14.0",
        "Microsoft.CodeAnalysis.CSharp.Workspaces": "4.14.0",
        "Microsoft.CodeAnalysis.Workspaces.MSBuild": "4.14.0",
        "Microsoft.EntityFrameworkCore.Relational": "10.0.0",
        "Microsoft.Extensions.DependencyModel": "10.0.0",
        "Mono.TextTemplating": "3.0.0",
        "Newtonsoft.Json": "13.0.3"
    },
    "compile": {
        "lib/net10.0/_.": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net10.0/Microsoft.EntityFrameworkCore.Design.dll": {
            "related": ".xml"
        }
    }
}

```

```

    }
  },
  "build": {
    "build/net10.0/Microsoft.EntityFrameworkCore.Design.props": {}
  }
},
"Microsoft.EntityFrameworkCore.Relational/10.0.0": {
  "type": "package",
  "dependencies": {
    "Microsoft.EntityFrameworkCore": "10.0.0"
  },
  "compile": {
    "lib/net10.0/Microsoft.EntityFrameworkCore.Relational.dll": {
      "related": ".xml"
    }
  },
  "runtime": {
    "lib/net10.0/Microsoft.EntityFrameworkCore.Relational.dll": {
      "related": ".xml"
    }
  }
},
"Microsoft.EntityFrameworkCore.Tools/10.0.0": {
  "type": "package",
  "dependencies": {
    "Microsoft.EntityFrameworkCore.Design": "10.0.0"
  }
},
"Microsoft.Extensions.DependencyModel/10.0.0": {
  "type": "package",
  "compile": {
    "lib/net10.0/_.": {
      "related": ".xml"
    }
  },
  "runtime": {
    "lib/net10.0/Microsoft.Extensions.DependencyModel.dll": {
      "related": ".xml"
    }
  },
  "build": {
    "buildTransitive/net8.0/_.": {}
  }
},
"Microsoft.NET.StringTools/17.14.28": {
  "type": "package",
  "compile": {
    "ref/net9.0/_.": {
      "related": ".xml"
    }
  },
  "runtime": {
    "lib/net9.0/Microsoft.NET.StringTools.dll": {
      "related": ".pdb;.xml"
    }
  }
},
"Microsoft.OpenApi/2.0.0": {
  "type": "package",
  "compile": {
    "lib/net8.0/Microsoft.OpenApi.dll": {
      "related": ".pdb;.xml"
    }
  },
  "runtime": {
    "lib/net8.0/Microsoft.OpenApi.dll": {
      "related": ".pdb;.xml"
    }
  }
},
"Mono.TextTemplating/3.0.0": {
  "type": "package",
  "dependencies": {
    "System.CodeDom": "6.0.0"
  },
  "compile": {
    "lib/net6.0/_.": {}
  }
}

```

```

    },
    "runtime": {
        "lib/net6.0/Mono.TextTemplating.dll": {}
    },
    "build": {
        "buildTransitive/Mono.TextTemplating.targets": {}
    }
},
"Newtonsoft.Json/13.0.3": {
    "type": "package",
    "compile": {
        "lib/net6.0/_.": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net6.0/Newtonsoft.Json.dll": {
            "related": ".xml"
        }
    }
},
"Npgsql/10.0.0": {
    "type": "package",
    "compile": {
        "lib/net10.0/Npgsql.dll": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net10.0/Npgsql.dll": {
            "related": ".xml"
        }
    }
},
"Npgsql.EntityFrameworkCore.PostgreSQL/10.0.0": {
    "type": "package",
    "dependencies": {
        "Microsoft.EntityFrameworkCore": "[10.0.0, 11.0.0)",
        "Microsoft.EntityFrameworkCore.Relational": "[10.0.0, 11.0.0)",
        "Npgsql": "10.0.0"
    },
    "compile": {
        "lib/net10.0/Npgsql.EntityFrameworkCore.PostgreSQL.dll": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net10.0/Npgsql.EntityFrameworkCore.PostgreSQL.dll": {
            "related": ".xml"
        }
    }
},
"System.CodeDom/9.0.0": {
    "type": "package",
    "compile": {
        "lib/net9.0/_.": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net9.0/System.CodeDom.dll": {
            "related": ".xml"
        }
    },
    "build": {
        "buildTransitive/net8.0/_.": {}
    }
},
"System.Composition/9.0.0": {
    "type": "package",
    "dependencies": {
        "System.Composition.AttributedModel": "9.0.0",
        "System.Composition.Convention": "9.0.0",
        "System.Composition.Hosting": "9.0.0",
        "System.Composition.Runtime": "9.0.0",
        "System.Composition.TypedParts": "9.0.0"
    },

```

```

    "compile": {
      "lib/netcoreapp2.0/_.-": {}
    },
    "runtime": {
      "lib/netcoreapp2.0/_.-": {}
    },
    "build": {
      "buildTransitive/net8.0/_.-": {}
    }
  },
  "System.Composition.AttributedModel/9.0.0": {
    "type": "package",
    "compile": {
      "lib/net9.0/_.-": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Composition.AttributedModel.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_.-": {}
    }
  },
  "System.Composition.Convention/9.0.0": {
    "type": "package",
    "dependencies": {
      "System.Composition.AttributedModel": "9.0.0"
    },
    "compile": {
      "lib/net9.0/_.-": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Composition.Convention.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_.-": {}
    }
  },
  "System.Composition.Hosting/9.0.0": {
    "type": "package",
    "dependencies": {
      "System.Composition.Runtime": "9.0.0"
    },
    "compile": {
      "lib/net9.0/_.-": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Composition.Hosting.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_.-": {}
    }
  },
  "System.Composition.Runtime/9.0.0": {
    "type": "package",
    "compile": {
      "lib/net9.0/_.-": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Composition.Runtime.dll": {
        "related": ".xml"
      }
    },
    "build": {

```



```

    "buildTransitive/net8.0/_._": {}
  },
  "System.Composition.TypedParts/9.0.0": {
    "type": "package",
    "dependencies": {
      "System.Composition.AttributedModel": "9.0.0",
      "System.Composition.Hosting": "9.0.0",
      "System.Composition.Runtime": "9.0.0"
    },
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Composition.TypedParts.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    }
  },
  "System.Configuration.ConfigurationManager/9.0.0": {
    "type": "package",
    "dependencies": {
      "System.Security.Cryptography.ProtectedData": "9.0.0"
    },
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Configuration.ConfigurationManager.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    }
  },
  "System.Formats.Nrbf/9.0.0": {
    "type": "package",
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Formats.Nrbf.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    }
  },
  "System.Reflection.MetadataLoadContext/7.0.0": {
    "type": "package",
    "compile": {
      "lib/net7.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net7.0/System.Reflection.MetadataLoadContext.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net6.0/_._": {}
    }
  },
  "System.Resources.Extensions/9.0.0": {
    "type": "package",

```

```

    "dependencies": {
      "System.Formats.Nrbf": "9.0.0"
    },
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Resources.Extensions.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    }
  },
  "System.Security.Cryptography.Pkcs/9.0.0": {
    "type": "package",
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Security.Cryptography.Pkcs.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    },
    "runtimeTargets": {
      "runtimes/win/lib/net9.0/System.Security.Cryptography.Pkcs.dll": {
        "assetType": "runtime",
        "rid": "win"
      }
    }
  },
  "System.Security.Cryptography.ProtectedData/9.0.0": {
    "type": "package",
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Security.Cryptography.ProtectedData.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    }
  },
  "System.Security.Permissions/9.0.0": {
    "type": "package",
    "dependencies": {
      "System.Windows.Extensions": "9.0.0"
    },
    "compile": {
      "lib/net9.0/_._": {
        "related": ".xml"
      }
    },
    "runtime": {
      "lib/net9.0/System.Security.Permissions.dll": {
        "related": ".xml"
      }
    },
    "build": {
      "buildTransitive/net8.0/_._": {}
    }
  },
  "System.Windows.Extensions/9.0.0": {
    "type": "package",
    "compile": {

```

```

        "lib/net9.0/_._": {
            "related": ".xml"
        }
    },
    "runtime": {
        "lib/net9.0/System.Windows.Extensions.dll": {
            "related": ".xml"
        }
    },
    "runtimeTargets": {
        "runtimes/win/lib/net9.0/System.Windows.Extensions.dll": {
            "assetType": "runtime",
            "rid": "win"
        }
    }
}
},
"libraries": {
    "Humanizer.Core/2.14.1": {
        "sha512": "lQKvtaTD0XnoVJ20ibTuSIOf2i0u00MPbDhd1jm238I+U/2ZnRENj0cktkZhtchBMTcUSRQ5v4xBCUbKNmy",
        "type": "package",
        "path": "humanizer.core/2.14.1",
        "files": [
            ".nupkg.metadata",
            ".signature.p7s",
            "humanizer.core.2.14.1.nupkg.sha512",
            "humanizer.core.nuspec",
            "lib/net6.0/Humanizer.dll",
            "lib/net6.0/Humanizer.xml",
            "lib/netstandard1.0/Humanizer.dll",
            "lib/netstandard1.0/Humanizer.xml",
            "lib/netstandard2.0/Humanizer.dll",
            "lib/netstandard2.0/Humanizer.xml",
            "logo.png"
        ]
    },
    "Microsoft.AspNetCore.OpenApi/10.0.8": {
        "sha512": "cw24xHE2QaWwyEG9GQwFbjboyabub6Vd80DIItUGENzcQ0a/BEnTrXsg2GADqWTmY/3ycqk9ToLGjgvF/VR",
        "type": "package",
        "path": "microsoft.aspnetcore.openapi/10.0.8",
        "files": [
            ".nupkg.metadata",
            ".signature.p7s",
            "Icon.png",
            "PACKAGE.md",
            "THIRD-PARTY-NOTICES.TXT",
            "analyzers/dotnet/cs/Microsoft.AspNetCore.OpenApi.SourceGenerators.dll",
            "build/Microsoft.AspNetCore.OpenApi.targets",
            "lib/net10.0/Microsoft.AspNetCore.OpenApi.dll",
            "lib/net10.0/Microsoft.AspNetCore.OpenApi.xml",
            "microsoft.aspnetcore.openapi.10.0.8.nupkg.sha512",
            "microsoft.aspnetcore.openapi.nuspec"
        ]
    },
    "Microsoft.Build/17.7.2": {
        "sha512": "AmWnumxsMiRycFfE3kq/XnFFTAoPpCwL3UuiKQWCa5Z0+hBKVoicydS2iXJGd3x+jry+qaTR9GzoezjV9NF",
        "type": "package",
        "path": "microsoft.build/17.7.2",
        "files": [
            ".nupkg.metadata",
            ".signature.p7s",
            "MSBuild-NuGet-Icon.png",
            "README.md",
            "lib/net472/Microsoft.Build.dll",
            "lib/net472/Microsoft.Build.pdb",
            "lib/net472/Microsoft.Build.xml",
            "lib/net7.0/Microsoft.Build.dll",
            "lib/net7.0/Microsoft.Build.pdb",
            "lib/net7.0/Microsoft.Build.xml",
            "microsoft.build.17.7.2.nupkg.sha512",
            "microsoft.build.nuspec",
            "notices/THIRDPARTYNOTICES.txt",
            "ref/net472/Microsoft.Build.dll",
            "ref/net472/Microsoft.Build.xml",
            "ref/net7.0/Microsoft.Build.dll",
            "ref/net7.0/Microsoft.Build.xml"
        ]
    }
}

```

```

    ]
  },
  "Microsoft.Build.Framework/17.14.28": {
    "sha512": "wRcyTzGV0LRAtFdrddtioh59Ky4/zbvyraP0cQkDzRSRkhgAQb0K88D/JNC6VHLIXanRi3mtV1jU0uQkBwm",
    "type": "package",
    "path": "microsoft.build.framework/17.14.28",
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "MSBuild-NuGet-Icon.png",
      "README.md",
      "lib/net472/Microsoft.Build.Framework.dll",
      "lib/net472/Microsoft.Build.Framework.pdb",
      "lib/net472/Microsoft.Build.Framework.xml",
      "lib/net9.0/Microsoft.Build.Framework.dll",
      "lib/net9.0/Microsoft.Build.Framework.pdb",
      "lib/net9.0/Microsoft.Build.Framework.xml",
      "microsoft.build.framework.17.14.28.nupkg.sha512",
      "microsoft.build.framework.nuspec",
      "notices/THIRDPARTYNOTICES.txt",
      "ref/net472/Microsoft.Build.Framework.dll",
      "ref/net472/Microsoft.Build.Framework.xml",
      "ref/net9.0/Microsoft.Build.Framework.dll",
      "ref/net9.0/Microsoft.Build.Framework.xml",
      "ref/netstandard2.0/Microsoft.Build.Framework.dll",
      "ref/netstandard2.0/Microsoft.Build.Framework.xml"
    ]
  },
  "Microsoft.Build.Tasks.Core/17.14.28": {
    "sha512": "jk300tXp9QWPXhLJ7Pl8wm/eGtGgA1++vwHGWEwnwMU6E//ghTcCupQh9CQMwEKGDnH0aJf285V1s8yiSL",
    "type": "package",
    "path": "microsoft.build.tasks.core/17.14.28",
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "MSBuild-NuGet-Icon.png",
      "README.md",
      "lib/net472/Microsoft.Build.Tasks.Core.dll",
      "lib/net472/Microsoft.Build.Tasks.Core.pdb",
      "lib/net472/Microsoft.Build.Tasks.Core.xml",
      "lib/net9.0/Microsoft.Build.Tasks.Core.dll",
      "lib/net9.0/Microsoft.Build.Tasks.Core.pdb",
      "lib/net9.0/Microsoft.Build.Tasks.Core.xml",
      "microsoft.build.tasks.core.17.14.28.nupkg.sha512",
      "microsoft.build.tasks.core.nuspec",
      "notices/THIRDPARTYNOTICES.txt",
      "ref/net472/Microsoft.Build.Tasks.Core.dll",
      "ref/net472/Microsoft.Build.Tasks.Core.xml",
      "ref/net9.0/Microsoft.Build.Tasks.Core.dll",
      "ref/net9.0/Microsoft.Build.Tasks.Core.xml",
      "ref/netstandard2.0/Microsoft.Build.Tasks.Core.dll",
      "ref/netstandard2.0/Microsoft.Build.Tasks.Core.xml"
    ]
  },
  "Microsoft.Build.Utilities.Core/17.14.28": {
    "sha512": "rhSdPo8QfLXXWM+rY0x0z1G4KK4ZhMoIbHR0yDj8MUBFab9nvHR0NaMnjzOgXldhmD2zi2ir8d6xCatNzlh",
    "type": "package",
    "path": "microsoft.build.utilities.core/17.14.28",
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "MSBuild-NuGet-Icon.png",
      "README.md",
      "lib/net472/Microsoft.Build.Utilities.Core.dll",
      "lib/net472/Microsoft.Build.Utilities.Core.pdb",
      "lib/net472/Microsoft.Build.Utilities.Core.xml",
      "lib/net9.0/Microsoft.Build.Utilities.Core.dll",
      "lib/net9.0/Microsoft.Build.Utilities.Core.pdb",
      "lib/net9.0/Microsoft.Build.Utilities.Core.xml",
      "microsoft.build.utilities.core.17.14.28.nupkg.sha512",
      "microsoft.build.utilities.core.nuspec",
      "notices/THIRDPARTYNOTICES.txt",
      "ref/net472/Microsoft.Build.Utilities.Core.dll",
      "ref/net472/Microsoft.Build.Utilities.Core.xml",
      "ref/net9.0/Microsoft.Build.Utilities.Core.dll",
      "ref/net9.0/Microsoft.Build.Utilities.Core.xml",
      "ref/netstandard2.0/Microsoft.Build.Utilities.Core.dll",
      "ref/netstandard2.0/Microsoft.Build.Utilities.Core.xml"
    ]
  }
}

```

```
    "ref/netstandard2.0/Microsoft.Build.Utilities.Core.xml"
  ],
  "Microsoft.CodeAnalysis.Analyzers/3.11.0": {
    "sha512": "v/EW3UE8/lbEYHoC2Qq7AR/DnmvpgdtAMndfQNmpuIMx/Mto8L5JnuCfdBYtgvalQ0tfNCnxFejxuRrryvU",
    "type": "package",
    "path": "microsoft.codeanalysis.analyzers/3.11.0",
    "hasTools": true,
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "Icon.png",
      "ThirdPartyNotices.txt",
      "analyzers/dotnet/cs/Microsoft.CodeAnalysis.Analyzers.dll",
      "analyzers/dotnet/cs/Microsoft.CodeAnalysis.CSharp.Analyzers.dll",
      "analyzers/dotnet/cs/cs/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/de/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/es/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/fr/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/it/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/ja/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/ko/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/pl/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/pt-BR/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/ru/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/tr/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/zh-Hans/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/cs/zh-Hant/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/Microsoft.CodeAnalysis.Analyzers.dll",
      "analyzers/dotnet/vb/Microsoft.CodeAnalysis.VisualBasic.Analyzers.dll",
      "analyzers/dotnet/vb/cs/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/de/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/es/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/fr/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/it/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/ja/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/ko/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/pl/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/pt-BR/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/ru/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/tr/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/zh-Hans/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "analyzers/dotnet/vb/zh-Hant/Microsoft.CodeAnalysis.Analyzers.resources.dll",
      "buildTransitive/Microsoft.CodeAnalysis.Analyzers.props",
      "buildTransitive/Microsoft.CodeAnalysis.Analyzers.targets",
      "buildTransitive/config/analysislevel_2_9_8_all.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_all_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_default.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_default_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_minimum.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_minimum_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_none.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_none_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_recommended.globalconfig",
      "buildTransitive/config/analysislevel_2_9_8_recommended_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_all.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_all_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_default.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_default_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_minimum.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_minimum_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_none.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_none_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_recommended.globalconfig",
      "buildTransitive/config/analysislevel_3_3_3_recommended_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_all.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_all_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_default.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_default_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_minimum.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_minimum_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_none.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_none_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_recommended.globalconfig",
      "buildTransitive/config/analysislevel_3_3_4_recommended_warnaserror.globalconfig",
      "buildTransitive/config/analysislevel_3_3_all.globalconfig",
      "buildTransitive/config/analysislevel_3_3_all_warnaserror.globalconfig",
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_all_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_default.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_default_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_minimum.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_minimum_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_none.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_none_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_recommended.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_3_recommended_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_all.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_all_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_default.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_default_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_minimum.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_minimum_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_none.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_none_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_recommended.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_3_recommended_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_all.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_all_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_default.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_default_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_minimum.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_minimum_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_none.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_none_warnaserror",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_recommended.globalconfig",
"buildTransitive/config/analysislevelmicrosoftcodeanalysisreleasetracking_4_3_recommended_warnaserror",
"documentation/Analyzer Configuration.md",
"documentation/Microsoft.CodeAnalysis.Analyzers.md",
"documentation/Microsoft.CodeAnalysis.Analyzers.sarif",
"documentation/readme.md",
"editorconfig/AllRulesDefault/.editorconfig",
"editorconfig/AllRulesDisabled/.editorconfig",
"editorconfig/AllRulesEnabled/.editorconfig",
"editorconfig/CorrectnessRulesDefault/.editorconfig",
"editorconfig/CorrectnessRulesEnabled/.editorconfig",
"editorconfig/DataflowRulesDefault/.editorconfig",
"editorconfig/DataflowRulesEnabled/.editorconfig",
"editorconfig/LibraryRulesDefault/.editorconfig",
"editorconfig/LibraryRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisCompatibilityRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisCompatibilityRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisCorrectnessRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisCorrectnessRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisDesignRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisDesignRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisDocumentationRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisDocumentationRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisLocalizationRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisLocalizationRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisPerformanceRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisPerformanceRulesEnabled/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisReleaseTrackingRulesDefault/.editorconfig",
"editorconfig/MicrosoftCodeAnalysisReleaseTrackingRulesEnabled/.editorconfig",
"editorconfig/PortedFromFxCopRulesDefault/.editorconfig",
"editorconfig/PortedFromFxCopRulesEnabled/.editorconfig",
"microsoft.codeanalysis.analyzers.3.11.0.nupkg.sha512",
"microsoft.codeanalysis.analyzers.nuspec",
"rulesets/AllRulesDefault.ruleset",
"rulesets/AllRulesDisabled.ruleset",
"rulesets/AllRulesEnabled.ruleset",
"rulesets/CorrectnessRulesDefault.ruleset",
"rulesets/CorrectnessRulesEnabled.ruleset",
"rulesets/DataflowRulesDefault.ruleset",
"rulesets/DataflowRulesEnabled.ruleset",
"rulesets/LibraryRulesDefault.ruleset",
"rulesets/LibraryRulesEnabled.ruleset",
"rulesets/MicrosoftCodeAnalysisCompatibilityRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisCompatibilityRulesEnabled.ruleset",
"rulesets/MicrosoftCodeAnalysisCorrectnessRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisCorrectnessRulesEnabled.ruleset",
"rulesets/MicrosoftCodeAnalysisDesignRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisDesignRulesEnabled.ruleset",
"rulesets/MicrosoftCodeAnalysisDocumentationRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisDocumentationRulesEnabled.ruleset",

```

"rulesets/MicrosoftCodeAnalysisLocalizationRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisLocalizationRulesEnabled.ruleset",
"rulesets/MicrosoftCodeAnalysisPerformanceRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisPerformanceRulesEnabled.ruleset",
"rulesets/MicrosoftCodeAnalysisReleaseTrackingRulesDefault.ruleset",
"rulesets/MicrosoftCodeAnalysisReleaseTrackingRulesEnabled.ruleset",
"rulesets/PortedFromFxCopRulesDefault.ruleset",
"rulesets/PortedFromFxCopRulesEnabled.ruleset",
"tools/install.ps1",
"tools/uninstall.ps1"
]
},
"Microsoft.CodeAnalysis.Common/4.14.0": {
  "sha512": "PC3tuwZYnC+idaPuoC/AZpEdwrtX7qFpmnrfQkgobGIWiYmGi5MCrt15mx6QrfMGQpK78X2lfIEoZDLg/qn",
  "type": "package",
  "path": "microsoft.codeanalysis.common/4.14.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "ThirdPartyNotices.rtf",
    "lib/net8.0/Microsoft.CodeAnalysis.dll",
    "lib/net8.0/Microsoft.CodeAnalysis.pdb",
    "lib/net8.0/Microsoft.CodeAnalysis.xml",
    "lib/net8.0/cs/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/de/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/es/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/fr/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/it/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/ja/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/ko/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/pl/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/pt-BR/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/ru/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/tr/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/zh-Hans/Microsoft.CodeAnalysis.resources.dll",
    "lib/net8.0/zh-Hant/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/Microsoft.CodeAnalysis.dll",
    "lib/net9.0/Microsoft.CodeAnalysis.pdb",
    "lib/net9.0/Microsoft.CodeAnalysis.xml",
    "lib/net9.0/cs/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/de/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/es/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/fr/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/it/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/ja/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/ko/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/pl/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/ru/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/tr/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.resources.dll",
    "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/Microsoft.CodeAnalysis.dll",
    "lib/netstandard2.0/Microsoft.CodeAnalysis.pdb",
    "lib/netstandard2.0/Microsoft.CodeAnalysis.xml",
    "lib/netstandard2.0/cs/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/de/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/es/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/fr/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/it/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/ja/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/ko/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/pl/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/pt-BR/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/ru/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/tr/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/zh-Hans/Microsoft.CodeAnalysis.resources.dll",
    "lib/netstandard2.0/zh-Hant/Microsoft.CodeAnalysis.resources.dll",
    "microsoft.codeanalysis.common.4.14.0.nupkg.sha512",
    "microsoft.codeanalysis.common.nuspec"
  ]
},
"Microsoft.CodeAnalysis.CSharp/4.14.0": {
  "sha512": "568a6wcTivauIhbewCwfWwIn7UV7MeHEBvFB2uzGIpM20hJ4eM/FZ8KS0yhPoNxnSpjGzz7x7CIjTxhsl",
  "type": "package",
  "path": "microsoft.codeanalysis.csharp/4.14.0",

```

```

"files": [
  ".nupkg.metadata",
  ".signature.p7s",
  "Icon.png",
  "ThirdPartyNotices.rtf",
  "lib/net8.0/Microsoft.CodeAnalysis.CSharp.dll",
  "lib/net8.0/Microsoft.CodeAnalysis.CSharp.pdb",
  "lib/net8.0/Microsoft.CodeAnalysis.CSharp.xml",
  "lib/net8.0/cs/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/de/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/es/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/fr/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/it/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/ja/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/ko/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/pl/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/pt-BR/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/ru/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/tr/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net8.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/Microsoft.CodeAnalysis.CSharp.dll",
  "lib/net9.0/Microsoft.CodeAnalysis.CSharp.pdb",
  "lib/net9.0/Microsoft.CodeAnalysis.CSharp.xml",
  "lib/net9.0/cs/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/de/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/es/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/fr/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/it/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/ja/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/ko/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/pl/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/pt-BR/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/ru/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/tr/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/Microsoft.CodeAnalysis.CSharp.dll",
  "lib/netstandard2.0/Microsoft.CodeAnalysis.CSharp.pdb",
  "lib/netstandard2.0/Microsoft.CodeAnalysis.CSharp.xml",
  "lib/netstandard2.0/cs/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/de/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/es/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/fr/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/it/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/ja/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/ko/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/pl/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/pt-BR/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/ru/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/tr/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "lib/netstandard2.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.resources.dll",
  "microsoft.codeanalysis.csharp.4.14.0.nupkg.sha512",
  "microsoft.codeanalysis.csharp.nuspec"
]
},
"Microsoft.CodeAnalysis.CSharp.Workspaces/4.14.0": {
  "sha512": "QkgCEM4qJo6gdtblXtNgHQtyKS61fxw+820hx5JN6n9DD4mQtqNB+6fPeJ3GQWg6jkkGz60G9yZq7H3Gf0z",
  "type": "package",
  "path": "microsoft.codeanalysis.csharp.workspaces/4.14.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "ThirdPartyNotices.rtf",
    "lib/net8.0/Microsoft.CodeAnalysis.CSharp.Workspaces.dll",
    "lib/net8.0/Microsoft.CodeAnalysis.CSharp.Workspaces.pdb",
    "lib/net8.0/Microsoft.CodeAnalysis.CSharp.Workspaces.xml",
    "lib/net8.0/cs/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/de/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/es/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/fr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/it/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/ja/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/ko/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
    "lib/net8.0/pl/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
  ]
}

```

```

"lib/net8.0/pt-BR/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net8.0/ru/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net8.0/tr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net8.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net8.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/Microsoft.CodeAnalysis.CSharp.Workspaces.dll",
"lib/net9.0/Microsoft.CodeAnalysis.CSharp.Workspaces.pdb",
"lib/net9.0/Microsoft.CodeAnalysis.CSharp.Workspaces.xml",
"lib/net9.0/cs/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/de/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/es/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/fr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/it/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/ja/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/ko/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/pl/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/pt-BR/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/ru/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/tr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/Microsoft.CodeAnalysis.CSharp.Workspaces.dll",
"lib/netstandard2.0/Microsoft.CodeAnalysis.CSharp.Workspaces.pdb",
"lib/netstandard2.0/Microsoft.CodeAnalysis.CSharp.Workspaces.xml",
"lib/netstandard2.0/cs/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/de/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/es/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/fr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/it/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/ja/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/ko/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/pl/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/pt-BR/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/ru/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/tr/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/zh-Hans/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"lib/netstandard2.0/zh-Hant/Microsoft.CodeAnalysis.CSharp.Workspaces.resources.dll",
"microsoft.codeanalysis.csharp.workspaces.4.14.0.nupkg.sha512",
"microsoft.codeanalysis.csharp.workspaces.nuspec"
]
},
"Microsoft.CodeAnalysis.Workspaces.Common/4.14.0": {
  "sha512": "wNVK9JrqjqDC/WgBUfV6henDfrw87NPfo98nzah/+M/G1D6sB0PtXwqce3UQNn+6AjTnmkHYN1WV9XmTlPer",
  "type": "package",
  "path": "microsoft.codeanalysis.workspaces.common/4.14.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "ThirdPartyNotices.rtf",
    "lib/net8.0/Microsoft.CodeAnalysis.Workspaces.dll",
    "lib/net8.0/Microsoft.CodeAnalysis.Workspaces.pdb",
    "lib/net8.0/Microsoft.CodeAnalysis.Workspaces.xml",
    "lib/net8.0/cs/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/de/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/es/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/fr/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/it/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/ja/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/ko/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/pl/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/ru/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/tr/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net8.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.dll",
    "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.pdb",
    "lib/net9.0/Microsoft.CodeAnalysis.Workspaces.xml",
    "lib/net9.0/cs/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/de/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/es/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/fr/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/it/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/ja/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/ko/Microsoft.CodeAnalysis.Workspaces.resources.dll",
    "lib/net9.0/pl/Microsoft.CodeAnalysis.Workspaces.resources.dll",

```



```

"lib/net9.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/net9.0/ru/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/net9.0/tr/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/Microsoft.CodeAnalysis.Workspaces.dll",
"lib/netstandard2.0/Microsoft.CodeAnalysis.Workspaces.pdb",
"lib/netstandard2.0/Microsoft.CodeAnalysis.Workspaces.xml",
"lib/netstandard2.0/cs/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/de/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/es/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/fr/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/it/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/ja/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/ko/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/pl/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/ru/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/tr/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"lib/netstandard2.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.resources.dll",
"microsoft.codeanalysis.workspaces.common.4.14.0.nupkg.sha512",
"microsoft.codeanalysis.workspaces.common.nuspec"
]
},
"Microsoft.CodeAnalysis.Workspaces.MSBuild/4.14.0": {
  "sha512": "YU7Sguzm1Cuhi2U6S0DRKcVpQAdBd2QmatpyE0KqYMJogJ9E27KH0WGUZA0jsyjam7sNaUk+a8VPz24knDs",
  "type": "package",
  "path": "microsoft.codeanalysis.workspaces.msbuild/4.14.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "ThirdPartyNotices.rtf",
    "contentFiles/any/any/BuildHost-net472/Microsoft.Build.Locator.dll",
    "contentFiles/any/any/BuildHost-net472/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe",
    "contentFiles/any/any/BuildHost-net472/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe",
    "contentFiles/any/any/BuildHost-net472/Microsoft.IO.Redist.dll",
    "contentFiles/any/any/BuildHost-net472/Newtonsoft.Json.dll",
    "contentFiles/any/any/BuildHost-net472/System Buffers.dll",
    "contentFiles/any/any/BuildHost-net472/System.Collections.Immutable.dll",
    "contentFiles/any/any/BuildHost-net472/System.CommandLine.dll",
    "contentFiles/any/any/BuildHost-net472/System.Memory.dll",
    "contentFiles/any/any/BuildHost-net472/System.Numerics.Vectors.dll",
    "contentFiles/any/any/BuildHost-net472/System.Runtime.CompilerServices.Unsafe.dll",
    "contentFiles/any/any/BuildHost-net472/System.Threading.Tasks.Extensions.dll",
    "contentFiles/any/any/BuildHost-net472/cs/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/de/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/es/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/fr/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/it/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/ja/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/ko/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/pl/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/pt-BR/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/ru/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/tr/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/zh-Hans/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-net472/zh-Hant/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/Microsoft.Build.Locator.dll",
    "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe",
    "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe",
    "contentFiles/any/any/BuildHost-netcore/Microsoft.CodeAnalysis.Workspaces.MSBuild.BuildHost.exe",
    "contentFiles/any/any/BuildHost-netcore/Newtonsoft.Json.dll",
    "contentFiles/any/any/BuildHost-netcore/System.Collections.Immutable.dll",
    "contentFiles/any/any/BuildHost-netcore/System.CommandLine.dll",
    "contentFiles/any/any/BuildHost-netcore/cs/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/de/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/es/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/fr/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/it/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/ja/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/ko/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/pl/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/pt-BR/System.CommandLine.resources.dll",
    "contentFiles/any/any/BuildHost-netcore/ru/System.CommandLine.resources.dll",

```

```

"contentFiles/any/any/BuildHost-netcore/tr/System.CommandLine.resources.dll",
"contentFiles/any/any/BuildHost-netcore/zh-Hans/System.CommandLine.resources.dll",
"contentFiles/any/any/BuildHost-netcore/zh-Hant/System.CommandLine.resources.dll",
"lib/net472/Microsoft.CodeAnalysis.ExternalAccess.RazorCompiler.dll",
"lib/net472/Microsoft.CodeAnalysis.Workspaces.MSBuild.dll",
"lib/net472/Microsoft.CodeAnalysis.Workspaces.MSBuild.pdb",
"lib/net472/Microsoft.CodeAnalysis.Workspaces.MSBuild.xml",
"lib/net472/cs/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/de/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/es/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/fr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/it/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/ja/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/ko/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/pl/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/pt-BR/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/ru/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/tr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/zh-Hans/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net472/zh-Hant/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/Microsoft.CodeAnalysis.ExternalAccess.RazorCompiler.dll",
"lib/net8.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.dll",
"lib/net8.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.pdb",
"lib/net8.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.xml",
"lib/net8.0/cs/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/de/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/es/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/fr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/it/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/ja/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/ko/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/pl/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/ru/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/tr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net8.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/Microsoft.CodeAnalysis.ExternalAccess.RazorCompiler.dll",
"lib/net9.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.dll",
"lib/net9.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.pdb",
"lib/net9.0/Microsoft.CodeAnalysis.Workspaces.MSBuild.xml",
"lib/net9.0/cs/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/de/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/es/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/fr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/it/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/ja/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/ko/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/pl/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/pt-BR/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/ru/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/tr/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/zh-Hans/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"lib/net9.0/zh-Hant/Microsoft.CodeAnalysis.Workspaces.MSBuild.resources.dll",
"microsoft.codeanalysis.workspaces.msbuild.4.14.0.nupkg.sha512",
"microsoft.codeanalysis.workspaces.msbuild.nuspec"
],
},
"Microsoft.EntityFrameworkCore/10.0.0": {
  "sha512": "hHa2amRjMyBLUH/KTML6FgIAhZ0VFYkhCKwEax0r06iNeM1P5MfIyeQLE5dniSI0ZHc30qyv5UIyTF04e1",
  "type": "package",
  "path": "microsoft.entityframeworkcore/10.0.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "PACKAGE.md",
    "buildTransitive/net10.0/Microsoft.EntityFrameworkCore.props",
    "lib/net10.0/Microsoft.EntityFrameworkCore.dll",
    "lib/net10.0/Microsoft.EntityFrameworkCore.xml",
    "microsoft.entityframeworkcore.10.0.0.nupkg.sha512",
    "microsoft.entityframeworkcore.nuspec"
  ]
},
"Microsoft.EntityFrameworkCore.Abstractions/10.0.0": {
  "sha512": "C+TT9k7f1GQ8ag0fV512K9iwrzi76RXVSDiLx+iWC9pz3QhEpSF1Dyk+FpVvd8ULQ+rqymfM8KQ7g48ttQV",
  "type": "package",

```

```

"path": "microsoft.entityframeworkcore.abstractions/10.0.0",
"files": [
  ".nupkg.metadata",
  ".signature.p7s",
  "Icon.png",
  "PACKAGE.md",
  "lib/net10.0/Microsoft.EntityFrameworkCore.Abstractions.dll",
  "lib/net10.0/Microsoft.EntityFrameworkCore.Abstractions.xml",
  "microsoft.entityframeworkcore.abstractions.10.0.0.nupkg.sha512",
  "microsoft.entityframeworkcore.abstractions.nuspec"
]
},
"Microsoft.EntityFrameworkCore.Analyzers/10.0.0": {
  "sha512": "TxHQq0kn0tpYs2ljeRl8jtmWk720B0nteqI6mAZM77HWJpYT9Zj8SkkBBLj8K3Yeq18a6NBjz6YutE+shEk",
  "type": "package",
  "path": "microsoft.entityframeworkcore.analyzers/10.0.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "analyzers/dotnet/cs/Microsoft.EntityFrameworkCore.Analyzers.dll",
    "docs/PACKAGE.md",
    "microsoft.entityframeworkcore.analyzers.10.0.0.nupkg.sha512",
    "microsoft.entityframeworkcore.analyzers.nuspec"
  ]
},
"Microsoft.EntityFrameworkCore.Design/10.0.0": {
  "sha512": "R7BeFn1EpBrHw8kKVtWiMG4PRAWJ4K1RZoQWB32Ak8ws3uvYH98DVP9Y2UBUgbwY5lR9wPlrxp7P3GGDQ7L",
  "type": "package",
  "path": "microsoft.entityframeworkcore.design/10.0.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "PACKAGE.md",
    "build/net10.0/Microsoft.EntityFrameworkCore.Design.props",
    "lib/net10.0/Microsoft.EntityFrameworkCore.Design.dll",
    "lib/net10.0/Microsoft.EntityFrameworkCore.Design.xml",
    "microsoft.entityframeworkcore.design.10.0.0.nupkg.sha512",
    "microsoft.entityframeworkcore.design.nuspec"
  ]
},
"Microsoft.EntityFrameworkCore.Relational/10.0.0": {
  "sha512": "A3MX1ee7RDxWCudx/KqP+74fbksZ0UIhkVZh56YHvbPKEKsffCXgHU3LGkRDwqR/MrBNWLCWC/IVX79tzM3",
  "type": "package",
  "path": "microsoft.entityframeworkcore.relational/10.0.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "PACKAGE.md",
    "lib/net10.0/Microsoft.EntityFrameworkCore.Relational.dll",
    "lib/net10.0/Microsoft.EntityFrameworkCore.Relational.xml",
    "microsoft.entityframeworkcore.relational.10.0.0.nupkg.sha512",
    "microsoft.entityframeworkcore.relational.nuspec"
  ]
},
"Microsoft.EntityFrameworkCore.Tools/10.0.0": {
  "sha512": "Gx6AWCf1CsBHTbvVWBYBKp6hrwZt0IgBigoBPaybwOBG2EFIfZc7NP2BoR6r56YuuikbPIzCuvQuFYnN4",
  "type": "package",
  "path": "microsoft.entityframeworkcore.tools/10.0.0",
  "hasTools": true,
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "docs/PACKAGE.md",
    "microsoft.entityframeworkcore.tools.10.0.0.nupkg.sha512",
    "microsoft.entityframeworkcore.tools.nuspec",
    "tools/EntityFrameworkCore.PS2.psd1",
    "tools/EntityFrameworkCore.PS2.psm1",
    "tools/EntityFrameworkCore.psd1",
    "tools/EntityFrameworkCore.psm1",
    "tools/about_EntityFrameworkCore.help.txt",
    "tools/init.ps1",
    "tools/net10.0/any/ef.dll",
    "tools/net10.0/any/ef.runtimeconfig.json",
  ]
}

```

```
        "tools/net472/any/ef.exe",
        "tools/net472/win-arm64/ef.exe",
        "tools/net472/win-x86/ef.exe"
    ]
},
"Microsoft.Extensions.DependencyModel/10.0.0": {
    "sha512": "RFYJR7APio/BiqdQunRq6DB+nDB6nc2qhHr77mlvZ0q0BT8PubMXN7XicmfzCbrDE/dzhBnUKBRXLTCqUiZ",
    "type": "package",
    "path": "microsoft.extensions.dependencymodel/10.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/Microsoft.Extensions.DependencyModel.targets",
        "buildTransitive/net462/_.-",
        "buildTransitive/net8.0/_.-",
        "buildTransitive/netcoreapp2.0/Microsoft.Extensions.DependencyModel.targets",
        "lib/net10.0/Microsoft.Extensions.DependencyModel.dll",
        "lib/net10.0/Microsoft.Extensions.DependencyModel.xml",
        "lib/net462/Microsoft.Extensions.DependencyModel.dll",
        "lib/net462/Microsoft.Extensions.DependencyModel.xml",
        "lib/net8.0/Microsoft.Extensions.DependencyModel.dll",
        "lib/net8.0/Microsoft.Extensions.DependencyModel.xml",
        "lib/net9.0/Microsoft.Extensions.DependencyModel.dll",
        "lib/net9.0/Microsoft.Extensions.DependencyModel.xml",
        "lib/netstandard2.0/Microsoft.Extensions.DependencyModel.dll",
        "lib/netstandard2.0/Microsoft.Extensions.DependencyModel.xml",
        "microsoft.extensions.dependencymodel.10.0.0.nupkg.sha512",
        "microsoft.extensions.dependencymodel.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"Microsoft.NET.StringTools/17.14.28": {
    "sha512": "DMiEwDlxe0Wz0DIhJZ2FMoGQAN2yrGZOi5jjFhRYHWR50Nd0CS6IpAhlRnA7uA/5BF+BADvgsETxW2XrPiF",
    "type": "package",
    "path": "microsoft.net.stringtools/17.14.28",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "MSBuild-NuGet-Icon.png",
        "README.md",
        "lib/net472/Microsoft.NET.StringTools.dll",
        "lib/net472/Microsoft.NET.StringTools.pdb",
        "lib/net472/Microsoft.NET.StringTools.xml",
        "lib/net9.0/Microsoft.NET.StringTools.dll",
        "lib/net9.0/Microsoft.NET.StringTools.pdb",
        "lib/net9.0/Microsoft.NET.StringTools.xml",
        "lib/netstandard2.0/Microsoft.NET.StringTools.dll",
        "lib/netstandard2.0/Microsoft.NET.StringTools.pdb",
        "lib/netstandard2.0/Microsoft.NET.StringTools.xml",
        "microsoft.net.stringtools.17.14.28.nupkg.sha512",
        "microsoft.net.stringtools.nuspec",
        "notices/THIRDPARTYNOTICES.txt",
        "ref/net472/Microsoft.NET.StringTools.dll",
        "ref/net472/Microsoft.NET.StringTools.xml",
        "ref/net9.0/Microsoft.NET.StringTools.dll",
        "ref/net9.0/Microsoft.NET.StringTools.xml",
        "ref/netstandard2.0/Microsoft.NET.StringTools.dll",
        "ref/netstandard2.0/Microsoft.NET.StringTools.xml"
    ]
},
"Microsoft.OpenApi/2.0.0": {
    "sha512": "GGYLfzV/G/ct800Z45JxnWP7NvMX1BCugn/lX7TH5o0lcVaviavsLMTxmFV2AybXWjbi3h6FF1vgZiT6KPX",
    "type": "package",
    "path": "microsoft.openapi/2.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "README.md",
        "lib/net8.0/Microsoft.OpenApi.dll",
        "lib/net8.0/Microsoft.OpenApi.pdb",
        "lib/net8.0/Microsoft.OpenApi.xml",
        "lib/netstandard2.0/Microsoft.OpenApi.dll",
        "lib/netstandard2.0/Microsoft.OpenApi.pdb",
        "lib/netstandard2.0/Microsoft.OpenApi.xml",
    ]
}
```

```
        "microsoft.openapi.2.0.0.nupkg.sha512",
        "microsoft.openapi.nuspec"
    ]
},
"Mono.TextTemplating/3.0.0": {
    "sha512": "YqueG52R/Xej4VVbKuRIodjiAhV0HR/XVbLbNrJhCZnzjnSjgMJ/dCdV0akQQxavX6hp/LC6rqLGLcXeQYU",
    "type": "package",
    "path": "mono.texttemplating/3.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "LICENSE.txt/LICENSE",
        "buildTransitive/Mono.TextTemplating.targets",
        "lib/net472/Mono.TextTemplating.dll",
        "lib/net6.0/Mono.TextTemplating.dll",
        "lib/netstandard2.0/Mono.TextTemplating.dll",
        "mono.texttemplating.3.0.0.nupkg.sha512",
        "mono.texttemplating.nuspec",
        "readme.md"
    ]
},
"Newtonsoft.Json/13.0.3": {
    "sha512": "HrC5BXdl00IP9zeV+0Z848QWPAoCr9P3bDEZguI+gkLcBKA0xix/tLEAAHC+UvDNPv4a2d18l0ReHMOagPa",
    "type": "package",
    "path": "newtonsoft.json/13.0.3",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "LICENSE.md",
        "README.md",
        "lib/net20/Newtonsoft.Json.dll",
        "lib/net20/Newtonsoft.Json.xml",
        "lib/net35/Newtonsoft.Json.dll",
        "lib/net35/Newtonsoft.Json.xml",
        "lib/net40/Newtonsoft.Json.dll",
        "lib/net40/Newtonsoft.Json.xml",
        "lib/net45/Newtonsoft.Json.dll",
        "lib/net45/Newtonsoft.Json.xml",
        "lib/net6.0/Newtonsoft.Json.dll",
        "lib/net6.0/Newtonsoft.Json.xml",
        "lib/netstandard1.0/Newtonsoft.Json.dll",
        "lib/netstandard1.0/Newtonsoft.Json.xml",
        "lib/netstandard1.3/Newtonsoft.Json.dll",
        "lib/netstandard1.3/Newtonsoft.Json.xml",
        "lib/netstandard2.0/Newtonsoft.Json.dll",
        "lib/netstandard2.0/Newtonsoft.Json.xml",
        "newtonsoft.json.13.0.3.nupkg.sha512",
        "newtonsoft.json.nuspec",
        "packageIcon.png"
    ]
},
"Npgsql/10.0.0": {
    "sha512": "xZAYhPOU2rUIFpV48xsqhcX9vXs6Y+0jX2LCOSEfDFYmW9jtAOUk3iQsCnDLrFiv9NT3JGMihn7nnuZsPKq",
    "type": "package",
    "path": "nppgsql/10.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "README.md",
        "lib/net10.0/Npgsql.dll",
        "lib/net10.0/Npgsql.xml",
        "lib/net8.0/Npgsql.dll",
        "lib/net8.0/Npgsql.xml",
        "lib/net9.0/Npgsql.dll",
        "lib/net9.0/Npgsql.xml",
        "nppgsql.10.0.0.nupkg.sha512",
        "nppgsql.nuspec",
        "postgresql.png"
    ]
},
"Npgsql.EntityFrameworkCore.PostgreSQL/10.0.0": {
    "sha512": "E2+uSWxSB8LdsUVwPaqRW0cG0P92biry2JEwc0KJMdLJF+aZdczeIdEXVwEyv4nSVMQJH0o8tLhyAMiR6VF",
    "type": "package",
    "path": "nppgsql.entityframeworkcore.postgresql/10.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
    ]
}
```

```

        "README.md",
        "lib/net10.0/Npgsql.EntityFrameworkCore.PostgreSQL.dll",
        "lib/net10.0/Npgsql.EntityFrameworkCore.PostgreSQL.xml",
        "npgsql.entityframeworkcore.postgresql.10.0.0.nupkg.sha512",
        "npgsql.entityframeworkcore.postgresql.nuspec",
        "postgresql.png"
    ]
},
"System.CodeDom/9.0.0": {
    "sha512": "oTE5IfuMoET8yaZP/vdvy9x047guAv/r0he4D0DuFBN3ySprcQ0lXq03j+e/H/YpKKR5sglrxRaZ2HY0hNJ",
    "type": "package",
    "path": "system.codedom/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.CodeDom.targets",
        "buildTransitive/net462/_.-",
        "buildTransitive/net8.0/_.-",
        "buildTransitive/netcoreapp2.0/System.CodeDom.targets",
        "lib/net462/System.CodeDom.dll",
        "lib/net462/System.CodeDom.xml",
        "lib/net8.0/System.CodeDom.dll",
        "lib/net8.0/System.CodeDom.xml",
        "lib/net9.0/System.CodeDom.dll",
        "lib/net9.0/System.CodeDom.xml",
        "lib/netstandard2.0/System.CodeDom.dll",
        "lib/netstandard2.0/System.CodeDom.xml",
        "system.codedom.9.0.0.nupkg.sha512",
        "system.codedom.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Composition/9.0.0": {
    "sha512": "3Djj70fFTraOarSKmRnmRy/zm4YurICm+kiCtI0dYRqGJnLX6nJ+G3WYuFJ173cAPax/gh96REcbNiVqcry",
    "type": "package",
    "path": "system.composition/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Composition.targets",
        "buildTransitive/net462/_.-",
        "buildTransitive/net8.0/_.-",
        "buildTransitive/netcoreapp2.0/System.Composition.targets",
        "lib/net461/_.-",
        "lib/netcoreapp2.0/_.-",
        "lib/netstandard2.0/_.-",
        "system.composition.9.0.0.nupkg.sha512",
        "system.composition.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Composition.AttributedModel/9.0.0": {
    "sha512": "iri00l/zIX9g4lHMY+Nz0qV1n40+jFYAmgsaiNn16xvt2RDwlqByNG4wgb1agnDYxm3YSQQ0jLlC/7Xlk9C",
    "type": "package",
    "path": "system.composition.attributedmodel/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Composition.AttributedModel.targets",
        "buildTransitive/net462/_.-",
        "buildTransitive/net8.0/_.-",
        "buildTransitive/netcoreapp2.0/System.Composition.AttributedModel.targets",
        "lib/net462/System.Composition.AttributedModel.dll",
        "lib/net462/System.Composition.AttributedModel.xml",
        "lib/net8.0/System.Composition.AttributedModel.dll",

```

```

        "lib/net8.0/System.Composition.AttributedModel.xml",
        "lib/net9.0/System.Composition.AttributedModel.dll",
        "lib/net9.0/System.Composition.AttributedModel.xml",
        "lib/netstandard2.0/System.Composition.AttributedModel.dll",
        "lib/netstandard2.0/System.Composition.AttributedModel.xml",
        "system.composition.attributedmodel.9.0.0.nupkg.sha512",
        "system.composition.attributedmodel.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Composition.Convention/9.0.0": {
    "sha512": "+vuqVP6xpi582XIjJi60CsIxuoTZfR0M7Wwufk3uGDeCl3wGW6KnpylUJ3iixdPByPE0vR5TjJgR6hDLez4",
    "type": "package",
    "path": "system.composition.convention/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Composition.Convention.targets",
        "buildTransitive/net462/_._",
        "buildTransitive/net8.0/_._",
        "buildTransitive/netcoreapp2.0/System.Composition.Convention.targets",
        "lib/net462/System.Composition.Convention.dll",
        "lib/net462/System.Composition.Convention.xml",
        "lib/net8.0/System.Composition.Convention.dll",
        "lib/net8.0/System.Composition.Convention.xml",
        "lib/net9.0/System.Composition.Convention.dll",
        "lib/net9.0/System.Composition.Convention.xml",
        "lib/netstandard2.0/System.Composition.Convention.dll",
        "lib/netstandard2.0/System.Composition.Convention.xml",
        "system.composition.convention.9.0.0.nupkg.sha512",
        "system.composition.convention.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Composition.Hosting/9.0.0": {
    "sha512": "0FqSeFeJYr7kHxDfaviGM1ymk7d4JxK//VSoNF9Ux0gppqkLsauDZpu89kTHHNdCwfSljbFcvAafGyBoY094",
    "type": "package",
    "path": "system.composition.hosting/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Composition.Hosting.targets",
        "buildTransitive/net462/_._",
        "buildTransitive/net8.0/_._",
        "buildTransitive/netcoreapp2.0/System.Composition.Hosting.targets",
        "lib/net462/System.Composition.Hosting.dll",
        "lib/net462/System.Composition.Hosting.xml",
        "lib/net8.0/System.Composition.Hosting.dll",
        "lib/net8.0/System.Composition.Hosting.xml",
        "lib/net9.0/System.Composition.Hosting.dll",
        "lib/net9.0/System.Composition.Hosting.xml",
        "lib/netstandard2.0/System.Composition.Hosting.dll",
        "lib/netstandard2.0/System.Composition.Hosting.xml",
        "system.composition.hosting.9.0.0.nupkg.sha512",
        "system.composition.hosting.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Composition.Runtime/9.0.0": {
    "sha512": "w1H0LQY1zs0WYussjFGZCEYF2UZXgvoYnS94NiU2CBnAGMBxFAX8PY8c92KwUITPmowa168jnvLBCzdrwLe",
    "type": "package",
    "path": "system.composition.runtime/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",

```

```

        "buildTransitive/net461/System.Composition.Runtime.targets",
        "buildTransitive/net462/._.",
        "buildTransitive/net8.0/._.",
        "buildTransitive/netcoreapp2.0/System.Composition.Runtime.targets",
        "lib/net462/System.Composition.Runtime.dll",
        "lib/net462/System.Composition.Runtime.xml",
        "lib/net8.0/System.Composition.Runtime.dll",
        "lib/net8.0/System.Composition.Runtime.xml",
        "lib/net9.0/System.Composition.Runtime.dll",
        "lib/net9.0/System.Composition.Runtime.xml",
        "lib/netstandard2.0/System.Composition.Runtime.dll",
        "lib/netstandard2.0/System.Composition.Runtime.xml",
        "system.composition.runtime.9.0.0.nupkg.sha512",
        "system.composition.runtime.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Composition.TypedParts/9.0.0": {
    "sha512": "aRZlojCCGEHDKqh43jaDgaVpYETsgd7Nx4g1zwLKMtv4iT00627715ajEFNpEEBTgLMvZuv8K0EVxc3sM4NW",
    "type": "package",
    "path": "system.composition.typedparts/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Composition.TypedParts.targets",
        "buildTransitive/net462/._.",
        "buildTransitive/net8.0/._.",
        "buildTransitive/netcoreapp2.0/System.Composition.TypedParts.targets",
        "lib/net462/System.Composition.TypedParts.dll",
        "lib/net462/System.Composition.TypedParts.xml",
        "lib/net8.0/System.Composition.TypedParts.dll",
        "lib/net8.0/System.Composition.TypedParts.xml",
        "lib/net9.0/System.Composition.TypedParts.dll",
        "lib/net9.0/System.Composition.TypedParts.xml",
        "lib/netstandard2.0/System.Composition.TypedParts.dll",
        "lib/netstandard2.0/System.Composition.TypedParts.xml",
        "system.composition.typedparts.9.0.0.nupkg.sha512",
        "system.composition.typedparts.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Configuration.ConfigurationManager/9.0.0": {
    "sha512": "PdKuMrwDhXoKfo/JxISii9E8L+QGn9Iquj20KDWHB6Y/HnUOuBouF7uS3R4Hw3FoNmwwMo6hwgazQdyHIIS",
    "type": "package",
    "path": "system.configuration.configurationmanager/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Configuration.ConfigurationManager.targets",
        "buildTransitive/net462/._.",
        "buildTransitive/net8.0/._.",
        "buildTransitive/netcoreapp2.0/System.Configuration.ConfigurationManager.targets",
        "lib/net462/System.Configuration.ConfigurationManager.dll",
        "lib/net462/System.Configuration.ConfigurationManager.xml",
        "lib/net8.0/System.Configuration.ConfigurationManager.dll",
        "lib/net8.0/System.Configuration.ConfigurationManager.xml",
        "lib/net9.0/System.Configuration.ConfigurationManager.dll",
        "lib/net9.0/System.Configuration.ConfigurationManager.xml",
        "lib/netstandard2.0/System.Configuration.ConfigurationManager.dll",
        "lib/netstandard2.0/System.Configuration.ConfigurationManager.xml",
        "system.configuration.configurationmanager.9.0.0.nupkg.sha512",
        "system.configuration.configurationmanager.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Formats.Nrbf/9.0.0": {
    "sha512": "F/6tNE+ckmdFeSQAYQo26bQ0qfPFKEfZcuqnp4kBE6/7jP26diP+QTHCJJ6vpEfaY6bLy+hBLiIQUSxSmNW",
    "type": "package",
    "path": "system.formats.nrbf/9.0.0",

```



```

"files": [
  ".nupkg.metadata",
  ".signature.p7s",
  "Icon.png",
  "LICENSE.TXT",
  "PACKAGE.md",
  "THIRD-PARTY-NOTICES.TXT",
  "buildTransitive/net461/System.Formats.Nrbf.targets",
  "buildTransitive/net462/_.-",
  "buildTransitive/net8.0/_.-",
  "buildTransitive/netcoreapp2.0/System.Formats.Nrbf.targets",
  "lib/net462/System.Formats.Nrbf.dll",
  "lib/net462/System.Formats.Nrbf.xml",
  "lib/net8.0/System.Formats.Nrbf.dll",
  "lib/net8.0/System.Formats.Nrbf.xml",
  "lib/net9.0/System.Formats.Nrbf.dll",
  "lib/net9.0/System.Formats.Nrbf.xml",
  "lib/netstandard2.0/System.Formats.Nrbf.dll",
  "lib/netstandard2.0/System.Formats.Nrbf.xml",
  "system.formats.nrbf.9.0.0.nupkg.sha512",
  "system.formats.nrbf.nuspec",
  "useSharedDesignerContext.txt"
]
},
"System.Reflection.MetadataLoadContext/7.0.0": {
  "sha512": "z9PvtMJra5hk8n+g0wmPtaG7HQRZpTmIPRW5Z0LEemlcdQMhuTD5D70AY/fZuuz1L9db++Q0cDF0gJTLpbM",
  "type": "package",
  "path": "system.reflection.metadataloadcontext/7.0.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "LICENSE.TXT",
    "README.md",
    "THIRD-PARTY-NOTICES.TXT",
    "buildTransitive/net461/System.Reflection.MetadataLoadContext.targets",
    "buildTransitive/net462/_.-",
    "buildTransitive/net6.0/_.-",
    "buildTransitive/netcoreapp2.0/System.Reflection.MetadataLoadContext.targets",
    "lib/net462/System.Reflection.MetadataLoadContext.dll",
    "lib/net462/System.Reflection.MetadataLoadContext.xml",
    "lib/net6.0/System.Reflection.MetadataLoadContext.dll",
    "lib/net6.0/System.Reflection.MetadataLoadContext.xml",
    "lib/net7.0/System.Reflection.MetadataLoadContext.dll",
    "lib/net7.0/System.Reflection.MetadataLoadContext.xml",
    "lib/netstandard2.0/System.Reflection.MetadataLoadContext.dll",
    "lib/netstandard2.0/System.Reflection.MetadataLoadContext.xml",
    "system.reflection.metadataloadcontext.7.0.0.nupkg.sha512",
    "system.reflection.metadataloadcontext.nuspec",
    "useSharedDesignerContext.txt"
  ]
},
"System.Resources.Extensions/9.0.0": {
  "sha512": "tvhuT1b20wPRodL1kRwtaTJliQo0Wdyhvwdpd8RM997G7m3Hya5nhbYhNTS75x6Vu+ypS0gL5qxDCn8IR0t",
  "type": "package",
  "path": "system.resources.extensions/9.0.0",
  "files": [
    ".nupkg.metadata",
    ".signature.p7s",
    "Icon.png",
    "LICENSE.TXT",
    "THIRD-PARTY-NOTICES.TXT",
    "buildTransitive/net461/System.Resources.Extensions.targets",
    "buildTransitive/net462/System.Resources.Extensions.targets",
    "buildTransitive/net8.0/_.-",
    "buildTransitive/netcoreapp2.0/System.Resources.Extensions.targets",
    "lib/net462/System.Resources.Extensions.dll",
    "lib/net462/System.Resources.Extensions.xml",
    "lib/net8.0/System.Resources.Extensions.dll",
    "lib/net8.0/System.Resources.Extensions.xml",
    "lib/net9.0/System.Resources.Extensions.dll",
    "lib/net9.0/System.Resources.Extensions.xml",
    "lib/netstandard2.0/System.Resources.Extensions.dll",
    "lib/netstandard2.0/System.Resources.Extensions.xml",
    "system.resources.extensions.9.0.0.nupkg.sha512",
    "system.resources.extensions.nuspec",
    "useSharedDesignerContext.txt"
  ]
}

```

```

    ]
  },
  "System.Security.Cryptography.Pkcs/9.0.0": {
    "sha512": "8tluJF8w9si+2yoHeL8rgVJS6lKwWomTDC8px65Z8MCzzdME5eaPtEQf40fVGrAxB5fw93ncucy1+22109E",
    "type": "package",
    "path": "system.security.cryptography.pkcs/9.0.0",
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "Icon.png",
      "LICENSE.TXT",
      "THIRD-PARTY-NOTICES.TXT",
      "buildTransitive/net461/System.Security.Cryptography.Pkcs.targets",
      "buildTransitive/net462/_._",
      "buildTransitive/net8.0/_._",
      "buildTransitive/netcoreapp2.0/System.Security.Cryptography.Pkcs.targets",
      "lib/net462/System.Security.Cryptography.Pkcs.dll",
      "lib/net462/System.Security.Cryptography.Pkcs.xml",
      "lib/net8.0/System.Security.Cryptography.Pkcs.dll",
      "lib/net8.0/System.Security.Cryptography.Pkcs.xml",
      "lib/net9.0/System.Security.Cryptography.Pkcs.dll",
      "lib/net9.0/System.Security.Cryptography.Pkcs.xml",
      "lib/netstandard2.0/System.Security.Cryptography.Pkcs.dll",
      "lib/netstandard2.0/System.Security.Cryptography.Pkcs.xml",
      "lib/netstandard2.1/System.Security.Cryptography.Pkcs.dll",
      "lib/netstandard2.1/System.Security.Cryptography.Pkcs.xml",
      "runtimes/win/lib/net8.0/System.Security.Cryptography.Pkcs.dll",
      "runtimes/win/lib/net8.0/System.Security.Cryptography.Pkcs.xml",
      "runtimes/win/lib/net9.0/System.Security.Cryptography.Pkcs.dll",
      "runtimes/win/lib/net9.0/System.Security.Cryptography.Pkcs.xml",
      "system.security.cryptography.pkcs.9.0.0.nupkg.sha512",
      "system.security.cryptography.pkcs.nuspec",
      "useSharedDesignerContext.txt"
    ]
  },
  "System.Security.Cryptography.ProtectedData/9.0.0": {
    "sha512": "CJW+x/F6fmRQ7N6K8paasTw9PDZp4t7G76UjGNLSDgoHPF0h08vTzLYbLZp0LEJSg35d5wy2jCXGo84EN05",
    "type": "package",
    "path": "system.security.cryptography.protecteddata/9.0.0",
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "Icon.png",
      "LICENSE.TXT",
      "PACKAGE.md",
      "THIRD-PARTY-NOTICES.TXT",
      "buildTransitive/net461/System.Security.Cryptography.ProtectedData.targets",
      "buildTransitive/net462/_._",
      "buildTransitive/net8.0/_._",
      "buildTransitive/netcoreapp2.0/System.Security.Cryptography.ProtectedData.targets",
      "lib/MonoAndroid10/_._",
      "lib/MonoTouch10/_._",
      "lib/net462/System.Security.Cryptography.ProtectedData.dll",
      "lib/net462/System.Security.Cryptography.ProtectedData.xml",
      "lib/net8.0/System.Security.Cryptography.ProtectedData.dll",
      "lib/net8.0/System.Security.Cryptography.ProtectedData.xml",
      "lib/net9.0/System.Security.Cryptography.ProtectedData.dll",
      "lib/net9.0/System.Security.Cryptography.ProtectedData.xml",
      "lib/netstandard2.0/System.Security.Cryptography.ProtectedData.dll",
      "lib/netstandard2.0/System.Security.Cryptography.ProtectedData.xml",
      "lib/xamarinios10/_._",
      "lib/xamarinmac20/_._",
      "lib/xamarintvos10/_._",
      "lib/xamarinwatchos10/_._",
      "system.security.cryptography.protecteddata.9.0.0.nupkg.sha512",
      "system.security.cryptography.protecteddata.nuspec",
      "useSharedDesignerContext.txt"
    ]
  },
  "System.Security.Permissions/9.0.0": {
    "sha512": "H2VFD4SFVxieyWxN9/epb63/I0cPPfA0W0tfkljzNfu7GCcHIBQNuWp6zGCEIi7Ci/oj8aLPUNK9sYImMF",
    "type": "package",
    "path": "system.security.permissions/9.0.0",
    "files": [
      ".nupkg.metadata",
      ".signature.p7s",
      "Icon.png",

```

```

        "LICENSE.TXT",
        "THIRD-PARTY-NOTICES.TXT",
        "buildTransitive/net461/System.Security.Permissions.targets",
        "buildTransitive/net462/._.",
        "buildTransitive/net8.0/._.",
        "buildTransitive/netcoreapp2.0/System.Security.Permissions.targets",
        "lib/net462/System.Security.Permissions.dll",
        "lib/net462/System.Security.Permissions.xml",
        "lib/net8.0/System.Security.Permissions.dll",
        "lib/net8.0/System.Security.Permissions.xml",
        "lib/net9.0/System.Security.Permissions.dll",
        "lib/net9.0/System.Security.Permissions.xml",
        "lib/netstandard2.0/System.Security.Permissions.dll",
        "lib/netstandard2.0/System.Security.Permissions.xml",
        "system.security.permissions.9.0.0.nupkg.sha512",
        "system.security.permissions.nuspec",
        "useSharedDesignerContext.txt"
    ]
},
"System.Windows.Extensions/9.0.0": {
    "sha512": "U9msthvNH2Fsw7xwAvIhNH0dnIjOQTW0c8Vd0oG0siRcGMGoBF1UD6qtYawRUoQdKH9ysxesZ9juFElt1Jw",
    "type": "package",
    "path": "system.windows.extensions/9.0.0",
    "files": [
        ".nupkg.metadata",
        ".signature.p7s",
        "Icon.png",
        "LICENSE.TXT",
        "PACKAGE.md",
        "THIRD-PARTY-NOTICES.TXT",
        "lib/net8.0/System.Windows.Extensions.dll",
        "lib/net8.0/System.Windows.Extensions.xml",
        "lib/net9.0/System.Windows.Extensions.dll",
        "lib/net9.0/System.Windows.Extensions.xml",
        "runtimes/win/lib/net8.0/System.Windows.Extensions.dll",
        "runtimes/win/lib/net8.0/System.Windows.Extensions.xml",
        "runtimes/win/lib/net9.0/System.Windows.Extensions.dll",
        "runtimes/win/lib/net9.0/System.Windows.Extensions.xml",
        "system.windows.extensions.9.0.0.nupkg.sha512",
        "system.windows.extensions.nuspec",
        "useSharedDesignerContext.txt"
    ]
}
},
"projectFileDependencyGroups": {
    "net10.0": [
        "Microsoft.AspNetCore.OpenApi >= 10.0.8",
        "Microsoft.EntityFrameworkCore.Design >= 10.0.0-*",
        "Microsoft.EntityFrameworkCore.Tools >= 10.0.0-*",
        "Npgsql.EntityFrameworkCore.PostgreSQL >= 10.0.0-*"
    ]
},
"packageFolders": {
    "C:\\Users\\qemal\\.nuget\\packages\\": {},
    "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages": {}
},
"project": {
    "version": "1.0.0",
    "restore": {
        "projectUniqueName": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API",
        "projectName": "KVS_API",
        "projectPath": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj",
        "packagesPath": "C:\\Users\\qemal\\.nuget\\packages\\",
        "outputPath": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\obj\\",
        "projectStyle": "PackageReference",
        "fallbackFolders": [
            "C:\\Program Files (x86)\\Microsoft Visual Studio\\Shared\\NuGetPackages"
        ],
        "configFilePaths": [
            "C:\\Users\\qemal\\AppData\\Roaming\\NuGet\\NuGet.Config",
            "C:\\Program Files (x86)\\NuGet\\Config\\Microsoft.VisualStudio.FallbackLocation.config",
            "C:\\Program Files (x86)\\NuGet\\Config\\Microsoft.VisualStudio.Offline.config"
        ],
        "originalTargetFrameworks": [
            "net10.0"
        ],
        "sources": {

```

```

    "C:\\Program Files (x86)\\Microsoft SDKs\\NuGetPackages\\": {},
    "https://api.nuget.org/v3/index.json": {}
  },
  "frameworks": {
    "net10.0": {
      "framework": "net10.0",
      "targetAlias": "net10.0",
      "projectReferences": {}
    }
  },
  "warningProperties": {
    "warnAsError": [
      "NU1605"
    ]
  },
  "restoreAuditProperties": {
    "enableAudit": "true",
    "auditLevel": "low",
    "auditMode": "all"
  },
  "SdkAnalysisLevel": "10.0.300"
},
"frameworks": {
  "net10.0": {
    "framework": "net10.0",
    "targetAlias": "net10.0",
    "dependencies": {
      "Microsoft.AspNetCore.OpenApi": {
        "target": "Package",
        "version": "[10.0.8, )"
      },
      "Microsoft.EntityFrameworkCore.Design": {
        "include": "Runtime, Build, Native, ContentFiles, Analyzers, BuildTransitive",
        "suppressParent": "All",
        "target": "Package",
        "version": "[10.0.0-*, )"
      },
      "Microsoft.EntityFrameworkCore.Tools": {
        "include": "Runtime, Build, Native, ContentFiles, Analyzers, BuildTransitive",
        "suppressParent": "All",
        "target": "Package",
        "version": "[10.0.0-*, )"
      },
      "Npgsql.EntityFrameworkCore.PostgreSQL": {
        "target": "Package",
        "version": "[10.0.0-*, )"
      }
    }
  },
  "imports": [
    "net461",
    "net462",
    "net47",
    "net471",
    "net472",
    "net48",
    "net481"
  ],
  "assetTargetFallback": true,
  "warn": true,
  "frameworkReferences": {
    "Microsoft.AspNetCore.App": {
      "privateAssets": "none"
    },
    "Microsoft.NETCore.App": {
      "privateAssets": "all"
    }
  },
  "runtimeIdentifierGraphPath": "C:\\Program Files\\dotnet\\sdk\\10.0.300\\PortableRuntimeIdentifiers\\",
  "packagesToPrune": {
    "Microsoft.AspNetCore": "(,10.0.32767]",
    "Microsoft.AspNetCore.Antiforgery": "(,10.0.32767]",
    "Microsoft.AspNetCore.App": "(,10.0.32767]",
    "Microsoft.AspNetCore.Authentication": "(,10.0.32767]",
    "Microsoft.AspNetCore.Authentication.Abstractions": "(,10.0.32767]",
    "Microsoft.AspNetCore.Authentication.BearerToken": "(,10.0.32767]",
    "Microsoft.AspNetCore.Authentication.Cookies": "(,10.0.32767]",
    "Microsoft.AspNetCore.Authentication.Core": "(,10.0.32767]",

```

"Microsoft.AspNetCore.Authentication.OAuth": "(,10.0.32767]",
"Microsoft.AspNetCore.Authorization": "(,10.0.32767]",
"Microsoft.AspNetCore.Authorization.Policy": "(,10.0.32767]",
"Microsoft.AspNetCore.Components": "(,10.0.32767]",
"Microsoft.AspNetCore.Components.Authorization": "(,10.0.32767]",
"Microsoft.AspNetCore.Components.Endpoints": "(,10.0.32767]",
"Microsoft.AspNetCore.Components.Forms": "(,10.0.32767]",
"Microsoft.AspNetCore.Components.Server": "(,10.0.32767]",
"Microsoft.AspNetCore.Components.Web": "(,10.0.32767]",
"Microsoft.AspNetCore.Connections.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.CookiePolicy": "(,10.0.32767]",
"Microsoft.AspNetCore.Cors": "(,10.0.32767]",
"Microsoft.AspNetCore.Cryptography.Internal": "(,10.0.32767]",
"Microsoft.AspNetCore.Cryptography.KeyDerivation": "(,10.0.32767]",
"Microsoft.AspNetCore.DataProtection": "(,10.0.32767]",
"Microsoft.AspNetCore.DataProtection.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.DataProtection.Extensions": "(,10.0.32767]",
"Microsoft.AspNetCore.Diagnostics": "(,10.0.32767]",
"Microsoft.AspNetCore.Diagnostics.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Diagnostics.HealthChecks": "(,10.0.32767]",
"Microsoft.AspNetCore.HostFiltering": "(,10.0.32767]",
"Microsoft.AspNetCore.Hosting": "(,10.0.32767]",
"Microsoft.AspNetCore.Hosting.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Hosting.Server.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Html.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Http": "(,10.0.32767]",
"Microsoft.AspNetCore.Http.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Http.Connections": "(,10.0.32767]",
"Microsoft.AspNetCore.Http.Connections.Common": "(,10.0.32767]",
"Microsoft.AspNetCore.Http.Extensions": "(,10.0.32767]",
"Microsoft.AspNetCore.Http.Features": "(,10.0.32767]",
"Microsoft.AspNetCore.Http.Results": "(,10.0.32767]",
"Microsoft.AspNetCore.HttpLogging": "(,10.0.32767]",
"Microsoft.AspNetCore.HttpOverrides": "(,10.0.32767]",
"Microsoft.AspNetCore.HttpsPolicy": "(,10.0.32767]",
"Microsoft.AspNetCore.Identity": "(,10.0.32767]",
"Microsoft.AspNetCore.Localization": "(,10.0.32767]",
"Microsoft.AspNetCore.Localization.Routing": "(,10.0.32767]",
"Microsoft.AspNetCore.Metadata": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.ApiExplorer": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Core": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Cors": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.DataAnnotations": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Formatters.Json": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Formatters.Xml": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Localization": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.Razor": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.RazorPages": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.TagHelpers": "(,10.0.32767]",
"Microsoft.AspNetCore.Mvc.ViewFeatures": "(,10.0.32767]",
"Microsoft.AspNetCore.OutputCaching": "(,10.0.32767]",
"Microsoft.AspNetCore.RateLimiting": "(,10.0.32767]",
"Microsoft.AspNetCore.Razor": "(,10.0.32767]",
"Microsoft.AspNetCore.Razor.Runtime": "(,10.0.32767]",
"Microsoft.AspNetCore.RequestDecompression": "(,10.0.32767]",
"Microsoft.AspNetCore.ResponseCaching": "(,10.0.32767]",
"Microsoft.AspNetCore.ResponseCaching.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.ResponseCompression": "(,10.0.32767]",
"Microsoft.AspNetCore.Rewrite": "(,10.0.32767]",
"Microsoft.AspNetCore.Routing": "(,10.0.32767]",
"Microsoft.AspNetCore.Routing.Abstractions": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.HttpSys": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.IIS": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.IISIntegration": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Core": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Transport.NamedPipes": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Transport.Quic": "(,10.0.32767]",
"Microsoft.AspNetCore.Server.Kestrel.Transport.Sockets": "(,10.0.32767]",
"Microsoft.AspNetCore.Session": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR.Common": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR.Core": "(,10.0.32767]",
"Microsoft.AspNetCore.SignalR.Protocols.Json": "(,10.0.32767]",
"Microsoft.AspNetCore.StaticAssets": "(,10.0.32767]",

"Microsoft.AspNetCore.StaticFiles": "(,10.0.32767]",
"Microsoft.AspNetCore.WebSockets": "(,10.0.32767]",
"Microsoft.AspNetCore.WebUtilities": "(,10.0.32767]",
"Microsoft.CSharp": "(,4.7.32767]",
"Microsoft.Extensions.Caching.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Caching.Memory": "(,10.0.32767]",
"Microsoft.Extensions.Configuration": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Binder": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.CommandLine": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.EnvironmentVariables": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.FileExtensions": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Ini": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Json": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.KeyPerFile": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.UserSecrets": "(,10.0.32767]",
"Microsoft.Extensions.Configuration.Xml": "(,10.0.32767]",
"Microsoft.Extensions.DependencyInjection": "(,10.0.32767]",
"Microsoft.Extensions.DependencyInjection.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics.HealthChecks": "(,10.0.32767]",
"Microsoft.Extensions.Diagnostics.HealthChecks.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Features": "(,10.0.32767]",
"Microsoft.Extensions.FileProviders.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.FileProviders.Composite": "(,10.0.32767]",
"Microsoft.Extensions.FileProviders.Physical": "(,10.0.32767]",
"Microsoft.Extensions.FileSystemGlobbing": "(,10.0.32767]",
"Microsoft.Extensions.Hosting": "(,10.0.32767]",
"Microsoft.Extensions.Hosting.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Http": "(,10.0.32767]",
"Microsoft.Extensions.Identity.Core": "(,10.0.32767]",
"Microsoft.Extensions.Identity.Stores": "(,10.0.32767]",
"Microsoft.Extensions.Localization": "(,10.0.32767]",
"Microsoft.Extensions.Localization.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Logging": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Abstractions": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Configuration": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Console": "(,10.0.32767]",
"Microsoft.Extensions.Logging.Debug": "(,10.0.32767]",
"Microsoft.Extensions.Logging.EventLog": "(,10.0.32767]",
"Microsoft.Extensions.Logging.EventSource": "(,10.0.32767]",
"Microsoft.Extensions.Logging.TraceSource": "(,10.0.32767]",
"Microsoft.Extensions.ObjectPool": "(,10.0.32767]",
"Microsoft.Extensions.Options": "(,10.0.32767]",
"Microsoft.Extensions.Options.ConfigurationExtensions": "(,10.0.32767]",
"Microsoft.Extensions.Options.DataAnnotations": "(,10.0.32767]",
"Microsoft.Extensions.Primitives": "(,10.0.32767]",
"Microsoft.Extensions.Validation": "(,10.0.32767]",
"Microsoft.Extensions.WebEncoders": "(,10.0.32767]",
"Microsoft.JSInterop": "(,10.0.32767]",
"Microsoft.Net.Http.Headers": "(,10.0.32767]",
"Microsoft.VisualBasic": "(,10.4.32767]",
"Microsoft.Win32.Primitives": "(,4.3.32767]",
"Microsoft.Win32.Registry": "(,5.0.32767]",
"runtime.any.System.Collections": "(,4.3.32767]",
"runtime.any.System.Diagnostics.Tools": "(,4.3.32767]",
"runtime.any.System.Diagnostics.Tracing": "(,4.3.32767]",
"runtime.any.System.Globalization": "(,4.3.32767]",
"runtime.any.System.Globalization.Calendars": "(,4.3.32767]",
"runtime.any.System.IO": "(,4.3.32767]",
"runtime.any.System.Reflection": "(,4.3.32767]",
"runtime.any.System.Reflection.Extensions": "(,4.3.32767]",
"runtime.any.System.Reflection.Primitives": "(,4.3.32767]",
"runtime.any.System.Resources.ResourceManager": "(,4.3.32767]",
"runtime.any.System.Runtime": "(,4.3.32767]",
"runtime.any.System.Runtime.Handles": "(,4.3.32767]",
"runtime.any.System.Runtime.InteropServices": "(,4.3.32767]",
"runtime.any.System.Text.Encoding": "(,4.3.32767]",
"runtime.any.System.Text.Encoding.Extensions": "(,4.3.32767]",
"runtime.any.System.Threading.Tasks": "(,4.3.32767]",
"runtime.any.System.Threading.Timer": "(,4.3.32767]",
"runtime.aot.System.Collections": "(,4.3.32767]",
"runtime.aot.System.Diagnostics.Tools": "(,4.3.32767]",
"runtime.aot.System.Diagnostics.Tracing": "(,4.3.32767]",
"runtime.aot.System.Globalization": "(,4.3.32767]",
"runtime.aot.System.Globalization.Calendars": "(,4.3.32767]",

[illegible]

"runtime.ubuntu.16.04-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.ubuntu.16.04-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Security.Cryptography": "(,4.3.32767]",
"runtime.ubuntu.16.10-x64.runtime.native.System.Security.Cryptography.OpenSsl": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System.Net.Http": "(,4.3.32767]",
"runtime.ubuntu.18.04-x64.runtime.native.System.Net.Security": "(,4.3.32767]",
"runtime.unix.Microsoft.Win32.Primitives": "(,4.3.32767]",
"runtime.unix.System.Console": "(,4.3.32767]",
"runtime.unix.System.Diagnostics.Debug": "(,4.3.32767]",
"runtime.unix.System.IO.FileSystem": "(,4.3.32767]",
"runtime.unix.System.Net.Primitives": "(,4.3.32767]",
"runtime.unix.System.Net.Sockets": "(,4.3.32767]",
"runtime.unix.System.Private.Uri": "(,4.3.32767]",
"runtime.unix.System.Runtime.Extensions": "(,4.3.32767]",
"runtime.win.Microsoft.Win32.Primitives": "(,4.3.32767]",
"runtime.win.System.Console": "(,4.3.32767]",
"runtime.win.System.Diagnostics.Debug": "(,4.3.32767]",
"runtime.win.System.IO.FileSystem": "(,4.3.32767]",
"runtime.win.System.Net.Primitives": "(,4.3.32767]",
"runtime.win.System.Net.Sockets": "(,4.3.32767]",
"runtime.win.System.Runtime.Extensions": "(,4.3.32767]",
"runtime.win10-arm-aot.runtime.native.System.IO.Compression": "(,4.0.32767]",
"runtime.win10-arm64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.win10-x64-aot.runtime.native.System.IO.Compression": "(,4.0.32767]",
"runtime.win10-x86-aot.runtime.native.System.IO.Compression": "(,4.0.32767]",
"runtime.win7-x64.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.win7-x86.runtime.native.System.IO.Compression": "(,4.3.32767]",
"runtime.win7.System.Private.Uri": "(,4.3.32767]",
"runtime.win8-arm.runtime.native.System.IO.Compression": "(,4.3.32767]",
"System.AppContext": "(,4.3.32767]",
"System.Buffers": "(,5.0.32767]",
"System.Collections": "(,4.3.32767]",
"System.Collections.Concurrent": "(,4.3.32767]",
"System.Collections.Immutable": "(,10.0.32767]",
"System.Collections.NonGeneric": "(,4.3.32767]",
"System.Collections.Specialized": "(,4.3.32767]",
"System.ComponentModel": "(,4.3.32767]",
"System.ComponentModel.Annotations": "(,4.3.32767]",
"System.ComponentModel.EventBasedAsync": "(,4.3.32767]",
"System.ComponentModel.Primitives": "(,4.3.32767]",
"System.ComponentModel.TypeConverter": "(,4.3.32767]",
"System.Console": "(,4.3.32767]",
"System.Data.Common": "(,4.3.32767]",
"System.Data.DataSetExtensions": "(,4.4.32767]",
"System.Diagnostics.Contracts": "(,4.3.32767]",
"System.Diagnostics.Debug": "(,4.3.32767]",
"System.Diagnostics.DiagnosticSource": "(,10.0.32767]",
"System.Diagnostics.EventLog": "(,10.0.32767]",
"System.Diagnostics.FileVersionInfo": "(,4.3.32767]",
"System.Diagnostics.Process": "(,4.3.32767]",
"System.Diagnostics.StackTrace": "(,4.3.32767]",
"System.Diagnostics.TextWriterTraceListener": "(,4.3.32767]",
"System.Diagnostics.Tools": "(,4.3.32767]",
"System.Diagnostics.TraceSource": "(,4.3.32767]",
"System.Diagnostics.Tracing": "(,4.3.32767]",
"System.Drawing.Primitives": "(,4.3.32767]",
"System.Dynamic.Runtime": "(,4.3.32767]",
"System.Formats.Asn1": "(,10.0.32767]",
"System.Formats.Cbor": "(,10.0.32767]",
"System.Formats.Tar": "(,10.0.32767]",
"System.Globalization": "(,4.3.32767]",
"System.Globalization.Calendars": "(,4.3.32767]",
"System.Globalization.Extensions": "(,4.3.32767]",
"System.IO": "(,4.3.32767]",
"System.IO.Compression": "(,4.3.32767]",
"System.IO.Compression.ZipFile": "(,4.3.32767]",
"System.IO.FileSystem": "(,4.3.32767]",

"System.IO.FileSystem.AccessControl": "(,4.4.32767]",
"System.IO.FileSystem.DriveInfo": "(,4.3.32767]",
"System.IO.FileSystem.Primitives": "(,4.3.32767]",
"System.IO.FileSystem.Watcher": "(,4.3.32767]",
"System.IO.IsolatedStorage": "(,4.3.32767]",
"System.IO.MemoryMappedFiles": "(,4.3.32767]",
"System.IO.Pipelines": "(,10.0.32767]",
"System.IO.Pipes": "(,4.3.32767]",
"System.IO.Pipes.AccessControl": "(,5.0.32767]",
"System.IO.UnmanagedMemoryStream": "(,4.3.32767]",
"System.Linq": "(,4.3.32767]",
"System.Linq.AsyncEnumerable": "(,10.0.32767]",
"System.Linq.Expressions": "(,4.3.32767]",
"System.Linq.Parallel": "(,4.3.32767]",
"System.Linq.Queryable": "(,4.3.32767]",
"System.Memory": "(,5.0.32767]",
"System.Net.Http": "(,4.3.32767]",
"System.Net.Http.Json": "(,10.0.32767]",
"System.Net.NameResolution": "(,4.3.32767]",
"System.Net.NetworkInformation": "(,4.3.32767]",
"System.Net.Ping": "(,4.3.32767]",
"System.Net.Primitives": "(,4.3.32767]",
"System.Net.Requests": "(,4.3.32767]",
"System.Net.Security": "(,4.3.32767]",
"System.Net.ServerSentEvents": "(,10.0.32767]",
"System.Net.Sockets": "(,4.3.32767]",
"System.Net.WebHeaderCollection": "(,4.3.32767]",
"System.Net.WebSockets": "(,4.3.32767]",
"System.Net.WebSockets.Client": "(,4.3.32767]",
"System.Numerics.Vectors": "(,5.0.32767]",
"System.ObjectModel": "(,4.3.32767]",
"System.Private.DataContractSerialization": "(,4.3.32767]",
"System.Private.Uri": "(,4.3.32767]",
"System.Reflection": "(,4.3.32767]",
"System.Reflection.DispatchProxy": "(,6.0.32767]",
"System.Reflection.Emit": "(,4.7.32767]",
"System.Reflection.Emit.ILGeneration": "(,4.7.32767]",
"System.Reflection.Emit.Lightweight": "(,4.7.32767]",
"System.Reflection.Extensions": "(,4.3.32767]",
"System.Reflection.Metadata": "(,10.0.32767]",
"System.Reflection.Primitives": "(,4.3.32767]",
"System.Reflection.TypeExtensions": "(,4.3.32767]",
"System.Resources.Reader": "(,4.3.32767]",
"System.Resources.ResourceManager": "(,4.3.32767]",
"System.Resources.Writer": "(,4.3.32767]",
"System.Runtime": "(,4.3.32767]",
"System.Runtime.CompilerServices.Unsafe": "(,7.0.32767]",
"System.Runtime.CompilerServices.VisualC": "(,4.3.32767]",
"System.Runtime.Extensions": "(,4.3.32767]",
"System.Runtime.Handles": "(,4.3.32767]",
"System.Runtime.InteropServices": "(,4.3.32767]",
"System.Runtime.InteropServices.RuntimeInformation": "(,4.3.32767]",
"System.Runtime.Loader": "(,4.3.32767]",
"System.Runtime.Numerics": "(,4.3.32767]",
"System.Runtime.Serialization.Formatters": "(,4.3.32767]",
"System.Runtime.Serialization.Json": "(,4.3.32767]",
"System.Runtime.Serialization.Primitives": "(,4.3.32767]",
"System.Runtime.Serialization.Xml": "(,4.3.32767]",
"System.Security.AccessControl": "(,6.0.32767]",
"System.Security.Claims": "(,4.3.32767]",
"System.Security.Cryptography.Algorithms": "(,4.3.32767]",
"System.Security.Cryptography.Cng": "(,5.0.32767]",
"System.Security.Cryptography.Csp": "(,4.3.32767]",
"System.Security.Cryptography.Encoding": "(,4.3.32767]",
"System.Security.Cryptography.OpenSsl": "(,5.0.32767]",
"System.Security.Cryptography.Primitives": "(,4.3.32767]",
"System.Security.Cryptography.X509Certificates": "(,4.3.32767]",
"System.Security.Cryptography.Xml": "(,10.0.32767]",
"System.Security.Principal": "(,4.3.32767]",
"System.Security.Principal.Windows": "(,5.0.32767]",
"System.Security.SecureString": "(,4.3.32767]",
"System.Text.Encoding": "(,4.3.32767]",
"System.Text.Encoding.CodePages": "(,10.0.32767]",
"System.Text.Encoding.Extensions": "(,4.3.32767]",
"System.Text.Encodings.Web": "(,10.0.32767]",
"System.Text.Json": "(,10.0.32767]",
"System.Text.RegularExpressions": "(,4.3.32767]",

```
"System.Threading": "(,4.3.32767]",  
"System.Threading.AccessControl": "(,10.0.32767]",  
"System.Threading.Channels": "(,10.0.32767]",  
"System.Threading.Overlapped": "(,4.3.32767]",  
"System.Threading.RateLimiting": "(,10.0.32767]",  
"System.Threading.Tasks": "(,4.3.32767]",  
"System.Threading.Tasks.Dataflow": "(,10.0.32767]",  
"System.Threading.Tasks.Extensions": "(,5.0.32767]",  
"System.Threading.Tasks.Parallel": "(,4.3.32767]",  
"System.Threading.Thread": "(,4.3.32767]",  
"System.Threading.ThreadPool": "(,4.3.32767]",  
"System.Threading.Timer": "(,4.3.32767]",  
"System.ValueTuple": "(,4.5.32767]",  
"System.Xml.ReaderWriter": "(,4.3.32767]",  
"System.Xml.XDocument": "(,4.3.32767]",  
"System.Xml.XmlDocument": "(,4.3.32767]",  
"System.Xml.XmlSerializer": "(,4.3.32767]",  
"System.Xml.XPath": "(,4.3.32767]",  
"System.Xml.XPath.XDocument": "(,5.0.32767]"  
}  
}  
}  
}
```

Datei: project.nuget.cache

```
{
  "version": 2,
  "dgSpecHash": "brhESLWLMhs=",
  "success": true,
  "projectFilePath": "C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj",
  "expectedPackageFiles": [
    "C:\\Users\\qemal\\.nuget\\packages\\humanizer.core\\2.14.1\\humanizer.core.2.14.1.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.aspnetcore.openapi\\10.0.8\\microsoft.aspnetcore.openapi.10.0.8.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.build\\17.7.2\\microsoft.build.17.7.2.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.build.framework\\17.14.28\\microsoft.build.framework.17.14.28.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.build.tasks.core\\17.14.28\\microsoft.build.tasks.core.17.14.28.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.build.utilities.core\\17.14.28\\microsoft.build.utilities.core.17.14.28.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.codeanalysis.analyzers\\3.11.0\\microsoft.codeanalysis.analyzers.3.11.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.codeanalysis.common\\4.14.0\\microsoft.codeanalysis.common.4.14.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.codeanalysis.csharp\\4.14.0\\microsoft.codeanalysis.csharp.4.14.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.codeanalysis.csharp.workspaces\\4.14.0\\microsoft.codeanalysis.csharp.workspaces.4.14.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.codeanalysis.workspaces.common\\4.14.0\\microsoft.codeanalysis.workspaces.common.4.14.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.codeanalysis.workspaces.msbuild\\4.14.0\\microsoft.codeanalysis.workspaces.msbuild.4.14.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.entityframeworkcore\\10.0.0\\microsoft.entityframeworkcore.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.entityframeworkcore.abstractions\\10.0.0\\microsoft.entityframeworkcore.abstractions.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.entityframeworkcore.analyzers\\10.0.0\\microsoft.entityframeworkcore.analyzers.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.entityframeworkcore.design\\10.0.0\\microsoft.entityframeworkcore.design.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.entityframeworkcore.relational\\10.0.0\\microsoft.entityframeworkcore.relational.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.entityframeworkcore.tools\\10.0.0\\microsoft.entityframeworkcore.tools.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.extensions.dependencymodel\\10.0.0\\microsoft.extensions.dependencymodel.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.net.stringtools\\17.14.28\\microsoft.net.stringtools.17.14.28.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\microsoft.openapi\\2.0.0\\microsoft.openapi.2.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\mono.texttemplating\\3.0.0\\mono.texttemplating.3.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\newtonsoft.json\\13.0.3\\newtonsoft.json.13.0.3.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\npgsql\\10.0.0\\npgsql.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\npgsql.entityframeworkcore.postgresql\\10.0.0\\npgsql.entityframeworkcore.postgresql.10.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.codedom\\9.0.0\\system.codedom.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.composition\\9.0.0\\system.composition.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.composition.attributedmodel\\9.0.0\\system.composition.attributedmodel.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.composition.convention\\9.0.0\\system.composition.convention.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.composition.hosting\\9.0.0\\system.composition.hosting.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.composition.runtime\\9.0.0\\system.composition.runtime.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.composition.typedparts\\9.0.0\\system.composition.typedparts.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.configuration.configurationmanager\\9.0.0\\system.configuration.configurationmanager.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.formats.nrbf\\9.0.0\\system.formats.nrbf.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.reflection.metadataloadcontext\\7.0.0\\system.reflection.metadataloadcontext.7.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.resources.extensions\\9.0.0\\system.resources.extensions.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.security.cryptography.pkcs\\9.0.0\\system.security.cryptography.pkcs.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.security.cryptography.protecteddata\\9.0.0\\system.security.cryptography.protecteddata.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.security.permissions\\9.0.0\\system.security.permissions.9.0.0.nupkg.sha512",
    "C:\\Users\\qemal\\.nuget\\packages\\system.windows.extensions\\9.0.0\\system.windows.extensions.9.0.0.nupkg.sha512"
  ],
  "logs": []
}
```

Datei: .NETCoreApp,Version=v10.0.AssemblyAttributes.cs

```
// <autogenerated />
using System;
using System.Reflection;
[assembly: global::System.Runtime.Versioning.TargetFrameworkAttribute(".NETCoreApp,Version=v10.0", FrameworkDisplayName = ".NET 10.0")]
```

Datei: ApiEndpoints.json

```
[
  {
    "ContainingType": "KVS_API.Controllers.KontoController",
    "Method": "ErstelleUser",
    "RelativePath": "api/konto/erstelle-user",
    "HttpMethod": "GET",
    "IsController": true,
    "Order": 0,
    "Parameters": [],
    "ReturnTypes": []
  },
  {
    "ContainingType": "KVS_API.Controllers.KontoController",
    "Method": "HoleMeineKonten",
    "RelativePath": "api/konto/meine-konten/{userId}",
    "HttpMethod": "GET",
    "IsController": true,
    "Order": 0,
    "Parameters": [
      {
        "Name": "userId",
        "Type": "System.Guid",
        "IsRequired": true
      }
    ],
    "ReturnTypes": []
  },
  {
    "ContainingType": "KVS_API.Controllers.KontoController",
    "Method": "KontoEroeffnen",
    "RelativePath": "api/konto/privatkonto-eroeffnen/{userId}",
    "HttpMethod": "POST",
    "IsController": true,
    "Order": 0,
    "Parameters": [
      {
        "Name": "userId",
        "Type": "System.Guid",
        "IsRequired": true
      }
    ],
    "ReturnTypes": []
  },
  {
    "ContainingType": "KVS_API.Controllers.KontoController",
    "Method": "SparkontoEroeffnen",
    "RelativePath": "api/konto/sparkonto-eroeffnen/{userId}",
    "HttpMethod": "POST",
    "IsController": true,
    "Order": 0,
    "Parameters": [
      {
        "Name": "userId",
        "Type": "System.Guid",
        "IsRequired": true
      }
    ],
    "ReturnTypes": []
  },
  {
    "ContainingType": "KVS_API.Controllers.KontoController",
    "Method": "TestUmbuchung",
    "RelativePath": "api/konto/test-umbuchung",
    "HttpMethod": "GET",
    "IsController": true,
    "Order": 0,
    "Parameters": [],
    "ReturnTypes": []
  }
]
```

Datei: KVS_API.AssemblyInfo.cs

```
//-----  
// <auto-generated>  
// This code was generated by a tool.  
//  
// Changes to this file may cause incorrect behavior and will be lost if  
// the code is regenerated.  
// </auto-generated>  
//-----  
  
using System;  
using System.Reflection;  
  
[assembly: System.Reflection.AssemblyCompanyAttribute("KVS_API")]  
[assembly: System.Reflection.AssemblyConfigurationAttribute("Debug")]  
[assembly: System.Reflection.AssemblyFileVersionAttribute("1.0.0.0")]  
[assembly: System.Reflection.AssemblyInformationalVersionAttribute("1.0.0+4734f944df45a11c9de609b857")]  
[assembly: System.Reflection.AssemblyProductAttribute("KVS_API")]  
[assembly: System.Reflection.AssemblyTitleAttribute("KVS_API")]  
[assembly: System.Reflection.AssemblyVersionAttribute("1.0.0.0")]  
  
// Generated by the MSBuild WriteCodeFragment class.
```

Datei: KVS_API.AssemblyInfoInputs.cache

415b4e77ec132a7646ef4a850fce23b21410582d7b589a4f4279553b1cbc4b14

Datei: KVS_API.GeneratedMSBuildEditorConfig.editorconfig

```
is_global = true
build_property.TargetFramework = net10.0
build_property.TargetFramework = net10.0
build_property.TargetPlatformMinVersion =
build_property.TargetPlatformMinVersion =
build_property.UsingMicrosoftNETSdkWeb = true
build_property.UsingMicrosoftNETSdkWeb = true
build_property.ProjectTypeGuids =
build_property.ProjectTypeGuids =
build_property.InvariantGlobalization =
build_property.InvariantGlobalization =
build_property.PlatformNeutralAssembly =
build_property.PlatformNeutralAssembly =
build_property.EnforceExtendedAnalyzerRules =
build_property.EnforceExtendedAnalyzerRules =
build_property._SupportedPlatformList = Linux,macOS,Windows
build_property._SupportedPlatformList = Linux,macOS,Windows
build_property.TargetFrameworkIdentifier = .NETCoreApp
build_property.TargetFrameworkVersion = v10.0
build_property.EntryPointFilePath =
build_property.RootNamespace = KVS_API
build_property.RootNamespace = KVS_API
build_property.ProjectDir = c:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\
build_property.EnableComHosting =
build_property.EnableGeneratedComInterfaceComImportInterop =
build_property.RazorLangVersion = 10.0
build_property.SupportLocalizedComponentNames =
build_property.GenerateRazorMetadataSourceChecksumAttributes =
build_property.MSBuildProjectDirectory = c:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\
build_property._RazorSourceGeneratorDebug =
build_property.EffectiveAnalysisLevelStyle = 10.0
build_property.EnableCodeStyleSeverity =
```


Datei: KVS_API.GlobalUsings.g.cs

```
// <auto-generated>
global using Microsoft.AspNetCore.Builder;
global using Microsoft.AspNetCore.Hosting;
global using Microsoft.AspNetCore.Http;
global using Microsoft.AspNetCore.Routing;
global using Microsoft.Extensions.Configuration;
global using Microsoft.Extensions.DependencyInjection;
global using Microsoft.Extensions.Hosting;
global using Microsoft.Extensions.Logging;
global using System;
global using System.Collections.Generic;
global using System.IO;
global using System.Linq;
global using System.Net.Http;
global using System.Net.Http.Json;
global using System.Threading;
global using System.Threading.Tasks;
```

Datei: KVS_API.MvcApplicationPartsAssemblyInfo.cache

Datei: KVS_API.MvcApplicationPartsAssemblyInfo.cs

```
//-----  
// <auto-generated>  
//     This code was generated by a tool.  
//  
//     Changes to this file may cause incorrect behavior and will be lost if  
//     the code is regenerated.  
// </auto-generated>  
//-----  
  
using System;  
using System.Reflection;  
  
[assembly: Microsoft.AspNetCore.Mvc.ApplicationParts.ApplicationPartAttribute("Microsoft.AspNetCore.")]  
  
// Generated by the MSBuild WriteCodeFragment class.
```

Datei: KVS_API.assets.cache

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.csproj.AssemblyReference.cache

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.csproj.BuildWithSkipAnalyzers

Datei: KVS_API.csproj.CoreCompileInputs.cache

4637728d946c9a67fcd10de4b19ecfa859d3e70d468f1cc0a9dda8010cc0bde7

Datei: KVS_API.csproj.FileListAbsolute.txt

[illegible]

[illegible]

C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\bin\Debug\net10.0\ru\Microsoft.CodeAnaly
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\bin\Debug\net10.0\tr\Microsoft.CodeAnaly
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\bin\Debug\net10.0\zh-Hans\Microsoft.Code
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\bin\Debug\net10.0\zh-Hant\Microsoft.Code
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\bin\Debug\net10.0\runtimes\win\lib\net9.
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.csproj.Assembly
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\rpswa.dswa.cache.json
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.GeneratedMSBui
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.AssemblyInfoIn
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.AssemblyInfo.c
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.csproj.CoreComp
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.MvcApplication
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.MvcApplication
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.sourcelink.json
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\rjmswa.dswa.cache.json
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\rjmsrazor.dswa.cache.j
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\rjmshtml.dswa.cache.
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\scopedcss\bundle\KVS_A
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\staticwebassets.build.
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\staticwebassets.build.
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\staticwebassets.develop
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\staticwebassets.build.
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\swae.build.ex.cache
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.csproj.Up2Date
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.dll
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\refint\KVS_API.dll
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.pdb
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\KVS_API.genruntimeconf.
C:\Users\qemal\source\repos\Konto-Verwaltungssystem\KVS_API\obj\Debug\net10.0\ref\KVS_API.dll

Datei: KVS_API.csproj.Up2Date

Datei: KVS_API.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.genruntimeconfig.cache

89fc1cb896f9a3525e4801630f2f0cc7288c3eba2eb45a8e45ae15042ccdba9e

Datei: KVS_API.pdb

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.sourcelink.json

```
{"documents":{"C:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\*":"https://raw.githubusercontent.com/qemal/Konto-Verwaltungssystem/master/Programme/KontoVerwaltungssystem/KontoVerwaltungssystem.csproj"}}
```

Datei: apphost.exe

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: project.razor.json

```
{
  "SerializedFilePath": "c:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\obj\\Deb
  "FilePath": "c:\\Users\\qemal\\source\\repos\\Konto-Verwaltungssystem\\KVS_API\\KVS_API.csproj",
  "Configuration": {
    "ConfigurationName": "MVC-3.0",
    "LanguageVersion": "8.0",
    "Extensions": [
      {
        "ExtensionName": "MVC-3.0"
      }
    ]
  },
  "ProjectWorkspaceState": {
    "TagHelpers": [
      {
        "HashCode": 713362653,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView",
        "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
        "Documentation": "&lt;member name='T:Microsoft.AspNetCore.Components.Authorization.Authoriz
        "CaseSensitive": true,
        "TagMatchingRules": [
          {
            "TagName": "AuthorizeRouteView"
          }
        ],
        "BoundAttributes": [
          {
            "Kind": "Components.Component",
            "Name": "NotAuthorized",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment&lt;Microsoft.AspNetCore.Comp
            "Documentation": "&lt;member name='P:Microsoft.AspNetCore.Components.Authorization.Auth
            "Metadata": {
              "Common.PropertyName": "NotAuthorized",
              "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
              "Components.ChildContent": "True"
            }
          },
          {
            "Kind": "Components.Component",
            "Name": "Authorizing",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "&lt;member name='P:Microsoft.AspNetCore.Components.Authorization.Auth
            "Metadata": {
              "Common.PropertyName": "Authorizing",
              "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
              "Components.ChildContent": "True"
            }
          },
          {
            "Kind": "Components.Component",
            "Name": "Resource",
            "TypeName": "System.Object",
            "Documentation": "&lt;member name='P:Microsoft.AspNetCore.Components.Authorization.Auth
            "Metadata": {
              "Common.PropertyName": "Resource",
              "Common.GloballyQualifiedTypeName": "global::System.Object"
            }
          },
          {
            "Kind": "Components.Component",
            "Name": "RouteData",
            "TypeName": "Microsoft.AspNetCore.Components.RouteData",
            "IsEditorRequired": true,
            "Documentation": "&lt;member name='P:Microsoft.AspNetCore.Components.RouteView.RouteData
            "Metadata": {
              "Common.PropertyName": "RouteData",
              "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RouteData
            }
          },
          {
            "Kind": "Components.Component",
            "Name": "DefaultLayout",
            "TypeName": "System.Type",

```

```

        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.RouteView.DefaultLayout\"",
        "Metadata": {
            "Common.PropertyName": "DefaultLayout",
            "Common.GloballyQualifiedTypeName": "global::System.Type"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView",
    "Common.TypeNameIdentifier": "AuthorizeRouteView",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
    "Runtime.Name": "Components.IComponent"
},
{
    "HashCode": 1782140665,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "NotAuthorized",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment&lt;Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView\"",
            "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView\"",
            "Metadata": {
                "Common.PropertyName": "NotAuthorized",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
                "Components.ChildContent": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Authorizing",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView\"",
            "Metadata": {
                "Common.PropertyName": "Authorizing",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
                "Components.ChildContent": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Resource",
            "TypeName": "System.Object",
            "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView\"",
            "Metadata": {
                "Common.PropertyName": "Resource",
                "Common.GloballyQualifiedTypeName": "global::System.Object"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "RouteData",
            "TypeName": "Microsoft.AspNetCore.Components.RouteData",
            "IsEditorRequired": true,
            "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.RouteView.RouteData\"",
            "Metadata": {
                "Common.PropertyName": "RouteData",

```

```

        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RouteData"
    },
    {
        "Kind": "Components.Component",
        "Name": "DefaultLayout",
        "TypeName": "System.Type",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.RouteView.DefaultLayout\"",
        "Metadata": {
            "Common.PropertyName": "DefaultLayout",
            "Common.GloballyQualifiedTypeName": "global::System.Type"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView",
    "Common.TypeNameIdentifier": "AuthorizeRouteView",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": 280660650,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.NotAuthorized",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.NotAuthorized\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "NotAuthorized",
            "ParentTag": "AuthorizeRouteView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'NotAuthorized' child content expressions.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.NotAuthorized",
        "Common.TypeNameIdentifier": "AuthorizeRouteView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1739223386,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.NotAuthorized",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.NotAuthorized\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "NotAuthorized",
            "ParentTag": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView"
        }
    ]
}

```

```

    ],
    "BoundAttributes": [
      {
        "Kind": "Components.ChildContent",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for the 'NotAuthorized' child content exp
        "Metadata": {
          "Components.ChildContentParameterName": "True",
          "Common.PropertyName": "Context"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.NotAu
      "Common.TypeNameIdentifier": "AuthorizeRouteView",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": -1195621766,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.Authorizing",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.Authoriz
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Authorizing",
        "ParentTag": "AuthorizeRouteView"
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.Author
      "Common.TypeNameIdentifier": "AuthorizeRouteView",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": 880818258,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.Authorizing",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Authorization.Authoriz
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Authorizing",
        "ParentTag": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView"
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeRouteView.Author
      "Common.TypeNameIdentifier": "AuthorizeRouteView",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": -1162888016,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Authorization.Authoriz
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "AuthorizeView"
      }
    ],
  },

```

```

"BoundAttributes": [
  {
    "Kind": "Components.Component",
    "Name": "Policy",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"Policy\",
      \"Common.GloballyQualifiedTypeName\": \"global::System.String\"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": \"Roles\",
    \"TypeName\": \"System.String\",
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"Roles\",
      \"Common.GloballyQualifiedTypeName\": \"global::System.String\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"ChildContent\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Compo
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"ChildContent\",
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"NotAuthorized\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Compo
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"NotAuthorized\",
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"Authorized\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Compo
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"Authorized\",
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"Authorizing\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment\",
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"Authorizing\",
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"Resource\",
    \"TypeName\": \"System.Object\",
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Components.Authorization.Auth
    \"Metadata\": {
      \"Common.PropertyName\": \"Resource\",
      \"Common.GloballyQualifiedTypeName\": \"global::System.Object\"
    }
  },
  {
    \"Kind\": \"Components.Component\",

```

```

        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView",
            "Common.TypeNameIdentifier": "AuthorizeView",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": -977670242,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView",
        "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
        "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "Policy",
                "TypeName": "System.String",
                "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Metadata": {
                    "Common.PropertyName": "Policy",
                    "Common.GloballyQualifiedTypeName": "global::System.String"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "Roles",
                "TypeName": "System.String",
                "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Metadata": {
                    "Common.PropertyName": "Roles",
                    "Common.GloballyQualifiedTypeName": "global::System.String"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ChildContent",
                "TypeName": "Microsoft.AspNetCore.RenderFragment<Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Metadata": {
                    "Common.PropertyName": "ChildContent",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                    "Components.ChildContent": "True"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "NotAuthorized",
                "TypeName": "Microsoft.AspNetCore.RenderFragment<Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Metadata": {
                    "Common.PropertyName": "NotAuthorized",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                    "Components.ChildContent": "True"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "Authorized",
                "TypeName": "Microsoft.AspNetCore.RenderFragment<Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView'",
                "Metadata": {

```

```

        "Common.PropertyName": "Authorized",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Authorizing",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
    "Documentation": "&lt;member name=\\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView\\",
    "Metadata": {
        "Common.PropertyName": "Authorizing",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Resource",
    "TypeName": "System.Object",
    "Documentation": "&lt;member name=\\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView\\",
    "Metadata": {
        "Common.PropertyName": "Resource",
        "Common.GloballyQualifiedTypeName": "global::System.Object"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Context",
    "TypeName": "System.String",
    "Documentation": "Specifies the parameter name for all child content expressions.",
    "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
    }
}
},
{
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView",
        "Common.TypeNameIdentifier": "AuthorizeView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": -1603132306,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "&lt;member name=\\"P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView\\",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "AuthorizeView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'ChildContent' child content expressions.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.ChildContent",
        "Common.TypeNameIdentifier": "AuthorizeView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
}

```

```

},
{
  "HashCode": 778813221,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView.ChildContent'>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.ChildContent",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for the 'ChildContent' child content expression.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.ChildContent",
    "Common.TypeNameIdentifier": "AuthorizeView",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -671483694,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.NotAuthorized",
  "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView.NotAuthorized'>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "NotAuthorized",
      "ParentTag": "AuthorizeView"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.ChildContent",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for the 'NotAuthorized' child content expression.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.NotAuthorized",
    "Common.TypeNameIdentifier": "AuthorizeView",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 1924334206,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.NotAuthorized",
  "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView.NotAuthorized'>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {

```



```

        "TagName": "NotAuthorized",
        "ParentTag": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView"
    }
},
"BoundAttributes": [
    {
        "Kind": "Components.ChildContent",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for the 'NotAuthorized' child content expression",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.NotAuthorized",
    "Common.TypeNameIdentifier": "AuthorizeView",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 1109367671,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorized",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorized'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Authorized",
            "ParentTag": "AuthorizeView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'Authorized' child content expression",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorized",
        "Common.TypeNameIdentifier": "AuthorizeView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1202617909,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorized",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorized'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Authorized",
            "ParentTag": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'Authorized' child content expression"

```

```

        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    },
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorized",
        "Common.TypeNameIdentifier": "AuthorizeView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1268342225,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorizing",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.Authorizing'",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Authorizing",
            "ParentTag": "AuthorizeView"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorizing",
        "Common.TypeNameIdentifier": "AuthorizeView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 190072871,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorizing",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.Authorizing'",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Authorizing",
            "ParentTag": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.AuthorizeView.Authorizing",
        "Common.TypeNameIdentifier": "AuthorizeView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1393114464,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "CascadingAuthenticationState"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "ChildContent",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState.ChildContent'",
            "Metadata": {
                "Common.PropertyName": "ChildContent",

```

```

        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
    }
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState",
    "Common.TypeNameIdentifier": "CascadingAuthenticationState",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
    "Runtime.Name": "Components.IComponent"
},
{
    "HashCode": -1048148204,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "ChildContent",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState.ChildContent\"",
            "Metadata": {
                "Common.PropertyName": "ChildContent",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
                "Components.ChildContent": "True"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState",
        "Common.TypeNameIdentifier": "CascadingAuthenticationState",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 1382292195,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState.ChildContent\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "CascadingAuthenticationState"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState",
        "Common.TypeNameIdentifier": "CascadingAuthenticationState",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1456769973,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Authorization",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState.ChildContent\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState"
        }
    ]
}

```

```

    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Authorization.CascadingAuthenticationState",
      "Common.TypeNameIdentifier": "CascadingAuthenticationState",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Authorization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": 1410986285,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.CascadingValue<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.CascadingValue`1\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "CascadingValue"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "TValue",
        "TypeName": "System.Type",
        "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.CascadingValue`1 component.",
        "Metadata": {
          "Common.PropertyName": "TValue",
          "Components.TypeParameter": "True",
          "Components.TypeParameterIsCascading": "False"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "ChildContent",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.CascadingValue`1.ChildContent\">",
        "Metadata": {
          "Common.PropertyName": "ChildContent",
          "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
          "Components.ChildContent": "True"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "Value",
        "TypeName": "TValue",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.CascadingValue`1.Value\">",
        "Metadata": {
          "Common.PropertyName": "Value",
          "Common.GloballyQualifiedTypeName": "TValue",
          "Components.GenericTyped": "True"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "Name",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.CascadingValue`1.Name\">",
        "Metadata": {
          "Common.PropertyName": "Name",
          "Common.GloballyQualifiedTypeName": "global::System.String"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "IsFixed",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.CascadingValue`1.IsFixed\">",
        "Metadata": {
          "Common.PropertyName": "IsFixed",
          "Common.GloballyQualifiedTypeName": "global::System.Boolean"
        }
      }
    ]
  },
]

```

```

"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.CascadingValue<TValue>",
  "Common.TypeNameIdentifier": "CascadingValue",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
  "Components.GenericTyped": "True",
  "Runtime.Name": "Components.IComponent"
},
},
{
  "HashCode": 426631814,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.CascadingValue<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\`T:Microsoft.AspNetCore.Components.CascadingValue`1\`>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.CascadingValue"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "TValue",
      "TypeName": "System.Type",
      "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.CascadingValue<TValue> component.",
      "Metadata": {
        "Common.PropertyName": "TValue",
        "Components.TypeParameter": "True",
        "Components.TypeParameterIsCascading": "False"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "ChildContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "<member name=\`P:Microsoft.AspNetCore.Components.CascadingValue`1.ChildContent\`>",
      "Metadata": {
        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Value",
      "TypeName": "TValue",
      "Documentation": "<member name=\`P:Microsoft.AspNetCore.Components.CascadingValue`1.Value\`>",
      "Metadata": {
        "Common.PropertyName": "Value",
        "Common.GloballyQualifiedTypeName": "TValue",
        "Components.GenericTyped": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Name",
      "TypeName": "System.String",
      "Documentation": "<member name=\`P:Microsoft.AspNetCore.Components.CascadingValue`1.Name\`>",
      "Metadata": {
        "Common.PropertyName": "Name",
        "Common.GloballyQualifiedTypeName": "global::System.String"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "IsFixed",
      "TypeName": "System.Boolean",
      "Documentation": "<member name=\`P:Microsoft.AspNetCore.Components.CascadingValue`1.IsFixed\`>",
      "Metadata": {
        "Common.PropertyName": "IsFixed",
        "Common.GloballyQualifiedTypeName": "global::System.Boolean"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.CascadingValue<TValue>",

```

```

        "Common.TypeNameIdentifier": "CascadingValue",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.GenericTyped": "True",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": -1756683129,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.CascadingValue<TValue>.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.CascadingValue`1.ChildContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "CascadingValue"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.CascadingValue<TValue>.ChildContent",
        "Common.TypeNameIdentifier": "CascadingValue",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -665649031,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.CascadingValue<TValue>.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.CascadingValue`1.ChildContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "Microsoft.AspNetCore.Components.CascadingValue"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.CascadingValue<TValue>.ChildContent",
        "Common.TypeNameIdentifier": "CascadingValue",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1254706241,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.DynamicComponent",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.DynamicComponent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "DynamicComponent"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "Type",
            "TypeName": "System.Type",
            "IsEditorRequired": true,
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.DynamicComponent.Type'>",
            "Metadata": {
                "Common.PropertyName": "Type",
                "Common.GloballyQualifiedTypeName": "global::System.Type"
            }
        }
    ],
    {
        "Kind": "Components.Component",
        "Name": "Parameters",
    }
}

```

```

        "TypeName": "System.Collections.Generic.IDictionary<System.String, System.Object>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.DynamicComponent.P",
        "Metadata": {
            "Common.PropertyName": "Parameters",
            "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IDictionary<
        }
    },
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.DynamicComponent",
        "Common.TypeNameIdentifier": "DynamicComponent",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": -1222774317,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.DynamicComponent",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.DynamicComponent\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.DynamicComponent"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "Type",
            "TypeName": "System.Type",
            "IsEditorRequired": true,
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.DynamicComponent.T",
            "Metadata": {
                "Common.PropertyName": "Type",
                "Common.GloballyQualifiedTypeName": "global::System.Type"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Parameters",
            "TypeName": "System.Collections.Generic.IDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.DynamicComponent.P",
            "Metadata": {
                "Common.PropertyName": "Parameters",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IDictionary<
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.DynamicComponent",
        "Common.TypeNameIdentifier": "DynamicComponent",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 506148560,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.LayoutView",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.LayoutView\">\r\n",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "LayoutView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "ChildContent",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.LayoutView.ChildCo",
            "Metadata": {

```

```

        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
        "Components.ChildContent": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Layout",
    "TypeName": "System.Type",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.LayoutView.Layout\
    "Metadata": {
        "Common.PropertyName": "Layout",
        "Common.GloballyQualifiedTypeName": "global::System.Type"
    }
},
{
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.LayoutView",
        "Common.TypeNameIdentifier": "LayoutView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": -985493408,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.LayoutView",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.LayoutView\">\r\n
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.LayoutView"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "ChildContent",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.LayoutView.ChildCo
            "Metadata": {
                "Common.PropertyName": "ChildContent",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
                "Components.ChildContent": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Layout",
            "TypeName": "System.Type",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.LayoutView.Layout\
            "Metadata": {
                "Common.PropertyName": "Layout",
                "Common.GloballyQualifiedTypeName": "global::System.Type"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.LayoutView",
        "Common.TypeNameIdentifier": "LayoutView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 736485593,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.LayoutView.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.LayoutView.ChildConten
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "LayoutView"
        }
    ]
}

```



```

    },
    {
      "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.LayoutView.ChildContent",
        "Common.TypeNameIdentifier": "LayoutView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
      }
    },
    {
      "HashCode": -1915154908,
      "Kind": "Components.ChildContent",
      "Name": "Microsoft.AspNetCore.Components.LayoutView.ChildContent",
      "AssemblyName": "Microsoft.AspNetCore.Components",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.LayoutView.ChildContent'>",
      "CaseSensitive": true,
      "TagMatchingRules": [
        {
          "TagName": "ChildContent",
          "ParentTag": "Microsoft.AspNetCore.Components.LayoutView"
        }
      ],
      "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.LayoutView.ChildContent",
        "Common.TypeNameIdentifier": "LayoutView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
      }
    },
    {
      "HashCode": -1349970823,
      "Kind": "Components.Component",
      "Name": "Microsoft.AspNetCore.Components.RouteView",
      "AssemblyName": "Microsoft.AspNetCore.Components",
      "Documentation": "<member name='T:Microsoft.AspNetCore.Components.RouteView'></member>\n",
      "CaseSensitive": true,
      "TagMatchingRules": [
        {
          "TagName": "RouteView"
        }
      ],
      "BoundAttributes": [
        {
          "Kind": "Components.Component",
          "Name": "RouteData",
          "TypeName": "Microsoft.AspNetCore.Components.RouteData",
          "IsEditorRequired": true,
          "Documentation": "<member name='P:Microsoft.AspNetCore.Components.RouteView.RouteData'>",
          "Metadata": {
            "Common.PropertyName": "RouteData",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RouteData"
          }
        },
        {
          "Kind": "Components.Component",
          "Name": "DefaultLayout",
          "TypeName": "System.Type",
          "Documentation": "<member name='P:Microsoft.AspNetCore.Components.RouteView.DefaultLayout'>",
          "Metadata": {
            "Common.PropertyName": "DefaultLayout",
            "Common.GloballyQualifiedTypeName": "global::System.Type"
          }
        }
      ],
      "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.RouteView",
        "Common.TypeNameIdentifier": "RouteView",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Runtime.Name": "Components.IComponent"
      }
    },
    {
      "HashCode": -1358733785,
      "Kind": "Components.Component",

```

```

"Name": "Microsoft.AspNetCore.Components.RouteView",
"AssemblyName": "Microsoft.AspNetCore.Components",
"Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.RouteView\">\r\n",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "Microsoft.AspNetCore.Components.RouteView"
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Component",
    "Name": "RouteData",
    "TypeName": "Microsoft.AspNetCore.Components.RouteData",
    "IsEditorRequired": true,
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.RouteView.RouteData\">\r\n",
    "Metadata": {
      "Common.PropertyName": "RouteData",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RouteData"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "DefaultLayout",
    "TypeName": "System.Type",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.RouteView.DefaultLayout\">\r\n",
    "Metadata": {
      "Common.PropertyName": "DefaultLayout",
      "Common.GloballyQualifiedTypeName": "global::System.Type"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.RouteView",
  "Common.TypeNameIdentifier": "RouteView",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": 976622067,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Routing.Router",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Routing.Router\">\r\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Router"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "AppAssembly",
      "TypeName": "System.Reflection.Assembly",
      "IsEditorRequired": true,
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.AppAssembly\">\r\n",
      "Metadata": {
        "Common.PropertyName": "AppAssembly",
        "Common.GloballyQualifiedTypeName": "global::System.Reflection.Assembly"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAssemblies",
      "TypeName": "System.Collections.Generic.IEnumerable<System.Reflection.Assembly>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.AdditionalAssemblies\">\r\n",
      "Metadata": {
        "Common.PropertyName": "AdditionalAssemblies",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IEnumerable<System.Reflection.Assembly>"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "NotFound",

```

```

        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.NotFoundPage\">",
        "Metadata": {
            "Common.PropertyName": "NotFound",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
            "Components.ChildContent": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "NotFoundPage",
        "TypeName": "System.Type",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.NotFoundPage\">",
        "Metadata": {
            "Common.PropertyName": "NotFoundPage",
            "Common.GloballyQualifiedTypeName": "global::System.Type"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Found",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<T>",
        "IsEditorRequired": true,
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.Found\">",
        "Metadata": {
            "Common.PropertyName": "Found",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
            "Components.ChildContent": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Navigating",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.Navigating\">",
        "Metadata": {
            "Common.PropertyName": "Navigating",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
            "Components.ChildContent": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "OnNavigateAsync",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<T>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.OnNavigateAsync\">",
        "Metadata": {
            "Common.PropertyName": "OnNavigateAsync",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "PreferExactMatches",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.PreferExactMatches\">",
        "Metadata": {
            "Common.PropertyName": "PreferExactMatches",
            "Common.GloballyQualifiedTypeName": "global::System.Boolean"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router",
    "Common.TypeNameIdentifier": "Router",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",

```

```

    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": -252522933,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Routing.Router",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Routing.Router'></member>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Routing.Router"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "AppAssembly",
      "TypeName": "System.Reflection.Assembly",
      "IsEditorRequired": true,
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.AppAssembly'></member>",
      "Metadata": {
        "Common.PropertyName": "AppAssembly",
        "Common.GloballyQualifiedTypeName": "global::System.Reflection.Assembly"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAssemblies",
      "TypeName": "System.Collections.Generic.IEnumerable<System.Reflection.Assembly>",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.AdditionalAssemblies'></member>",
      "Metadata": {
        "Common.PropertyName": "AdditionalAssemblies",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IEnumerable<System.Reflection.Assembly>"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "NotFound",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.NotFound'></member>",
      "Metadata": {
        "Common.PropertyName": "NotFound",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "NotFoundPage",
      "TypeName": "System.Type",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.NotFoundPage'></member>",
      "Metadata": {
        "Common.PropertyName": "NotFoundPage",
        "Common.GloballyQualifiedTypeName": "global::System.Type"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Found",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components.Routing.RouterFound>",
      "IsEditorRequired": true,
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.Found'></member>",
      "Metadata": {
        "Common.PropertyName": "Found",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components.Routing.RouterFound>",
        "Components.ChildContent": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Navigating",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.Navigating'></member>",
      "Metadata": {
        "Common.PropertyName": "Navigating",

```

```

        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
        "Components.ChildContent": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "OnNavigateAsync",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Compon
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.OnN
    "Metadata": {
        "Common.PropertyName": "OnNavigateAsync",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCall
        "Components.EventCallback": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "PreferExactMatches",
    "TypeName": "System.Boolean",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.Pre
    "Metadata": {
        "Common.PropertyName": "PreferExactMatches",
        "Common.GloballyQualifiedTypeName": "global::System.Boolean"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Context",
    "TypeName": "System.String",
    "Documentation": "Specifies the parameter name for all child content expressions.",
    "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
    }
}
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router",
    "Common.TypeNameIdentifier": "Router",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": -1188307137,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Routing.Router.NotFound",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.NotFound
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "NotFound",
            "ParentTag": "Router"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router.NotFound",
        "Common.TypeNameIdentifier": "Router",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1236768175,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Routing.Router.NotFound",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.NotFound
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "NotFound",
            "ParentTag": "Microsoft.AspNetCore.Components.Routing.Router"
        }
    ]
}

```

```

    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router.NotFound",
        "Common.TypeNameIdentifier": "Router",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1350193237,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Routing.Router.Found",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.Found'",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Found",
            "ParentTag": "Router"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'Found' child content expression.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router.Found",
        "Common.TypeNameIdentifier": "Router",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 132261842,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Routing.Router.Found",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.Router.Found'",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Found",
            "ParentTag": "Microsoft.AspNetCore.Components.Routing.Router"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'Found' child content expression.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router.Found",
        "Common.TypeNameIdentifier": "Router",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},

```

```

{
  "HashCode": -1227271690,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Routing.Router.Navigating",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.Navigating\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Navigating",
      "ParentTag": "Router"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router.Navigating",
    "Common.TypeNameIdentifier": "Router",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -887363145,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Routing.Router.Navigating",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Router.Navigating\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Navigating",
      "ParentTag": "Microsoft.AspNetCore.Components.Routing.Router"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.Router.Navigating",
    "Common.TypeNameIdentifier": "Router",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 334327411,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Sections.SectionContent",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "SectionContent"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "SectionName",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
      "Metadata": {
        "Common.PropertyName": "SectionName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "SectionId",
      "TypeName": "System.Object",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
      "Metadata": {
        "Common.PropertyName": "SectionId",
        "Common.GloballyQualifiedTypeName": "global::System.Object"
      }
    }
  ],
  {

```

```

        "Kind": "Components.Component",
        "Name": "ChildContent",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
        "Metadata": {
            "Common.PropertyName": "ChildContent",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
            "Components.ChildContent": "True"
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Sections.SectionContent",
            "Common.TypeNameIdentifier": "SectionContent",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Sections",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": 1181641055,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Sections.SectionContent",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "Microsoft.AspNetCore.Components.Sections.SectionContent"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "SectionName",
                "TypeName": "System.String",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
                "Metadata": {
                    "Common.PropertyName": "SectionName",
                    "Common.GloballyQualifiedTypeName": "global::System.String"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "SectionId",
                "TypeName": "System.Object",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
                "Metadata": {
                    "Common.PropertyName": "SectionId",
                    "Common.GloballyQualifiedTypeName": "global::System.Object"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ChildContent",
                "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
                "Metadata": {
                    "Common.PropertyName": "ChildContent",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
                    "Components.ChildContent": "True"
                }
            }
        ],
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Sections.SectionContent",
            "Common.TypeNameIdentifier": "SectionContent",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Sections",
            "Components.NameMatch": "Components.FullyQualifiedNameMatch",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": -404670131,
        "Kind": "Components.ChildContent",
        "Name": "Microsoft.AspNetCore.Components.Sections.SectionContent.ChildContent",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent"

```



```

"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "ChildContent",
    "ParentTag": "SectionContent"
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Sections.SectionContent.ChildContent",
  "Common.TypeNameIdentifier": "SectionContent",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Sections",
  "Components.IsSpecialKind": "Components.ChildContent",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -1948967330,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Sections.SectionContent.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionContent\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Sections.SectionContent"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Sections.SectionContent.ChildContent",
    "Common.TypeNameIdentifier": "SectionContent",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Sections",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -740481483,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Sections.SectionOutlet",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Sections.SectionOutlet\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "SectionOutlet"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "SectionName",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionOutlet\"",
      "Metadata": {
        "Common.PropertyName": "SectionName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "SectionId",
      "TypeName": "System.Object",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionOutlet\"",
      "Metadata": {
        "Common.PropertyName": "SectionId",
        "Common.GloballyQualifiedTypeName": "global::System.Object"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Sections.SectionOutlet",
    "Common.TypeNameIdentifier": "SectionOutlet",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Sections",
    "Runtime.Name": "Components.IComponent"
  }
}

```

```

},
{
  "HashCode": 1297586845,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Sections.SectionOutlet",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Sections.SectionOutlet\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Sections.SectionOutlet"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "SectionName",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionOutlet\"",
      "Metadata": {
        "Common.PropertyName": "SectionName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "SectionId",
      "TypeName": "System.Object",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Sections.SectionOutlet\"",
      "Metadata": {
        "Common.PropertyName": "SectionId",
        "Common.GloballyQualifiedTypeName": "global::System.Object"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Sections.SectionOutlet",
    "Common.TypeNameIdentifier": "SectionOutlet",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Sections",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 1414200873,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.ImportMap",
  "AssemblyName": "Microsoft.AspNetCore.Components.Endpoints",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.ImportMap\">\r\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ImportMap"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "ImportMapDefinition",
      "TypeName": "Microsoft.AspNetCore.Components.ImportMapDefinition",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ImportMap.ImportMap\"",
      "Metadata": {
        "Common.PropertyName": "ImportMapDefinition",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.ImportMapDefinition"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAttributes",
      "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ImportMap.Additional\"",
      "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
      }
    }
  ],
}

```

```

    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.ImportMap",
      "Common.TypeNameIdentifier": "ImportMap",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": -1364357204,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.ImportMap",
    "AssemblyName": "Microsoft.AspNetCore.Components.Endpoints",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.ImportMap\">\r\n",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Microsoft.AspNetCore.Components.ImportMap"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "ImportMapDefinition",
        "TypeName": "Microsoft.AspNetCore.Components.ImportMapDefinition",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ImportMap.ImportMapDefinition\">\r\n",
        "Metadata": {
          "Common.PropertyName": "ImportMapDefinition",
          "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.ImportMapDefinition"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "AdditionalAttributes",
        "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ImportMap.AdditionalAttributes\">\r\n",
        "Metadata": {
          "Common.PropertyName": "AdditionalAttributes",
          "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.ImportMap",
      "Common.TypeNameIdentifier": "ImportMap",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": 2036890337,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.ResourcePreloader",
    "AssemblyName": "Microsoft.AspNetCore.Components.Endpoints",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.ResourcePreloader\">\r\n",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ResourcePreloader"
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.ResourcePreloader",
      "Common.TypeNameIdentifier": "ResourcePreloader",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": -1240479740,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.ResourcePreloader",
    "AssemblyName": "Microsoft.AspNetCore.Components.Endpoints",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.ResourcePreloader\">\r\n",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {

```

```

        "TagName": "Microsoft.AspNetCore.Components.ResourcePreloader"
    },
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.ResourcePreloader",
        "Common.TypeNameIdentifier": "ResourcePreloader",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 1757078487,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.DataAnnotationsValidator",
    "AssemblyName": "Microsoft.AspNetCore.Components.Forms",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Forms.DataAnnotationsV",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "DataAnnotationsValidator"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.DataAnnotationsValidator",
        "Common.TypeNameIdentifier": "DataAnnotationsValidator",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 1025572047,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.DataAnnotationsValidator",
    "AssemblyName": "Microsoft.AspNetCore.Components.Forms",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Forms.DataAnnotationsV",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.DataAnnotationsValidator"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.DataAnnotationsValidator",
        "Common.TypeNameIdentifier": "DataAnnotationsValidator",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 1219160198,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.AntiforgeryToken",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Forms.AntiforgeryToken",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "AntiforgeryToken"
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.AntiforgeryToken",
        "Common.TypeNameIdentifier": "AntiforgeryToken",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": -1172050303,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.AntiforgeryToken",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Forms.AntiforgeryToken",
    "CaseSensitive": true,
    "TagMatchingRules": [

```

```

    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.AntiforgeryToken"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.AntiforgeryToken",
    "Common.TypeNameIdentifier": "AntiforgeryToken",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 1058604048,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.EditForm",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.EditForm\">\r\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "EditForm"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAttributes",
      "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Add",
      "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDicti"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "EditContext",
      "TypeName": "Microsoft.AspNetCore.Components.Forms.EditContext",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Edi",
      "Metadata": {
        "Common.PropertyName": "EditContext",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Forms.Edi"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Enhance",
      "TypeName": "System.Boolean",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Enh",
      "Metadata": {
        "Common.PropertyName": "Enhance",
        "Common.GloballyQualifiedTypeName": "global::System.Boolean"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Model",
      "TypeName": "System.Object",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Mod",
      "Metadata": {
        "Common.PropertyName": "Model",
        "Common.GloballyQualifiedTypeName": "global::System.Object"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "ChildContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Comp",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Chi",
      "Metadata": {
        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag",
        "Components.ChildContent": "True"
      }
    }
  ],
  {

```

```

        "Kind": "Components.Component",
        "Name": "OnSubmit",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.EditForm.OnSubmit>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.EditForm.OnSubmit\"'>",
        "Metadata": {
            "Common.PropertyName": "OnSubmit",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.EditForm.OnSubmit>",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "OnValidSubmit",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.EditForm.OnValidSubmit>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.EditForm.OnValidSubmit\"'>",
        "Metadata": {
            "Common.PropertyName": "OnValidSubmit",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.EditForm.OnValidSubmit>",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "OnInvalidSubmit",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.EditForm.OnInvalidSubmit>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.EditForm.OnInvalidSubmit\"'>",
        "Metadata": {
            "Common.PropertyName": "OnInvalidSubmit",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.EditForm.OnInvalidSubmit>",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "FormName",
        "TypeName": "System.String",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.EditForm.FormName\"'>",
        "Metadata": {
            "Common.PropertyName": "FormName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.EditForm",
    "Common.TypeNameIdentifier": "EditForm",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Runtime.Name": "Components.IComponent"
},
{
    "HashCode": -1483838529,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.EditForm",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='\"T:Microsoft.AspNetCore.Components.Forms.EditForm\"'><\/member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.EditForm"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
        }
    ]
}

```

```
"Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Addi",
"Metadata": {
  "Common.PropertyName": "AdditionalAttributes",
  "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDicti
}
},
{
  "Kind": "Components.Component",
  "Name": "EditContext",
  "TypeName": "Microsoft.AspNetCore.Components.Forms.EditContext",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Edi",
  "Metadata": {
    "Common.PropertyName": "EditContext",
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Forms.Edi
  }
},
{
  "Kind": "Components.Component",
  "Name": "Enhance",
  "TypeName": "System.Boolean",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Enh",
  "Metadata": {
    "Common.PropertyName": "Enhance",
    "Common.GloballyQualifiedTypeName": "global::System.Boolean"
  }
},
{
  "Kind": "Components.Component",
  "Name": "Model",
  "TypeName": "System.Object",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Mod",
  "Metadata": {
    "Common.PropertyName": "Model",
    "Common.GloballyQualifiedTypeName": "global::System.Object"
  }
},
{
  "Kind": "Components.Component",
  "Name": "ChildContent",
  "TypeName": "Microsoft.AspNetCore.Components.RenderFragment&lt;Microsoft.AspNetCore.Compo",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.Chi",
  "Metadata": {
    "Common.PropertyName": "ChildContent",
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFra",
    "Components.ChildContent": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "OnSubmit",
  "TypeName": "Microsoft.AspNetCore.Components.EventCallback&lt;Microsoft.AspNetCore.Compo",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.OnS",
  "Metadata": {
    "Common.PropertyName": "OnSubmit",
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCall",
    "Components.EventCallback": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "OnValidSubmit",
  "TypeName": "Microsoft.AspNetCore.Components.EventCallback&lt;Microsoft.AspNetCore.Compo",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.OnV",
  "Metadata": {
    "Common.PropertyName": "OnValidSubmit",
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCall",
    "Components.EventCallback": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "OnInvalidSubmit",
  "TypeName": "Microsoft.AspNetCore.Components.EventCallback&lt;Microsoft.AspNetCore.Compo",
  "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.OnI",
  "Metadata": {
    "Common.PropertyName": "OnInvalidSubmit",
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCall
```

```

        "Components.EventCallback": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "FormName",
    "TypeName": "System.String",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.FormName\"",
    "Metadata": {
        "Common.PropertyName": "FormName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Context",
    "TypeName": "System.String",
    "Documentation": "Specifies the parameter name for all child content expressions.",
    "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
    }
}
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.EditForm",
    "Common.TypeNameIdentifier": "EditForm",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": 591284326,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Forms.EditForm.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.ChildContent\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "EditForm"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'ChildContent' child content expressions.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.EditForm.ChildContent",
        "Common.TypeNameIdentifier": "EditForm",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
}
},
{
    "HashCode": 678707258,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Forms.EditForm.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Forms.EditForm.ChildContent\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ChildContent",
            "ParentTag": "Microsoft.AspNetCore.Components.Forms.EditForm"
        }
    ]
}

```



```

    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'ChildContent' child content expression.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.EditForm.ChildContent",
        "Common.TypeNameIdentifier": "EditForm",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -2132364318,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.InputCheckbox'></member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputCheckbox"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes'></member>",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "System.Boolean",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value'></member>",
            "Metadata": {
                "Common.PropertyName": "Value",
                "Common.GloballyQualifiedTypeName": "global::System.Boolean"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ValueChanged",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.Boolean>",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged'></member>",
            "Metadata": {
                "Common.PropertyName": "ValueChanged",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<System.Boolean>",
                "Components.EventCallback": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ValueExpression",
            "TypeName": "System.Linq.Expressions.Expression<System.Func<System.Boolean>>",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression'></member>",
            "Metadata": {
                "Common.PropertyName": "ValueExpression",
                "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.Boolean>>"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
        "Common.TypeNameIdentifier": "InputCheckbox",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.IsSpecialKind": "Components.Component",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
}

```

```

        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
        "Metadata": {
            "Common.PropertyName": "DisplayName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
            "Common.TypeNameIdentifier": "InputCheckbox",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": 568266642,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
        "AssemblyName": "Microsoft.AspNetCore.Components.Web",
        "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputCheckbox\">",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "AdditionalAttributes",
                "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
                "Metadata": {
                    "Common.PropertyName": "AdditionalAttributes",
                    "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "Value",
                "TypeName": "System.Boolean",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
                "Metadata": {
                    "Common.PropertyName": "Value",
                    "Common.GloballyQualifiedTypeName": "global::System.Boolean"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ValueChanged",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.Boolean>",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
                "Metadata": {
                    "Common.PropertyName": "ValueChanged",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<System.Boolean>",
                    "Components.EventCallback": "True"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ValueExpression",
                "TypeName": "System.Linq.Expressions.Expression<System.Func<System.Boolean>>",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
                "Metadata": {
                    "Common.PropertyName": "ValueExpression",
                    "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.Boolean>>"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "DisplayName",
                "TypeName": "System.String",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
                "Metadata": {

```

```

        "Common.PropertyName": "DisplayName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
    "Common.TypeNameIdentifier": "InputCheckbox",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": -56777469,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.InputDate`1'></member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputDate"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "TValue",
            "TypeName": "System.Type",
            "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.InputDate<TValue> component.",
            "Metadata": {
                "Common.PropertyName": "TValue",
                "Components.TypeParameter": "True",
                "Components.TypeParameterIsCascading": "False"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Type",
            "TypeName": "Microsoft.AspNetCore.Components.Forms.InputDateType",
            "IsEnum": true,
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputDate`1.Type'></member>",
            "Metadata": {
                "Common.PropertyName": "Type",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Forms.InputDateType"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ParsingErrorMessage",
            "TypeName": "System.String",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputDate`1.ParsingErrorMessage'></member>",
            "Metadata": {
                "Common.PropertyName": "ParsingErrorMessage",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes'></member>",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "TValue",
            "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value'></member>",
            "Metadata": {
                "Common.PropertyName": "Value",
                "Common.GloballyQualifiedTypeName": "TValue",
                "Components.GenericTyped": "True"
            }
        }
    ]
}

```

```

    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ValueChanged",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"'",
    "Metadata": {
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCalll",
      "Common.PropertyName": "ValueChanged",
      "Components.EventCallback": "True",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ValueExpression",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
    "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"'",
    "Metadata": {
      "Common.PropertyName": "ValueExpression",
      "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<glob",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "DisplayName",
    "TypeName": "System.String",
    "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"'",
    "Metadata": {
      "Common.PropertyName": "DisplayName",
      "Common.GloballyQualifiedTypeName": "global::System.String"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "Common.TypeNameIdentifier": "InputDate",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.GenericTyped": "True",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": -2052803766,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='\"T:Microsoft.AspNetCore.Components.Forms.InputDate`1\"&gt;",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputDate"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "TValue",
      "TypeName": "System.Type",
      "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNet",
      "Metadata": {
        "Common.PropertyName": "TValue",
        "Components.TypeParameter": "True",
        "Components.TypeParameterIsCascading": "False"
      }
    }
  ],
  {
    "Kind": "Components.Component",
    "Name": "Type",
    "TypeName": "Microsoft.AspNetCore.Components.Forms.InputDateType",
    "IsEnum": true,
    "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputDate`1.\"'",
    "Metadata": {
      "Common.PropertyName": "Type",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Forms.Inp

```

```

    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ParsingErrorMessage",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputDate`1.\"",
    "Metadata": {
      "Common.PropertyName": "ParsingErrorMessage",
      "Common.GloballyQualifiedTypeName": "global::System.String"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "AdditionalAttributes",
    "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
    "Metadata": {
      "Common.PropertyName": "AdditionalAttributes",
      "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "Value",
    "TypeName": "TValue",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
    "Metadata": {
      "Common.PropertyName": "Value",
      "Common.GloballyQualifiedTypeName": "TValue",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ValueChanged",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
    "Metadata": {
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<TValue>",
      "Common.PropertyName": "ValueChanged",
      "Components.EventCallback": "True",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ValueExpression",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
    "Metadata": {
      "Common.PropertyName": "ValueExpression",
      "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue>>",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "DisplayName",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
    "Metadata": {
      "Common.PropertyName": "DisplayName",
      "Common.GloballyQualifiedTypeName": "global::System.String"
    }
  }
},
1,
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "Common.TypeNameIdentifier": "InputDate",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.GenericTyped": "True",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
}
},
{

```

```

"HashCode": 2088453680,
"Kind": "Components.Component",
"Name": "Microsoft.AspNetCore.Components.Forms.InputFile",
"AssemblyName": "Microsoft.AspNetCore.Components.Web",
"Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.InputFile'></member>",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "InputFile"
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Component",
    "Name": "OnChange",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.InputFile.OnChange>",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputFile.OnChange'></member>",
    "Metadata": {
      "Common.PropertyName": "OnChange",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.InputFile.OnChange>",
      "Components.EventCallback": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "AdditionalAttributes",
    "TypeName": "System.Collections.Generic.IDictionary<System.String, System.Object>",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputFile.AdditionalAttributes'></member>",
    "Metadata": {
      "Common.PropertyName": "AdditionalAttributes",
      "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IDictionary<System.String, System.Object>"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputFile",
  "Common.TypeNameIdentifier": "InputFile",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": 1807752948,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputFile",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.InputFile'></member>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputFile"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "OnChange",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.InputFile.OnChange>",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputFile.OnChange'></member>",
      "Metadata": {
        "Common.PropertyName": "OnChange",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Forms.InputFile.OnChange>",
        "Components.EventCallback": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAttributes",
      "TypeName": "System.Collections.Generic.IDictionary<System.String, System.Object>",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputFile.AdditionalAttributes'></member>",
      "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IDictionary<System.String, System.Object>"
      }
    }
  ],
  "Metadata": {

```

```

        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputFile",
        "Common.TypeNameIdentifier": "InputFile",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": -2083605781,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputHidden",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputHidden\"></member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputHidden"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Attributes\"></member>",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\"></member>",
            "Metadata": {
                "Common.PropertyName": "Value",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ValueChanged",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged\"></member>",
            "Metadata": {
                "Common.PropertyName": "ValueChanged",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<System.String>",
                "Components.EventCallback": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ValueExpression",
            "TypeName": "System.Linq.Expressions.Expression<System.Func<System.String>>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression\"></member>",
            "Metadata": {
                "Common.PropertyName": "ValueExpression",
                "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.String>>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "DisplayName",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.DisplayName\"></member>",
            "Metadata": {
                "Common.PropertyName": "DisplayName",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputHidden",
        "Common.TypeNameIdentifier": "InputHidden",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Runtime.Name": "Components.IComponent"
    }
}

```

```

    }
  },
  {
    "HashCode": 76200716,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputHidden",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.InputHidden'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Microsoft.AspNetCore.Components.Forms.InputHidden"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "AdditionalAttributes",
        "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
        "Metadata": {
          "Common.PropertyName": "AdditionalAttributes",
          "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "Value",
        "TypeName": "System.String",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
        "Metadata": {
          "Common.PropertyName": "Value",
          "Common.GloballyQualifiedTypeName": "global::System.String"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "ValueChanged",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
        "Metadata": {
          "Common.PropertyName": "ValueChanged",
          "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<System.String>",
          "Components.EventCallback": "True"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "ValueExpression",
        "TypeName": "System.Linq.Expressions.Expression<System.Func<System.String>>",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
        "Metadata": {
          "Common.PropertyName": "ValueExpression",
          "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.String>>"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
        "Metadata": {
          "Common.PropertyName": "DisplayName",
          "Common.GloballyQualifiedTypeName": "global::System.String"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputHidden",
      "Common.TypeNameIdentifier": "InputHidden",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": -1348317692,

```



```

"Kind": "Components.Component",
"Name": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
"AssemblyName": "Microsoft.AspNetCore.Components.Web",
"Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputNumber`1\"></member>",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "InputNumber"
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Component",
    "Name": "TValue",
    "TypeName": "System.Type",
    "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.InputNumber<TValue> component.",
    "Metadata": {
      "Common.PropertyName": "TValue",
      "Components.TypeParameter": "True",
      "Components.TypeParameterIsCascading": "False"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ParsingErrorMessage",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputNumber`1.ParsingErrorMessage\"></member>",
    "Metadata": {
      "Common.PropertyName": "ParsingErrorMessage",
      "Common.GloballyQualifiedTypeName": "global::System.String"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "AdditionalAttributes",
    "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes\"></member>",
    "Metadata": {
      "Common.PropertyName": "AdditionalAttributes",
      "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "Value",
    "TypeName": "TValue",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\"></member>",
    "Metadata": {
      "Common.PropertyName": "Value",
      "Common.GloballyQualifiedTypeName": "TValue",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ValueChanged",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged\"></member>",
    "Metadata": {
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<TValue>",
      "Common.PropertyName": "ValueChanged",
      "Components.EventCallback": "True",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ValueExpression",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression\"></member>",
    "Metadata": {
      "Common.PropertyName": "ValueExpression",
      "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue>>",
      "Components.GenericTyped": "True"
    }
  }
]

```

```

        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
        "Metadata": {
            "Common.PropertyName": "DisplayName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
            "Common.TypeNameIdentifier": "InputNumber",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
            "Components.GenericTyped": "True",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": -1060472923,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
        "AssemblyName": "Microsoft.AspNetCore.Components.Web",
        "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputNumber`1\"&",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "Microsoft.AspNetCore.Components.Forms.InputNumber"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "TValue",
                "TypeName": "System.Type",
                "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNet",
                "Metadata": {
                    "Common.PropertyName": "TValue",
                    "Components.TypeParameter": "True",
                    "Components.TypeParameterIsCascading": "False"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ParsingErrorMessage",
                "TypeName": "System.String",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputNumber`",
                "Metadata": {
                    "Common.PropertyName": "ParsingErrorMessage",
                    "Common.GloballyQualifiedTypeName": "global::System.String"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "AdditionalAttributes",
                "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
                "Metadata": {
                    "Common.PropertyName": "AdditionalAttributes",
                    "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDicti"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "Value",
                "TypeName": "TValue",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
                "Metadata": {
                    "Common.PropertyName": "Value",
                    "Common.GloballyQualifiedTypeName": "TValue",
                    "Components.GenericTyped": "True"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ValueChanged",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",

```

```

        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.V",
        "Metadata": {
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallL",
            "Common.PropertyName": "ValueChanged",
            "Components.EventCallback": "True",
            "Components.GenericTyped": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "ValueExpression",
        "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.V",
        "Metadata": {
            "Common.PropertyName": "ValueExpression",
            "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<glob",
            "Components.GenericTyped": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.V",
        "Metadata": {
            "Common.PropertyName": "DisplayName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    }
],
{
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
        "Common.TypeNameIdentifier": "InputNumber",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.GenericTyped": "True",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.IComponent"
    }
},
{
    "HashCode": 1754359447,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputRadio<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputRadio`1\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputRadio"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "TValue",
            "TypeName": "System.Type",
            "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNet",
            "Metadata": {
                "Common.PropertyName": "TValue",
                "Components.TypeParameter": "True",
                "Components.TypeParameterIsCascading": "False"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Obj",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadio`1",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDiction
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "TValue",

```

```

        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadio`1\"",
        "Metadata": {
            "Common.PropertyName": "Value",
            "Common.GloballyQualifiedTypeName": "TValue",
            "Components.GenericTyped": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Name",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadio`1\"",
        "Metadata": {
            "Common.PropertyName": "Name",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadio<TValue>",
    "Common.TypeNameIdentifier": "InputRadio",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.GenericTyped": "True",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": -1090338925,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputRadio<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputRadio`1\"",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputRadio"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "TValue",
            "TypeName": "System.Type",
            "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore",
            "Metadata": {
                "Common.PropertyName": "TValue",
                "Components.TypeParameter": "True",
                "Components.TypeParameterIsCascading": "False"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadio`1\"",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "TValue",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadio`1\"",
            "Metadata": {
                "Common.PropertyName": "Value",
                "Common.GloballyQualifiedTypeName": "TValue",
                "Components.GenericTyped": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Name",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadio`1\"",
            "Metadata": {

```

```

        "Common.PropertyName": "Name",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadio<TValue>",
    "Common.TypeNameIdentifier": "InputRadio",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.GenericTyped": "True",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
},
{
    "HashCode": 5704812,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputRadioGroup"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "TValue",
            "TypeName": "System.Type",
            "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1 component.",
            "Metadata": {
                "Common.PropertyName": "TValue",
                "Components.TypeParameter": "True",
                "Components.TypeParameterIsCascading": "False"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ChildContent",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1.ChildContent\">",
            "Metadata": {
                "Common.PropertyName": "ChildContent",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
                "Components.ChildContent": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Name",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1.Name\">",
            "Metadata": {
                "Common.PropertyName": "Name",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes\">",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "TValue",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\">",
            "Metadata": {
                "Common.PropertyName": "Value",
                "Common.GloballyQualifiedTypeName": "TValue",
            }
        }
    ]
}

```

```

        "Components.GenericTyped": "True"
    },
    {
        "Kind": "Components.Component",
        "Name": "ValueChanged",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"'",
        "Metadata": {
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCall",
            "Common.PropertyName": "ValueChanged",
            "Components.EventCallback": "True",
            "Components.GenericTyped": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "ValueExpression",
        "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"'",
        "Metadata": {
            "Common.PropertyName": "ValueExpression",
            "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<glob",
            "Components.GenericTyped": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"'",
        "Metadata": {
            "Common.PropertyName": "DisplayName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    }
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "Common.TypeNameIdentifier": "InputRadioGroup",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.GenericTyped": "True",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": 1123738596,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='\"T:Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1.\"'",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "TValue",
            "TypeName": "System.Type",
            "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNet",
            "Metadata": {
                "Common.PropertyName": "TValue",
                "Components.TypeParameter": "True",
                "Components.TypeParameterIsCascading": "False"
            }
        }
    ],
    {
        "Kind": "Components.Component",
        "Name": "ChildContent",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputRadioGro",
        "Metadata": {
            "Common.PropertyName": "ChildContent",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag

```

```

        "Components.ChildContent": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Name",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputRadioGroup.Name\">",
    "Metadata": {
        "Common.PropertyName": "Name",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
},
{
    "Kind": "Components.Component",
    "Name": "AdditionalAttributes",
    "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes\">",
    "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
    }
},
{
    "Kind": "Components.Component",
    "Name": "Value",
    "TypeName": "TValue",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\">",
    "Metadata": {
        "Common.PropertyName": "Value",
        "Common.GloballyQualifiedTypeName": "TValue",
        "Components.GenericTyped": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "ValueChanged",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged\">",
    "Metadata": {
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Common.PropertyName": "ValueChanged",
        "Components.EventCallback": "True",
        "Components.GenericTyped": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "ValueExpression",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression\">",
    "Metadata": {
        "Common.PropertyName": "ValueExpression",
        "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue>>",
        "Components.GenericTyped": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "DisplayName",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.DisplayName\">",
    "Metadata": {
        "Common.PropertyName": "DisplayName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
}
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "Common.TypeNameIdentifier": "InputRadioGroup",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.GenericTyped": "True",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},

```

```

{
  "HashCode": 737133038,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1'>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "InputRadioGroup"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>.ChildContent",
    "Common.TypeNameIdentifier": "InputRadioGroup",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -398742330,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputRadioGroup`1'>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>.ChildContent",
    "Common.TypeNameIdentifier": "InputRadioGroup",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 459294389,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.InputSelect`1'>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "InputSelect"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "TValue",
      "TypeName": "System.Type",
      "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.InputSelect`1 component.",
      "Metadata": {
        "Common.PropertyName": "TValue",
        "Components.TypeParameter": "True",
        "Components.TypeParameterIsCascading": "False"
      }
    }
  ],
  {
    "Kind": "Components.Component",
    "Name": "ChildContent",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputSelect`1.ChildContent'>",
    "Metadata": {
      "Common.PropertyName": "ChildContent",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
      "Components.ChildContent": "True"
    }
  }
}

```



```

    },
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAttributes",
      "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
      "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Value",
      "TypeName": "TValue",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
      "Metadata": {
        "Common.PropertyName": "Value",
        "Common.GloballyQualifiedTypeName": "TValue",
        "Components.GenericTyped": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "ValueChanged",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
      "Metadata": {
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Common.PropertyName": "ValueChanged",
        "Components.EventCallback": "True",
        "Components.GenericTyped": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "ValueExpression",
      "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
      "Metadata": {
        "Common.PropertyName": "ValueExpression",
        "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue>>",
        "Components.GenericTyped": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "DisplayName",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.\"",
      "Metadata": {
        "Common.PropertyName": "DisplayName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
      }
    },
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
    "Common.TypeNameIdentifier": "InputSelect",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.GenericTyped": "True",
    "Runtime.Name": "Components.IComponent"
  },
  {
    "HashCode": 1385782967,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputSelect`1\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Microsoft.AspNetCore.Components.Forms.InputSelect"
      }
    ],
    "BoundAttributes": [

```

```

{
  "Kind": "Components.Component",
  "Name": "TValue",
  "TypeName": "System.Type",
  "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.InputSelect`1.",
  "Metadata": {
    "Common.PropertyName": "TValue",
    "Components.TypeParameter": "True",
    "Components.TypeParameterIsCascading": "False"
  }
},
{
  "Kind": "Components.Component",
  "Name": "ChildContent",
  "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputSelect`1.ChildContent'",
  "Metadata": {
    "Common.PropertyName": "ChildContent",
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
    "Components.ChildContent": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "AdditionalAttributes",
  "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes'",
  "Metadata": {
    "Common.PropertyName": "AdditionalAttributes",
    "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
  }
},
{
  "Kind": "Components.Component",
  "Name": "Value",
  "TypeName": "TValue",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value'",
  "Metadata": {
    "Common.PropertyName": "Value",
    "Common.GloballyQualifiedTypeName": "TValue",
    "Components.GenericTyped": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "ValueChanged",
  "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged'",
  "Metadata": {
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Common.PropertyName": "ValueChanged",
    "Components.EventCallback": "True",
    "Components.GenericTyped": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "ValueExpression",
  "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue>>",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression'",
  "Metadata": {
    "Common.PropertyName": "ValueExpression",
    "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue>>",
    "Components.GenericTyped": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "DisplayName",
  "TypeName": "System.String",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.InputBase`1.DisplayName'",
  "Metadata": {
    "Common.PropertyName": "DisplayName",
    "Common.GloballyQualifiedTypeName": "global::System.String"
  }
}
],

```

```

"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
  "Common.TypeNameIdentifier": "InputSelect",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.GenericTyped": "True",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
},
{
  "HashCode": -763012807,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputSelect`1.ChildContent\">",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "InputSelect"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>.ChildContent",
    "Common.TypeNameIdentifier": "InputSelect",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 1615583187,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputSelect`1.ChildContent\">",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Forms.InputSelect"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>.ChildContent",
    "Common.TypeNameIdentifier": "InputSelect",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 645234847,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputText",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputText\">&gt;",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "InputText"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAttributes",
      "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes\">",
      "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
      }
    }
  ],
  "Kind": "Components.Component",

```

```

        "Name": "Value",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\">",
        "Metadata": {
            "Common.PropertyName": "Value",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "ValueChanged",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged\">",
        "Metadata": {
            "Common.PropertyName": "ValueChanged",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<System.String>",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "ValueExpression",
        "TypeName": "System.Linq.Expressions.Expression<System.Func<System.String>>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression\">",
        "Metadata": {
            "Common.PropertyName": "ValueExpression",
            "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.String>>"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.DisplayName\">",
        "Metadata": {
            "Common.PropertyName": "DisplayName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputText",
    "Common.TypeNameIdentifier": "InputText",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Runtime.Name": "Components.IComponent"
},
{
    "HashCode": -313780300,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputText",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputText\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputText"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputText.AdditionalAttributes\">",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        }
    ],
    {
        "Kind": "Components.Component",
        "Name": "Value",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\">",
        "Metadata": {
            "Common.PropertyName": "Value",

```

```

        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
},
{
    "Kind": "Components.Component",
    "Name": "ValueChanged",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
    "Metadata": {
        "Common.PropertyName": "ValueChanged",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCalll",
        "Components.EventCallback": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "ValueExpression",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<System.String>>>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
    "Metadata": {
        "Common.PropertyName": "ValueExpression",
        "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<glob"
    }
},
{
    "Kind": "Components.Component",
    "Name": "DisplayName",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
    "Metadata": {
        "Common.PropertyName": "DisplayName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
},
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputText",
    "Common.TypeNameIdentifier": "InputText",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": -89431204,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputTextArea\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputTextArea"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDiction"
            }
        }
    ],
    {
        "Kind": "Components.Component",
        "Name": "Value",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.",
        "Metadata": {
            "Common.PropertyName": "Value",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    }
},
{

```

```

        "Kind": "Components.Component",
        "Name": "ValueChanged",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged\">",
        "Metadata": {
            "Common.PropertyName": "ValueChanged",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<System.String>",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "ValueExpression",
        "TypeName": "System.Linq.Expressions.Expression<System.Func<System.String>>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression\">",
        "Metadata": {
            "Common.PropertyName": "ValueExpression",
            "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.String>>"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "DisplayName",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.DisplayName\">",
        "Metadata": {
            "Common.PropertyName": "DisplayName",
            "Common.GloballyQualifiedTypeName": "global::System.String"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
    "Common.TypeNameIdentifier": "InputTextArea",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Runtime.Name": "Components.IComponent"
},
{
    "HashCode": -773935902,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.InputTextArea\">",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputTextArea"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.AdditionalAttributes\">",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Value",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.Value\">",
            "Metadata": {
                "Common.PropertyName": "Value",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        }
    ],
    {
        "Kind": "Components.Component",
        "Name": "ValueChanged",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueChanged\">",
        "Metadata": {

```

```

        "Common.PropertyName": "ValueChanged",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback",
        "Components.EventCallback": "True"
    }
},
{
    "Kind": "Components.Component",
    "Name": "ValueExpression",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<System.String>>",
    "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.ValueExpression\"'",
    "Metadata": {
        "Common.PropertyName": "ValueExpression",
        "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<System.String>>"
    }
},
{
    "Kind": "Components.Component",
    "Name": "DisplayName",
    "TypeName": "System.String",
    "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.InputBase`1.DisplayName\"'",
    "Metadata": {
        "Common.PropertyName": "DisplayName",
        "Common.GloballyQualifiedTypeName": "global::System.String"
    }
}
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
    "Common.TypeNameIdentifier": "InputTextArea",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": -988781726,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.FormMappingScope",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='\"T:Microsoft.AspNetCore.Components.Forms.FormMappingScope\"'",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "FormMappingScope"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "Name",
            "TypeName": "System.String",
            "IsEditorRequired": true,
            "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.FormMappingScope.Name\"'",
            "Metadata": {
                "Common.PropertyName": "Name",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        }
    ],
    {
        "Kind": "Components.Component",
        "Name": "ChildContent",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components.Forms.FormMappingScope>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Forms.FormMappingScope.ChildContent\"'",
        "Metadata": {
            "Common.PropertyName": "ChildContent",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components.Forms.FormMappingScope>",
            "Components.ChildContent": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
            "Components.ChildContentParameterName": "True",
            "Common.PropertyName": "Context"
        }
    }
}

```

```

    }
  },
  {
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.FormMappingScope",
      "Common.TypeNameIdentifier": "FormMappingScope",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": -1406946773,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.FormMappingScope",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.FormMappingScope",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Microsoft.AspNetCore.Components.Forms.FormMappingScope"
      }
    ]
  },
  {
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "Name",
        "TypeName": "System.String",
        "IsEditorRequired": true,
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.FormMappingScope",
        "Metadata": {
          "Common.PropertyName": "Name",
          "Common.GloballyQualifiedTypeName": "global::System.String"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "ChildContent",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Components",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.FormMappingScope",
        "Metadata": {
          "Common.PropertyName": "ChildContent",
          "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag",
          "Components.ChildContent": "True"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for all child content expressions.",
        "Metadata": {
          "Components.ChildContentParameterName": "True",
          "Common.PropertyName": "Context"
        }
      }
    ]
  },
  {
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.FormMappingScope",
      "Common.TypeNameIdentifier": "FormMappingScope",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": 454298912,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Forms.FormMappingScope.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.FormMappingScope",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ChildContent",
        "ParentTag": "FormMappingScope"
      }
    ]
  },

```



```

    "BoundAttributes": [
      {
        "Kind": "Components.ChildContent",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for the 'ChildContent' child content expression.",
        "Metadata": {
          "Components.ChildContentParameterName": "True",
          "Common.PropertyName": "Context"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.FormMappingScope.ChildContent",
      "Common.TypeNameIdentifier": "FormMappingScope",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": 405090601,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Forms.FormMappingScope.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.FormMappingScope.ChildContent'></member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ChildContent",
        "ParentTag": "Microsoft.AspNetCore.Components.Forms.FormMappingScope"
      }
    ]
  },
  "BoundAttributes": [
    {
      "Kind": "Components.ChildContent",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for the 'ChildContent' child content expression.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.FormMappingScope.ChildContent",
    "Common.TypeNameIdentifier": "FormMappingScope",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -364373952,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue>'></member>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ValidationMessage"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "TValue",
      "TypeName": "System.Type",
      "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.ValidationMessage component.",
      "Metadata": {
        "Common.PropertyName": "TValue",
        "Components.TypeParameter": "True",
        "Components.TypeParameterIsCascading": "False"
      }
    }
  ]
}

```

```

    },
    {
      "Kind": "Components.Component",
      "Name": "AdditionalAttributes",
      "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.ValidationMessage.AdditionalAttributes\">",
      "Metadata": {
        "Common.PropertyName": "AdditionalAttributes",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "For",
      "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue, bool>>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.ValidationMessage.For\">",
      "Metadata": {
        "Common.PropertyName": "For",
        "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue, bool>>",
        "Components.GenericTyped": "True"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue>",
    "Common.TypeNameIdentifier": "ValidationMessage",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.GenericTyped": "True",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 1912511734,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue>\">",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.ValidationMessage"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "TValue",
      "TypeName": "System.Type",
      "Documentation": "Specifies the type of the type parameter TValue for the Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue> component.",
      "Metadata": {
        "Common.PropertyName": "TValue",
        "Components.TypeParameter": "True",
        "Components.TypeParameterIsCascading": "False"
      }
    }
  ],
  {
    "Kind": "Components.Component",
    "Name": "AdditionalAttributes",
    "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.ValidationMessage.AdditionalAttributes\">",
    "Metadata": {
      "Common.PropertyName": "AdditionalAttributes",
      "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "For",
    "TypeName": "System.Linq.Expressions.Expression<System.Func<TValue, bool>>",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.ValidationMessage.For\">",
    "Metadata": {
      "Common.PropertyName": "For",
      "Common.GloballyQualifiedTypeName": "global::System.Linq.Expressions.Expression<System.Func<TValue, bool>>",
      "Components.GenericTyped": "True"
    }
  }
}
],

```

```

    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.ValidationMessage<TValue>",
      "Common.TypeNameIdentifier": "ValidationMessage",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Components.GenericTyped": "True",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": 1231137424,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.ValidationSummary",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.ValidationSummary'",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ValidationSummary"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "Model",
        "TypeName": "System.Object",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.ValidationSummary'",
        "Metadata": {
          "Common.PropertyName": "Model",
          "Common.GloballyQualifiedTypeName": "global::System.Object"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "AdditionalAttributes",
        "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.ValidationSummary'",
        "Metadata": {
          "Common.PropertyName": "AdditionalAttributes",
          "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
        }
      }
    ]
  },
  {
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.ValidationSummary",
      "Common.TypeNameIdentifier": "ValidationSummary",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Runtime.Name": "Components.IComponent"
    }
  },
  {
    "HashCode": -507007781,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Forms.ValidationSummary",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Forms.ValidationSummary'",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "Microsoft.AspNetCore.Components.Forms.ValidationSummary"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "Model",
        "TypeName": "System.Object",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Forms.ValidationSummary'",
        "Metadata": {
          "Common.PropertyName": "Model",
          "Common.GloballyQualifiedTypeName": "global::System.Object"
        }
      },
      {
        "Kind": "Components.Component",
        "Name": "AdditionalAttributes",
        "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
      }
    ]
  }
]

```

```

        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Forms.ValidationSummary\"",
        "Metadata": {
            "Common.PropertyName": "AdditionalAttributes",
            "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<string, string>"
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.ValidationSummary",
            "Common.TypeNameIdentifier": "ValidationSummary",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
            "Components.NameMatch": "Components.FullyQualifiedNameMatch",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": -1633458408,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Routing.FocusOnNavigate",
        "AssemblyName": "Microsoft.AspNetCore.Components.Web",
        "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Routing.FocusOnNavigate\"",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "FocusOnNavigate"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "RouteData",
                "TypeName": "Microsoft.AspNetCore.Components.RouteData",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.FocusOnNav\"",
                "Metadata": {
                    "Common.PropertyName": "RouteData",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RouteData"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "Selector",
                "TypeName": "System.String",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.FocusOnNav\"",
                "Metadata": {
                    "Common.PropertyName": "Selector",
                    "Common.GloballyQualifiedTypeName": "global::System.String"
                }
            }
        ],
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.FocusOnNavigate",
            "Common.TypeNameIdentifier": "FocusOnNavigate",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": 402592106,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Routing.FocusOnNavigate",
        "AssemblyName": "Microsoft.AspNetCore.Components.Web",
        "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Routing.FocusOnNavigate\"",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "Microsoft.AspNetCore.Components.Routing.FocusOnNavigate"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "RouteData",
                "TypeName": "Microsoft.AspNetCore.Components.RouteData",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.FocusOnNav\"",
                "Metadata": {
                    "Common.PropertyName": "RouteData",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RouteData"
                }
            }
        ]
    }
}

```

```

    }
  },
  {
    "Kind": "Components.Component",
    "Name": "Selector",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.FocusOnNav",
    "Metadata": {
      "Common.PropertyName": "Selector",
      "Common.GloballyQualifiedTypeName": "global::System.String"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.FocusOnNavigate",
  "Common.TypeNameIdentifier": "FocusOnNavigate",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": 995943344,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Routing.NavigationLock",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Routing.NavigationLock",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "NavigationLock"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "OnBeforeInternalNavigation",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Compon",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Navigation",
      "Metadata": {
        "Common.PropertyName": "OnBeforeInternalNavigation",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCall",
        "Components.EventCallback": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "ConfirmExternalNavigation",
      "TypeName": "System.Boolean",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.Navigation",
      "Metadata": {
        "Common.PropertyName": "ConfirmExternalNavigation",
        "Common.GloballyQualifiedTypeName": "global::System.Boolean"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.NavigationLock",
    "Common.TypeNameIdentifier": "NavigationLock",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": -663962595,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Routing.NavigationLock",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Routing.NavigationLock",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Routing.NavigationLock"
    }
  ],
  "BoundAttributes": [
    {

```

```

        "Kind": "Components.Component",
        "Name": "OnBeforeInternalNavigation",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Routing.NavigationLock>",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Routing.NavigationLock.OnBeforeInternalNavigation\"'>",
        "Metadata": {
            "Common.PropertyName": "OnBeforeInternalNavigation",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Routing.NavigationLock>",
            "Components.EventCallback": "True"
        }
    },
    {
        "Kind": "Components.Component",
        "Name": "ConfirmExternalNavigation",
        "TypeName": "System.Boolean",
        "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Routing.NavigationLock.ConfirmExternalNavigation\"'>",
        "Metadata": {
            "Common.PropertyName": "ConfirmExternalNavigation",
            "Common.GloballyQualifiedTypeName": "global::System.Boolean"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.NavigationLock",
    "Common.TypeNameIdentifier": "NavigationLock",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
}
},
{
    "HashCode": -1230262989,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Routing.NavLink",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='\"T:Microsoft.AspNetCore.Components.Routing.NavLink\"'>&gt;</member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "NavLink"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Component",
            "Name": "ActiveClass",
            "TypeName": "System.String",
            "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Routing.NavLink.ActiveClass\"'>",
            "Metadata": {
                "Common.PropertyName": "ActiveClass",
                "Common.GloballyQualifiedTypeName": "global::System.String"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "AdditionalAttributes",
            "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
            "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Routing.NavLink.AdditionalAttributes\"'>",
            "Metadata": {
                "Common.PropertyName": "AdditionalAttributes",
                "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "ChildContent",
            "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
            "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent\"'>",
            "Metadata": {
                "Common.PropertyName": "ChildContent",
                "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
                "Components.ChildContent": "True"
            }
        },
        {
            "Kind": "Components.Component",
            "Name": "Match",
            "TypeName": "Microsoft.AspNetCore.Components.Routing.NavLinkMatch",

```

```

        "IsEnum": true,
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.NavLink.Ma",
        "Metadata": {
            "Common.PropertyName": "Match",
            "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Routing.Na
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.NavLink",
            "Common.TypeNameIdentifier": "NavLink",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
            "Runtime.Name": "Components.IComponent"
        }
    },
    {
        "HashCode": 1378187808,
        "Kind": "Components.Component",
        "Name": "Microsoft.AspNetCore.Components.Routing.NavLink",
        "AssemblyName": "Microsoft.AspNetCore.Components.Web",
        "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Routing.NavLink\"><\/",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "Microsoft.AspNetCore.Components.Routing.NavLink"
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Component",
                "Name": "ActiveClass",
                "TypeName": "System.String",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.NavLink.Ac",
                "Metadata": {
                    "Common.PropertyName": "ActiveClass",
                    "Common.GloballyQualifiedTypeName": "global::System.String"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "AdditionalAttributes",
                "TypeName": "System.Collections.Generic.IReadOnlyDictionary<System.String, System.Object>",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.NavLink.Ad",
                "Metadata": {
                    "Common.PropertyName": "AdditionalAttributes",
                    "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.IReadOnlyDiction
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "ChildContent",
                "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.NavLink.Ch",
                "Metadata": {
                    "Common.PropertyName": "ChildContent",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
                    "Components.ChildContent": "True"
                }
            },
            {
                "Kind": "Components.Component",
                "Name": "Match",
                "TypeName": "Microsoft.AspNetCore.Components.Routing.NavLinkMatch",
                "IsEnum": true,
                "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Routing.NavLink.Ma",
                "Metadata": {
                    "Common.PropertyName": "Match",
                    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Routing.Na
                }
            }
        ],
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.NavLink",
            "Common.TypeNameIdentifier": "NavLink",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
            "Components.NameMatch": "Components.FullyQualifiedNameMatch",
            "Runtime.Name": "Components.IComponent"
        }
    }

```

```

    }
  },
  {
    "HashCode": -1505392140,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ChildContent",
        "ParentTag": "NavLink"
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent",
      "Common.TypeNameIdentifier": "NavLink",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": -444815142,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ChildContent",
        "ParentTag": "Microsoft.AspNetCore.Components.Routing.NavLink"
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Routing.NavLink.ChildContent",
      "Common.TypeNameIdentifier": "NavLink",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Routing",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": -1320118611,
    "Kind": "Components.Component",
    "Name": "Microsoft.AspNetCore.Components.Web.HeadContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Components.Web.HeadContent'>&gt;",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "HeadContent"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.Component",
        "Name": "ChildContent",
        "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
        "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent'>",
        "Metadata": {
          "Common.PropertyName": "ChildContent",
          "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
          "Components.ChildContent": "True"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.HeadContent",
      "Common.TypeNameIdentifier": "HeadContent",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
      "Runtime.Name": "Components.IComponent"
    }
  },

```



```
{
  "HashCode": -1927220069,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Web.HeadContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "&lt;member name=\\"T:Microsoft.AspNetCore.Components.Web.HeadContent\\"&gt;\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Web.HeadContent"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "ChildContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "&lt;member name=\\"P:Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent\\"&gt;\n",
      "Metadata": {
        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.HeadContent",
    "Common.TypeNameIdentifier": "HeadContent",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 1928759069,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "&lt;member name=\\"P:Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent\\"&gt;\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "HeadContent"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent",
    "Common.TypeNameIdentifier": "HeadContent",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 1029821540,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "&lt;member name=\\"P:Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent\\"&gt;\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Web.HeadContent"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.HeadContent.ChildContent",
    "Common.TypeNameIdentifier": "HeadContent",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
}
}
```

```

"HashCode": -1686603678,
"Kind": "Components.Component",
"Name": "Microsoft.AspNetCore.Components.Web.HeadOutlet",
"AssemblyName": "Microsoft.AspNetCore.Components.Web",
"Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Web.HeadOutlet\"&gt;\r\n",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "HeadOutlet"
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.HeadOutlet",
  "Common.TypeNameIdentifier": "HeadOutlet",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": -582080370,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Web.HeadOutlet",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Web.HeadOutlet\"&gt;\r\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Web.HeadOutlet"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.HeadOutlet",
    "Common.TypeNameIdentifier": "HeadOutlet",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 1549703086,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Web.PageTitle",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Web.PageTitle\"&gt;\r\n",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "PageTitle"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "ChildContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent\"&gt;\r\n",
      "Metadata": {
        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.PageTitle",
    "Common.TypeNameIdentifier": "PageTitle",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 890581709,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Web.PageTitle",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Components.Web.PageTitle\"&gt;\r\n",
  "CaseSensitive": true,

```

```

"TagMatchingRules": [
  {
    "TagName": "Microsoft.AspNetCore.Components.Web.PageTitle"
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Component",
    "Name": "ChildContent",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent\"",
    "Metadata": {
      "Common.PropertyName": "ChildContent",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
      "Components.ChildContent": "True"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.PageTitle",
  "Common.TypeNameIdentifier": "PageTitle",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": -456225165,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "PageTitle"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent",
    "Common.TypeNameIdentifier": "PageTitle",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -141573449,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent\"",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ChildContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Web.PageTitle"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.PageTitle.ChildContent",
    "Common.TypeNameIdentifier": "PageTitle",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -1634028620,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Web.ErrorBoundary",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Web.ErrorBoundary\">",
  "CaseSensitive": true,
  "TagMatchingRules": [

```

```

    {
      "TagName": "ErrorBoundary"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "ChildContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.ChildContent\"",
      "Metadata": {
        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "ErrorContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<System.Exception>",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.ErrorContent\"",
      "Metadata": {
        "Common.PropertyName": "ErrorContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment<System.Exception>",
        "Components.ChildContent": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "MaximumErrorCount",
      "TypeName": "System.Int32",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.MaximumErrorCount\"",
      "Metadata": {
        "Common.PropertyName": "MaximumErrorCount",
        "Common.GloballyQualifiedTypeName": "global::System.Int32"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for all child content expressions.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.ErrorBoundary",
    "Common.TypeNameIdentifier": "ErrorBoundary",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 1603080352,
  "Kind": "Components.Component",
  "Name": "Microsoft.AspNetCore.Components.Web.ErrorBoundary",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Components.Web.ErrorBoundary\">",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Web.ErrorBoundary"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Component",
      "Name": "ChildContent",
      "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.ChildContent\"",
      "Metadata": {
        "Common.PropertyName": "ChildContent",
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFragment",
        "Components.ChildContent": "True"
      }
    }
  ]
}

```

```

    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ErrorContent",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<System.Exception>",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.\"",
    "Metadata": {
      "Common.PropertyName": "ErrorContent",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "MaximumErrorCount",
    "TypeName": "System.Int32",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.\"",
    "Metadata": {
      "Common.PropertyName": "MaximumErrorCount",
      "Common.GloballyQualifiedTypeName": "global::System.Int32"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "Context",
    "TypeName": "System.String",
    "Documentation": "Specifies the parameter name for all child content expressions.",
    "Metadata": {
      "Components.ChildContentParameterName": "True",
      "Common.PropertyName": "Context"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.ErrorBoundary",
  "Common.TypeNameIdentifier": "ErrorBoundary",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": -9681908,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.ErrorBoundary.ChildContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.Chil
  \"CaseSensitive\": true,
  \"TagMatchingRules\": [
    {
      \"TagName\": \"ChildContent\",
      \"ParentTag\": \"ErrorBoundary\"
    }
  ],
  \"Metadata\": {
    \"Common.TypeName\": \"Microsoft.AspNetCore.Components.Web.ErrorBoundary.ChildContent\",
    \"Common.TypeNameIdentifier\": \"ErrorBoundary\",
    \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Components.Web\",
    \"Components.IsSpecialKind\": \"Components.ChildContent\",
    \"Runtime.Name\": \"Components.None\"
  }
},
{
  \"HashCode\": 1826623472,
  \"Kind\": \"Components.ChildContent\",
  \"Name\": \"Microsoft.AspNetCore.Components.Web.ErrorBoundary.ChildContent\",
  \"AssemblyName\": \"Microsoft.AspNetCore.Components.Web\",
  \"Documentation\": \"<member name='P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.Chil
  \"CaseSensitive\": true,
  \"TagMatchingRules\": [
    {
      \"TagName\": \"ChildContent\",
      \"ParentTag\": \"Microsoft.AspNetCore.Components.Web.ErrorBoundary\"
    }
  ],
  \"Metadata\": {

```

```

        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.ErrorBoundary.ChildContent",
        "Common.TypeNameIdentifier": "ErrorBoundary",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1444020217,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Web.ErrorBoundary.ErrorContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.ErrorContent'></member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ErrorContent",
            "ParentTag": "ErrorBoundary"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'ErrorContent' child content expression.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.ErrorBoundary.ErrorContent",
        "Common.TypeNameIdentifier": "ErrorBoundary",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1406512978,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Web.ErrorBoundary.ErrorContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.ErrorBoundaryBase.ErrorContent'></member>",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "ErrorContent",
            "ParentTag": "Microsoft.AspNetCore.Components.Web.ErrorBoundary"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.ChildContent",
            "Name": "Context",
            "TypeName": "System.String",
            "Documentation": "Specifies the parameter name for the 'ErrorContent' child content expression.",
            "Metadata": {
                "Components.ChildContentParameterName": "True",
                "Common.PropertyName": "Context"
            }
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.ErrorBoundary.ErrorContent",
        "Common.TypeNameIdentifier": "ErrorBoundary",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.IsSpecialKind": "Components.ChildContent",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1903218855,

```

```

"Kind": "Components.Component",
"Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
"AssemblyName": "Microsoft.AspNetCore.Components.Web",
"Documentation": "<member name='T:Microsoft.AspNetCore.Components.Web.Virtualization.Vir",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "Virtualize"
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Component",
    "Name": "TItem",
    "TypeName": "System.Type",
    "Documentation": "Specifies the type of the type parameter TItem for the Microsoft.AspNetCore",
    "Metadata": {
      "Common.PropertyName": "TItem",
      "Components.TypeParameter": "True",
      "Components.TypeParameterIsCascading": "False"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ChildContent",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<TItem>",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization",
    "Metadata": {
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag",
      "Common.PropertyName": "ChildContent",
      "Components.ChildContent": "True",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ItemContent",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<TItem>",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization",
    "Metadata": {
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag",
      "Common.PropertyName": "ItemContent",
      "Components.ChildContent": "True",
      "Components.GenericTyped": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "Placeholder",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Comp",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization",
    "Metadata": {
      "Common.PropertyName": "Placeholder",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag",
      "Components.ChildContent": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "EmptyContent",
    "TypeName": "Microsoft.AspNetCore.Components.RenderFragment",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization",
    "Metadata": {
      "Common.PropertyName": "EmptyContent",
      "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.RenderFrag",
      "Components.ChildContent": "True"
    }
  },
  {
    "Kind": "Components.Component",
    "Name": "ItemSize",
    "TypeName": "System.Single",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization",
    "Metadata": {
      "Common.PropertyName": "ItemSize",
      "Common.GloballyQualifiedTypeName": "global::System.Single"
    }
  }
]

```

```

    },
    {
      "Kind": "Components.Component",
      "Name": "ItemsProvider",
      "TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.ItemsProviderDelegate`1",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.Virtualization.ItemsProviderDelegate`1\">",
      "Metadata": {
        "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Web.Virtualization.ItemsProviderDelegate`1",
        "Common.PropertyName": "ItemsProvider",
        "Components.DelegateSignature": "True",
        "Components.GenericTyped": "True",
        "Components.IsDelegateAwaitableResult": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Items",
      "TypeName": "System.Collections.Generic.ICollection`1",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.Virtualization.Items\">",
      "Metadata": {
        "Common.PropertyName": "Items",
        "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.ICollection`1",
        "Components.GenericTyped": "True"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "OverscanCount",
      "TypeName": "System.Int32",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.Virtualization.OverscanCount\">",
      "Metadata": {
        "Common.PropertyName": "OverscanCount",
        "Common.GloballyQualifiedTypeName": "global::System.Int32"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "SpacerElement",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.Virtualization.SpacerElement\">",
      "Metadata": {
        "Common.PropertyName": "SpacerElement",
        "Common.GloballyQualifiedTypeName": "global::System.String"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "MaxItemCount",
      "TypeName": "System.Int32",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Components.Web.Virtualization.MaxItemCount\">",
      "Metadata": {
        "Common.PropertyName": "MaxItemCount",
        "Common.GloballyQualifiedTypeName": "global::System.Int32"
      }
    },
    {
      "Kind": "Components.Component",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for all child content expressions.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize`1",
    "Common.TypeNameIdentifier": "Virtualize",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
    "Components.GenericTyped": "True",
    "Runtime.Name": "Components.IComponent"
  }
},
{
  "HashCode": 237087833,
  "Kind": "Components.Component",

```



```

"Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
"AssemblyName": "Microsoft.AspNetCore.Components.Web",
"Documentation": "<member name=\":Microsoft.AspNetCore.Components.Web.Virtualization.Vir
\"CaseSensitive\": true,
\"TagMatchingRules\": [
  {
    \"TagName\": \"Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize\"
  }
],
\"BoundAttributes\": [
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"TItem\",
    \"TypeName\": \"System.Type\",
    \"Documentation\": \"Specifies the type of the type parameter TItem for the Microsoft.AspNetCore
    \"Metadata\": {
      \"Common.PropertyName\": \"TItem\",
      \"Components.TypeParameter\": \"True\",
      \"Components.TypeParameterIsCascading\": \"False\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"ChildContent\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment<TItem>\",
    \"Documentation\": \"<member name=\":Microsoft.AspNetCore.Components.Web.Virtualization
    \"Metadata\": {
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Common.PropertyName\": \"ChildContent\",
      \"Components.ChildContent\": \"True\",
      \"Components.GenericTyped\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"ItemContent\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment<TItem>\",
    \"Documentation\": \"<member name=\":Microsoft.AspNetCore.Components.Web.Virtualization
    \"Metadata\": {
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Common.PropertyName\": \"ItemContent\",
      \"Components.ChildContent\": \"True\",
      \"Components.GenericTyped\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"Placeholder\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment<Microsoft.AspNetCore.Compo
    \"Documentation\": \"<member name=\":Microsoft.AspNetCore.Components.Web.Virtualization
    \"Metadata\": {
      \"Common.PropertyName\": \"Placeholder\",
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"EmptyContent\",
    \"TypeName\": \"Microsoft.AspNetCore.Components.RenderFragment\",
    \"Documentation\": \"<member name=\":Microsoft.AspNetCore.Components.Web.Virtualization
    \"Metadata\": {
      \"Common.PropertyName\": \"EmptyContent\",
      \"Common.GloballyQualifiedTypeName\": \"global::Microsoft.AspNetCore.Components.RenderFrag
      \"Components.ChildContent\": \"True\"
    }
  },
  {
    \"Kind\": \"Components.Component\",
    \"Name\": \"ItemSize\",
    \"TypeName\": \"System.Single\",
    \"Documentation\": \"<member name=\":Microsoft.AspNetCore.Components.Web.Virtualization
    \"Metadata\": {
      \"Common.PropertyName\": \"ItemSize\",
      \"Common.GloballyQualifiedTypeName\": \"global::System.Single\"
    }
  },
],

```

```

{
  "Kind": "Components.Component",
  "Name": "ItemsProvider",
  "TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.ItemsProviderDelegate<TItem>",
  "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Web.Virtualization.ItemsProviderDelegate<TItem>'\">",
  "Metadata": {
    "Common.GloballyQualifiedTypeName": "global::Microsoft.AspNetCore.Components.Web.Virtualization.ItemsProviderDelegate<TItem>",
    "Common.PropertyName": "ItemsProvider",
    "Components.DelegateSignature": "True",
    "Components.GenericTyped": "True",
    "Components.IsDelegateAwaitableResult": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "Items",
  "TypeName": "System.Collections.Generic.ICollection<TItem>",
  "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Web.Virtualization.Items\">",
  "Metadata": {
    "Common.PropertyName": "Items",
    "Common.GloballyQualifiedTypeName": "global::System.Collections.Generic.ICollection<TItem>",
    "Components.GenericTyped": "True"
  }
},
{
  "Kind": "Components.Component",
  "Name": "OverscanCount",
  "TypeName": "System.Int32",
  "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Web.Virtualization.OverscanCount\">",
  "Metadata": {
    "Common.PropertyName": "OverscanCount",
    "Common.GloballyQualifiedTypeName": "global::System.Int32"
  }
},
{
  "Kind": "Components.Component",
  "Name": "SpacerElement",
  "TypeName": "System.String",
  "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Web.Virtualization.SpacerElement\">",
  "Metadata": {
    "Common.PropertyName": "SpacerElement",
    "Common.GloballyQualifiedTypeName": "global::System.String"
  }
},
{
  "Kind": "Components.Component",
  "Name": "MaxItemCount",
  "TypeName": "System.Int32",
  "Documentation": "<member name='\"P:Microsoft.AspNetCore.Components.Web.Virtualization.MaxItemCount\">",
  "Metadata": {
    "Common.PropertyName": "MaxItemCount",
    "Common.GloballyQualifiedTypeName": "global::System.Int32"
  }
},
{
  "Kind": "Components.Component",
  "Name": "Context",
  "TypeName": "System.String",
  "Documentation": "Specifies the parameter name for all child content expressions.",
  "Metadata": {
    "Components.ChildContentParameterName": "True",
    "Common.PropertyName": "Context"
  }
}
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
  "Common.TypeNameIdentifier": "Virtualize",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
  "Components.GenericTyped": "True",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.IComponent"
}
},
{
  "HashCode": 482891109,
  "Kind": "Components.ChildContent",

```

```

    "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ChildContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ChildContent",
        "ParentTag": "Virtualize"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.ChildContent",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for the 'ChildContent' child content expression.",
        "Metadata": {
          "Components.ChildContentParameterName": "True",
          "Common.PropertyName": "Context"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ChildContent",
      "Common.TypeNameIdentifier": "Virtualize",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": 912622212,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ChildContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ChildContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ChildContent",
        "ParentTag": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize"
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.ChildContent",
        "Name": "Context",
        "TypeName": "System.String",
        "Documentation": "Specifies the parameter name for the 'ChildContent' child content expression.",
        "Metadata": {
          "Components.ChildContentParameterName": "True",
          "Common.PropertyName": "Context"
        }
      }
    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ChildContent",
      "Common.TypeNameIdentifier": "Virtualize",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": 739292732,
    "Kind": "Components.ChildContent",
    "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ItemContent",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ItemContent'>",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "ItemContent",
        "ParentTag": "Virtualize"
      }
    ],
  },

```

```

"BoundAttributes": [
  {
    "Kind": "Components.ChildContent",
    "Name": "Context",
    "TypeName": "System.String",
    "Documentation": "Specifies the parameter name for the 'ItemContent' child content expression.",
    "Metadata": {
      "Components.ChildContentParameterName": "True",
      "Common.PropertyName": "Context"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
  "Common.TypeNameIdentifier": "Virtualize",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
  "Components.IsSpecialKind": "Components.ChildContent",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 1336553276,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ItemContent",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ItemContent'></member>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "ItemContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.ChildContent",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for the 'ItemContent' child content expression.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.ItemContent",
    "Common.TypeNameIdentifier": "Virtualize",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -1697311445,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.Placeholder",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.Placeholder'></member>",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Placeholder",
      "ParentTag": "Virtualize"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.ChildContent",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for the 'Placeholder' child content expression.",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ]
}

```

```

    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
    "Common.TypeNameIdentifier": "Virtualize",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 575693695,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.Placeholder",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Vir",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Placeholder",
      "ParentTag": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.ChildContent",
      "Name": "Context",
      "TypeName": "System.String",
      "Documentation": "Specifies the parameter name for the 'Placeholder' child content expres",
      "Metadata": {
        "Components.ChildContentParameterName": "True",
        "Common.PropertyName": "Context"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
    "Common.TypeNameIdentifier": "Virtualize",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -609661433,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.EmptyCon",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Vir",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "EmptyContent",
      "ParentTag": "Virtualize"
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>",
    "Common.TypeNameIdentifier": "Virtualize",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
    "Components.IsSpecialKind": "Components.ChildContent",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -581729815,
  "Kind": "Components.ChildContent",
  "Name": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize<TItem>.EmptyCon",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "<member name='P:Microsoft.AspNetCore.Components.Web.Virtualization.Vir",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "EmptyContent",
      "ParentTag": "Microsoft.AspNetCore.Components.Web.Virtualization.Virtualize"
    }
  ]
}

```

```

    ],
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.Virtualization.VirtualizeItem",
      "Common.TypeNameIdentifier": "Virtualize",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web.Virtualization",
      "Components.IsSpecialKind": "Components.ChildContent",
      "Components.NameMatch": "Components.FullyQualifiedNameMatch",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": -306449571,
    "Kind": "Components.EventHandler",
    "Name": "onfocus",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onfocus' attribute to the provided string or delegate value. A",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onfocus",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onfocus:preventDefault",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onfocus:stopPropagation",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.EventHandler",
        "Name": "@onfocus",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.Virtualization.VirtualizeItem>",
        "Documentation": "Sets the '@onfocus' attribute to the provided string or delegate value",
        "Metadata": {
          "Components.IsWeaklyTyped": "True",
          "Common.DirectiveAttribute": "True",
          "Common.PropertyName": "onfocus"
        },
        "BoundAttributeParameters": [
          {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that",
            "Metadata": {
              "Common.PropertyName": "PreventDefault"
            }
          },
          {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onfocus'",
            "Metadata": {

```

```

        "Common.PropertyName": "StopPropagation"
    }
}
]
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.FocusEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
},
{
    "HashCode": -1472869030,
    "Kind": "Components.EventHandler",
    "Name": "onblur",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onblur' attribute to the provided string or delegate value. A d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onblur",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onblur:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onblur:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onblur",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.FocusEventArgs>",
            "Documentation": "Sets the '@onblur' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onblur"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                }
            ]
        }
    ]
}

```

```

    },
    {
      "Name": "stopPropagation",
      "TypeName": "System.Boolean",
      "Documentation": "Specifies whether to prevent further propagation of the '@onblur' event.",
      "Metadata": {
        "Common.PropertyName": "StopPropagation"
      }
    }
  ]
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.FocusEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 2144213744,
  "Kind": "Components.EventHandler",
  "Name": "onfocusin",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onfocusin' attribute to the provided string or delegate value. A delegate must be marked with the '@onfocusin:preventDefault' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onfocusin",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onfocusin:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onfocusin:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
{
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onfocusin",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.FocusEventArgs>",
      "Documentation": "Sets the '@onfocusin' attribute to the provided string or delegate value. A delegate must be marked with the '@onfocusin:preventDefault' attribute.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onfocusin"
      },
      "BoundAttributeParameters": [
        {

```



```

        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onfocusi",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.FocusEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -837905285,
    "Kind": "Components.EventHandler",
    "Name": "onfocusout",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onfocusout' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onfocusout",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onfocusout:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onfocusout:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "onfocusout",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Compo",
            "Documentation": "Sets the '@onfocusout' attribute to the provided string or delegate va",
            "Metadata": {

```

```

        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onfocusout"
    },
    "BoundAttributeParameters": [
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a focused event.",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onfocusout' event from the current element to the parent element.",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.FocusEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -192152648,
    "Kind": "Components.EventHandler",
    "Name": "onmouseover",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onmouseover' attribute to the provided string or delegate value (see below).",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmouseover",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmouseover:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmouseover:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
{
    "BoundAttributes": [

```

```

{
  "Kind": "Components.EventHandler",
  "Name": "@onmouseover",
  "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
  "Documentation": "Sets the '@onmouseover' attribute to the provided string or delegate value.",
  "Metadata": {
    "Components.IsWeaklyTyped": "True",
    "Common.DirectiveAttribute": "True",
    "Common.PropertyName": "onmouseover"
  },
  "BoundAttributeParameters": [
    {
      "Name": "preventDefault",
      "TypeName": "System.Boolean",
      "Documentation": "Specifies whether to cancel (if cancelable) the default action that would normally occur.",
      "Metadata": {
        "Common.PropertyName": "PreventDefault"
      }
    },
    {
      "Name": "stopPropagation",
      "TypeName": "System.Boolean",
      "Documentation": "Specifies whether to prevent further propagation of the '@onmouseover' event.",
      "Metadata": {
        "Common.PropertyName": "StopPropagation"
      }
    }
  ]
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 506136188,
  "Kind": "Components.EventHandler",
  "Name": "onmouseout",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the 'onmouseout' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "onmouseout",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "onmouseout:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "onmouseout:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
}

```

```

    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onmouseout",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
    "Documentation": "Sets the '@onmouseout' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onmouseout"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onmouseout' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
},
{
  "HashCode": 777164811,
  "Kind": "Components.EventHandler",
  "Name": "@onmouseleave",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onmouseleave' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onmouseleave",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onmouseleave:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {

```

```

        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onmouseleave:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onmouseleave",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
            "Documentation": "Sets the '@onmouseleave' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onmouseleave"
            }
        },
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onmouseleave' event.",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 552393234,
    "Kind": "Components.EventHandler",
    "Name": "onmouseenter",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onmouseenter' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmouseenter",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onmouseenter:preventDefault",
                "Metadata": {

```

```

        "Common.DirectiveAttribute": "True"
    }
}
],
},
{
    "TagName": "*",
    "Attributes": [
        {
            "Name": "@onmouseenter:stopPropagation",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ]
}
],
},
"BoundAttributes": [
{
    "Kind": "Components.EventHandler",
    "Name": "@onmouseenter",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
    "Documentation": "Sets the '@onmouseenter' attribute to the provided string or delegate value.",
    "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onmouseenter"
    },
    "BoundAttributeParameters": [
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onmouseenter' event.",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
}
],
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -670991010,
    "Kind": "Components.EventHandler",
    "Name": "onmousemove",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onmousemove' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmousemove",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
},

```

```

{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onmousemove:preventDefault",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onmousemove:stopPropagation",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
}
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onmousemove",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
    "Documentation": "Sets the '@onmousemove' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onmousemove"
    }
  },
  {
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur upon the user activating the linked element.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onmousemove' event from the current element to its parents in the DOM.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 486044559,
  "Kind": "Components.EventHandler",
  "Name": "onmousedown",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onmousedown' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onmousedown",

```

```

        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    ],
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onmousedown:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onmousedown:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onmousedown",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
        "Documentation": "Sets the '@onmousedown' attribute to the provided string or delegate value.",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onmousedown"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without component intervention.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onmousedown' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -2124330017,
    "Kind": "Components.EventHandler",
    "Name": "onmouseup",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onmouseup' attribute to the provided string or delegate value.",
    "CaseSensitive": true,

```



```

"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onmouseup",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onmouseup:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onmouseup:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onmouseup",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
    "Documentation": "Sets the '@onmouseup' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onmouseup"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been intercepted.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onmouseup' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{

```

```

"HashCode": 1635644004,
"Kind": "Components.EventHandler",
"Name": "onclick",
"AssemblyName": "Microsoft.AspNetCore.Components",
"Documentation": "Sets the '@onclick' attribute to the provided string or delegate value. A (
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onclick",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onclick:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onclick:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onclick",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.IComponent>",
    "Documentation": "Sets the '@onclick' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onclick"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs after an event.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onclick' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",

```

```

        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    },
    {
        "HashCode": 194935198,
        "Kind": "Components.EventHandler",
        "Name": "ondblclick",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Sets the '@ondblclick' attribute to the provided string or delegate value.",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@ondblclick",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@ondblclick:preventDefault",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@ondblclick:stopPropagation",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.EventHandler",
                "Name": "@ondblclick",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
                "Documentation": "Sets the '@ondblclick' attribute to the provided string or delegate value.",
                "Metadata": {
                    "Components.IsWeaklyTyped": "True",
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "ondblclick"
                },
                "BoundAttributeParameters": [
                    {
                        "Name": "preventDefault",
                        "TypeName": "System.Boolean",
                        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
                        "Metadata": {
                            "Common.PropertyName": "PreventDefault"
                        }
                    },
                    {
                        "Name": "stopPropagation",
                        "TypeName": "System.Boolean",
                        "Documentation": "Specifies whether to prevent further propagation of the '@ondblclick' event.",
                        "Metadata": {
                            "Common.PropertyName": "StopPropagation"
                        }
                    }
                ]
            }
        ]
    }
}

```

```

    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 412882477,
    "Kind": "Components.EventHandler",
    "Name": "onwheel",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onwheel' attribute to the provided string or delegate value. A",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onwheel",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onwheel:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onwheel:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onwheel",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.MouseEventArgs>",
            "Documentation": "Sets the '@onwheel' attribute to the provided string or delegate value",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onwheel"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@onwheel'"
                }
            ]
        }
    ]
}

```

```

        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
}
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.WheelEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -280166337,
    "Kind": "Components.EventHandler",
    "Name": "onmousewheel",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onmousewheel' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmousewheel",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmousewheel:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onmousewheel:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onmousewheel",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.WheelEventArgs>",
            "Documentation": "Sets the '@onmousewheel' attribute to the provided string or delegate value",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onmousewheel"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onmouseover' attribute to the provided string or delegate value.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
]
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.WheelEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -2085820741,
  "Kind": "Components.EventHandler",
  "Name": "oncontextmenu",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@oncontextmenu' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncontextmenu",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncontextmenu:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncontextmenu:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@oncontextmenu",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.WheelEventArgs>",
      "Documentation": "Sets the '@oncontextmenu' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "oncontextmenu"
      },
      "BoundAttributeParameters": [

```

```

        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@oncontext",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.MouseEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1586847747,
    "Kind": "Components.EventHandler",
    "Name": "ondrag",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ondrag' attribute to the provided string or delegate value. A d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ondrag",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@ondrag:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
},
{
    "TagName": "*",
    "Attributes": [
        {
            "Name": "@ondrag:stopPropagation",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ]
}
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@ondrag",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Compon",
        "Documentation": "Sets the '@ondrag' attribute to the provided string or delegate value."
    }
]

```

```

    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "ondrag"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a DOM event being dispatched.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ondrag' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  },
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 64220429,
  "Kind": "Components.EventHandler",
  "Name": "ondragend",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ondragend' attribute to the provided string or delegate value. A delegate must be marked with the '@ondragend' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragend",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragend:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragend:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
],

```



```

"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@ondragend",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
    "Documentation": "Sets the '@ondragend' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "ondragend"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event listener.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ondragend' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  },
  {
    "Name": "@ondragenter",
    "Kind": "Components.EventHandler",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
    "Documentation": "Sets the '@ondragenter' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@ondragenter",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@ondragenter:preventDefault",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@ondragenter:stopPropagation",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -1522173863,
  "Kind": "Components.EventHandler",
  "Name": "ondragenter",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ondragenter' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "ondragenter",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "ondragenter:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "ondragenter:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
}

```

```

        "Common.DirectiveAttribute": "True"
    }
}
]
},
"BoundAttributes": [
{
    "Kind": "Components.EventHandler",
    "Name": "@ondragenter",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
    "Documentation": "Sets the '@ondragenter' attribute to the provided string or delegate value.",
    "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "ondragenter"
    },
    "BoundAttributeParameters": [
    {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ondragenter' event.",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
    ]
}
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -1825643019,
    "Kind": "Components.EventHandler",
    "Name": "ondragleave",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ondragleave' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
    {
        "TagName": "*",
        "Attributes": [
        {
            "Name": "@ondragleave",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
        {
            "Name": "@ondragleave:preventDefault",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
        ]
    }
    ],
}
},

```

```

    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragleave:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@ondragleave",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
      "Documentation": "Sets the '@ondragleave' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "ondragleave"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur unless the 'preventDefault()' method is invoked on the event object.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@ondragleave' event.",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 261295196,
  "Kind": "Components.EventHandler",
  "Name": "ondragover",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ondragover' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragover",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@ondragover:preventDefault",

```

```

        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    ],
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@ondragover:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
},
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@ondragover",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
        "Documentation": "Sets the '@ondragover' attribute to the provided string or delegate value",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "ondragover"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would occur in a browser when the user clicks or touches an element.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@ondragover' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -192393978,
    "Kind": "Components.EventHandler",
    "Name": "ondragstart",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ondragstart' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ondragstart",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragstart:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondragstart:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@ondragstart",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
      "Documentation": "Sets the '@ondragstart' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "ondragstart"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur unless the 'ondragstart' event property is set to false.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@ondragstart' event.",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 1333152763,
  "Kind": "Components.EventHandler",
  "Name": "ondrop",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ondrop' attribute to the provided string or delegate value. A delegate must be marked with the '@EventHandler' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {

```

```

        "Name": "@ondrop",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@ondrop:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@ondrop:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@ondrop",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.DragEventArgs>",
        "Documentation": "Sets the '@ondrop' attribute to the provided string or delegate value.",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "ondrop"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur upon the user interacting with the element.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@ondrop' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.DragEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": 560798881,
    "Kind": "Components.EventHandler",
    "Name": "onkeydown",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onkeydown' attribute to the provided string or delegate value."
}

```

```

"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onkeydown",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onkeydown:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onkeydown:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onkeydown",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.KeyboardEventArgs>",
    "Documentation": "Sets the '@onkeydown' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onkeydown"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been intercepted.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onkeydown' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.KeyboardEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},

```

```

{
  "HashCode": 1495902606,
  "Kind": "Components.EventHandler",
  "Name": "onkeyup",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onkeyup' attribute to the provided string or delegate value. A",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onkeyup",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onkeyup:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onkeyup:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onkeyup",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components",
      "Documentation": "Sets the '@onkeyup' attribute to the provided string or delegate value",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onkeyup"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@onkeyup'",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",

```



```

        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.KeyboardEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    },
    },
    {
        "HashCode": -907159950,
        "Kind": "Components.EventHandler",
        "Name": "onkeypress",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Sets the '@onkeypress' attribute to the provided string or delegate value.",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onkeypress",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onkeypress:preventDefault",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onkeypress:stopPropagation",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.EventHandler",
                "Name": "@onkeypress",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.KeyboardEventArgs>",
                "Documentation": "Sets the '@onkeypress' attribute to the provided string or delegate value.",
                "Metadata": {
                    "Components.IsWeaklyTyped": "True",
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "onkeypress"
                }
            },
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would normally occur.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onkeypress' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
]

```

```

    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.KeyboardEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -2143557751,
  "Kind": "Components.EventHandler",
  "Name": "onchange",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onchange' attribute to the provided string or delegate value. A",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onchange",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onchange:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onchange:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onchange",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.KeyboardEventArgs>",
      "Documentation": "Sets the '@onchange' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onchange"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would be performed by the browser.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",

```

```

        "Documentation": "Specifies whether to prevent further propagation of the '@onchange' attribute.",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    },
    ],
    },
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.ChangeEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 827811498,
    "Kind": "Components.EventHandler",
    "Name": "oninput",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@oninput' attribute to the provided string or delegate value. A delegate must be marked with the '@oninput' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oninput",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oninput:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oninput:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@oninput",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.ChangeEventArgs>",
            "Documentation": "Sets the '@oninput' attribute to the provided string or delegate value. A delegate must be marked with the '@oninput' attribute.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "oninput"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event listener.",
                    "Metadata": {

```

```

        "Common.PropertyName": "PreventDefault"
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@oninput' event.",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.ChangeEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1918982581,
    "Kind": "Components.EventHandler",
    "Name": "oninvalid",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@oninvalid' attribute to the provided string or delegate value. A delegate must be marked with the '@oninvalid' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oninvalid",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oninvalid:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oninvalid:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@oninvalid",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@oninvalid' attribute to the provided string or delegate value. A delegate must be marked with the '@oninvalid' attribute.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "oninvalid"
            }
        },

```

```

    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a DOM event being dispatched.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@oninvalid' event once the cancelable event has been dispatched.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  },
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -876073057,
  "Kind": "Components.EventHandler",
  "Name": "onreset",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onreset' attribute to the provided string or delegate value. A delegate must be marked with the '@onreset' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onreset",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onreset:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onreset:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onreset",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",

```

```

        "Documentation": "Sets the '@onreset' attribute to the provided string or delegate value",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onreset"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a DOM event being dispatched.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onreset' event after the current event has been triggered.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    },
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1348196808,
    "Kind": "Components.EventHandler",
    "Name": "onselect",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onselect' attribute to the provided string or delegate value. A delegate must be marked as \"EventCallback\" using the \"EventCallback\" attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onselect",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onselect:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onselect:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    ],
    "BoundAttributes": [
      {
        "Kind": "Components.EventHandler",
        "Name": "@onselect",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onselect' attribute to the provided string or delegate value",
        "Metadata": {
          "Components.IsWeaklyTyped": "True",
          "Common.DirectiveAttribute": "True",
          "Common.PropertyName": "onselect"
        },
        "BoundAttributeParameters": [
          {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur",
            "Metadata": {
              "Common.PropertyName": "PreventDefault"
            }
          },
          {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onselect' event",
            "Metadata": {
              "Common.PropertyName": "StopPropagation"
            }
          }
        ]
      }
    ],
    "Metadata": {
      "Common.ClassifyAttributesOnly": "True",
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
      "Common.TypeNameIdentifier": "EventHandlers",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
      "Components.EventHandler.EventArgs": "System.EventArgs",
      "Components.IsSpecialKind": "Components.EventHandler",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": -258740556,
    "Kind": "Components.EventHandler",
    "Name": "onselectstart",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the 'onselectstart' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onselectstart",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onselectstart:preventDefault",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onselectstart:stopPropagation",

```

```

        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    }
}
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onselectstart",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onselectstart' attribute to the provided string or delegate",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onselectstart"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onselectstart' event",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -1349378188,
    "Kind": "Components.EventHandler",
    "Name": "onselectionchange",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onselectionchange' attribute to the provided string or delegate",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onselectionchange",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onselectionchange:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
]
}

```



```

    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onselectionchange:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onselectionchange",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
      "Documentation": "Sets the '@onselectionchange' attribute to the provided string or delegate value. A",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onselectionchange"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would be performed by the browser.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@onselect",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -252489603,
  "Kind": "Components.EventHandler",
  "Name": "onsubmit",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onsubmit' attribute to the provided string or delegate value. A",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onsubmit",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {

```

```

        "Name": "@onsubmit:preventDefault",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onsubmit:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onsubmit",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onsubmit' attribute to the provided string or delegate value",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onsubmit"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would be performed by the browser.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onsubmit' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -1447571333,
    "Kind": "Components.EventHandler",
    "Name": "onbeforecopy",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the 'onbeforecopy' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "onbeforecopy",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onbeforecopy:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onbeforecopy:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onbeforecopy",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onbeforecopy' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onbeforecopy"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onbeforecopy' event",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 538702271,
  "Kind": "Components.EventHandler",
  "Name": "onbeforecut",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onbeforecut' attribute to the provided string or delegate value",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [

```

```

        {
            "Name": "@onbeforecut",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onbeforecut:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onbeforecut:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onbeforecut",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onbeforecut' attribute to the provided string or delegate v",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onbeforecut"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onbeforec",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -1980936668,
    "Kind": "Components.EventHandler",
    "Name": "onbeforepaste",
    "AssemblyName": "Microsoft.AspNetCore.Components",

```

```

"Documentation": "Sets the '@onbeforepaste' attribute to the provided string or delegate value",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onbeforepaste",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onbeforepaste:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onbeforepaste:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onbeforepaste",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onbeforepaste' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onbeforepaste"
    }
  },
  {
    "Name": "preventDefault",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
    "Metadata": {
      "Common.PropertyName": "PreventDefault"
    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onbeforepaste' event.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}

```

```

},
{
  "HashCode": -1236425356,
  "Kind": "Components.EventHandler",
  "Name": "oncopy",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@oncopy' attribute to the provided string or delegate value. A d",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncopy",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncopy:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncopy:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@oncopy",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.IComponent>",
      "Documentation": "Sets the '@oncopy' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "oncopy"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@oncopy' e",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",

```

```

        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ClipboardEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1549652087,
    "Kind": "Components.EventHandler",
    "Name": "oncut",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@oncut' attribute to the provided string or delegate value. A de
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oncut",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oncut:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oncut:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@oncut",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ClipboardEventArgs>",
            "Documentation": "Sets the '@oncut' attribute to the provided string or delegate value. /
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "oncut"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action tha
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@oncut' ev
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ]
}

```

```

    ]
  }
},
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ClipboardEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -1724090699,
  "Kind": "Components.EventHandler",
  "Name": "onpaste",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onpaste' attribute to the provided string or delegate value. A",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onpaste",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onpaste:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onpaste:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onpaste",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ClipboardEventArgs>",
    "Documentation": "Sets the '@onpaste' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onpaste"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",

```



```

    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onpaste'",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ClipboardEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
},
{
  "HashCode": -1931684003,
  "Kind": "Components.EventHandler",
  "Name": "ontouchcancel",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ontouchcancel' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchcancel",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchcancel:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchcancel:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@ontouchcancel",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ClipboardEventArgs>",
      "Documentation": "Sets the '@ontouchcancel' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "ontouchcancel"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur unless the event's cancelable attribute value is false or the event's defaultPrevented attribute value is true."
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the event."
        }
      ]
    }
  ]
}

```

```

        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ontouchend' event.",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.TouchEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -592624034,
    "Kind": "Components.EventHandler",
    "Name": "ontouchend",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ontouchend' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontouchend",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontouchend:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontouchend:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@ontouchend",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.TouchEventArgs>",
            "Documentation": "Sets the '@ontouchend' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "ontouchend"
            }
        }
    ]
}

```

```

    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ontouchmove'",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  },
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.TouchEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -1197883519,
  "Kind": "Components.EventHandler",
  "Name": "@ontouchmove",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ontouchmove' attribute to the provided string or delegate value",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchmove",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchmove:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchmove:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@ontouchmove",

```

```

"TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.TouchEventArgs>",
"Documentation": "Sets the '@ontouchmove' attribute to the provided string or delegate value.",
"Metadata": {
  "Components.IsWeaklyTyped": "True",
  "Common.DirectiveAttribute": "True",
  "Common.PropertyName": "ontouchmove"
},
"BoundAttributeParameters": [
  {
    "Name": "preventDefault",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur under the current event category and bubbling phase.",
    "Metadata": {
      "Common.PropertyName": "PreventDefault"
    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@ontouchmove' event.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
]
},
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.TouchEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
},
{
  "HashCode": -1826533470,
  "Kind": "Components.EventHandler",
  "Name": "ontouchstart",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ontouchstart' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchstart",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@ontouchstart:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@ontouchstart:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
]
}
]

```

```

    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@ontouchstart",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.TouchEventArgs>",
      "Documentation": "Sets the '@ontouchstart' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "ontouchstart"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been intercepted.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@ontouchstart' event.",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.TouchEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 546425122,
  "Kind": "Components.EventHandler",
  "Name": "ontouchenter",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ontouchenter' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ontouchenter",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@ontouchenter:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [

```

```

        "Name": "@ontouchenter:stopPropagation",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    }
]
},
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@ontouchenter",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.TouchEventArgs>",
        "Documentation": "Sets the '@ontouchenter' attribute to the provided string or delegate value.",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "ontouchenter"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@ontouchenter' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.TouchEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -1867429978,
    "Kind": "Components.EventHandler",
    "Name": "ontouchleave",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ontouchleave' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontouchleave",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontouchleave:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@ontouchleave:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@ontouchleave",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.TouchEventArgs>",
    "Documentation": "Sets the '@ontouchleave' attribute to the provided string or delegate v",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "ontouchleave"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ontouchle",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.TouchEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 535065876,
  "Kind": "Components.EventHandler",
  "Name": "ongotpointercapture",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ongotpointercapture' attribute to the provided string or delega",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ongotpointercapture",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [

```

```

        {
            "Name": "@ongotpointercapture:preventDefault",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@ongotpointercapture:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@ongotpointercapture",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.PointerEventArgs>",
        "Documentation": "Sets the '@ongotpointercapture' attribute to the provided string or delegate",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "ongotpointercapture"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@ongotpointercapture' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -523423676,
    "Kind": "Components.EventHandler",
    "Name": "@onlostpointercapture",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onlostpointercapture' attribute to the provided string or delegate",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onlostpointercapture",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```



```

    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onlostpointercapture:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onlostpointercapture:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onlostpointercapture",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.PointerEventArgs>",
    "Documentation": "Sets the '@onlostpointercapture' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onlostpointercapture"
    }
  },
  {
    "Name": "preventDefault",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
    "Metadata": {
      "Common.PropertyName": "PreventDefault"
    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onlostpointercapture' event.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
},
{
  "HashCode": -633756568,
  "Kind": "Components.EventHandler",
  "Name": "onpointercancel",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onpointercancel' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",

```

```

        "Attributes": [
            {
                "Name": "@onpointercancel",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ],
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointercancel:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointercancel:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onpointercancel",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.PointerEventArgs>",
            "Documentation": "Sets the '@onpointercancel' attribute to the provided string or delegate.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onpointercancel"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@onpointercancel' event.",
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 38837931,
    "Kind": "Components.EventHandler",
    "Name": "onpointerdown",

```

```

"AssemblyName": "Microsoft.AspNetCore.Components",
"Documentation": "Sets the '@onpointerdown' attribute to the provided string or delegate value",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onpointerdown",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onpointerdown:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onpointerdown:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onpointerdown",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.PointerEventArgs>",
    "Documentation": "Sets the '@onpointerdown' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onpointerdown"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event listener.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onpointerdown' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}

```

```

    }
  },
  {
    "HashCode": -105525423,
    "Kind": "Components.EventHandler",
    "Name": "onpointerenter",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onpointerenter' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onpointerenter",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onpointerenter:preventDefault",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onpointerenter:stopPropagation",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.EventHandler",
        "Name": "@onpointerenter",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Action<T>>",
        "Documentation": "Sets the '@onpointerenter' attribute to the provided string or delegate value.",
        "Metadata": {
          "Components.IsWeaklyTyped": "True",
          "Common.DirectiveAttribute": "True",
          "Common.PropertyName": "onpointerenter"
        },
        "BoundAttributeParameters": [
          {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred in response to the event.",
            "Metadata": {
              "Common.PropertyName": "PreventDefault"
            }
          },
          {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onpointerenter' event.",
            "Metadata": {
              "Common.PropertyName": "StopPropagation"
            }
          }
        ]
      }
    ],
    "Metadata": {
      "Common.ClassifyAttributesOnly": "True",

```

```

        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1135148989,
    "Kind": "Components.EventHandler",
    "Name": "onpointerleave",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onpointerleave' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerleave",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerleave:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerleave:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onpointerleave",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.PointerEventArgs>",
            "Documentation": "Sets the '@onpointerleave' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onpointerleave"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event listener.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@onpointerleave' event.",
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  ]
}
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -1599248367,
  "Kind": "Components.EventHandler",
  "Name": "onpointermove",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onpointermove' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onpointermove",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onpointermove:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onpointermove:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onpointermove",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.PointerEventArgs>",
      "Documentation": "Sets the '@onpointermove' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onpointermove"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event listener.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        }
      ]
    }
  ]
}

```

```

        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onpointerout' attribute to the provided string or delegate value (an event handler).",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
}
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 1078418113,
    "Kind": "Components.EventHandler",
    "Name": "onpointerout",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onpointerout' attribute to the provided string or delegate value (an event handler).",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerout",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerout:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerout:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onpointerout",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.PointerEventArgs>",
            "Documentation": "Sets the '@onpointerout' attribute to the provided string or delegate value (an event handler).",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onpointerout"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",

```

```

        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha
        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onpointer
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -1250356450,
    "Kind": "Components.EventHandler",
    "Name": "onpointerover",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onpointerover' attribute to the provided string or delegate val
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerover",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerover:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerover:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onpointerover",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Compon
            "Documentation": "Sets the '@onpointerover' attribute to the provided string or delegate
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",

```



```

        "Common.PropertyName": "onpointerover"
    },
    "BoundAttributeParameters": [
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a pointer event.",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onpointerup' event.",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.PointerEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -1115536250,
    "Kind": "Components.EventHandler",
    "Name": "onpointerup",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onpointerup' attribute to the provided string or delegate value (see OnEventAsDelegate for more details).",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerup",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerup:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerup:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",

```

```

        "Name": "@onpointerup",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.EventArgs>",
        "Documentation": "Sets the '@onpointerup' attribute to the provided string or delegate value.",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onpointerup"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur upon the user interacting with the element.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onpointerup' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    },
    {
        "Name": "oncanplay",
        "Kind": "Components.EventHandler",
        "HashCode": -244549111,
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Sets the '@oncanplay' attribute to the provided string or delegate value.",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@oncanplay",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@oncanplay:preventDefault",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@oncanplay:stopPropagation",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ]
    }
]

```

```

    ]
  }
},
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@oncanplay",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@oncanplay' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "oncanplay"
    }
  },
  {
    "Name": "preventDefault",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur",
    "Metadata": {
      "Common.PropertyName": "PreventDefault"
    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@oncanplay' event",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
]
},
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 1203781880,
  "Kind": "Components.EventHandler",
  "Name": "oncanplaythrough",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@oncanplaythrough' attribute to the provided string or delegate value",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncanplaythrough",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
          "Name": "@oncanplaythrough:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [

```

```

        {
            "Name": "@oncanplaythrough:stopPropagation",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@oncanplaythrough",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@oncanplaythrough' attribute to the provided string or delegate value",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "oncanplaythrough"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would be performed by the browser.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@oncanplaythrough' event.",
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -737463912,
    "Kind": "Components.EventHandler",
    "Name": "@oncuechange",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@oncuechange' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@oncuechange",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@oncuechange:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
}

```

```

    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@oncuechange:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@oncuechange",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@oncuechange' attribute to the provided string or delegate v",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "oncuechange"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@oncuecha",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 470200353,
  "Kind": "Components.EventHandler",
  "Name": "ondurationchange",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@ondurationchange' attribute to the provided string or delegate v",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@ondurationchange",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",

```

```

        "Attributes": [
            {
                "Name": "@ondurationchange:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ],
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ondurationchange:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@ondurationchange",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@ondurationchange' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "ondurationchange"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@ondurationchange' event.",
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 698597157,
    "Kind": "Components.EventHandler",
    "Name": "onemptied",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onemptied' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onemptied",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onemptied:preventDefault",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onemptied:stopPropagation",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
}
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onemptied",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onemptied' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onemptied"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred in response to the event.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onemptied' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -1991707971,
  "Kind": "Components.EventHandler",
  "Name": "onpause",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onpause' attribute to the provided string or delegate value. A delegate must be marked with the '@onpause' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {

```

```

        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onpause",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onpause:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onpause:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onpause",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onpause' attribute to the provided string or delegate value",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onpause"
        }
    },
    {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a DOM event being dispatched.",
        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onpause' event from the current element to the parent element.",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": 1550770816,
    "Kind": "Components.EventHandler",

```



```

    "Name": "onplay",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onplay' attribute to the provided string or delegate value. A d",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onplay",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onplay:preventDefault",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@onplay:stopPropagation",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      }
    ],
    "BoundAttributes": [
      {
        "Kind": "Components.EventHandler",
        "Name": "@onplay",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onplay' attribute to the provided string or delegate value.",
        "Metadata": {
          "Components.IsWeaklyTyped": "True",
          "Common.DirectiveAttribute": "True",
          "Common.PropertyName": "onplay"
        },
        "BoundAttributeParameters": [
          {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
            "Metadata": {
              "Common.PropertyName": "PreventDefault"
            }
          },
          {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onplay' ",
            "Metadata": {
              "Common.PropertyName": "StopPropagation"
            }
          }
        ]
      }
    ],
    "Metadata": {
      "Common.ClassifyAttributesOnly": "True",
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
      "Common.TypeNameIdentifier": "EventHandlers",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
      "Components.EventHandler.EventArgs": "System.EventArgs",
      "Components.IsSpecialKind": "Components.EventHandler",

```

```

    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -978587199,
  "Kind": "Components.EventHandler",
  "Name": "onplaying",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onplaying' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onplaying",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onplaying:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onplaying:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onplaying",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
      "Documentation": "Sets the '@onplaying' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onplaying"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have been performed by the browser.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@onplaying' event.",
          "Metadata": {
            "Common.PropertyName": "StopPropagation"
          }
        }
      ]
    }
  ],
  "Metadata": {

```

```

        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1576758324,
    "Kind": "Components.EventHandler",
    "Name": "onratechange",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onratechange' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onratechange",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onratechange:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onratechange:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onratechange",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@onratechange' attribute to the provided string or delegate value",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onratechange"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@onratechange' event.",
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  ]
}
},
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 1513960399,
  "Kind": "Components.EventHandler",
  "Name": "onseeked",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onseeked' attribute to the provided string or delegate value. A",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onseeked",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onseeked:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onseeked:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onseeked",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
      "Documentation": "Sets the '@onseeked' attribute to the provided string or delegate value",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onseeked"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        }
      ],

```

```

        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onseeked' attribute to the provided string or delegate value.",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1492634280,
    "Kind": "Components.EventHandler",
    "Name": "onseeking",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onseeking' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onseeking",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onseeking:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onseeking:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "onseeking",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@onseeking' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onseeking"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",

```

```

        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that  

        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onseeking  

        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 2007950103,
    "Kind": "Components.EventHandler",
    "Name": "onstalled",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onstalled' attribute to the provided string or delegate value. /  

    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onstalled",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onstalled:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onstalled:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onstalled",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@onstalled' attribute to the provided string or delegate val  

            "Metadata": {
                "Components.IsWeaklyTyped": "True",

```

```

        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onstalled"
    },
    "BoundAttributeParameters": [
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onstalled",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": -1463293492,
    "Kind": "Components.EventHandler",
    "Name": "onstop",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onstop' attribute to the provided string or delegate value. A d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onstop",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onstop:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onstop:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [

```

```

"Kind": "Components.EventHandler",
"Name": "@onstop",
"TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
"Documentation": "Sets the '@onstop' attribute to the provided string or delegate value.",
"Metadata": {
  "Components.IsWeaklyTyped": "True",
  "Common.DirectiveAttribute": "True",
  "Common.PropertyName": "onstop"
},
"BoundAttributeParameters": [
  {
    "Name": "preventDefault",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to cancel (if cancelable) the default action that triggers the event.",
    "Metadata": {
      "Common.PropertyName": "PreventDefault"
    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onstop' event.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
]
},
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -1959404881,
  "Kind": "Components.EventHandler",
  "Name": "onsuspend",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onsuspend' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onsuspend",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onsuspend:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onsuspend:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
}

```



```

    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onsuspend",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onsuspend' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onsuspend"
    }
  },
  {
    "Name": "preventDefault",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred in response to the event.",
    "Metadata": {
      "Common.PropertyName": "PreventDefault"
    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onsuspend' event.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
]
},
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -741955873,
  "Kind": "Components.EventHandler",
  "Name": "@onupdate",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onupdate' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onupdate",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onupdate:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
{
  "TagName": "*",

```

```

        "Attributes": [
            {
                "Name": "@ontimeupdate:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@ontimeupdate",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@ontimeupdate' attribute to the provided string or delegate va",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "ontimeupdate"
            }
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@ontimeup",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 997054398,
    "Kind": "Components.EventHandler",
    "Name": "onvolumechange",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onvolumechange' attribute to the provided string or delegate va",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onvolumechange",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onvolumechange:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onvolumechange:stopPropagation",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
}
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onvolumechange",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onvolumechange' attribute to the provided string or delegate.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onvolumechange"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onvolumechange' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 597884196,
  "Kind": "Components.EventHandler",
  "Name": "onwaiting",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onwaiting' attribute to the provided string or delegate value.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onwaiting",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
},
{

```

```

        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onwaiting:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onwaiting:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onwaiting",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onwaiting' attribute to the provided string or delegate value",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onwaiting"
        }
    },
    {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred",
        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onwaiting' event",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -2001330797,
    "Kind": "Components.EventHandler",
    "Name": "onloadstart",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onloadstart' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onloadstart",
                    "Metadata": {

```

```

        "Common.DirectiveAttribute": "True"
    }
}
],
},
{
    "TagName": "*",
    "Attributes": [
        {
            "Name": "@onloadstart:preventDefault",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ]
},
{
    "TagName": "*",
    "Attributes": [
        {
            "Name": "@onloadstart:stopPropagation",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ]
}
],
},
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onloadstart",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ProgressEventArgs>",
        "Documentation": "Sets the '@onloadstart' attribute to the provided string or delegate value.",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onloadstart"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onloadstart' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ProgressEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 390732033,
    "Kind": "Components.EventHandler",
    "Name": "onmouseout",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onmouseout' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [

```

```

{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onetimeout",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onetimeout:preventDefault",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onetimeout:stopPropagation",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onetimeout",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.EventArgs>",
    "Documentation": "Sets the '@onetimeout' attribute to the provided string or delegate value.",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onetimeout"
    }
  },
  {
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onetimeout' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ProgressEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 1679387603,

```

```

"Kind": "Components.EventHandler",
"Name": "onabort",
"AssemblyName": "Microsoft.AspNetCore.Components",
"Documentation": "Sets the '@onabort' attribute to the provided string or delegate value. A  

"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onabort",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onabort:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onabort:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onabort",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.EventHandlerArgs>",
    "Documentation": "Sets the '@onabort' attribute to the provided string or delegate value",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onabort"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that  

        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onabort'  

        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ProgressEventArgs"
}

```

```

        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    },
},
{
    "HashCode": -960804211,
    "Kind": "Components.EventHandler",
    "Name": "onload",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onload' attribute to the provided string or delegate value. A d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onload",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onload:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onload:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onload",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components",
            "Documentation": "Sets the '@onload' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onload"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@onload' ",
                    "Metadata": {
                        "Common.PropertyName": "StopPropagation"
                    }
                }
            ]
        }
    ],
},
],

```



```

"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ProgressEventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
},
},
{
  "HashCode": 299596448,
  "Kind": "Components.EventHandler",
  "Name": "onloadend",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onloadend' attribute to the provided string or delegate value. /",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onloadend",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onloadend:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onloadend:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "onloadend",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ProgressEventArgs>",
      "Documentation": "Sets the '@onloadend' attribute to the provided string or delegate value.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onloadend"
      },
      "BoundAttributeParameters": [
        {
          "Name": "preventDefault",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a browser event.",
          "Metadata": {
            "Common.PropertyName": "PreventDefault"
          }
        },
        {
          "Name": "stopPropagation",
          "TypeName": "System.Boolean",
          "Documentation": "Specifies whether to prevent further propagation of the '@onloadend' event.",
          "Metadata": {

```

```

        "Common.PropertyName": "StopPropagation"
    }
}
]
}
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ProgressEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -397574012,
    "Kind": "Components.EventHandler",
    "Name": "@onprogress",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onprogress' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onprogress",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onprogress:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onprogress:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onprogress",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ProgressEventArgs>",
            "Documentation": "Sets the '@onprogress' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onprogress"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have been performed by the browser.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                }
            ]
        }
    ]
}

```

```

    },
    {
      "Name": "stopPropagation",
      "TypeName": "System.Boolean",
      "Documentation": "Specifies whether to prevent further propagation of the '@onprogress' event.",
      "Metadata": {
        "Common.PropertyName": "StopPropagation"
      }
    }
  ]
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ProgressEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 960407131,
  "Kind": "Components.EventHandler",
  "Name": "onerror",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onerror' attribute to the provided string or delegate value. A delegate must be marked with the '@onerror' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onerror",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onerror:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onerror:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
{
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onerror",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<Microsoft.AspNetCore.Components.Web.ProgressEventArgs>",
      "Documentation": "Sets the '@onerror' attribute to the provided string or delegate value. A delegate must be marked with the '@onerror' attribute.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onerror"
      },
      "BoundAttributeParameters": [
        {

```

```

        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
        "Metadata": {
            "Common.PropertyName": "PreventDefault"
        }
    },
    {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onerror'",
        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
]
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "Microsoft.AspNetCore.Components.Web.ErrorEventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 1111653976,
    "Kind": "Components.EventHandler",
    "Name": "onactivate",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onactivate' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onactivate",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onactivate:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onactivate:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onactivate",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@onactivate' attribute to the provided string or delegate va",
            "Metadata": {

```

```

        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onactivate"
    },
    "BoundAttributeParameters": [
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs in response to a DOM event being dispatched.",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onactivate' event chain by blocking the event from reaching any additional listeners.",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1706452601,
    "Kind": "Components.EventHandler",
    "Name": "onbeforeactivate",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onbeforeactivate' attribute to the provided string or delegate value.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onbeforeactivate",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onbeforeactivate:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onbeforeactivate:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
{
    "BoundAttributes": [

```

```

{
  "Kind": "Components.EventHandler",
  "Name": "@onbeforeactivate",
  "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
  "Documentation": "Sets the '@onbeforeactivate' attribute to the provided string or delega",
  "Metadata": {
    "Components.IsWeaklyTyped": "True",
    "Common.DirectiveAttribute": "True",
    "Common.PropertyName": "onbeforeactivate"
  },
  "BoundAttributeParameters": [
    {
      "Name": "preventDefault",
      "TypeName": "System.Boolean",
      "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
      "Metadata": {
        "Common.PropertyName": "PreventDefault"
      }
    },
    {
      "Name": "stopPropagation",
      "TypeName": "System.Boolean",
      "Documentation": "Specifies whether to prevent further propagation of the '@onbefore",
      "Metadata": {
        "Common.PropertyName": "StopPropagation"
      }
    }
  ]
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 1547135310,
  "Kind": "Components.EventHandler",
  "Name": "onbeforedeactivate",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onbeforedeactivate' attribute to the provided string or delegat",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onbeforedeactivate",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onbeforedeactivate:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onbeforedeactivate:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
}

```

```

    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onbeforedeactivate",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onbeforedeactivate' attribute to the provided string or delegate",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onbeforedeactivate"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onbeforedeactivate' event",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  },
  {
    "Metadata": {
      "Common.ClassifyAttributesOnly": "True",
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
      "Common.TypeNameIdentifier": "EventHandlers",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
      "Components.EventHandler.EventArgs": "System.EventArgs",
      "Components.IsSpecialKind": "Components.EventHandler",
      "Runtime.Name": "Components.None"
    }
  },
  {
    "HashCode": 164305155,
    "Kind": "Components.EventHandler",
    "Name": "@ondeactivate",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ondeactivate' attribute to the provided string or delegate value",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@ondeactivate",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      },
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@ondeactivate:preventDefault",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      }
    ]
  },
  {
    {

```

```

        "TagName": "*",
        "Attributes": [
            {
                "Name": "@ondeactivate:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@ondeactivate",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@ondeactivate' attribute to the provided string or delegate value.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "ondeactivate"
            }
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred on the element if the event had not been canceled.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@ondeactivate' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -308362696,
    "Kind": "Components.EventHandler",
    "Name": "onended",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onended' attribute to the provided string or delegate value. A delegate must be marked with the '@onended' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onended",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onended:preventDefault",
                "Metadata": {

```



```

        "Common.DirectiveAttribute": "True"
    }
}
],
},
{
    "TagName": "*",
    "Attributes": [
        {
            "Name": "@onended:stopPropagation",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ]
}
],
},
"BoundAttributes": [
{
    "Kind": "Components.EventHandler",
    "Name": "@onended",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onended' attribute to the provided string or delegate value",
    "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onended"
    },
    "BoundAttributeParameters": [
        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action that",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onended'",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
}
],
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -1761747187,
    "Kind": "Components.EventHandler",
    "Name": "onfullscreenchange",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onfullscreenchange' attribute to the provided string or delegate",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onfullscreenchange",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
},

```

```

{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onfullscreenchange:preventDefault",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "*",
  "Attributes": [
    {
      "Name": "@onfullscreenchange:stopPropagation",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
}
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onfullscreenchange",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onfullscreenchange' attribute to the provided string or delegate",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onfullscreenchange"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would otherwise occur",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onfullscreenchange' event",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 1475616616,
  "Kind": "Components.EventHandler",
  "Name": "onfullscreenerror",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onfullscreenerror' attribute to the provided string or delegate",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onfullscreenerror",

```

```

        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    ],
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onfullscreenererror:preventDefault",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "*",
        "Attributes": [
            {
                "Name": "@onfullscreenererror:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.EventHandler",
        "Name": "@onfullscreenererror",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
        "Documentation": "Sets the '@onfullscreenererror' attribute to the provided string or delegate value",
        "Metadata": {
            "Components.IsWeaklyTyped": "True",
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "onfullscreenererror"
        },
        "BoundAttributeParameters": [
            {
                "Name": "preventDefault",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred in the browser.",
                "Metadata": {
                    "Common.PropertyName": "PreventDefault"
                }
            },
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@onfullscreenererror' event.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": 1677537379,
    "Kind": "Components.EventHandler",
    "Name": "onloadeddata",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onloadeddata' attribute to the provided string or delegate value",
    "CaseSensitive": true,

```

```

"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onloadeddata",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onloadeddata:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onloadeddata:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onloadeddata",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onloadeddata' attribute to the provided string or delegate v",
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onloadeddata"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onloaded",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.EventHandler.EventArgs": "System.EventArgs",
  "Components.IsSpecialKind": "Components.EventHandler",
  "Runtime.Name": "Components.None"
}
},
{

```

```

"HashCode": 706020592,
"Kind": "Components.EventHandler",
"Name": "onloadedmetadata",
"AssemblyName": "Microsoft.AspNetCore.Components",
"Documentation": "Sets the '@onloadedmetadata' attribute to the provided string or delegate v
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onloadedmetadata",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onloadedmetadata:preventDefault",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "*",
    "Attributes": [
      {
        "Name": "@onloadedmetadata:stopPropagation",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.EventHandler",
    "Name": "@onloadedmetadata",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
    "Documentation": "Sets the '@onloadedmetadata' attribute to the provided string or delega
    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "onloadedmetadata"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action tha
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@onloaded
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
  "Common.TypeNameIdentifier": "EventHandlers",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",

```

```

        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    },
    {
        "HashCode": -954019065,
        "Kind": "Components.EventHandler",
        "Name": "onpointerlockchange",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Sets the '@onpointerlockchange' attribute to the provided string or delegate.",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onpointerlockchange",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onpointerlockchange:preventDefault",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onpointerlockchange:stopPropagation",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.EventHandler",
                "Name": "@onpointerlockchange",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
                "Documentation": "Sets the '@onpointerlockchange' attribute to the provided string or delegate.",
                "Metadata": {
                    "Components.IsWeaklyTyped": "True",
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "onpointerlockchange"
                },
                "BoundAttributeParameters": [
                    {
                        "Name": "preventDefault",
                        "TypeName": "System.Boolean",
                        "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event listener.",
                        "Metadata": {
                            "Common.PropertyName": "PreventDefault"
                        }
                    },
                    {
                        "Name": "stopPropagation",
                        "TypeName": "System.Boolean",
                        "Documentation": "Specifies whether to prevent further propagation of the '@onpointerlockchange' event.",
                        "Metadata": {
                            "Common.PropertyName": "StopPropagation"
                        }
                    }
                ]
            }
        ]
    }
}

```

```

    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1752167825,
    "Kind": "Components.EventHandler",
    "Name": "onpointerlockerror",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onpointerlockerror' attribute to the provided string or delegat",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerlockerror",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerlockerror:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onpointerlockerror:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onpointerlockerror",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@onpointerlockerror' attribute to the provided string or del",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onpointerlockerror"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                },
                {
                    "Name": "stopPropagation",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to prevent further propagation of the '@onpointer"
                }
            ]
        }
    ]
}

```

```

        "Metadata": {
            "Common.PropertyName": "StopPropagation"
        }
    }
}
},
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 1443290801,
    "Kind": "Components.EventHandler",
    "Name": "onreadystatechange",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@onreadystatechange' attribute to the provided string or delegate.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onreadystatechange",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onreadystatechange:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@onreadystatechange:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@onreadystatechange",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@onreadystatechange' attribute to the provided string or delegate.",
            "Metadata": {
                "Components.IsWeaklyTyped": "True",
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "onreadystatechange"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "preventDefault",
                    "TypeName": "System.Boolean",
                    "Documentation": "Specifies whether to cancel (if cancelable) the default action that would have occurred without the event.",
                    "Metadata": {
                        "Common.PropertyName": "PreventDefault"
                    }
                }
            ]
        }
    ]
}

```



```

    }
  },
  {
    "Name": "stopPropagation",
    "TypeName": "System.Boolean",
    "Documentation": "Specifies whether to prevent further propagation of the '@onready' event.",
    "Metadata": {
      "Common.PropertyName": "StopPropagation"
    }
  }
]
},
{
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -2108919964,
  "Kind": "Components.EventHandler",
  "Name": "onscroll",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@onscroll' attribute to the provided string or delegate value. A value of null or an empty string will remove the attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onscroll",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onscroll:preventDefault",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@onscroll:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@onscroll",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
      "Documentation": "Sets the '@onscroll' attribute to the provided string or delegate value. A value of null or an empty string will remove the attribute.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "onscroll"
      },
      "BoundAttributeParameters": [

```

```

        {
            "Name": "preventDefault",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to cancel (if cancelable) the default action tha",
            "Metadata": {
                "Common.PropertyName": "PreventDefault"
            }
        },
        {
            "Name": "stopPropagation",
            "TypeName": "System.Boolean",
            "Documentation": "Specifies whether to prevent further propagation of the '@onscroll",
            "Metadata": {
                "Common.PropertyName": "StopPropagation"
            }
        }
    ]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 338833446,
    "Kind": "Components.EventHandler",
    "Name": "ontoggle",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Sets the '@ontoggle' attribute to the provided string or delegate value. A",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontoggle",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontoggle:preventDefault",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@ontoggle:stopPropagation",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.EventHandler",
            "Name": "@ontoggle",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
            "Documentation": "Sets the '@ontoggle' attribute to the provided string or delegate value"
        }
    ]
}

```

```

    "Metadata": {
      "Components.IsWeaklyTyped": "True",
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "ontoggle"
    },
    "BoundAttributeParameters": [
      {
        "Name": "preventDefault",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to cancel (if cancelable) the default action that occurs with the event.",
        "Metadata": {
          "Common.PropertyName": "PreventDefault"
        }
      },
      {
        "Name": "stopPropagation",
        "TypeName": "System.Boolean",
        "Documentation": "Specifies whether to prevent further propagation of the '@ontoggle' event.",
        "Metadata": {
          "Common.PropertyName": "StopPropagation"
        }
      }
    ]
  },
  "Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
    "Common.TypeNameIdentifier": "EventHandlers",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.EventHandler.EventArgs": "System.EventArgs",
    "Components.IsSpecialKind": "Components.EventHandler",
    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": 632250421,
  "Kind": "Components.EventHandler",
  "Name": "oncancel",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Sets the '@oncancel' attribute to the provided string or delegate value. A delegate must be marked with the '@oncancel' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncancel",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "*",
      "Attributes": [
        {
          "Name": "@oncancel:stopPropagation",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
{
  "BoundAttributes": [
    {
      "Kind": "Components.EventHandler",
      "Name": "@oncancel",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
      "Documentation": "Sets the '@oncancel' attribute to the provided string or delegate value. A delegate must be marked with the '@oncancel' attribute.",
      "Metadata": {
        "Components.IsWeaklyTyped": "True",
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "oncancel"
      }
    }
  ]
}

```

```

        "BoundAttributeParameters": [
            {
                "Name": "stopPropagation",
                "TypeName": "System.Boolean",
                "Documentation": "Specifies whether to prevent further propagation of the '@oncancel' attribute to the provided string or delegate value. A value of false indicates that the propagation should not be stopped.",
                "Metadata": {
                    "Common.PropertyName": "StopPropagation"
                }
            }
        ],
        "Metadata": {
            "Common.ClassifyAttributesOnly": "True",
            "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
            "Common.TypeNameIdentifier": "EventHandlers",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
            "Components.EventHandler.EventArgs": "System.EventArgs",
            "Components.IsSpecialKind": "Components.EventHandler",
            "Runtime.Name": "Components.None"
        }
    },
    {
        "HashCode": 283421548,
        "Kind": "Components.EventHandler",
        "Name": "onclose",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Sets the '@onclose' attribute to the provided string or delegate value. A value of false indicates that the propagation should not be stopped.",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@onclose",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Name": "@onclose:stopPropagation",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "BoundAttributes": [
            {
                "Kind": "Components.EventHandler",
                "Name": "@onclose",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.EventArgs>",
                "Documentation": "Sets the '@onclose' attribute to the provided string or delegate value. A value of false indicates that the propagation should not be stopped.",
                "Metadata": {
                    "Components.IsWeaklyTyped": "True",
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "onclose"
                },
                "BoundAttributeParameters": [
                    {
                        "Name": "stopPropagation",
                        "TypeName": "System.Boolean",
                        "Documentation": "Specifies whether to prevent further propagation of the '@onclose' attribute to the provided string or delegate value. A value of false indicates that the propagation should not be stopped.",
                        "Metadata": {
                            "Common.PropertyName": "StopPropagation"
                        }
                    }
                ]
            }
        ],
        "Metadata": {

```

```

        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.EventHandlers",
        "Common.TypeNameIdentifier": "EventHandlers",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.EventHandler.EventArgs": "System.EventArgs",
        "Components.IsSpecialKind": "Components.EventHandler",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1474366604,
    "Kind": "Components.Splat",
    "Name": "Attributes",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Merges a collection of attributes into the current element or component.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "@attributes",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Splat",
            "Name": "@attributes",
            "TypeName": "System.Object",
            "Documentation": "Merges a collection of attributes into the current element or component.",
            "Metadata": {
                "Common.PropertyName": "Attributes",
                "Common.DirectiveAttribute": "True"
            }
        }
    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Attributes",
        "Components.IsSpecialKind": "Components.Splat",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 186269315,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.Razor.TagHelpers.UrlResolutionTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.Razor",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.Razor.TagHelpers.UrlResolutionTagHelper'",
    "CaseSensitive": false,
    "TagMatchingRules": [
        {
            "TagName": "*",
            "Attributes": [
                {
                    "Name": "itemid",
                    "Value": "~/",
                    "ValueComparison": 2
                }
            ]
        },
        {
            "TagName": "a",
            "Attributes": [
                {
                    "Name": "href",
                    "Value": "~/",
                    "ValueComparison": 2
                }
            ]
        }
    ],
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Mvc.Razor.TagHelpers.UrlResolutionTagHelper",
        "Components.IsSpecialKind": "Components.ITagHelper",
        "Runtime.Name": "Components.UrlResolutionTagHelper"
    }
}

```

```
"TagName": "applet",
"Attributes": [
  {
    "Name": "archive",
    "Value": "~/",
    "ValueComparison": 2
  }
]
},
{
  "TagName": "area",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "href",
      "Value": "~/",
      "ValueComparison": 2
    }
  ]
},
{
  "TagName": "audio",
  "Attributes": [
    {
      "Name": "src",
      "Value": "~/",
      "ValueComparison": 2
    }
  ]
},
{
  "TagName": "base",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "href",
      "Value": "~/",
      "ValueComparison": 2
    }
  ]
},
{
  "TagName": "blockquote",
  "Attributes": [
    {
      "Name": "cite",
      "Value": "~/",
      "ValueComparison": 2
    }
  ]
},
{
  "TagName": "button",
  "Attributes": [
    {
      "Name": "formaction",
      "Value": "~/",
      "ValueComparison": 2
    }
  ]
},
{
  "TagName": "del",
  "Attributes": [
    {
      "Name": "cite",
      "Value": "~/",
      "ValueComparison": 2
    }
  ]
},
{
  "TagName": "embed",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "src",
```

```

        "Value": "~/",
        "ValueComparison": 2
    }
    ],
    },
    {
        "TagName": "form",
        "Attributes": [
            {
                "Name": "action",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    },
    {
        "TagName": "html",
        "Attributes": [
            {
                "Name": "manifest",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    },
    {
        "TagName": "iframe",
        "Attributes": [
            {
                "Name": "src",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    },
    {
        "TagName": "img",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "src",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    },
    {
        "TagName": "img",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "srcset",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "src",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "formaction",
                "Value": "~/",
                "ValueComparison": 2
            }
        ]
    }

```

```

    ]
  },
  {
    "TagName": "ins",
    "Attributes": [
      {
        "Name": "cite",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "link",
    "TagStructure": 2,
    "Attributes": [
      {
        "Name": "href",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "menuitem",
    "Attributes": [
      {
        "Name": "icon",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "object",
    "Attributes": [
      {
        "Name": "archive",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "object",
    "Attributes": [
      {
        "Name": "data",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "q",
    "Attributes": [
      {
        "Name": "cite",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "script",
    "Attributes": [
      {
        "Name": "src",
        "Value": "~/",
        "ValueComparison": 2
      }
    ]
  },
  {
    "TagName": "source",
    "TagStructure": 2,
    "Attributes": [

```



```

        {
            "Name": "src",
            "Value": "~/",
            "ValueComparison": 2
        }
    ],
},
{
    "TagName": "source",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "srcset",
            "Value": "~/",
            "ValueComparison": 2
        }
    ]
},
{
    "TagName": "track",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "src",
            "Value": "~/",
            "ValueComparison": 2
        }
    ]
},
{
    "TagName": "video",
    "Attributes": [
        {
            "Name": "src",
            "Value": "~/",
            "ValueComparison": 2
        }
    ]
},
{
    "TagName": "video",
    "Attributes": [
        {
            "Name": "poster",
            "Value": "~/",
            "ValueComparison": 2
        }
    ]
}
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.Razor.TagHelpers.UrlResolutionTagHelper",
    "Common.TypeNameIdentifier": "UrlResolutionTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.Razor.TagHelpers",
    "Runtime.Name": "ITagHelper"
}
},
{
    "HashCode": 308793562,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"&
    "CaseSensitive": false,
    "TagMatchingRules": [
        {
            "TagName": "a",
            "Attributes": [
                {
                    "Name": "asp-action"
                }
            ]
        }
    ],
},
{
    "TagName": "a",
    "Attributes": [
        {

```

```

        "Name": "asp-controller"
    }
    ],
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-area"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-page"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-page-handler"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-fragment"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-host"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-protocol"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-route"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-all-route-data"
            }
        ]
    },
    {
        "TagName": "a",
        "Attributes": [
            {
                "Name": "asp-route-",
                "NameComparison": 1
            }
        ]
    }
    ]
}

```

```

],
"BoundAttributes": [
  {
    "Kind": "ITagHelper",
    "Name": "asp-action",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Action"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-controller",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Controller"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-area",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Area"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-page",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Page"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-page-handler",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "PageHandler"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-protocol",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Protocol"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-host",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Host"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-fragment",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Fragment"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-route",

```

```

        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "Route"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-all-route-data",
        "TypeName": "System.Collections.Generic.IDictionary<System.String, System.String>",
        "IndexerNamePrefix": "asp-route-",
        "IndexerTypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "RouteValues"
        }
    }
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.AnchorTagHelper",
    "Common.TypeNameIdentifier": "AnchorTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Runtime.Name": "ITagHelper"
}
},
{
    "HashCode": 971505121,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Documentation": "<member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
    "CaseSensitive": false,
    "TagMatchingRules": [
        {
            "TagName": "cache"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "ITagHelper",
            "Name": "priority",
            "TypeName": "Microsoft.Extensions.Caching.Memory.CacheItemPriority?",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
            "Metadata": {
                "Common.PropertyName": "Priority"
            }
        },
        {
            "Kind": "ITagHelper",
            "Name": "vary-by",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
            "Metadata": {
                "Common.PropertyName": "VaryBy"
            }
        },
        {
            "Kind": "ITagHelper",
            "Name": "vary-by-header",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
            "Metadata": {
                "Common.PropertyName": "VaryByHeader"
            }
        },
        {
            "Kind": "ITagHelper",
            "Name": "vary-by-query",
            "TypeName": "System.String",
            "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
            "Metadata": {
                "Common.PropertyName": "VaryByQuery"
            }
        },
        {
            "Kind": "ITagHelper",
            "Name": "vary-by-route",

```

```

        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "VaryByRoute"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-cookie",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "VaryByCookie"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-user",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "VaryByUser"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-culture",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "VaryByCulture"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "expires-on",
        "TypeName": "System.DateTimeOffset?",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "ExpiresOn"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "expires-after",
        "TypeName": "System.TimeSpan?",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "ExpiresAfter"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "expires-sliding",
        "TypeName": "System.TimeSpan?",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "ExpiresSliding"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "enabled",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "Enabled"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper",
    "Common.TypeNameIdentifier": "CacheTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Runtime.Name": "ITagHelper"
}
},

```

```

{
  "HashCode": 197056899,
  "Kind": "ITagHelper",
  "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.ComponentTagHelper",
  "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.ComponentTagHelper'",
  "CaseSensitive": false,
  "TagMatchingRules": [
    {
      "TagName": "component",
      "TagStructure": 2,
      "Attributes": [
        {
          "Name": "type"
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "ITagHelper",
      "Name": "params",
      "TypeName": "System.Collections.Generic.IDictionary<System.String, System.Object>",
      "IndexerNamePrefix": "param-",
      "IndexerTypeName": "System.Object",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.ComponentTagHe",
      "Metadata": {
        "Common.PropertyName": "Parameters"
      }
    },
    {
      "Kind": "ITagHelper",
      "Name": "type",
      "TypeName": "System.Type",
      "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.ComponentTagHe",
      "Metadata": {
        "Common.PropertyName": "ComponentType"
      }
    },
    {
      "Kind": "ITagHelper",
      "Name": "render-mode",
      "TypeName": "Microsoft.AspNetCore.Mvc.Rendering.RenderMode",
      "IsEnum": true,
      "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.ComponentTagHe",
      "Metadata": {
        "Common.PropertyName": "RenderMode"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.ComponentTagHelper",
    "Common.TypeNameIdentifier": "ComponentTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Runtime.Name": "ITagHelper"
  }
},
{
  "HashCode": -1370691728,
  "Kind": "ITagHelper",
  "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.DistributedCacheTagHelper",
  "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.DistributedCacheTa",
  "CaseSensitive": false,
  "TagMatchingRules": [
    {
      "TagName": "distributed-cache",
      "Attributes": [
        {
          "Name": "name"
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "ITagHelper",

```

```

        "Name": "name",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.DistributedCacheTagHelper.Name\"></member>",
        "Metadata": {
            "Common.PropertyName": "Name"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryBy\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryBy"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-header",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryByHeader\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryByHeader"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-query",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryByQuery\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryByQuery"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-route",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryByRoute\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryByRoute"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-cookie",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryByCookie\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryByCookie"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-user",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryByUser\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryByUser"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "vary-by-culture",
        "TypeName": "System.Boolean",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.VaryByCulture\"></member>",
        "Metadata": {
            "Common.PropertyName": "VaryByCulture"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "expires-on",
        "TypeName": "System.DateTimeOffset?",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper.ExpiresOn\"></member>",
        "Metadata": {
            "Common.PropertyName": "ExpiresOn"
        }
    }

```

```

    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "expires-after",
    "TypeName": "System.TimeSpan?",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "ExpiresAfter"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "expires-sliding",
    "TypeName": "System.TimeSpan?",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "ExpiresSliding"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "enabled",
    "TypeName": "System.Boolean",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.CacheTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Enabled"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.DistributedCacheTagHelper",
  "Common.TypeNameIdentifier": "DistributedCacheTagHelper",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Runtime.Name": "ITagHelper"
}
},
{
  "HashCode": 1080988305,
  "Kind": "ITagHelper",
  "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.EnvironmentTagHelper",
  "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.EnvironmentTagHelper\"",
  "CaseSensitive": false,
  "TagMatchingRules": [
    {
      "TagName": "environment"
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "ITagHelper",
      "Name": "names",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.EnvironmentTag\"",
      "Metadata": {
        "Common.PropertyName": "Names"
      }
    },
    {
      "Kind": "ITagHelper",
      "Name": "include",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.EnvironmentTag\"",
      "Metadata": {
        "Common.PropertyName": "Include"
      }
    },
    {
      "Kind": "ITagHelper",
      "Name": "exclude",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.EnvironmentTag\"",
      "Metadata": {
        "Common.PropertyName": "Exclude"
      }
    }
  ]
}
}

```



```

    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.EnvironmentTagHelper",
        "Common.TypeNameIdentifier": "EnvironmentTagHelper",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
        "Runtime.Name": "ITagHelper"
    }
},
{
    "HashCode": -1977461901,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagHelper'",
    "CaseSensitive": false,
    "TagMatchingRules": [
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-action"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-controller"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-area"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-page"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-page-handler"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-fragment"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-route"
                }
            ]
        },
        {
            "TagName": "button",
            "Attributes": [
                {
                    "Name": "asp-all-route-data"
                }
            ]
        }
    ]
}

```

```

    }
  ],
},
{
  "TagName": "button",
  "Attributes": [
    {
      "Name": "asp-route-",
      "NameComparison": 1
    }
  ]
},
{
  "TagName": "input",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "type",
      "Value": "image",
      "ValueComparison": 1
    },
    {
      "Name": "asp-action"
    }
  ]
},
{
  "TagName": "input",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "type",
      "Value": "image",
      "ValueComparison": 1
    },
    {
      "Name": "asp-controller"
    }
  ]
},
{
  "TagName": "input",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "type",
      "Value": "image",
      "ValueComparison": 1
    },
    {
      "Name": "asp-area"
    }
  ]
},
{
  "TagName": "input",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "type",
      "Value": "image",
      "ValueComparison": 1
    },
    {
      "Name": "asp-page"
    }
  ]
},
{
  "TagName": "input",
  "TagStructure": 2,
  "Attributes": [
    {
      "Name": "type",
      "Value": "image",
      "ValueComparison": 1
    },

```

```

        {
            "Name": "asp-page-handler"
        }
    ],
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "image",
            "ValueComparison": 1
        },
        {
            "Name": "asp-fragment"
        }
    ]
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "image",
            "ValueComparison": 1
        },
        {
            "Name": "asp-route"
        }
    ]
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "image",
            "ValueComparison": 1
        },
        {
            "Name": "asp-all-route-data"
        }
    ]
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "image",
            "ValueComparison": 1
        },
        {
            "Name": "asp-route-",
            "NameComparison": 1
        }
    ]
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "submit",
            "ValueComparison": 1
        },
        {
            "Name": "asp-action"
        }
    ]
},
{

```

```

        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "type",
                "Value": "submit",
                "ValueComparison": 1
            },
            {
                "Name": "asp-controller"
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "type",
                "Value": "submit",
                "ValueComparison": 1
            },
            {
                "Name": "asp-area"
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "type",
                "Value": "submit",
                "ValueComparison": 1
            },
            {
                "Name": "asp-page"
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "type",
                "Value": "submit",
                "ValueComparison": 1
            },
            {
                "Name": "asp-page-handler"
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "type",
                "Value": "submit",
                "ValueComparison": 1
            },
            {
                "Name": "asp-fragment"
            }
        ]
    },
    {
        "TagName": "input",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "type",
                "Value": "submit",
                "ValueComparison": 1
            }
        ]
    }

```

```

        },
        {
            "Name": "asp-route"
        }
    ]
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "submit",
            "ValueComparison": 1
        },
        {
            "Name": "asp-all-route-data"
        }
    ]
},
{
    "TagName": "input",
    "TagStructure": 2,
    "Attributes": [
        {
            "Name": "type",
            "Value": "submit",
            "ValueComparison": 1
        },
        {
            "Name": "asp-route-",
            "NameComparison": 1
        }
    ]
}
],
"BoundAttributes": [
    {
        "Kind": "ITagHelper",
        "Name": "asp-action",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH",
        "Metadata": {
            "Common.PropertyName": "Action"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-controller",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH",
        "Metadata": {
            "Common.PropertyName": "Controller"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-area",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH",
        "Metadata": {
            "Common.PropertyName": "Area"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-page",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH",
        "Metadata": {
            "Common.PropertyName": "Page"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-page-handler",
        "TypeName": "System.String",

```

```

        "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH
        "Metadata": {
            "Common.PropertyName": "PageHandler"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-fragment",
        "TypeName": "System.String",
        "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH
        "Metadata": {
            "Common.PropertyName": "Fragment"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-route",
        "TypeName": "System.String",
        "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH
        "Metadata": {
            "Common.PropertyName": "Route"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-all-route-data",
        "TypeName": "System.Collections.Generic.IDictionary&lt;System.String, System.String&gt;",
        "IndexerNamePrefix": "asp-route-",
        "IndexerTypeName": "System.String",
        "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagH
        "Metadata": {
            "Common.PropertyName": "RouteValues"
        }
    }
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.FormActionTagHelper",
    "Common.TypeNameIdentifier": "FormActionTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Runtime.Name": "ITagHelper"
}
},
{
    "HashCode": -1482264365,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Documentation": "&lt;member name=\T:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper\&gt;"
    "CaseSensitive": false,
    "TagMatchingRules": [
        {
            "TagName": "form"
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "ITagHelper",
            "Name": "asp-action",
            "TypeName": "System.String",
            "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.
            "Metadata": {
                "Common.PropertyName": "Action"
            }
        },
        {
            "Kind": "ITagHelper",
            "Name": "asp-controller",
            "TypeName": "System.String",
            "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.
            "Metadata": {
                "Common.PropertyName": "Controller"
            }
        },
        {
            "Kind": "ITagHelper",
            "Name": "asp-area",
            "TypeName": "System.String",

```

```

        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "Area"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-page",
        "TypeName": "System.String",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "Page"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-page-handler",
        "TypeName": "System.String",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "PageHandler"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-antiforgery",
        "TypeName": "System.Boolean?",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "Antiforgery"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-fragment",
        "TypeName": "System.String",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "Fragment"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-route",
        "TypeName": "System.String",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "Route"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-all-route-data",
        "TypeName": "System.Collections.Generic.IDictionary&lt;System.String, System.String&gt;",
        "IndexerNamePrefix": "asp-route-",
        "IndexerTypeName": "System.String",
        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper.\"",
        "Metadata": {
            "Common.PropertyName": "RouteValues"
        }
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.FormTagHelper",
    "Common.TypeNameIdentifier": "FormTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Runtime.Name": "ITagHelper"
}
},
{
    "HashCode": 2044695378,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.ImageTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Documentation": "&lt;member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.ImageTagHelper\"&gt;",
    "CaseSensitive": false,
    "TagMatchingRules": [

```

```

    {
      "TagName": "img",
      "TagStructure": 2,
      "Attributes": [
        {
          "Name": "asp-append-version"
        },
        {
          "Name": "src"
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "ITagHelper",
      "Name": "src",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ImageTagHelper\"",
      "Metadata": {
        "Common.PropertyName": "Src"
      }
    },
    {
      "Kind": "ITagHelper",
      "Name": "asp-append-version",
      "TypeName": "System.Boolean",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ImageTagHelper\"",
      "Metadata": {
        "Common.PropertyName": "AppendVersion"
      }
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.ImageTagHelper",
    "Common.TypeNameIdentifier": "ImageTagHelper",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Runtime.Name": "ITagHelper"
  }
},
{
  "HashCode": -211598117,
  "Kind": "ITagHelper",
  "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper",
  "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\">",
  "CaseSensitive": false,
  "TagMatchingRules": [
    {
      "TagName": "input",
      "TagStructure": 2,
      "Attributes": [
        {
          "Name": "asp-for"
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "ITagHelper",
      "Name": "asp-for",
      "TypeName": "Microsoft.AspNetCore.Mvc.ViewFeatures.ModelExpression",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\"",
      "Metadata": {
        "Common.PropertyName": "For"
      }
    },
    {
      "Kind": "ITagHelper",
      "Name": "asp-format",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\"",
      "Metadata": {
        "Common.PropertyName": "Format"
      }
    }
  ],

```



```

    {
      "Kind": "ITagHelper",
      "Name": "type",
      "TypeName": "System.String",
      "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\">
      \"Metadata\": {
        \"Common.PropertyName\": \"InputTypeName\"
      }
    },
    {
      \"Kind\": \"ITagHelper\",
      \"Name\": \"form\",
      \"TypeName\": \"System.String\",
      \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\\\">
      \"Metadata\": {
        \"Common.PropertyName\": \"FormName\"
      }
    },
    {
      \"Kind\": \"ITagHelper\",
      \"Name\": \"name\",
      \"TypeName\": \"System.String\",
      \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\\\">
      \"Metadata\": {
        \"Common.PropertyName\": \"Name\"
      }
    },
    {
      \"Kind\": \"ITagHelper\",
      \"Name\": \"value\",
      \"TypeName\": \"System.String\",
      \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\\\">
      \"Metadata\": {
        \"Common.PropertyName\": \"Value\"
      }
    }
  ],
  \"Metadata\": {
    \"Common.TypeName\": \"Microsoft.AspNetCore.Mvc.TagHelpers.InputTagHelper\",
    \"Common.TypeNameIdentifier\": \"InputTagHelper\",
    \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
    \"Runtime.Name\": \"ITagHelper\"
  }
},
{
  \"HashCode\": 634957493,
  \"Kind\": \"ITagHelper\",
  \"Name\": \"Microsoft.AspNetCore.Mvc.TagHelpers.LabelTagHelper\",
  \"AssemblyName\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
  \"Documentation\": \"<member name=\\\"T:Microsoft.AspNetCore.Mvc.TagHelpers.LabelTagHelper\\\">
  \"CaseSensitive\": false,
  \"TagMatchingRules\": [
    {
      \"TagName\": \"label\",
      \"Attributes\": [
        {
          \"Name\": \"asp-for\"
        }
      ]
    }
  ],
  \"BoundAttributes\": [
    {
      \"Kind\": \"ITagHelper\",
      \"Name\": \"asp-for\",
      \"TypeName\": \"Microsoft.AspNetCore.Mvc.ViewFeatures.ModelExpression\",
      \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LabelTagHelper\\\">
      \"Metadata\": {
        \"Common.PropertyName\": \"For\"
      }
    }
  ],
  \"Metadata\": {
    \"Common.TypeName\": \"Microsoft.AspNetCore.Mvc.TagHelpers.LabelTagHelper\",
    \"Common.TypeNameIdentifier\": \"LabelTagHelper\",
    \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
    \"Runtime.Name\": \"ITagHelper\"
  }
}

```

```

    }
  },
  {
    "HashCode": -1783232504,
    "Kind": "ITagHelper",
    "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper",
    "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
    "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper'>",
    "CaseSensitive": false,
    "TagMatchingRules": [
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-href-include"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-href-exclude"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-fallback-href"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-fallback-href-include"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-fallback-href-exclude"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-fallback-test-class"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
          {
            "Name": "asp-fallback-test-property"
          }
        ]
      },
      {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [

```

```

        {
            "Name": "asp-fallback-test-value"
        }
    ],
    {
        "TagName": "link",
        "TagStructure": 2,
        "Attributes": [
            {
                "Name": "asp-append-version"
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "ITagHelper",
        "Name": "href",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"Href\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"asp-href-include\",
        \"TypeName\": \"System.String\",
        \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"HrefInclude\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"asp-href-exclude\",
        \"TypeName\": \"System.String\",
        \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"HrefExclude\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"asp-fallback-href\",
        \"TypeName\": \"System.String\",
        \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"FallbackHref\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"asp-suppress-fallback-integrity\",
        \"TypeName\": \"System.Boolean\",
        \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"SuppressFallbackIntegrity\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"asp-append-version\",
        \"TypeName\": \"System.Boolean?\",
        \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"AppendVersion\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"asp-fallback-href-include\",
        \"TypeName\": \"System.String\",
        \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
        \"Metadata\": {
            \"Common.PropertyName\": \"FallbackHrefInclude\"
        }
    }
]

```

```

    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-fallback-href-exclude",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\">
    \"Metadata\": {
      \"Common.PropertyName\": \"FallbackHrefExclude\"
    }
  },
  {
    \"Kind\": \"ITagHelper\",
    \"Name\": \"asp-fallback-test-class\",
    \"TypeName\": \"System.String\",
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\\\">
    \"Metadata\": {
      \"Common.PropertyName\": \"FallbackTestClass\"
    }
  },
  {
    \"Kind\": \"ITagHelper\",
    \"Name\": \"asp-fallback-test-property\",
    \"TypeName\": \"System.String\",
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\\\">
    \"Metadata\": {
      \"Common.PropertyName\": \"FallbackTestProperty\"
    }
  },
  {
    \"Kind\": \"ITagHelper\",
    \"Name\": \"asp-fallback-test-value\",
    \"TypeName\": \"System.String\",
    \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper.\\\">
    \"Metadata\": {
      \"Common.PropertyName\": \"FallbackTestValue\"
    }
  }
],
\"Metadata\": {
  \"Common.TypeName\": \"Microsoft.AspNetCore.Mvc.TagHelpers.LinkTagHelper\",
  \"Common.TypeNameIdentifier\": \"LinkTagHelper\",
  \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
  \"Runtime.Name\": \"ITagHelper\"
}
},
{
  \"HashCode\": 801330597,
  \"Kind\": \"ITagHelper\",
  \"Name\": \"Microsoft.AspNetCore.Mvc.TagHelpers.OptionTagHelper\",
  \"AssemblyName\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
  \"Documentation\": \"<member name=\\\"T:Microsoft.AspNetCore.Mvc.TagHelpers.OptionTagHelper\\\">
  \"CaseSensitive\": false,
  \"TagMatchingRules\": [
    {
      \"TagName\": \"option\"
    }
  ],
  \"BoundAttributes\": [
    {
      \"Kind\": \"ITagHelper\",
      \"Name\": \"value\",
      \"TypeName\": \"System.String\",
      \"Documentation\": \"<member name=\\\"P:Microsoft.AspNetCore.Mvc.TagHelpers.OptionTagHelper.\\\">
      \"Metadata\": {
        \"Common.PropertyName\": \"Value\"
      }
    }
  ],
  \"Metadata\": {
    \"Common.TypeName\": \"Microsoft.AspNetCore.Mvc.TagHelpers.OptionTagHelper\",
    \"Common.TypeNameIdentifier\": \"OptionTagHelper\",
    \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
    \"Runtime.Name\": \"ITagHelper\"
  }
}
},
{

```

```

"HashCode": 245954166,
"Kind": "ITagHelper",
"Name": "Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
"AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
"Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper'",
"CaseSensitive": false,
"TagMatchingRules": [
  {
    "TagName": "partial",
    "TagStructure": 2,
    "Attributes": [
      {
        "Name": "name"
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "ITagHelper",
    "Name": "name",
    "TypeName": "System.String",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
    "Metadata": {
      "Common.PropertyName": "Name"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "for",
    "TypeName": "Microsoft.AspNetCore.Mvc.ViewFeatures.ModelExpression",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
    "Metadata": {
      "Common.PropertyName": "For"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "model",
    "TypeName": "System.Object",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
    "Metadata": {
      "Common.PropertyName": "Model"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "optional",
    "TypeName": "System.Boolean",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
    "Metadata": {
      "Common.PropertyName": "Optional"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "fallback-name",
    "TypeName": "System.String",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
    "Metadata": {
      "Common.PropertyName": "FallbackName"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "view-data",
    "TypeName": "Microsoft.AspNetCore.Mvc.ViewFeatures.ViewDataDictionary",
    "IndexerNamePrefix": "view-data-",
    "IndexerTypeName": "System.Object",
    "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",
    "Metadata": {
      "Common.PropertyName": "ViewData"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.PartialTagHelper",

```

```

        "Common.TypeNameIdentifier": "PartialTagHelper",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
        "Runtime.Name": "ITagHelper"
    },
    {
        "HashCode": 256761175,
        "Kind": "ITagHelper",
        "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.PersistComponentStateTagHelper",
        "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
        "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.PersistComponentStateTagHelper'",
        "CaseSensitive": false,
        "TagMatchingRules": [
            {
                "TagName": "persist-component-state",
                "TagStructure": 2
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "ITagHelper",
                "Name": "persist-mode",
                "TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.PersistComponentStateTagHelper.PersistMode?",
                "Documentation": "<member name='P:Microsoft.AspNetCore.Mvc.TagHelpers.PersistComponentStateTagHelper.PersistMode'",
                "Metadata": {
                    "Common.PropertyName": "PersistMode"
                }
            }
        ],
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.PersistComponentStateTagHelper",
            "Common.TypeNameIdentifier": "PersistComponentStateTagHelper",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
            "Runtime.Name": "ITagHelper"
        }
    },
    {
        "HashCode": -1931620601,
        "Kind": "ITagHelper",
        "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper",
        "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
        "Documentation": "<member name='T:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper'",
        "CaseSensitive": false,
        "TagMatchingRules": [
            {
                "TagName": "script",
                "Attributes": [
                    {
                        "Name": "asp-src-include"
                    }
                ]
            },
            {
                "TagName": "script",
                "Attributes": [
                    {
                        "Name": "asp-src-exclude"
                    }
                ]
            },
            {
                "TagName": "script",
                "Attributes": [
                    {
                        "Name": "asp-fallback-src"
                    }
                ]
            },
            {
                "TagName": "script",
                "Attributes": [
                    {
                        "Name": "asp-fallback-src-include"
                    }
                ]
            }
        ],
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper",
            "Common.TypeNameIdentifier": "ScriptTagHelper",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
            "Runtime.Name": "ITagHelper"
        }
    }
]

```

```

        "TagName": "script",
        "Attributes": [
            {
                "Name": "asp-fallback-src-exclude"
            }
        ]
    },
    {
        "TagName": "script",
        "Attributes": [
            {
                "Name": "asp-fallback-test"
            }
        ]
    },
    {
        "TagName": "script",
        "Attributes": [
            {
                "Name": "asp-append-version"
            }
        ]
    },
    {
        "TagName": "script",
        "Attributes": [
            {
                "Name": "type"
            }
        ]
    },
    {
        "TagName": "script",
        "Attributes": [
            {
                "Name": "asp-importmap"
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "ITagHelper",
        "Name": "src",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "Src"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "type",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "Type"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-src-include",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "SrcInclude"
        }
    },
    {
        "Kind": "ITagHelper",
        "Name": "asp-src-exclude",
        "TypeName": "System.String",
        "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\"",
        "Metadata": {
            "Common.PropertyName": "SrcExclude"
        }
    }
],

```

```

{
  "Kind": "ITagHelper",
  "Name": "asp-fallback-src",
  "TypeName": "System.String",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "FallbackSrc"
  }
},
{
  "Kind": "ITagHelper",
  "Name": "asp-suppress-fallback-integrity",
  "TypeName": "System.Boolean",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "SuppressFallbackIntegrity"
  }
},
{
  "Kind": "ITagHelper",
  "Name": "asp-append-version",
  "TypeName": "System.Boolean?",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "AppendVersion"
  }
},
{
  "Kind": "ITagHelper",
  "Name": "asp-fallback-src-include",
  "TypeName": "System.String",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "FallbackSrcInclude"
  }
},
{
  "Kind": "ITagHelper",
  "Name": "asp-fallback-src-exclude",
  "TypeName": "System.String",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "FallbackSrcExclude"
  }
},
{
  "Kind": "ITagHelper",
  "Name": "asp-fallback-test",
  "TypeName": "System.String",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "FallbackTestExpression"
  }
},
{
  "Kind": "ITagHelper",
  "Name": "asp-importmap",
  "TypeName": "Microsoft.AspNetCore.Components.ImportMapDefinition",
  "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper\">...",
  "Metadata": {
    "Common.PropertyName": "ImportMap"
  }
}
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.ScriptTagHelper",
  "Common.TypeNameIdentifier": "ScriptTagHelper",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Runtime.Name": "ITagHelper"
}
},
{
  "HashCode": 535225770,
  "Kind": "ITagHelper",
  "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.SelectTagHelper",
  "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.SelectTagHelper\">..."
}

```



```

"CaseSensitive": false,
"TagMatchingRules": [
  {
    "TagName": "select",
    "Attributes": [
      {
        "Name": "asp-for"
      }
    ]
  },
  {
    "TagName": "select",
    "Attributes": [
      {
        "Name": "asp-items"
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "ITagHelper",
    "Name": "asp-for",
    "TypeName": "Microsoft.AspNetCore.Mvc.ViewFeatures.ModelExpression",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.SelectTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "For"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "asp-items",
    "TypeName": "System.Collections.Generic.IEnumerable<Microsoft.AspNetCore.Mvc.Rendering\"",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.SelectTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Items"
    }
  },
  {
    "Kind": "ITagHelper",
    "Name": "name",
    "TypeName": "System.String",
    "Documentation": "<member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.SelectTagHelper\"",
    "Metadata": {
      "Common.PropertyName": "Name"
    }
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.SelectTagHelper",
  "Common.TypeNameIdentifier": "SelectTagHelper",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Runtime.Name": "ITagHelper"
}
},
{
  "HashCode": 2006673249,
  "Kind": "ITagHelper",
  "Name": "Microsoft.AspNetCore.Mvc.TagHelpers.TextAreaTagHelper",
  "AssemblyName": "Microsoft.AspNetCore.Mvc.TagHelpers",
  "Documentation": "<member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.TextAreaTagHelper\"",
  "CaseSensitive": false,
  "TagMatchingRules": [
    {
      "TagName": "textarea",
      "Attributes": [
        {
          "Name": "asp-for"
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "ITagHelper",
      "Name": "asp-for",
      "TypeName": "Microsoft.AspNetCore.Mvc.ViewFeatures.ModelExpression",

```

```

        "Documentation": "&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.TextAreaTagHel
        \"Metadata\": {
            \"Common.PropertyName\": \"For\"
        }
    },
    {
        \"Kind\": \"ITagHelper\",
        \"Name\": \"name\",
        \"TypeName\": \"System.String\",
        \"Documentation\": \"&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.TextAreaTagHel
        \"Metadata\": {
            \"Common.PropertyName\": \"Name\"
        }
    }
],
    \"Metadata\": {
        \"Common.TypeName\": \"Microsoft.AspNetCore.Mvc.TagHelpers.TextAreaTagHelper\",
        \"Common.TypeNameIdentifier\": \"TextAreaTagHelper\",
        \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
        \"Runtime.Name\": \"ITagHelper\"
    }
},
{
    \"HashCode\": -2000702742,
    \"Kind\": \"ITagHelper\",
    \"Name\": \"Microsoft.AspNetCore.Mvc.TagHelpers.ValidationMessageTagHelper\",
    \"AssemblyName\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
    \"Documentation\": \"&lt;member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.ValidationMessageT
    \"CaseSensitive\": false,
    \"TagMatchingRules\": [
        {
            \"TagName\": \"span\",
            \"Attributes\": [
                {
                    \"Name\": \"asp-validation-for\"
                }
            ]
        }
    ],
    \"BoundAttributes\": [
        {
            \"Kind\": \"ITagHelper\",
            \"Name\": \"asp-validation-for\",
            \"TypeName\": \"Microsoft.AspNetCore.Mvc.ViewFeatures.ModelExpression\",
            \"Documentation\": \"&lt;member name=\"P:Microsoft.AspNetCore.Mvc.TagHelpers.ValidationMess
            \"Metadata\": {
                \"Common.PropertyName\": \"For\"
            }
        }
    ],
    \"Metadata\": {
        \"Common.TypeName\": \"Microsoft.AspNetCore.Mvc.TagHelpers.ValidationMessageTagHelper\",
        \"Common.TypeNameIdentifier\": \"ValidationMessageTagHelper\",
        \"Common.TypeNamespace\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
        \"Runtime.Name\": \"ITagHelper\"
    }
},
{
    \"HashCode\": -1494802613,
    \"Kind\": \"ITagHelper\",
    \"Name\": \"Microsoft.AspNetCore.Mvc.TagHelpers.ValidationSummaryTagHelper\",
    \"AssemblyName\": \"Microsoft.AspNetCore.Mvc.TagHelpers\",
    \"Documentation\": \"&lt;member name=\"T:Microsoft.AspNetCore.Mvc.TagHelpers.ValidationSummaryT
    \"CaseSensitive\": false,
    \"TagMatchingRules\": [
        {
            \"TagName\": \"div\",
            \"Attributes\": [
                {
                    \"Name\": \"asp-validation-summary\"
                }
            ]
        }
    ],
    \"BoundAttributes\": [
        {
            \"Kind\": \"ITagHelper\",

```

```

        "Name": "asp-validation-summary",
        "TypeName": "Microsoft.AspNetCore.Mvc.Rendering.ValidationSummary",
        "IsEnum": true,
        "Documentation": "&lt;member name=\P:Microsoft.AspNetCore.Mvc.TagHelpers.ValidationSummary",
        "Metadata": {
            "Common.PropertyName": "ValidationSummary"
        }
    },
    {
        "Metadata": {
            "Common.TypeName": "Microsoft.AspNetCore.Mvc.TagHelpers.ValidationSummaryTagHelper",
            "Common.TypeNameIdentifier": "ValidationSummaryTagHelper",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Mvc.TagHelpers",
            "Runtime.Name": "ITagHelper"
        }
    },
    {
        "HashCode": 1589716230,
        "Kind": "Components.Bind",
        "Name": "Bind",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Binds the provided expression to an attribute and a change event, based on",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@bind-",
                        "NameComparison": 1,
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Bind",
                "Name": "@bind-...",
                "TypeName": "System.Collections.Generic.Dictionary&lt;string, object&gt;",
                "IndexerNamePrefix": "@bind-",
                "IndexerTypeName": "System.Object",
                "Documentation": "Binds the provided expression to an attribute and a change event, based",
                "Metadata": {
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "Bind"
                }
            },
            {
                "BoundAttributeParameters": [
                    {
                        "Name": "format",
                        "TypeName": "System.String",
                        "Documentation": "Specifies a format to convert the value specified by the correspon",
                        "Metadata": {
                            "Common.PropertyName": "Format"
                        }
                    },
                    {
                        "Name": "event",
                        "TypeName": "System.String",
                        "Documentation": "Specifies the event handler name to attach for change notifications",
                        "Metadata": {
                            "Common.PropertyName": "Event"
                        }
                    },
                    {
                        "Name": "culture",
                        "TypeName": "System.Globalization.CultureInfo",
                        "Documentation": "Specifies the culture to use for conversions.",
                        "Metadata": {
                            "Common.PropertyName": "Culture"
                        }
                    }
                ],
                {
                    "Name": "get",
                    "TypeName": "System.Object",

```

```

        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a change event occurs.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Bind",
        "Common.TypeNameIdentifier": "Bind",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components",
        "Components.Bind.Fallback": "True",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 946517984,
    "Kind": "Components.Bind",
    "Name": "Bind",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event handler to the 'onchange' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "@bind",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "@bind:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
{
    "BoundAttributes": [
        {
            "Kind": "Components.Bind",
            "Name": "@bind",
            "TypeName": "System.Object",

```

```

"Documentation": "Binds the provided expression to the 'value' attribute and a change event.",
"Metadata": {
  "Common.DirectiveAttribute": "True",
  "Common.PropertyName": "Bind"
},
"BoundAttributeParameters": [
  {
    "Name": "format",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute.",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications.",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",
    "Metadata": {
      "Common.PropertyName": "Culture"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute.",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  },
  {
    "Name": "after",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies an action to run after the new value has been set.",
    "Metadata": {
      "Common.PropertyName": "After"
    }
  }
]
},
{
  "Kind": "Components.Bind",
  "Name": "format-value",
  "TypeName": "System.String",
  "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute.",
  "Metadata": {
    "Common.PropertyName": "Format_value"
  }
}
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
  "Common.TypeNameIdentifier": "BindAttributes",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.Bind.ChangeAttribute": "onchange",
  "Components.Bind.Format": null,
  "Components.Bind.IsInvariantCulture": "False",
  "Components.Bind.ValueAttribute": "value",
  "Components.IsSpecialKind": "Components.Bind",

```

```

    "Runtime.Name": "Components.None"
  }
},
{
  "HashCode": -845435152,
  "Kind": "Components.Bind",
  "Name": "Bind_value",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "input",
      "Attributes": [
        {
          "Name": "@bind-value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "input",
      "Attributes": [
        {
          "Name": "@bind-value:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind-value:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
{
  "BoundAttributes": [
    {
      "Kind": "Components.Bind",
      "Name": "@bind-value",
      "TypeName": "System.Object",
      "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
      "Metadata": {
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "Bind_value"
      }
    },
    {
      "BoundAttributeParameters": [
        {
          "Name": "format",
          "TypeName": "System.String",
          "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute.",
          "Metadata": {
            "Common.PropertyName": "Format_value"
          }
        },
        {
          "Name": "event",
          "TypeName": "System.String",
          "Documentation": "Specifies the event handler name to attach for change notifications.",
          "Metadata": {
            "Common.PropertyName": "Event_value"
          }
        },
        {
          "Name": "culture",
          "TypeName": "System.Globalization.CultureInfo",
          "Documentation": "Specifies the culture to use for conversions.",
          "Metadata": {
            "Common.PropertyName": "Culture"
          }
        }
      ]
    },
    {
      "Name": "get",

```

```

        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when the value changes.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute to a string.",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
        "Common.TypeNameIdentifier": "BindAttributes",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.Bind.ChangeAttribute": "onChange",
        "Components.Bind.Format": null,
        "Components.Bind.IsInvariantCulture": "False",
        "Components.Bind.ValueAttribute": "value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 2117056937,
    "Kind": "Components.Bind",
    "Name": "Bind",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'checked' attribute and a change event handler.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "checkbox",
                    "ValueComparison": 1
                }
            ],
            "Name": "@bind",
            "Metadata": {
                "Common.DirectiveAttribute": "True"
            }
        }
    ]
},
{
    "TagName": "input",
    "Attributes": [
        {
            "Name": "type",

```

```

        "Value": "checkbox",
        "ValueComparison": 1
    },
    {
        "Name": "@bind:get",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    },
    {
        "Name": "@bind:set",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    }
    ]
}
],
"BoundAttributes": [
    {
        "Kind": "Components.Bind",
        "Name": "@bind",
        "TypeName": "System.Object",
        "Documentation": "Binds the provided expression to the 'checked' attribute and a change",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Bind"
        }
    },
    {
        "Name": "format",
        "TypeName": "System.String",
        "Documentation": "Specifies a format to convert the value specified by the '@bind' a",
        "Metadata": {
            "Common.PropertyName": "Format_checked"
        }
    },
    {
        "Name": "event",
        "TypeName": "System.String",
        "Documentation": "Specifies the event handler name to attach for change notifications",
        "Metadata": {
            "Common.PropertyName": "Event_checked"
        }
    },
    {
        "Name": "culture",
        "TypeName": "System.Globalization.CultureInfo",
        "Documentation": "Specifies the culture to use for conversions.",
        "Metadata": {
            "Common.PropertyName": "Culture"
        }
    },
    {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attri",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]

```



```

    }
  ],
  {
    "Kind": "Components.Bind",
    "Name": "format-checked",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
    "Metadata": {
      "Common.PropertyName": "Format_checked"
    }
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
  "Common.TypeNameIdentifier": "BindAttributes",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.Bind.ChangeAttribute": "onChange",
  "Components.Bind.Format": null,
  "Components.Bind.IsInvariantCulture": "False",
  "Components.Bind.TypeAttribute": "checkbox",
  "Components.Bind.ValueAttribute": "checked",
  "Components.IsSpecialKind": "Components.Bind",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -814451603,
  "Kind": "Components.Bind",
  "Name": "Bind",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "input",
      "Attributes": [
        {
          "Name": "type",
          "Value": "text",
          "ValueComparison": 1
        },
        {
          "Name": "@bind",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "input",
      "Attributes": [
        {
          "Name": "type",
          "Value": "text",
          "ValueComparison": 1
        },
        {
          "Name": "@bind:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",

```

```

    "Name": "@bind",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "Metadata": {
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "Bind"
    },
    "BoundAttributeParameters": [
        {
            "Name": "format",
            "TypeName": "System.String",
            "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
            "Metadata": {
                "Common.PropertyName": "Format_value"
            }
        },
        {
            "Name": "event",
            "TypeName": "System.String",
            "Documentation": "Specifies the event handler name to attach for change notifications",
            "Metadata": {
                "Common.PropertyName": "Event_value"
            }
        },
        {
            "Name": "culture",
            "TypeName": "System.Globalization.CultureInfo",
            "Documentation": "Specifies the culture to use for conversions.",
            "Metadata": {
                "Common.PropertyName": "Culture"
            }
        },
        {
            "Name": "get",
            "TypeName": "System.Object",
            "Documentation": "Specifies the expression to use for binding the value to the attribute",
            "Metadata": {
                "Common.PropertyName": "Get",
                "Components.Bind.AlternativeNotation": "True"
            }
        },
        {
            "Name": "set",
            "TypeName": "System.Delegate",
            "Documentation": "Specifies the expression to use for updating the bound value when a change occurs",
            "Metadata": {
                "Common.PropertyName": "Set"
            }
        },
        {
            "Name": "after",
            "TypeName": "System.Delegate",
            "Documentation": "Specifies an action to run after the new value has been set.",
            "Metadata": {
                "Common.PropertyName": "After"
            }
        }
    ]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
    "Common.TypeNameIdentifier": "BindAttributes",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.Bind.ChangeAttribute": "onchange",
    "Components.Bind.Format": null,
    "Components.Bind.IsInvariantCulture": "False",

```

```

        "Components.Bind.TypeAttribute": "text",
        "Components.Bind.ValueAttribute": "value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1277471525,
    "Kind": "Components.Bind",
    "Name": "Bind",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "number",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "number",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Bind",
            "Name": "@bind",
            "TypeName": "System.Object",
            "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
            "Metadata": {
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "Bind"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "format",
                    "TypeName": "System.String",
                    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
                    "Metadata": {
                        "Common.PropertyName": "Format_value"
                    }
                },
                {
                    "Name": "event",
                    "TypeName": "System.String",
                    "Documentation": "Specifies the event handler name to attach for change notifications",
                    "Metadata": {

```

```

        "Common.PropertyName": "Event_value"
    },
    {
        "Name": "culture",
        "TypeName": "System.Globalization.CultureInfo",
        "Documentation": "Specifies the culture to use for conversions.",
        "Metadata": {
            "Common.PropertyName": "Culture"
        }
    },
    {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute to a string.",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
},
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
        "Common.TypeNameIdentifier": "BindAttributes",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.Bind.ChangeAttribute": "onchange",
        "Components.Bind.Format": null,
        "Components.Bind.IsInvariantCulture": "True",
        "Components.Bind.TypeAttribute": "number",
        "Components.Bind.ValueAttribute": "value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1435680480,
    "Kind": "Components.Bind",
    "Name": "Bind_value",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event to the 'onchange' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "number",
                    "ValueComparison": 1
                }
            ]
        }
    ]
}

```

```

    },
    {
      "Name": "@bind-value",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "input",
  "Attributes": [
    {
      "Name": "type",
      "Value": "number",
      "ValueComparison": 1
    },
    {
      "Name": "@bind-value:get",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    },
    {
      "Name": "@bind-value:set",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
}
],
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-value",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind_value"
    },
    "BoundAttributeParameters": [
      {
        "Name": "format",
        "TypeName": "System.String",
        "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute",
        "Metadata": {
          "Common.PropertyName": "Format_value"
        }
      },
      {
        "Name": "event",
        "TypeName": "System.String",
        "Documentation": "Specifies the event handler name to attach for change notifications",
        "Metadata": {
          "Common.PropertyName": "Event_value"
        }
      },
      {
        "Name": "culture",
        "TypeName": "System.Globalization.CultureInfo",
        "Documentation": "Specifies the culture to use for conversions.",
        "Metadata": {
          "Common.PropertyName": "Culture"
        }
      },
      {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute",
        "Metadata": {
          "Common.PropertyName": "Get",
          "Components.Bind.AlternativeNotation": "True"
        }
      }
    ]
  }
]

```

```

        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind-value'",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
    "Common.TypeNameIdentifier": "BindAttributes",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.Bind.ChangeAttribute": "onchange",
    "Components.Bind.Format": null,
    "Components.Bind.IsInvariantCulture": "True",
    "Components.Bind.TypeAttribute": "number",
    "Components.Bind.ValueAttribute": "value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -1387407337,
    "Kind": "Components.Bind",
    "Name": "Bind",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "date",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "date",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  },
  {
    "Name": "@bind:set",
    "Metadata": {
      "Common.DirectiveAttribute": "True"
    }
  }
]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind"
    }
  },
  {
    "Name": "format",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",
    "Metadata": {
      "Common.PropertyName": "Culture"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when a change occurs",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  },
  {
    "Name": "after",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies an action to run after the new value has been set.",
    "Metadata": {
      "Common.PropertyName": "After"
    }
  }
]
},
{
  "Kind": "Components.Bind",
  "Name": "format-value",
  "TypeName": "System.String",

```

```

        "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
        "Metadata": {
            "Common.PropertyName": "Format_value"
        }
    },
    {
        "Metadata": {
            "Common.ClassifyAttributesOnly": "True",
            "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
            "Common.TypeNameIdentifier": "BindAttributes",
            "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
            "Components.Bind.ChangeAttribute": "onchange",
            "Components.Bind.Format": "yyyy-MM-dd",
            "Components.Bind.IsInvariantCulture": "True",
            "Components.Bind.TypeAttribute": "date",
            "Components.Bind.ValueAttribute": "value",
            "Components.IsSpecialKind": "Components.Bind",
            "Runtime.Name": "Components.None"
        }
    },
    {
        "HashCode": 1527418676,
        "Kind": "Components.Bind",
        "Name": "Bind_value",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "input",
                "Attributes": [
                    {
                        "Name": "type",
                        "Value": "date",
                        "ValueComparison": 1
                    },
                    {
                        "Name": "@bind-value",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "input",
                "Attributes": [
                    {
                        "Name": "type",
                        "Value": "date",
                        "ValueComparison": 1
                    },
                    {
                        "Name": "@bind-value:get",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    },
                    {
                        "Name": "@bind-value:set",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Bind",
                "Name": "@bind-value",
                "TypeName": "System.Object",
                "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
                "Metadata": {
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "Bind_value"
                }
            },

```



```

    "BoundAttributeParameters": [
      {
        "Name": "format",
        "TypeName": "System.String",
        "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute.",
        "Metadata": {
          "Common.PropertyName": "Format_value"
        }
      },
      {
        "Name": "event",
        "TypeName": "System.String",
        "Documentation": "Specifies the event handler name to attach for change notifications.",
        "Metadata": {
          "Common.PropertyName": "Event_value"
        }
      },
      {
        "Name": "culture",
        "TypeName": "System.Globalization.CultureInfo",
        "Documentation": "Specifies the culture to use for conversions.",
        "Metadata": {
          "Common.PropertyName": "Culture"
        }
      },
      {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
          "Common.PropertyName": "Get",
          "Components.Bind.AlternativeNotation": "True"
        }
      },
      {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
        "Metadata": {
          "Common.PropertyName": "Set"
        }
      },
      {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
          "Common.PropertyName": "After"
        }
      }
    ],
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute.",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Metadata": {
      "Common.ClassifyAttributesOnly": "True",
      "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
      "Common.TypeNameIdentifier": "BindAttributes",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
      "Components.Bind.ChangeAttribute": "onchange",
      "Components.Bind.Format": "yyyy-MM-dd",
      "Components.Bind.IsInvariantCulture": "True",
      "Components.Bind.TypeAttribute": "date",
      "Components.Bind.ValueAttribute": "value",
      "Components.IsSpecialKind": "Components.Bind",
      "Runtime.Name": "Components.None"
    }
  }
},
{

```

```

"HashCode": -885104065,
"Kind": "Components.Bind",
"Name": "Bind",
"AssemblyName": "Microsoft.AspNetCore.Components",
"Documentation": "Binds the provided expression to the 'value' attribute and a change event",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "input",
    "Attributes": [
      {
        "Name": "type",
        "Value": "datetime-local",
        "ValueComparison": 1
      },
      {
        "Name": "@bind",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "input",
    "Attributes": [
      {
        "Name": "type",
        "Value": "datetime-local",
        "ValueComparison": 1
      },
      {
        "Name": "@bind:get",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      },
      {
        "Name": "@bind:set",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind"
    }
  },
  {
    "Name": "format",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",

```

```

        "Metadata": {
            "Common.PropertyName": "Culture"
        }
    },
    {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when the value changes.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute to a string.",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
],
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
        "Common.TypeNameIdentifier": "BindAttributes",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.Bind.ChangeAttribute": "onchange",
        "Components.Bind.Format": "yyyy-MM-ddTHH:mm:ss",
        "Components.Bind.IsInvariantCulture": "True",
        "Components.Bind.TypeAttribute": "datetime-local",
        "Components.Bind.ValueAttribute": "value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -685576615,
    "Kind": "Components.Bind",
    "Name": "Bind_value",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event handler to the 'onchange' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "datetime-local",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind-value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    ]
  },
  {
    "TagName": "input",
    "Attributes": [
      {
        "Name": "type",
        "Value": "datetime-local",
        "ValueComparison": 1
      },
      {
        "Name": "@bind-value:get",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      },
      {
        "Name": "@bind-value:set",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-value",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind_value"
    }
  },
  {
    "Name": "format",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",
    "Metadata": {
      "Common.PropertyName": "Culture"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when a change occurs",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  }
],

```

```

        {
            "Name": "after",
            "TypeName": "System.Delegate",
            "Documentation": "Specifies an action to run after the new value has been set.",
            "Metadata": {
                "Common.PropertyName": "After"
            }
        }
    ],
    {
        "Kind": "Components.Bind",
        "Name": "format-value",
        "TypeName": "System.String",
        "Documentation": "Specifies a format to convert the value specified by the '@bind-value'",
        "Metadata": {
            "Common.PropertyName": "Format_value"
        }
    }
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
    "Common.TypeNameIdentifier": "BindAttributes",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.Bind.ChangeAttribute": "onChange",
    "Components.Bind.Format": "yyyy-MM-ddTHH:mm:ss",
    "Components.Bind.IsInvariantCulture": "True",
    "Components.Bind.TypeAttribute": "datetime-local",
    "Components.Bind.ValueAttribute": "value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 2066461618,
    "Kind": "Components.Bind",
    "Name": "Bind",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "month",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "month",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event.",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind"
    }
  },
  {
    "Name": "format",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute to a string.",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications.",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",
    "Metadata": {
      "Common.PropertyName": "Culture"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute.",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  },
  {
    "Name": "after",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies an action to run after the new value has been set.",
    "Metadata": {
      "Common.PropertyName": "After"
    }
  }
],
{
  "Kind": "Components.Bind",
  "Name": "format-value",
  "TypeName": "System.String",
  "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute to a string.",
  "Metadata": {
    "Common.PropertyName": "Format_value"
  }
},
"Metadata": {

```

```

        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
        "Common.TypeNameIdentifier": "BindAttributes",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.Bind.ChangeAttribute": "onChange",
        "Components.Bind.Format": "yyyy-MM",
        "Components.Bind.IsInvariantCulture": "True",
        "Components.Bind.TypeAttribute": "month",
        "Components.Bind.ValueAttribute": "value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 176325041,
    "Kind": "Components.Bind",
    "Name": "Bind_value",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "month",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind-value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "month",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind-value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-value:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    "BoundAttributes": [
        {
            "Kind": "Components.Bind",
            "Name": "@bind-value",
            "TypeName": "System.Object",
            "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
            "Metadata": {
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "Bind_value"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "format",
                    "TypeName": "System.String",
                    "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute to the type of the 'value' parameter.",
                    "Metadata": {
                        "Common.PropertyName": "Format_value"
                    }
                }
            ]
        }
    ]
}

```

```

    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications.",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",
    "Metadata": {
      "Common.PropertyName": "Culture"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute.",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when a change occurs.",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  },
  {
    "Name": "after",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies an action to run after the new value has been set.",
    "Metadata": {
      "Common.PropertyName": "After"
    }
  }
]
},
{
  "Kind": "Components.Bind",
  "Name": "format-value",
  "TypeName": "System.String",
  "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute.",
  "Metadata": {
    "Common.PropertyName": "Format_value"
  }
}
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
  "Common.TypeNameIdentifier": "BindAttributes",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.Bind.ChangeAttribute": "onchange",
  "Components.Bind.Format": "yyyy-MM",
  "Components.Bind.IsInvariantCulture": "True",
  "Components.Bind.TypeAttribute": "month",
  "Components.Bind.ValueAttribute": "value",
  "Components.IsSpecialKind": "Components.Bind",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 160513483,
  "Kind": "Components.Bind",
  "Name": "Bind",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Binds the provided expression to the 'value' attribute and a change event handler to the 'onchange' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [

```



```

{
  "TagName": "input",
  "Attributes": [
    {
      "Name": "type",
      "Value": "time",
      "ValueComparison": 1
    },
    {
      "Name": "@bind",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
{
  "TagName": "input",
  "Attributes": [
    {
      "Name": "type",
      "Value": "time",
      "ValueComparison": 1
    },
    {
      "Name": "@bind:get",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    },
    {
      "Name": "@bind:set",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
}
],
"BoundAttributes": [
{
  "Kind": "Components.Bind",
  "Name": "@bind",
  "TypeName": "System.Object",
  "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
  "Metadata": {
    "Common.DirectiveAttribute": "True",
    "Common.PropertyName": "Bind"
  },
  "BoundAttributeParameters": [
    {
      "Name": "format",
      "TypeName": "System.String",
      "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
      "Metadata": {
        "Common.PropertyName": "Format_value"
      }
    },
    {
      "Name": "event",
      "TypeName": "System.String",
      "Documentation": "Specifies the event handler name to attach for change notifications",
      "Metadata": {
        "Common.PropertyName": "Event_value"
      }
    },
    {
      "Name": "culture",
      "TypeName": "System.Globalization.CultureInfo",
      "Documentation": "Specifies the culture to use for conversions.",
      "Metadata": {
        "Common.PropertyName": "Culture"
      }
    },
    {
      "Name": "get",
      "TypeName": "System.Object",

```

```

        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a change event occurs.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute to a string.",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
],
{
    "Metadata": {
        "Common.ClassifyAttributesOnly": "True",
        "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
        "Common.TypeNameIdentifier": "BindAttributes",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
        "Components.Bind.ChangeAttribute": "onchange",
        "Components.Bind.Format": "HH:mm:ss",
        "Components.Bind.IsInvariantCulture": "True",
        "Components.Bind.TypeAttribute": "time",
        "Components.Bind.ValueAttribute": "value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 1287077176,
    "Kind": "Components.Bind",
    "Name": "Bind_value",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event handler to the 'onchange' attribute.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "input",
            "Attributes": [
                {
                    "Name": "type",
                    "Value": "time",
                    "ValueComparison": 1
                },
                {
                    "Name": "@bind-value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
    {
        "TagName": "input",
        "Attributes": [
            {
                "Name": "type",

```

```

        "Value": "time",
        "ValueComparison": 1
    },
    {
        "Name": "@bind-value:get",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    },
    {
        "Name": "@bind-value:set",
        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    }
]
},
"BoundAttributes": [
    {
        "Kind": "Components.Bind",
        "Name": "@bind-value",
        "TypeName": "System.Object",
        "Documentation": "Binds the provided expression to the 'value' attribute and a change event.",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Bind_value"
        }
    },
    {
        "Name": "format",
        "TypeName": "System.String",
        "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute to a string.",
        "Metadata": {
            "Common.PropertyName": "Format_value"
        }
    },
    {
        "Name": "event",
        "TypeName": "System.String",
        "Documentation": "Specifies the event handler name to attach for change notifications.",
        "Metadata": {
            "Common.PropertyName": "Event_value"
        }
    },
    {
        "Name": "culture",
        "TypeName": "System.Globalization.CultureInfo",
        "Documentation": "Specifies the culture to use for conversions.",
        "Metadata": {
            "Common.PropertyName": "Culture"
        }
    },
    {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
}

```

```

    }
  ],
  {
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind-value' attribute to the 'value' attribute.",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  }
],
"Metadata": {
  "Common.ClassifyAttributesOnly": "True",
  "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
  "Common.TypeNameIdentifier": "BindAttributes",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
  "Components.Bind.ChangeAttribute": "onChange",
  "Components.Bind.Format": "HH:mm:ss",
  "Components.Bind.IsInvariantCulture": "True",
  "Components.Bind.TypeAttribute": "time",
  "Components.Bind.ValueAttribute": "value",
  "Components.IsSpecialKind": "Components.Bind",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -1241503361,
  "Kind": "Components.Bind",
  "Name": "Bind",
  "AssemblyName": "Microsoft.AspNetCore.Components",
  "Documentation": "Binds the provided expression to the 'value' attribute and a change event handler to the 'onchange' attribute.",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "select",
      "Attributes": [
        {
          "Name": "@bind",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "select",
      "Attributes": [
        {
          "Name": "@bind:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event handler to the 'onchange' attribute.",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind"
    },
    "BoundAttributeParameters": [
      {
        "Name": "format",

```

```

        "TypeName": "System.String",
        "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute.",
        "Metadata": {
            "Common.PropertyName": "Format_value"
        }
    },
    {
        "Name": "event",
        "TypeName": "System.String",
        "Documentation": "Specifies the event handler name to attach for change notifications.",
        "Metadata": {
            "Common.PropertyName": "Event_value"
        }
    },
    {
        "Name": "culture",
        "TypeName": "System.Globalization.CultureInfo",
        "Documentation": "Specifies the culture to use for conversions.",
        "Metadata": {
            "Common.PropertyName": "Culture"
        }
    },
    {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute.",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
    "Common.TypeNameIdentifier": "BindAttributes",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.Bind.ChangeAttribute": "onchange",
    "Components.Bind.Format": null,
    "Components.Bind.IsInvariantCulture": "False",
    "Components.Bind.ValueAttribute": "value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": -770887767,
    "Kind": "Components.Bind",
    "Name": "Bind",
    "AssemblyName": "Microsoft.AspNetCore.Components",

```

```

"Documentation": "Binds the provided expression to the 'value' attribute and a change event",
"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "textarea",
    "Attributes": [
      {
        "Name": "@bind",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "textarea",
    "Attributes": [
      {
        "Name": "@bind:get",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      },
      {
        "Name": "@bind:set",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind",
    "TypeName": "System.Object",
    "Documentation": "Binds the provided expression to the 'value' attribute and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Bind"
    }
  },
  {
    "Name": "format",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
    "Metadata": {
      "Common.PropertyName": "Format_value"
    }
  },
  {
    "Name": "event",
    "TypeName": "System.String",
    "Documentation": "Specifies the event handler name to attach for change notifications",
    "Metadata": {
      "Common.PropertyName": "Event_value"
    }
  },
  {
    "Name": "culture",
    "TypeName": "System.Globalization.CultureInfo",
    "Documentation": "Specifies the culture to use for conversions.",
    "Metadata": {
      "Common.PropertyName": "Culture"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  }
],

```

```

        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Kind": "Components.Bind",
    "Name": "format-value",
    "TypeName": "System.String",
    "Documentation": "Specifies a format to convert the value specified by the '@bind' attribute",
    "Metadata": {
        "Common.PropertyName": "Format_value"
    }
}
],
"Metadata": {
    "Common.ClassifyAttributesOnly": "True",
    "Common.TypeName": "Microsoft.AspNetCore.Components.Web.BindAttributes",
    "Common.TypeNameIdentifier": "BindAttributes",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Web",
    "Components.Bind.ChangeAttribute": "onchange",
    "Components.Bind.Format": null,
    "Components.Bind.IsInvariantCulture": "False",
    "Components.Bind.ValueAttribute": "value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 544931532,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputCheckbox",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "InputCheckbox",
            "Attributes": [
                {
                    "Name": "@bind-Value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-Value:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}
],
}
},

```

```

"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-Value",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.Boolean>",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Value"
    },
    "BoundAttributeParameters": [
      {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute",
        "Metadata": {
          "Common.PropertyName": "Get",
          "Components.Bind.AlternativeNotation": "True"
        }
      },
      {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {
          "Common.PropertyName": "Set"
        }
      },
      {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
          "Common.PropertyName": "After"
        }
      }
    ]
  },
  {
    "Metadata": {
      "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
      "Common.TypeNameIdentifier": "InputCheckbox",
      "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
      "Components.Bind.ChangeAttribute": "ValueChanged",
      "Components.Bind.ExpressionAttribute": "ValueExpression",
      "Components.Bind.ValueAttribute": "Value",
      "Components.IsSpecialKind": "Components.Bind",
      "Runtime.Name": "Components.None"
    }
  }
],
{
  "HashCode": 1167213521,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
      "Attributes": [
        {
          "Name": "@bind-Value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
      "Attributes": [
        {
          "Name": "@bind-Value:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
}

```



```

    },
    {
      "Name": "@bind-Value:set",
      "Metadata": {
        "Common.DirectiveAttribute": "True"
      }
    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-Value",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.Boolean>",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Value"
    }
  },
  {
    "Name": "get",
    "TypeName": "System.Object",
    "Documentation": "Specifies the expression to use for binding the value to the attribute",
    "Metadata": {
      "Common.PropertyName": "Get",
      "Components.Bind.AlternativeNotation": "True"
    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when a",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  },
  {
    "Name": "after",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies an action to run after the new value has been set.",
    "Metadata": {
      "Common.PropertyName": "After"
    }
  }
]
},
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputCheckbox",
  "Common.TypeNameIdentifier": "InputCheckbox",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.Bind.ChangeAttribute": "ValueChanged",
  "Components.Bind.ExpressionAttribute": "ValueExpression",
  "Components.Bind.ValueAttribute": "Value",
  "Components.IsSpecialKind": "Components.Bind",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.None"
},
{
  "HashCode": -392475612,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "InputDate",
      "Attributes": [
        {
          "Name": "@bind-Value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
}

```

```

    }
  ],
  {
    "TagName": "InputDate",
    "Attributes": [
      {
        "Name": "@bind-Value:get",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      },
      {
        "Name": "@bind-Value:set",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-Value",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Value"
    }
  },
  {
    "BoundAttributeParameters": [
      {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute",
        "Metadata": {
          "Common.PropertyName": "Get",
          "Components.Bind.AlternativeNotation": "True"
        }
      },
      {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {
          "Common.PropertyName": "Set"
        }
      },
      {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
          "Common.PropertyName": "After"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "Common.TypeNameIdentifier": "InputDate",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.Bind.ChangeAttribute": "ValueChanged",
  "Components.Bind.ExpressionAttribute": "ValueExpression",
  "Components.Bind.ValueAttribute": "Value",
  "Components.IsSpecialKind": "Components.Bind",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": -392559385,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event d

```

```

"CaseSensitive": true,
"TagMatchingRules": [
  {
    "TagName": "Microsoft.AspNetCore.Components.Forms.InputDate",
    "Attributes": [
      {
        "Name": "@bind-Value",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  },
  {
    "TagName": "Microsoft.AspNetCore.Components.Forms.InputDate",
    "Attributes": [
      {
        "Name": "@bind-Value:get",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      },
      {
        "Name": "@bind-Value:set",
        "Metadata": {
          "Common.DirectiveAttribute": "True"
        }
      }
    ]
  }
],
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-Value",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Value"
    },
    "BoundAttributeParameters": [
      {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attribute",
        "Metadata": {
          "Common.PropertyName": "Get",
          "Components.Bind.AlternativeNotation": "True"
        }
      },
      {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {
          "Common.PropertyName": "Set"
        }
      },
      {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
          "Common.PropertyName": "After"
        }
      }
    ]
  }
],
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputDate<TValue>",
  "Common.TypeNameIdentifier": "InputDate",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.Bind.ChangeAttribute": "ValueChanged",
  "Components.Bind.ExpressionAttribute": "ValueExpression",
  "Components.Bind.ValueAttribute": "Value",

```

```

        "Components.IsSpecialKind": "Components.Bind",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    },
    {
        "HashCode": -156568999,
        "Kind": "Components.Bind",
        "Name": "Microsoft.AspNetCore.Components.Forms.InputHidden",
        "AssemblyName": "Microsoft.AspNetCore.Components.Web",
        "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "InputHidden",
                "Attributes": [
                    {
                        "Name": "@bind-Value",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            },
            {
                "TagName": "InputHidden",
                "Attributes": [
                    {
                        "Name": "@bind-Value:get",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    },
                    {
                        "Name": "@bind-Value:set",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ],
        "BoundAttributes": [
            {
                "Kind": "Components.Bind",
                "Name": "@bind-Value",
                "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
                "Documentation": "Binds the provided expression to the 'Value' property and a change even",
                "Metadata": {
                    "Common.DirectiveAttribute": "True",
                    "Common.PropertyName": "Value"
                }
            },
            {
                "Name": "get",
                "TypeName": "System.Object",
                "Documentation": "Specifies the expression to use for binding the value to the attrib",
                "Metadata": {
                    "Common.PropertyName": "Get",
                    "Components.Bind.AlternativeNotation": "True"
                }
            },
            {
                "Name": "set",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies the expression to use for updating the bound value when a",
                "Metadata": {
                    "Common.PropertyName": "Set"
                }
            },
            {
                "Name": "after",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies an action to run after the new value has been set.",
                "Metadata": {
                    "Common.PropertyName": "After"
                }
            }
        ]
    }
]

```

```

    }
  ]
},
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputHidden",
  "Common.TypeNameIdentifier": "InputHidden",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.Bind.ChangeAttribute": "ValueChanged",
  "Components.Bind.ExpressionAttribute": "ValueExpression",
  "Components.Bind.ValueAttribute": "Value",
  "Components.IsSpecialKind": "Components.Bind",
  "Runtime.Name": "Components.None"
},
{
  "HashCode": 1374121428,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputHidden",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputHidden",
      "Attributes": [
        {
          "Name": "@bind-Value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputHidden",
      "Attributes": [
        {
          "Name": "@bind-Value:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind-Value:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-Value",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
    "Documentation": "Binds the provided expression to the 'Value' property and a change even",
    "Metadata": {
      "Common.DirectiveAttribute": "True",
      "Common.PropertyName": "Value"
    },
    "BoundAttributeParameters": [
      {
        "Name": "get",
        "TypeName": "System.Object",
        "Documentation": "Specifies the expression to use for binding the value to the attrib",
        "Metadata": {
          "Common.PropertyName": "Get",
          "Components.Bind.AlternativeNotation": "True"
        }
      },
      {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a",
        "Metadata": {

```

```

        "Common.PropertyName": "Set"
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputHidden",
    "Common.TypeNameIdentifier": "InputHidden",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.Bind.ChangeAttribute": "ValueChanged",
    "Components.Bind.ExpressionAttribute": "ValueExpression",
    "Components.Bind.ValueAttribute": "Value",
    "Components.IsSpecialKind": "Components.Bind",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 1521531971,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputNumber",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "InputNumber",
            "Attributes": [
                {
                    "Name": "@bind-Value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-Value:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
"BoundAttributes": [
    {
        "Kind": "Components.Bind",
        "Name": "@bind-Value",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Documentation": "Binds the provided expression to the 'Value' property and a change even",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Value"
        },
        "BoundAttributeParameters": [
            {
                "Name": "get",
                "TypeName": "System.Object",

```

```

        "Documentation": "Specifies the expression to use for binding the value to the attribute.",
        "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
        }
    },
    {
        "Name": "set",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies the expression to use for updating the bound value when a change event occurs.",
        "Metadata": {
            "Common.PropertyName": "Set"
        }
    },
    {
        "Name": "after",
        "TypeName": "System.Delegate",
        "Documentation": "Specifies an action to run after the new value has been set.",
        "Metadata": {
            "Common.PropertyName": "After"
        }
    }
]
},
{
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
        "Common.TypeNameIdentifier": "InputNumber",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.Bind.ChangeAttribute": "ValueChanged",
        "Components.Bind.ExpressionAttribute": "ValueExpression",
        "Components.Bind.ValueAttribute": "Value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -1574626272,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event to the 'ValueChanged' property.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputNumber",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputNumber",
            "Attributes": [
                {
                    "Name": "@bind-Value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-Value:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
{
    "BoundAttributes": [
        {
            "Kind": "Components.Bind",
            "Name": "@bind-Value",

```

```

        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Value"
        },
        "BoundAttributeParameters": [
            {
                "Name": "get",
                "TypeName": "System.Object",
                "Documentation": "Specifies the expression to use for binding the value to the attri",
                "Metadata": {
                    "Common.PropertyName": "Get",
                    "Components.Bind.AlternativeNotation": "True"
                }
            },
            {
                "Name": "set",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies the expression to use for updating the bound value when a",
                "Metadata": {
                    "Common.PropertyName": "Set"
                }
            },
            {
                "Name": "after",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies an action to run after the new value has been set.",
                "Metadata": {
                    "Common.PropertyName": "After"
                }
            }
        ]
    },
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputNumber<TValue>",
        "Common.TypeNameIdentifier": "InputNumber",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.Bind.ChangeAttribute": "ValueChanged",
        "Components.Bind.ExpressionAttribute": "ValueExpression",
        "Components.Bind.ValueAttribute": "Value",
        "Components.IsSpecialKind": "Components.Bind",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": 295721293,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "InputRadioGroup",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "InputRadioGroup",
            "Attributes": [
                {
                    "Name": "@bind-Value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-Value:set",

```



```

        "Metadata": {
            "Common.DirectiveAttribute": "True"
        }
    }
}
],
"BoundAttributes": [
    {
        "Kind": "Components.Bind",
        "Name": "@bind-Value",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Documentation": "Binds the provided expression to the 'Value' property and a change event",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Value"
        },
        "BoundAttributeParameters": [
            {
                "Name": "get",
                "TypeName": "System.Object",
                "Documentation": "Specifies the expression to use for binding the value to the attribute",
                "Metadata": {
                    "Common.PropertyName": "Get",
                    "Components.Bind.AlternativeNotation": "True"
                }
            },
            {
                "Name": "set",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies the expression to use for updating the bound value when a change event occurs",
                "Metadata": {
                    "Common.PropertyName": "Set"
                }
            },
            {
                "Name": "after",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies an action to run after the new value has been set.",
                "Metadata": {
                    "Common.PropertyName": "After"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "Common.TypeNameIdentifier": "InputRadioGroup",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.Bind.ChangeAttribute": "ValueChanged",
    "Components.Bind.ExpressionAttribute": "ValueExpression",
    "Components.Bind.ValueAttribute": "Value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
},
{
    "HashCode": 786577890,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ],
},
{

```

```

        "TagName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup",
        "Attributes": [
            {
                "Name": "@bind-Value:get",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            },
            {
                "Name": "@bind-Value:set",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    "BoundAttributes": [
        {
            "Kind": "Components.Bind",
            "Name": "@bind-Value",
            "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
            "Documentation": "Binds the provided expression to the 'Value' property and a change event",
            "Metadata": {
                "Common.DirectiveAttribute": "True",
                "Common.PropertyName": "Value"
            },
            "BoundAttributeParameters": [
                {
                    "Name": "get",
                    "TypeName": "System.Object",
                    "Documentation": "Specifies the expression to use for binding the value to the attribute",
                    "Metadata": {
                        "Common.PropertyName": "Get",
                        "Components.Bind.AlternativeNotation": "True"
                    }
                },
                {
                    "Name": "set",
                    "TypeName": "System.Delegate",
                    "Documentation": "Specifies the expression to use for updating the bound value when a change event occurs",
                    "Metadata": {
                        "Common.PropertyName": "Set"
                    }
                },
                {
                    "Name": "after",
                    "TypeName": "System.Delegate",
                    "Documentation": "Specifies an action to run after the new value has been set.",
                    "Metadata": {
                        "Common.PropertyName": "After"
                    }
                }
            ]
        }
    ],
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputRadioGroup<TValue>",
        "Common.TypeNameIdentifier": "InputRadioGroup",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.Bind.ChangeAttribute": "ValueChanged",
        "Components.Bind.ExpressionAttribute": "ValueExpression",
        "Components.Bind.ValueAttribute": "Value",
        "Components.IsSpecialKind": "Components.Bind",
        "Components.NameMatch": "Components.FullyQualifiedNameMatch",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -2088285975,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {

```

```

        "TagName": "InputSelect",
        "Attributes": [
            {
                "Name": "@bind-Value",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "TagName": "InputSelect",
        "Attributes": [
            {
                "Name": "@bind-Value:get",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            },
            {
                "Name": "@bind-Value:set",
                "Metadata": {
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    }
],
"BoundAttributes": [
    {
        "Kind": "Components.Bind",
        "Name": "@bind-Value",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
        "Documentation": "Binds the provided expression to the 'Value' property and a change even",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Value"
        },
        "BoundAttributeParameters": [
            {
                "Name": "get",
                "TypeName": "System.Object",
                "Documentation": "Specifies the expression to use for binding the value to the attrib",
                "Metadata": {
                    "Common.PropertyName": "Get",
                    "Components.Bind.AlternativeNotation": "True"
                }
            },
            {
                "Name": "set",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies the expression to use for updating the bound value when a",
                "Metadata": {
                    "Common.PropertyName": "Set"
                }
            },
            {
                "Name": "after",
                "TypeName": "System.Delegate",
                "Documentation": "Specifies an action to run after the new value has been set.",
                "Metadata": {
                    "Common.PropertyName": "After"
                }
            }
        ]
    }
],
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
    "Common.TypeNameIdentifier": "InputSelect",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.Bind.ChangeAttribute": "ValueChanged",
    "Components.Bind.ExpressionAttribute": "ValueExpression",
    "Components.Bind.ValueAttribute": "Value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
}

```

```

},
{
  "HashCode": 525680742,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputSelect",
      "Attributes": [
        {
          "Name": "@bind-Value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "Microsoft.AspNetCore.Components.Forms.InputSelect",
      "Attributes": [
        {
          "Name": "@bind-Value:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind-Value:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Bind",
      "Name": "@bind-Value",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<TValue>",
      "Documentation": "Binds the provided expression to the 'Value' property and a change even",
      "Metadata": {
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "Value"
      }
    },
    {
      "Name": "get",
      "TypeName": "System.Object",
      "Documentation": "Specifies the expression to use for binding the value to the attrib",
      "Metadata": {
        "Common.PropertyName": "Get",
        "Components.Bind.AlternativeNotation": "True"
      }
    },
    {
      "Name": "set",
      "TypeName": "System.Delegate",
      "Documentation": "Specifies the expression to use for updating the bound value when a",
      "Metadata": {
        "Common.PropertyName": "Set"
      }
    },
    {
      "Name": "after",
      "TypeName": "System.Delegate",
      "Documentation": "Specifies an action to run after the new value has been set.",
      "Metadata": {
        "Common.PropertyName": "After"
      }
    }
  ]
},
],

```

```

"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputSelect<TValue>",
  "Common.TypeNameIdentifier": "InputSelect",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.Bind.ChangeAttribute": "ValueChanged",
  "Components.Bind.ExpressionAttribute": "ValueExpression",
  "Components.Bind.ValueAttribute": "Value",
  "Components.IsSpecialKind": "Components.Bind",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.None"
},
},
{
  "HashCode": -261581807,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputText",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "InputText",
      "Attributes": [
        {
          "Name": "@bind-Value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "InputText",
      "Attributes": [
        {
          "Name": "@bind-Value:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind-Value:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ],
  "BoundAttributes": [
    {
      "Kind": "Components.Bind",
      "Name": "@bind-Value",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
      "Documentation": "Binds the provided expression to the 'Value' property and a change even",
      "Metadata": {
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "Value"
      },
      "BoundAttributeParameters": [
        {
          "Name": "get",
          "TypeName": "System.Object",
          "Documentation": "Specifies the expression to use for binding the value to the attri",
          "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
          }
        },
        {
          "Name": "set",
          "TypeName": "System.Delegate",
          "Documentation": "Specifies the expression to use for updating the bound value when a",
          "Metadata": {
            "Common.PropertyName": "Set"
          }
        }
      ],

```

```

        {
            "Name": "after",
            "TypeName": "System.Delegate",
            "Documentation": "Specifies an action to run after the new value has been set.",
            "Metadata": {
                "Common.PropertyName": "After"
            }
        }
    ]
},
"Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputText",
    "Common.TypeNameIdentifier": "InputText",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.Bind.ChangeAttribute": "ValueChanged",
    "Components.Bind.ExpressionAttribute": "ValueExpression",
    "Components.Bind.ValueAttribute": "Value",
    "Components.IsSpecialKind": "Components.Bind",
    "Runtime.Name": "Components.None"
}
},
{
    "HashCode": 267921986,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputText",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputText",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputText",
            "Attributes": [
                {
                    "Name": "@bind-Value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-Value:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
},
"BoundAttributes": [
    {
        "Kind": "Components.Bind",
        "Name": "@bind-Value",
        "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
        "Documentation": "Binds the provided expression to the 'Value' property and a change even",
        "Metadata": {
            "Common.DirectiveAttribute": "True",
            "Common.PropertyName": "Value"
        },
        "BoundAttributeParameters": [
            {
                "Name": "get",
                "TypeName": "System.Object",
                "Documentation": "Specifies the expression to use for binding the value to the attrib",
                "Metadata": {
                    "Common.PropertyName": "Get",
                    "Components.Bind.AlternativeNotation": "True"
                }
            }
        ]
    }
]

```

```

    }
  },
  {
    "Name": "set",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies the expression to use for updating the bound value when a",
    "Metadata": {
      "Common.PropertyName": "Set"
    }
  },
  {
    "Name": "after",
    "TypeName": "System.Delegate",
    "Documentation": "Specifies an action to run after the new value has been set.",
    "Metadata": {
      "Common.PropertyName": "After"
    }
  }
]
}
},
"Metadata": {
  "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputText",
  "Common.TypeNameIdentifier": "InputText",
  "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
  "Components.Bind.ChangeAttribute": "ValueChanged",
  "Components.Bind.ExpressionAttribute": "ValueExpression",
  "Components.Bind.ValueAttribute": "Value",
  "Components.IsSpecialKind": "Components.Bind",
  "Components.NameMatch": "Components.FullyQualifiedNameMatch",
  "Runtime.Name": "Components.None"
}
},
{
  "HashCode": 20745450,
  "Kind": "Components.Bind",
  "Name": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
  "AssemblyName": "Microsoft.AspNetCore.Components.Web",
  "Documentation": "Binds the provided expression to the 'Value' property and a change event d",
  "CaseSensitive": true,
  "TagMatchingRules": [
    {
      "TagName": "InputTextArea",
      "Attributes": [
        {
          "Name": "@bind-Value",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    },
    {
      "TagName": "InputTextArea",
      "Attributes": [
        {
          "Name": "@bind-Value:get",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        },
        {
          "Name": "@bind-Value:set",
          "Metadata": {
            "Common.DirectiveAttribute": "True"
          }
        }
      ]
    }
  ]
},
"BoundAttributes": [
  {
    "Kind": "Components.Bind",
    "Name": "@bind-Value",
    "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
    "Documentation": "Binds the provided expression to the 'Value' property and a change even",
    "Metadata": {

```

```

        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "Value"
    },
    "BoundAttributeParameters": [
        {
            "Name": "get",
            "TypeName": "System.Object",
            "Documentation": "Specifies the expression to use for binding the value to the attribute.",
            "Metadata": {
                "Common.PropertyName": "Get",
                "Components.Bind.AlternativeNotation": "True"
            }
        },
        {
            "Name": "set",
            "TypeName": "System.Delegate",
            "Documentation": "Specifies the expression to use for updating the bound value when the attribute value changes.",
            "Metadata": {
                "Common.PropertyName": "Set"
            }
        },
        {
            "Name": "after",
            "TypeName": "System.Delegate",
            "Documentation": "Specifies an action to run after the new value has been set.",
            "Metadata": {
                "Common.PropertyName": "After"
            }
        }
    ]
},
{
    "Metadata": {
        "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
        "Common.TypeNameIdentifier": "InputTextArea",
        "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
        "Components.Bind.ChangeAttribute": "ValueChanged",
        "Components.Bind.ExpressionAttribute": "ValueExpression",
        "Components.Bind.ValueAttribute": "Value",
        "Components.IsSpecialKind": "Components.Bind",
        "Runtime.Name": "Components.None"
    }
},
{
    "HashCode": -685419830,
    "Kind": "Components.Bind",
    "Name": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
    "AssemblyName": "Microsoft.AspNetCore.Components.Web",
    "Documentation": "Binds the provided expression to the 'Value' property and a change event to the 'ValueChanged' property.",
    "CaseSensitive": true,
    "TagMatchingRules": [
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
            "Attributes": [
                {
                    "Name": "@bind-Value",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        },
        {
            "TagName": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
            "Attributes": [
                {
                    "Name": "@bind-Value:get",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                },
                {
                    "Name": "@bind-Value:set",
                    "Metadata": {
                        "Common.DirectiveAttribute": "True"
                    }
                }
            ]
        }
    ]
}

```



```

    ]
  },
  "BoundAttributes": [
    {
      "Kind": "Components.Bind",
      "Name": "@bind-Value",
      "TypeName": "Microsoft.AspNetCore.Components.EventCallback<System.String>",
      "Documentation": "Binds the provided expression to the 'Value' property and a change event",
      "Metadata": {
        "Common.DirectiveAttribute": "True",
        "Common.PropertyName": "Value"
      },
      "BoundAttributeParameters": [
        {
          "Name": "get",
          "TypeName": "System.Object",
          "Documentation": "Specifies the expression to use for binding the value to the attribute",
          "Metadata": {
            "Common.PropertyName": "Get",
            "Components.Bind.AlternativeNotation": "True"
          }
        },
        {
          "Name": "set",
          "TypeName": "System.Delegate",
          "Documentation": "Specifies the expression to use for updating the bound value when a change event is triggered",
          "Metadata": {
            "Common.PropertyName": "Set"
          }
        },
        {
          "Name": "after",
          "TypeName": "System.Delegate",
          "Documentation": "Specifies an action to run after the new value has been set.",
          "Metadata": {
            "Common.PropertyName": "After"
          }
        }
      ]
    }
  ],
  "Metadata": {
    "Common.TypeName": "Microsoft.AspNetCore.Components.Forms.InputTextArea",
    "Common.TypeNameIdentifier": "InputTextArea",
    "Common.TypeNamespace": "Microsoft.AspNetCore.Components.Forms",
    "Components.Bind.ChangeAttribute": "ValueChanged",
    "Components.Bind.ExpressionAttribute": "ValueExpression",
    "Components.Bind.ValueAttribute": "Value",
    "Components.IsSpecialKind": "Components.Bind",
    "Components.NameMatch": "Components.FullyQualifiedNameMatch",
    "Runtime.Name": "Components.None"
  },
  {
    "HashCode": 328883102,
    "Kind": "Components.Ref",
    "Name": "Ref",
    "AssemblyName": "Microsoft.AspNetCore.Components",
    "Documentation": "Populates the specified field or property with a reference to the element being rendered",
    "CaseSensitive": true,
    "TagMatchingRules": [
      {
        "TagName": "*",
        "Attributes": [
          {
            "Name": "@ref",
            "Metadata": {
              "Common.DirectiveAttribute": "True"
            }
          }
        ]
      }
    ]
  },
  "BoundAttributes": [
    {
      "Kind": "Components.Ref",

```

```

        "Name": "@ref",
        "TypeName": "System.Object",
        "Documentation": "Populates the specified field or property with a reference to the element",
        "Metadata": {
            "Common.PropertyName": "Ref",
            "Common.DirectiveAttribute": "True"
        }
    },
    {
        "Metadata": {
            "Common.ClassifyAttributesOnly": "True",
            "Common.TypeName": "Microsoft.AspNetCore.Components.Ref",
            "Components.IsSpecialKind": "Components.Ref",
            "Runtime.Name": "Components.None"
        }
    },
    {
        "HashCode": 1343761046,
        "Kind": "Components.Key",
        "Name": "Key",
        "AssemblyName": "Microsoft.AspNetCore.Components",
        "Documentation": "Ensures that the component or element will be preserved across renders if",
        "CaseSensitive": true,
        "TagMatchingRules": [
            {
                "TagName": "*",
                "Attributes": [
                    {
                        "Name": "@key",
                        "Metadata": {
                            "Common.DirectiveAttribute": "True"
                        }
                    }
                ]
            }
        ]
    },
    {
        "BoundAttributes": [
            {
                "Kind": "Components.Key",
                "Name": "@key",
                "TypeName": "System.Object",
                "Documentation": "Ensures that the component or element will be preserved across renders",
                "Metadata": {
                    "Common.PropertyName": "Key",
                    "Common.DirectiveAttribute": "True"
                }
            }
        ]
    },
    {
        "Metadata": {
            "Common.ClassifyAttributesOnly": "True",
            "Common.TypeName": "Microsoft.AspNetCore.Components.Key",
            "Components.IsSpecialKind": "Components.Key",
            "Runtime.Name": "Components.None"
        }
    }
],
"CSharpLanguageVersion": 1300
},
"RootNamespace": "KVS_API",
"Documents": [],
"SerializationFormat": "0.3"
}

```

Datei: rjsmcshtml.dswa.cache.json

```
{"GlobalPropertiesHash": "CJzXAQB++gqCklIhCtOYIBxuRpos3+1vFaFM0fzweRE=", "FingerprintPatternsHash": "gq
```

Datei: rjsmrazor.dswa.cache.json

```
{"GlobalPropertiesHash": "Zcdd70R6E3/xCU66ewhsvdANbiX9wRvmV+C22igfFmM=", "FingerprintPatternsHash": "gq
```

Datei: rpswa.dswa.cache.json

```
{"GlobalPropertiesHash": "RpnQKi95vcAHy4c2uxfnZWIMxV698zZt5UWEP/QYR6A=", "FingerprintPatternsHash": "ggq
```

Datei: staticwebassets.build.endpoints.json

```
{"Version":1,"ManifestType":"Build","Endpoints":[]}
```

Datei: staticwebassets.build.json

```
{"Version":1,"Hash":"jw0fxepG8HU0HVpEA+oYJfEvTFjbZcMlnbxCd11gIbo=","Source":"KVS_API","BasePath":"/"}
```

Datei: staticwebassets.build.json.cache

jw0fxepG8HU0HVpEA+oYJfEvTFjbZcMlnbxCd11gIbo=

Datei: staticwebassets.references.upToDateCheck.txt

Datei: staticwebassets.removed.txt

Datei: swae.build.ex.cache

Datei: KVS_API.OpenApiFiles.cache

KVS_API.json

Datei: KVS_API.json

```
{
  "openapi": "3.1.1",
  "info": {
    "title": "KVS_API | v1",
    "version": "1.0.0"
  },
  "servers": [
    {
      "url": "http://localhost:5242"
    }
  ],
  "paths": {
    "/api/konto/erstelle-user": {
      "get": {
        "tags": [
          "Konto"
        ],
        "responses": {
          "200": {
            "description": "OK"
          }
        }
      }
    },
    "/api/konto/test-umbuchung": {
      "get": {
        "tags": [
          "Konto"
        ],
        "responses": {
          "200": {
            "description": "OK"
          }
        }
      }
    },
    "/api/konto/privatkonto-eroeffnen/{userId}": {
      "post": {
        "tags": [
          "Konto"
        ],
        "parameters": [
          {
            "name": "userId",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string",
              "format": "uuid"
            }
          }
        ],
        "responses": {
          "200": {
            "description": "OK"
          }
        }
      }
    },
    "/api/konto/sparkonto-eroeffnen/{userId}": {
      "post": {
        "tags": [
          "Konto"
        ],
        "parameters": [
          {
            "name": "userId",
            "in": "path",
            "required": true,
            "schema": {
              "type": "string",
              "format": "uuid"
            }
          }
        ]
      }
    }
  }
}
```

```

    ],
    "responses": {
      "200": {
        "description": "OK"
      }
    }
  },
  "/api/konto/meine-konten/{userId}": {
    "get": {
      "tags": [
        "Konto"
      ],
      "parameters": [
        {
          "name": "userId",
          "in": "path",
          "required": true,
          "schema": {
            "type": "string",
            "format": "uuid"
          }
        }
      ],
      "responses": {
        "200": {
          "description": "OK"
        }
      }
    }
  },
  "tags": [
    {
      "name": "Konto"
    }
  ]
}

```

Datei: KVS_API.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: KVS_API.dll

<< Diese Datei ist binär (z.B. .exe, .zip) oder ein proprietäres Format (z.B. .docx). Sie kann nicht direkt als Text gelesen werden.

Datei: launchSettings.json

```
■{
  "$schema": "https://json.schemastore.org/launchsettings.json",
  "profiles": {
    "http": {
      "commandName": "Project",
      "dotnetRunMessages": true,
      "launchBrowser": false,
      "applicationUrl": "http://localhost:5242",
      "environmentVariables": {
        "ASPNETCORE_ENVIRONMENT": "Development"
      }
    }
  }
}
```

Datei: IKontoService.cs

```
using KVS_API.Models;

namespace KVS_API.Services;

public interface IKontoService
{
    Task<IEnumerable<KontoResponse>> GetAlleKontenAsync(Guid userId);
    Task<KontoResponse> GetKontoAsync(string kontonummer);

    Task<KontoResponse> ErstelleSparkontoAsync(Guid userId);
    Task<KontoResponse> ErstellePrivatkontoAsync(Guid userId);

    Task<KontoResponse> EinzahlenAsync(string kontonummer, decimal betrag);
    Task<KontoResponse> AuszahlenAsync(string kontonummer, decimal betrag);
    Task<UmbuchungResponse> UmbuchenAsync(string vonKontonummer, string nachKontonummer, decimal betrag);

    Task<KontoResponse> MonatlicheAbrechnungAsync(string kontonummer);
}
```

Datei: KontoService.cs

```
using KVS_API.Models;
using KVS_API.Exceptions;
using Microsoft.EntityFrameworkCore;
using System.Diagnostics;

namespace KVS_API.Services;

public class KontoService : IKontoService
{
    private readonly ApplicationDbContext _context;

    public KontoService(ApplicationDbContext context)
    {
        _context = context;
    }

    public async Task<IEnumerable<KontoResponse>> GetAlleKontenAsync(Guid userId)
    {
        var kontenliste = await _context.Konten.Where(k => k.UserId == userId).ToListAsync();

        var responseliste = kontenliste.Select(k =>
            new KontoResponse(
                k.Kontonummer,
                k.Typ,
                k.GetSaldo(),
                k.Erstelltam
            )
        );

        return responseliste;
    }

    public async Task<KontoResponse> GetKontoAsync(string kontonummer)
    {
        var konto = await _context.Konten.Where(k => k.Kontonummer == kontonummer).FirstOrDefault();

        if (konto == null)
        {
            throw new KontoNotFoundException($"Das Konto mit der Kontonummer {kontonummer} existiert nicht.");
        }

        var responsekonto = new KontoResponse(
            konto.Kontonummer,
            konto.Typ,
            konto.GetSaldo(),
            konto.Erstelltam
        );

        return responsekonto;
    }

    public async Task<KontoResponse> ErstelleSparkontoAsync(Guid userId)
    {
        var user = await _context.Users.FindAsync(userId);

        if (user == null)
        {
            throw new UserNotFoundException($"User mit ID '{userId}' nicht gefunden.");
        }

        var sparkonto = new Sparkonto();

        user.KontoHinzufuegen(sparkonto);

        await _context.SaveChangesAsync();

        return new KontoResponse(
            sparkonto.Kontonummer,
            sparkonto.Typ,
            sparkonto.GetSaldo(),
            sparkonto.Erstelltam
        );
    }

    public async Task<KontoResponse> ErstellePrivatkontoAsync(Guid userId)
```

```

{
    var user = await _context.Users.FindAsync(userId);
    if (user == null)
    {
        throw new UserNotFoundException($"User mit ID '{userId}' nicht gefunden.");
    }

    var privatkonto = new Privatkonto();
    user.KontoHinzufuegen(privatkonto);
    await _context.SaveChangesAsync();

    return new KontoResponse(
        privatkonto.Kontonummer,
        privatkonto.Typ,
        privatkonto.GetSaldo(),
        privatkonto.Erstelltam
    );
}

public async Task<KontoResponse> EinzahlenAsync(string kontonummer, decimal betrag)
{
    var konto = await _context.Konten.Where(k => k.Kontonummer == kontonummer).FirstOrDefault();
    if (konto == null)
    {
        throw new KontoNotFoundException($"Das Konto mit der Kontonummer {kontonummer} existiert nicht.");
    }

    if (betrag <= 0)
    {
        throw new UngueltigerBetragException("Der Betrag muss größer als 0 sein.");
    }

    konto.Einzahlen(betrag);
    await _context.SaveChangesAsync();

    return new KontoResponse(
        konto.Kontonummer,
        konto.Typ,
        konto.GetSaldo(),
        konto.Erstelltam
    );
}

public async Task<KontoResponse> AuszahlenAsync(string kontonummer, decimal betrag)
{
    var konto = await _context.Konten.Where(k => k.Kontonummer == kontonummer).FirstOrDefault();
    if (konto == null)
    {
        throw new KontoNotFoundException($"Das Konto mit der Kontonummer {kontonummer} existiert nicht.");
    }

    if (betrag <= 0)
    {
        throw new UngueltigerBetragException("Der Betrag muss größer als 0 sein.");
    }

    if (betrag > konto.GetSaldo())
    {
        throw new UnzureichendeDeckungException("Der Betrag muss kleiner als oder gleich dem Saldo sein.");
    }

    konto.Auszahlen(betrag);
    await _context.SaveChangesAsync();

    return new KontoResponse(
        konto.Kontonummer,
        konto.Typ,
        konto.GetSaldo(),
        konto.Erstelltam
    );
}

```

```

    });
}

public async Task<UmbuchungResponse> UmbuchenAsync(string vonKontonummer, string nachKontonummer)
{
    var vonkonto = await _context.Konten.Where(k => k.Kontonummer == vonKontonummer).FirstOrDefault();
    var nachkonto = await _context.Konten.Where(k => k.Kontonummer == nachKontonummer).FirstOrDefault();

    if (vonkonto == null || nachkonto == null)
    {
        throw new KontoNotFoundException("Eines der Konten wurde nicht gefunden.");
    }

    var user = await _context.Users.FindAsync(vonkonto.UserId);

    if (user == null)
    {
        throw new UserNotFoundException($"User mit ID '{vonkonto.UserId}' nicht gefunden.");
    }

    user.Umbuchen(vonkonto, nachkonto, betrag);
    await _context.SaveChangesAsync();

    return new UmbuchungResponse(
        Erfolgreich: true,
        Nachricht: $"Umbuchung von {betrag} CHF erfolgreich.",
        NeuerSaldoVon: vonkonto.GetSaldo(),
        NeuerSaldoNach: nachkonto.GetSaldo()
    );
}

public async Task<KontoResponse> MonatlicheAbrechnungAsync(string kontonummer)
{
    var konto = await _context.Konten
        .Where(k => k.Kontonummer == kontonummer)
        .FirstOrDefaultAsync();

    if (konto == null)
    {
        throw new KontoNotFoundException($"Das Konto mit der Kontonummer {kontonummer} existiert nicht.");
    }

    konto.MonatlicheAbrechnung();

    await _context.SaveChangesAsync();

    return new KontoResponse(
        konto.Kontonummer,
        konto.Typ,
        konto.GetSaldo(),
        konto.Erstelltam
    );
}
}

```