Stronger Roots. Healthier Crops. Better Harvests

MIKE ALPHA AGRO®

Our Technology

pluvigea® Line

Pluvigea finds its maximum efficacy under stress conditions from fungi or abiotic stress, such as high environmental humidity. Our proposal is designed to optimize performance and profitability in humid environments.

protegea® Line

Protegea, where the effectiveness of our biosolutions in challenging environmental conditions is our priority. This product line is designed to mitigate the effects of pests and nourish crops, ensuring optimal performance in any adverse environment.

microgea® Line

Microgea, where we find the greatest synergy between science and innovation. Our most premium line encompasses formulations based on microorganisms, probiotics, prebiotics, and microbial derivatives that act as bio protectors, bio activators, PGPR, enzymatic inducers, and metabolic enhancers.

vitagea® Line

Vitagea is synonymous of excellence in plant nutrition and bio stimulation. Our product line is specifically designed to enhance crop performance and correct deficiency states of essential micro and macroelements.

An exclusive importers of

FERTINAGRO BIOTECH

Veganic® Grow different

Nutritional technologies We currently employ a wide range of technologies designed to enhance soil fertility, improve the nutritional efficiency of our fertilizers, and increase crop yields for our farmers, all with sustainability and profitability at the forefront. Among the most commonly used in our formulations are the following:

AZON® Technology

We currently employ a wide range of technologies designed to enhance soil fertility, improve the nutritional efficiency of our fertilizers, and increase crop yields for our farmers, all with sustainability and profitability at the forefront. Among the most commonly used in our formulations are the following:

AMINOVIT® Complex

Bioactive molecules of organic and natural origin that positively influence the rhizosphere by enhancing metabolism, activating microbial flora and increasing the length organic fraction and humic substance content. Additionally, these molecules stimulate the plant's physiological processes, improving its resilience to stress conditions.

PROLIFE® Complex

Composed of complexed essential microelements, it influences the soil microbiome to maximize its potential fertility. It works by nourishing and activating the microorganisms in the rhizosphere to increase the availability of native nutrients naturally present in the soil and atmosphere.

DURAMON® Technology

MCDHS inhibitor that targets the urease enzyme, slowing the conversion of urea into ammonia and extending the period of nitrogen availability. This gradual release of nitrogen units enhances their availability while reducing losses due to volatilization and leaching.

N-PRIME® Technology

Natural inhibitor through the addition of Metchnikowia Pulcherrima extract, which combines two key mechanisms in a single technological complex to enhance nitrogen fertilization. It retains nitrogen in the soil, preventing volatilization and ensuring maximum utilization. Additionally, its biostimulant properties improve nutrient absorption and promote overall crop development and productivity.

ACTIBION® Complex

It stimulates the production of phytohormones that enhance the vegetative development of the crop, while ensuring the solubility of nutrients to maximize the product's effectiveness.

AMINOBION® Technology

Organic substances, amino acids, and specific micronutrients that enhance soil-plant processes, activate beneficial soil microbiota, and increase nutrient uptake and assimilation. These elements biostimulate the plant, supporting its physiological processes and improving its resilience to stress conditions.

FILAMIN® Complex

It stimulates phytohormone production, enhancing the vegetative development of the crop and ensuring nutrient solubility for maximum product efficiency.

NOVPHOS® - PLB Technology

By combining three types of technological phosphorus with traditional phosphorus, this technology provides four speeds of availability to meet the plant's phosphorus needs at different stages of its development. It also prevents phosphorus blockages and retrogradation in the soil.

OLIGOQUEL® Complex

The complexation of microelements with amino acids forms aminates, ensuring nutrient mobility and enhancing their corrective effectiveness in both foliar and root applications.

Mike Whitepot Solution

Liquid potassium solution with fortifying effect for foliar application

FERTINAGRO BIOTECH

High Productive Performance

Wetting Effect

Respect for the Environment

Characteristics: Whitepot Solution is a concentrated potassium solution, specially designed to optimize crop quality and yield, as well as improve plant resistance to pests and diseases. Its contribution improves sugar synthesis and fruit ripening: color, size, °Brix, as well as fruit consistency and firmness. Potassium promotes the opening of plant stomata, and an adequate level of this element is essential for transpiration processes, increasing plant resistance to water and heat stress. It contains TCA (Tricarboxylic Acids), improving the availability of this and other nutrients via foliar and soil applications by increasing exchange points and conditioning chemical and biological properties in the application area.

Dose and mode of use: Recommended for foliar application @2–3 ml per liter on all vegetables and fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Substance identity: Potassium carbonate. EC No. 209-529-3.

Declared content: w/w (w/v) Potassium oxide (K_2O) soluble in water 23.0% (30.0%). Chloride < 0.05%. Low in chloride.

Certified by Intereco: Product suitable for use in organic farming in accordance with Council Regulation (EC) No. 2018/848 of 30 May 2018 on the production and labeling of organic products, as amended and extended.

Storage and handling instructions: Keep away from sunlight and moisture. Storage temperature: 0°C–35°C.

Type designation: POTASSIUM SOLUTION. Group 1.1.3.01 (R.D. 506/2013).

INTER ECO

CAAE INSUMO PARA LA PRODUCCIÓN ECOLÓGICA

Certified organic by SC CAAE

Mike Aminocalcium

Rapidly assimilated calcium and magnesium solution with selected amino acids

FERTINAGRO BIOTECH

- Soil Regeneration
- Rhizospheric Activation
- Nutrient Availability
- Irrigation Acidification
- Salinity Correction

Characteristics: Liquid regenerator with a high calcium concentration, targeting the rhizosphere (soil action) and the plant (physiological action). Its formulation promotes calcium transport and absorption, and alleviates calcium transport problems. Its calcium and magnesium content is complemented by the EFISOIL and XILACAL complex. The former is based on stimulating substances (selected free amino acids), stimulating root growth and improving cell wall thickening. The latter promotes rapid calcium assimilation, as well as the translocation and movement of intracellular calcium (via the xylem pathway), reaching the organs most in need quickly enough to prevent and correct potential deficiencies. It acts on the soil, improving its structure and exerting a desalination effect, promoting cation exchange processes and acting as a biological activator of the rhizosphere.

Dose and mode of use: Recommended for foliar application @ 2-3 ml per liter on Vegetables and Fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Precautions: Due to its high concentration, it is recommended to shake before use. Do not mix with highly alkaline products, sulfur, or mineral oils. Also, do not mix with copper, except in olive cultivation. If you have any questions, please consult our Technical Department or perform a prior compatibility test.

Type name: Liquid mixture of calcium and magnesium with amino acids. Group 4.1.02 (RD 506/2003).

Storage and handling instructions: Keep away from sunlight and moisture. Storage temperature: 5°C–35°C.

Declared content w/w (w/v):
Free amino acids 2% (2.5%)
Total nitrogen (N) 0.5% (0.625%)
Organic nitrogen (N) 0.5% (0.625%)
Water-soluble calcium oxide (CaO) 12% (15%)
Water-soluble magnesium oxide (MgO) 0.5%

Aminogram: Ala, Arg, Asp, Gly, Glu, Hyp, His, Ile, Leu, Lys, Met, Phe, Pro, Ser, Tyr, Thr, Val.

ABP authorization number: S42438001

Raw materials: Organic origin: Protein hydrolysate 9%.

Mike
AMINOVIT 22

Liquid aminoacid for crop recovery after stress situations

FERTINAGRO BIOTECH

- Plant Growth Activation
- Wetting Effect
- Drought Resistance
- Anti-stress Protection

Characteristics: Fully assimilable L-amino acids. Acts on development, flowering, and fruit set, and promotes the recovery of weakened crops. Stimulates root development and soil microbial flora, increasing soil fertility. Unlocks trace elements in the soil, facilitating their absorption and assimilation, and increasing organic matter levels.

Dose and mode of use: Recommended for foliar application @ 2-3 ml per liter on all Vegetables and Fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Aminogram: Ala, Arg, Asp, Gly, Glu, Hyp, His, Ile, Leu, Lys, Met, Phe, Pro, Ser, Tyr, Thr, Val.

Raw materials: Organic origin: 50% hydrolyzed.

Storage and handling instructions: Keep away from sunlight and moisture. Storage temperature: 5°C–35°C.

Disclaimer of Warranty: The information contained on this label is believed to be accurate and reliable. The purchaser and user acknowledge and assume all liability arising from the use of this material.

Declared content w/w (w/v):
Free amino acids 22% (26.4%)
Total nitrogen (N) 5% (6%)
Organic nitrogen (N) 5% (6%)
pH 5.5

Type name: SPECIAL FERTILIZER. AMINO ACIDS Group 4.1.01 (R.D. 506/2013).

ABP No.: S44238001.

Mike Biamic

Benefits

Mike BIAMIC is a state-of-the-art liquid biostimulant, developed from a unique sustainable plant fermentation process. It uses a specific strain of Corynebacterium glutamicum and sugar cane molasses, resulting in a unique combination of more than 200 bioactive compounds, including L-α amino acids, vitamins, sugars and other secondary metabolites. Thanks to its ultra-efficient formulation, BIAMIC requires significantly lower dosages than other biostimulants on the market, making it an economical and environmentally friendly solution. BIAMIC is designed to improve fruit set and fruit development, increasing the quality of the harvest in terms of size, weight and soluble solids content.

Characteristics

- Promotes fruit set and uniform fruit growth.
- Increases photosynthetic efficiency, promoting vigorous growth.
- Enhances plant resistance to abiotic stress.
- It requires ultra-low doses, decreasing the chemical load on the soil.
- Less physical and chemical impact on the soil, preserving its long-term integrity

Guaranteed Wealth

- 5.5% total nitrogen (N)
- 3.0% organic nitrogen (N)
- 20.0% free amino acids w/w
- 20.0% glutamic acid w/w

DOSAGE

- Foliar Dose 25-50ml/acre

Agronomic Benefits of its composition

Qualitative

- Maximum efficiency at low doses: Achieves significant results by reducing input use.
- Improved fruit quality: Increases fruit size, weight and sugar content.
- Efficient production and application contributing to a more sustainable agriculture

Quantitative

- Fruit weight increase: Up to 20% in high value crops.
- Yield increase: +30% in total output
- Reduction of necessary doses: 10-40 times less than other conventional biostimulants.

Mike SILIKUM

Potassium silicate fertiliser solution



Recommended Storage Conditions: Store between **5 and 35°C**, in a cool, dry place, away from heat sources and without direct exposure to the sun. A minimum product validity period is guaranteed and may remain valid longer if the storage conditions are maintained.

The manufacturer is not responsible for damages or losses resulting from incorrect or inappropriate use of this product. Always follow the instructions for use provided on the label and consult a professional if in doubt.

CONTENT (w/w):
10.0% Potassium oxide (K_2O)
22.0% Silicon oxide (SiO_2)

Safety and Environmental Information:
P102 Keep out of reach of children.
P270 Do not eat, drink or smoke when using this product.

Instructions and Dose Application:
Mike SILIKUM is designed to have optimal assimilation through leaves.

Dose and mode of use: Recommended for foliar application @ 1.5-2 ml per liter on all Vegetables and Fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Use only when there is a known need. The application rate should not be exceeded. Farmers are encouraged to avoid nutrient losses and to take into account official recommendations when preparing fertilisation plans.

Mike
Vitagea B

Boron Ethanolamina

Recommended Storage Conditions: Store between **5 and 35°C**, in a cool, dry place, away from heat sources and without direct exposure to the sun. A minimum product validity period is guaranteed and may remain valid longer if the storage conditions are maintained.

The manufacturer is not responsible for damages or losses resulting from incorrect or inappropriate use of this product. Always follow the instructions for use provided on the label and consult a professional if in doubt.

CONTENT (w/w):

Boron (B) soluble in water 10% w/w

pH = 8.5 ± 1.0

Specific gravity: 1.3 – 1.4

Lead (as Pb) per cent by weight, maximum: 0.003

Arsenic (as As) per cent by weight, maximum: 0.01

Cadmium (as Cd) per cent by weight, maximum: 0.0025

Instructions and Dose Application:
Mike VITAGEA B is designed to have optimal assimilation both through leaves and roots.

Dose and mode of use: Recommended for foliar application @ 1 ml per liter on all Vegetables and Fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Mike Maxima

With Duramon, Aminovit and Actibion

Low salinity technological precision fertilizers with inhibited nitrogen, fertility enhancers and crop biostimulants.

It supports microbial activity by improving nutrient availability and preventing losses from retrogradation, leaching, and fixation.

It stimulates the production of plant hormones, promoting root development and activating early plant growth.

The formulation with polysulfated nutrients ensures their availability and enhances nutritional efficiency.

It reduces the energy the plant expends to cope with stressful conditions, enabling a quick response.

Maximum environmental respect through the reduction of nitrogen losses, thanks to N-Primer® and Duramon® technologies.

Main formulas:

311
NPK (Ca–Mg–S) 15-5-5 (4-2-15) with micronutrients and amino acids

N-RHIZOTECH PLUS
NPK (Ca–Mg–S) 10-14-5 (4-2-15) with micronutrients and amino acids

212
NPK (Ca–Mg–S) 10-5-10 (4-2-20) with micronutrients and amino acids

N-112
NPK (Ca–Mg–S) 8-10-12 (2-2-15) with micronutrients and amino acids

Contains Urease Inhibitor (MCDHS) %MCDHS/Urea N: 1% (except formula 113).

213
NPK (Ca–Mg–S) 8-5-12 (4-2-17) with micronutrients and amino acids

N-121
NPK (Ca–Mg–S) 7-10-6 (4-2-15) with micronutrients and amino acids

113
NPK (Ca–Mg–S) 5-5-15 (4-2-20) with micronutrients and amino acids

N-140
NP (Ca–Mg–S) 5-20-0 (4-2-6) with micronutrients and amino acids

N-TECH PLUS
NK (Ca–Mg–S) 20-0-5 (2-2-20) with micronutrients and amino acids

Dose and mode of use: Recommended for foliar application @ 25kg per acer and depend on crop stage, on all Vegetables and Fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Packaging

25 Kg
●

Mike Kaliphos PK-0-40-40

Water-soluble fertilizer with a high phosphorus and potassium content (PK 0-40-40).

Enhances nutrient availability in the soil and uptake by the plant through rhizosphere acidification.

Compared to other potassium sources, Kaliphos helps limit the increase in electrical conductivity in the fertigation solution.

Acidifying effect that, due to its acidic reaction, prevents clogging in drippers and irrigation lines.

Anti-caking properties with high water and moisture retention capacity, maintaining flowability without compaction — an asset in industrial applications.

Declared content (w/w):

Phosphorus Pentoxide (P_2O_5)	40%
Potassium Oxide (K_2O)	40%

Packaging

25 Kg
●

Dose and mode of use: Recommended for drip application @ 2-3 kg per acer on all Vegetables and Fruit crops. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

Mike Special one complex 10-15-35+TE (I)

Water-soluble NPK fertilizers with aminoacids

The Special One family consists of water-soluble fertilizers, low in chlorine, offering NP, NK, and NPK balances designed to be used at every stage of crop development.

The formulation with free amino acids provides properties that significantly increase the efficiency of the supplied nutrients, facilitating their absorption, availability, and translocation processes.

The offered NPK formulas also contain chelated microelements for complete nutrition. The product is especially recommended for use where crops are cultivated on saline and exhausted soils or grown under stress conditions.

Properties

Cl Low in Chlorine

Rhizospheric activation

AM Aminovit®

Packaging

25 Kg
●

Dose and mode of use: Recommended for drip application @ 2-3 kg per acer on all Vegetables and Fruit crops. And depend on stage of the crop. This product should be applied to the crop taking into consideration the amount of nutrients already in the soil or as per the recommendation of the Agronomist.

DECLARED CONTENT	SPECIAL ONE OPTIMUM
Free aminoacids	2,0 %
Total Nitrogen (N)	10,0 %
Phosphorus pentoxide (P_2O_5) soluble in water	15,0 %
Potassium oxide (K_2O) soluble in water	35,0 %
Microelements (B, Cu, Fe, Mn, Mo, Zn)	Microelements
Aminogram: Ala, Arg, Asp, Cys, Gly, Glu, Hyp, His, Iso, Leu, Lys, Met, Phe, Pro, Tyr, Thr, Val.	

Mike Supercoctel 6-18-18+TE (I)

Comprehensive nutrient package: multi-activator, biostimulant, and physiological enhancer.

Its complete blend of elements delivers triple action with protective, corrective, and nutritional effects.

Amino acids enhance the transport of macro, meso, and micronutrients, ensuring better distribution throughout the plant.

It stimulates the soil microbiota and supplies energy, stimulating root development, vegetative growth, and overall crop quality.

Rich in amino acids, this product provides essential microelements that support enzyme activity, enhancing plant performance by optimizing metabolic processes and overall growth.

Helps protect crops from yield loss by enhancing resilience to stress factors.

DECLARED CONTENT:

Free amino acids	12%
Total nitrogen (N)	6%
Organic nitrogen (N)	1%
Ammoniacal nitrogen (N)	5%
Phosphorus pentoxide (P_2O_5) soluble in water	18%
Phosphorus pentoxide (P_2O_5) soluble in water and neutral ammonium citrate	18%
Potassium oxide (K_2O) soluble in water	18%
Boron (B) soluble in water	0.2%
Copper (Cu) soluble in water	0.2%
Copper (Cu) chelated by EDTA	0.2%
Iron (Fe) soluble in water	0.65%
Iron (Fe) chelated by EDTA	0.65%
Manganese (Mn) soluble in water	0.5%
Manganese (Mn) chelated by EDTA	0.5%
Molybdenum (Mo) soluble in water	0.04%
Zinc (Zn) soluble in water	0.65%
Zinc (Zn) chelated by EDTA	0.65%
Chelated fraction stability pH range	4-8
pH	5
Low in chloride	

Dose and mode of use: Foliar application 2-3gm/ltr of water on all vegatable and fruit crops depending on the stage of the crop

Main formulas:

Mike Supercoctel 6-18-18 + TE(I)

NPK fertilizer with micronutrients and amino acids

Packaging

400 grams	1kg
●	●

Mike Blackpot 3-0-52

Super-concentrated water-soluble humic-potassium formulation with a phenological fortifying effect.

The combination of humic extracts and bioactive substances enhances the assimilation and translocation of supplied potassium, while also mobilizing the potassium already present in the soil.

Helps protect crops from yield loss by enhancing resilience to stress factors.

Contains root-stimulating compounds that promote primary and secondary root development, enhancing nutrient and water uptake efficiency.

High potassium and biostimulant content for the final crop stages, ensuring improved fruit sizing, ripening, and firmness.

Declared Content:

Potassium oxide (K2O) soluble in water	52% w/w
Total humic extract	12% w/w
Fulvic acids	7% w/w
Total Nitrogen	3% w/w
Ureic nitrogen	3% w/w
pH	9

DOSE AND MODE OF USE: Foliar application 2-3gm/ltr of water on all vegatable and fruit crops depending on the stage of the crop

Main formulas:

Mike Blackpot

NK 03-0-52 with humic Fulvic and Nitrogen

Packaging

400 grams	1kg
●	●

Mike Phoszinc 11-57-00+TE (I)

WITH FILOAMIN COMPLEX

MIKE PHOSZINC is a NP nutritional products rich in amino acids with macro and micronutrients

FERTINAGRO BIOTECH

Comprehensive nutritional support with the macro- and microelements essential for proper and balanced crop nutrition.

It enhances crop biostimulation by providing a rapid energy supply, ensuring optimal yield and quality.

Rapid and complete correction of nutritional deficiency symptoms resulting from shortages of various micro and macronutrients.

Biopolymers and adjuvants increase the wetting power of the solution, improving the efficiency of foliar sprays and phytosanitary treatments.

Thanks to its biostimulant content, it improves the crop's response to any stress situation.

They contain selected fulvic acids that act as natural antioxidants, protecting the plant from solar radiation.

Main formulas:

Mike Phoszinc

NP 11-57-0+TE(I) with zinc and amino acids

DECLARED CONTENT:

Free amino acids 2%	2%
Nitrogen (N) total 11%	11%
Nitrogen (N) ammoniacal 10.5%	10.5%
Organic Nitrogen (N) 0.5%	0.5%
Phosphorus pentoxide (P_2O_5) soluble in water and neutral ammonium citrate 57%	57%
Phosphorus pentoxide (P_2O_5) soluble in water 57%	57%
Zinc (Zn) soluble in water 1%	1%
Zinc (Zn) complexed by amino acids 1%	1%
pH	5
low in chloride	

DOSE AND MODE OF USE: Foliar application 2-3gm/ltr of water on all vegatable and fruit crops depending on the stage of the crop

Packaging

400 grams	1kg
●	●

Mike kualium 10-05-30+Mgo+TE (I)

WITH FILOAMIN COMPLEX

NPK Nutritional biostimulants low in chloride, enriched with magnesium, microelements chelated by EDTA, and amino acids.

FERTINAGRO BIOTECH

Comprehensive nutritional support with the macro- and microelements essential for proper and balanced crop nutrition.

It enhances crop biostimulation by providing a rapid energy supply, ensuring optimal yield and quality.

Rapid and complete correction of nutritional deficiency symptoms resulting from shortages of various micro and macronutrients.

Thanks to its biostimulant content, it improves the crop's response to any stress situation.

Biopolymers and adjuvants increase the wetting power of the solution, improving the efficiency of foliar sprays and phytosanitary treatments.

They contain selected fulvic acids that act as natural antioxidants, protecting the plant from solar radiation.

Packaging

400 grams	1kg
●	●

DOSE AND MODE OF USE: Foliar application 2-3gm/ltr of water on all vegatable and fruit crops depending on the stage of the crop

DECLARED CONTENT:

Free amino acids	5.5%
Total Nitrogen (N)	10%
Ammoniacal Nitrogen (N)	2.5%
Nitrogen (N) nitric	7%
Organic Nitrogen (N)	0.5%
Phosphorus pentoxide (P2O5) soluble in water and neutral ammonium citrate	5%
Phosphorus pentoxide (P2O5)	5% water soluble
Potassium oxide (K2O) soluble in water	30%
Magnesium oxide (MgO) water soluble	2%
Boron (B) soluble in water	0.03%
Copper (Cu) water soluble	0.03%
Copper (Cu) chelated by EDTA	0.03%
Iron (Fe) soluble in water	0.1%
Iron (Fe) chelated by EDTA	0.1%
Manganese (Mn) soluble in water	0.075%
Manganese (Mn) chelated by EDTA	0.075%
Molybdenum (Mo) water soluble	0.005%
Zinc (Zn) soluble in water	0.1%
Zinc (Zn) chelated by EDTA	0.1%
pH range of stability of the chelated fraction	4-8
pH	5
low in chloride	

Main formulas:

AMINOKUALIUM

NPK (Mg) 10-5-30 (2) + TE (I) with micronutrients and amino acids

Mike Aminonitro 25-05-10+MgO+ TE(I)

NPK Water soluble fertilizer

NPK Nutritional biostimulants low in chloride, enriched with magnesium, microelements chelated by EDTA, and amino acids.

FERTINAGRO BIOTECH

Comprehensive nutritional support with the macro- and microelements essential for proper and balanced crop nutrition.

It enhances crop biostimulation by providing a rapid energy supply, ensuring optimal yield and quality.

Rapid and complete correction of nutritional deficiency symptoms resulting from shortages of various micro and macronutrients.

Thanks to its biostimulant content, it improves the crop's response to any stress situation.

Biopolymers and adjuvants increase the wetting power of the solution, improving the efficiency of foliar sprays and phytosanitary treatments.

They contain selected fulvic acids that act as natural antioxidants, protecting the plant from solar radiation.

Main formulas:

Aminonitro

NPK (Mg) 25-5-10 (2) + TE (I) with micronutrients and amino acids

Packaging

400 grams	1kg
●	●

DECLARED CONTENT:

Free amino acids	5.5%
Nitrogen (N)	20%
Nitrogen (N) ammoniacal	3%
Nitrogen (N) nitric	1.5%
Organic Nitrogen (N)	0.5%
Phosphorus pentoxide (P_2O_5) soluble in water and neutral ammonium citrate	5%
Phosphorus pentoxide (P_2O_5)	5% water soluble
Potassium oxide (K_2O) water soluble	10%
Magnesium oxide (MgO) water soluble	2%
Boron (B) soluble in water	0.03%
Copper (Cu) water soluble	0.03%
Copper (Cu) chelated by EDTA	0.03%
Iron (Fe) soluble in water	0.1%
Iron (Fe) chelated by EDTA	0.1%
Manganese (Mn) soluble in water	0.075%
Manganese (Mn) chelated by EDTA	0.075%
Molybdenum (Mo) water soluble	0.005%
Zinc (Zn) soluble in water	0.1%
Zinc (Zn) chelated by EDTA	0.1%
pH range of stability of the chelated fraction	4-8
pH	5
low in chloride	

DOSE AND MODE OF USE: Foliar application 2-3gm/ltr of water on all vegatable and fruit crops depending on the stage of the crop

Mike Bacs

Biological Fertilizer

Specification as per FCO	
Species name	Bradyrhizobium japonicum spp.
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^{8}cell/ml. of Liquid
Contamination Level	No Contamination At 10^{5}Dilution
pH	5.0 – 7.0
Efficiency Character	Formation of white pellicle in semisolid Nitrogen free Bromothymol blue media.

Packaging

1 L

●



Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-Bacs is to be used for 1 (One) acre of field.

Seedlings Treatment : Mix 1 Liter of Mike-Bacs in 50 lit. of water, dip seedling roots for half an hour and transplant immediately.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-Bacs in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-Bacs in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-Bacs per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree

Mike BVM

Biological Fertilizer

Specification as per FCO	
Species name	Rhizobium as NFB Bacillus Megaterium as PSB Frateuria Aurantia as KSB
Base	Liquid Base
Individual organism viable count viable Cell Count	CFU Minimum in mixture of three of following microorganisms. CFU Minimum Rhizo 5 x 10^{7}cell/ml. CFU Minimum PSB 5 x 10^{7}cell/ml. CFU Minimum KMB 5 x 10^{7}cell/ml
Total viable count	CFU Minimum 1.5 x 10^{8}cell/ml.
Contamination Level	No Contamination at any Dilution
pH	5.0 – 7.0

Packaging

1 L

●



Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-BVM is to be used for 1 (One) acre of field.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-BVM in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-BVM in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-BVM per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike KSB

Biological Fertilizer

Specification as per FCO	
Species name	Frateuria Aurantia
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^9cell/ml. of Liquid
Contamination Level	No Contamination At 10^5Dilution
pH	5.0 – 7.0
Efficiency Character	The Strain Should be Capable of Solubilizing At Least 20 mg./ Liter of Potassium in Liquid Broth.

Packaging

1 L

●

Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from before Flowering and after fruiting.
Vegetables	1 Ltr	2-3 time from before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during before Flowering and after fruiting.
Other Crop	1 Ltr	2 time from before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-KSB is to be used for 1 (One) acre of field.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-KSB in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching: Mix : 1 litre of Mike-KSB in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-KSB per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike Monas

Biological Fertilizer

Specification as per FCO	
Species name	Acetobacter
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^9cell/ml. of Liquid
Contamination Level	No Contamination At 10^5Dilution
pH	3 to 6
Efficiency Character	The Strain Should be Capable of Fixing At Least 10 mg. of nitrogen per gm. Of Sucrose Consumed

Packaging

1 L

●

Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-Monas is to be used for 1 (One) acre of field.

Seedlings Treatment : Mix 1 Liter of Mike-Monas in 50 lit. of water, dip seedling roots for half an hour and transplant immediately.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-Monas in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-Monas in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-Monas per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike Nema

Biological Fertilizer

Specification as per FCO	
Species name	Azospirillum Brasilense spp.
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^8cell/ml. of Liquid
Contamination Level	No Contamination At 10^5Dilution
pH	5.0 – 7.0
Efficiency Character	Formation of white pellicle in semisolid Nitrogen free Bromothymol blue media.

Packaging

1 L
●

Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-Nema is to be used for 1 (One) acre of field.

Seedlings Treatment : Mix 1 Liter of Mike-Nema in 50 lit. of water, dip seedling roots for half an hour and transplant immediately.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-Nema in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-Nema in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-Nema per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike NPK

Biological Fertilizer

Specification as per FCO	
Species name	Azotobacter as NFB Bacillus Megaterium as PSB Frateuria Aurantia as KSB
Base	Liquid Base
Individual organism viable count viable Cell Count	CFU Minimum in mixture of three of following microorganisms. CFU Minimum Azotobacter 5 x 10^7cell/ml. CFU Minimum PSB 5 x 10^7cell/ml. CFU Minimum KMB 5 x 10^7cell/ml
Total viable count	CFU Minimum 1.5 x 10^8cell/ml.
Contamination Level	No Contamination at any Dilution
pH	5.0 – 7.0

Packaging

1 L
●

Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-NPK is to be used for 1 (One) acre of field.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-NPK in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-NPK in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-NPK per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike PSB

Biological Fertilizer

Specification as per FCO	
Species name	Bacillus Megaterium spp.
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^8cell/ml. of Liquid
Contamination Level	No Contamination At 10^5 Dilution
pH	5.0 to 7.5
Efficiency Character	The Strain Should be Capable of Solubilizing At Least 30 mg./ Litre of Phosphorus in Liquid Broth.

Packaging

1 L
●

Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction For Use

Drip Irrigation : 1 Liter of Mike-PSB is to be used for 1 (One) acre of field.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-PSB in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-PSB in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-PSB per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike Stick

Specification	
Appearance	Clear, pale straw liquid
Solubility	Easily miscible in water
Specific gravity	1.020 at 25°C
Viscosity	30 to 60 Cstk at 25°C
Surface tension	21.5 mN/m at 0.1%
Ionic nature Non-ionic	Non-ionic
Density	0.99 to 1.1

Packaging

1L	500ml	250ml	100ml
●	●	●	●

Foliar Application

Crop	1L/Water	Application Timing
All Crop	0.3 ml	Application With insecticides, fungicides, foliar fertilizers, defoliators, herbicides and weedicides.
In Crops With Waxy Leaves.	0.5 ml	Application With insecticides, fungicides, foliar fertilizers, defoliators, herbicides and weedicides.

Benefits

- It Facilitates maximum spray usage and uniform distribution on leaf surfaces for enhanced efficacy.
- It Significantly reduces surface tension of spray solutions compared to conventional adjuvants.
- Altugments rain fastness under specific conditions, ensuring prolonged effectiveness.
- Rapid spreading action carries insecticide into inaccessible pest habitats and vulnerable crop canopy areas prone to disease.
- It Acts as a performance enhancer, unlocking the potential of plants and agrochemical formulations.
- It Effectively manages environmental factors limiting spray performance.
- It Increases productivity through efficient resource utilization, including water and costly inputs.
- It Reduces spray volume and frequency, optimizing resource usage.
- It Improves profit margins by delivering better quality produce.

Mike Sulpho

Biological Fertilizer



Mike-Sulpho

Mike-Sulpho is a Sulphur Solubilizing bacteria that produces organic acids which are helpful in converting the insoluble form of ferrous and sulphur to a soluble form.

This organic acid balances soil pH and helps in increasing microbial activities, which break down complex nutrients into smaller but more available forms of nutrients.

Packaging

1 L
●

Benefit of Mike-Sulpho

- Mike-Sulpho bio-fertilizer (Ferrous & Sulphur Solubilizing bacteria) improves seed germination percentage.
- Increases number & length of shoots and roots.
- Helps reduce shortages of minerals and nutrients like ferrous and sulphur.
- Increases plant immune system and prevents disease.
- Increases plant yield, test, and quality and reduces chemical input requirements.

Direction for Use

Soil Application : Mix 1.0 lit/acre of Mike-Sulpho in 40–50 kg of well-decomposed F.Y.M./compost or vermicompost or field soil and broadcast in the field before sowing or broadcast up to 45 days after sowing in standing crop and irrigate the field.

Drip irrigation : Mix Mike-Sulpho 1.0 lit/acre in 100 liters of water and irrigate the field through drip irrigation.

Sprinkler irrigation : Mix Mike-Sulpho 1.0 lit/acre in 100 liters of water and irrigate the field through sprinkler irrigation.

Mike Vex

Biological Fertilizer

Specification as per FCO	
Species name	Azotobacter Chroococcum spp.
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^8cell/ml. of Liquid
Contamination Level	No Contamination At 10^5 Dilution
pH	5.0 – 7.0
Efficiency Character	The Strain Should be Capable of Fixing At Least 10 mg. of nitrogen per gm. Of Sucrose Consumed

Packaging

1 L
●

Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Vegetables	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during after fruiting.
Other Crop	1 Ltr	2 time from seed treatment to before Flowering and after fruiting.

Direction for Use

Drip Irrigation : 1 Liter of Mike-Vex is to be used for 1 (One) acre of field.

Seedlings Treatment : Mix 1 Liter of Mike-Vex in 50 lit. of water, dip seedling roots for half an hour and transplant immediately.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-Vex in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching : Mix 1 litre of Mike-Vex in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-Vex per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike ZSB

Biological Fertilizer

Specification as per FCO	
Species name	Thiobacillus Thiooxidans.
Base	Liquid Base
Viable Cell Count	CFU Minimum 1 x 10^9cell/ml. of Liquid
Contamination Level	No Contamination At 10^5Dilution
pH	5.0 – 7.0
Efficiency Character	The strain should be capable of solubilizing at least 20 mg/Liter of Zinc in Liquid broth.

Packaging

1 L
●



Soil Application

Crop	1 acre	Application Timing
General	1 Ltr	1-2 Application during before flowering and after fruiting.
Vegetables	1 Ltr	2-3 Application during before flowering and after fruiting.
Fruit	1 Ltr	2-3 Application during before flowering and after fruiting.
Other Crop	1 Ltr	1-2 Application during before flowering and after fruiting.

Direction for Use

Drip Irrigation : 1 Liter of Mike-ZSB is to be used for 1 (One) acre of field.

Nursery Seed Bed Treatment : Mix 1 litre of Mike-ZSB in 10 kg of well decomposed FYM/Compost/Vermi compost and broadcast in 1 acre.

Soil Drenching: Mix 1 litre of Mike-ZSB in 200 lit. of water and drench the soil in 1 acre.

Horticulture Crops : Mix 50 ml of Mike-ZSB per plant in sufficient quantity of well decomposed FYM/Vermi compost/Compost/field soil and apply the mixture in the effective root zone of the fruit tree.

Mike Root-X

Mike Root X is an Arbuscular Mycorrhizal Fungi (AMF) having endomycorrhizal spores in granular formulation. Mike Root X on application to the crop root zone, endomycorrhizal spores germinate on the root surface and invades the crop root by establishing symbiotic relationship. Through mycelium, it's connected to the crop roots without causing any harm. It enhances surface area of roots and facilitates increased absorption of soil nutrients (Phosphorus, Nitrogen; Calcium, Zinc, Magnesium etc.,) and water ultimately helps the crop to efficiently manage environmental stress.

Dosage and method of application:

Soil Application 4kg per acre and Drip Application 100gm per acre

Seed Treatment

20g in 1ltr of water (soak seeds/roots for 20-25minutes). 100g is suggicient to trat 35-40 kg seeds.

Packaging

100gm	4kg
●	●

Significant features of Mike Root X:

- High loading of Mycorrhizal spores through FFT Technology
- Mycorrhizal spores are loaded many folds far higher than FCO requirements
- On application exceptional spreading of spores in the Rhizosphere
- Facilitates nutrient absorption from the soil
- Helps crop establishment, growth and soil build up
- Improves nutrient status and plant health
- Increases water holding capacity and nutrient use efficiency
- Provides better resistance during dry periods
- Increases productivity

FCO Composition

Total viable spores/g of product	:	Minimum 10 viable spore per gram of finished product.
pH	:	6.0- 7.5
Inocculum potential	:	1200 IP/g of finished product by MPN method with 10 fold dilution.

Mike 00-00-50

Benefits & Applications

Mike 00-00-50 is imported high quality fully water soluble straight potassium fertilizer. Potash (K) is very useful crop nutrient to determine and yield and quality of the crop. **Mike 00-00-50** with high Potash (K) along with synergetic Sulphur (S) helps to bring excellent & uniform fruit growth & fruit size achievement. **Mike 00-00-50** with quick water solubility & planned dosages after fruit development stage offers desired fruit weight, colour, shining & overall high quality yield. With low pH, it is very useful for chlorine and sodium sensitive crops. It helps to have better storage & shelf life for harvested crop.

Application: Drip Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 125kg - 200kg as per Growth Stage.
- All Types of Main Vegetables: 100kg - 150kg as per Growth Stage.
- For Cotton & Oil Seed Crops: 75kg - 125kg as per Growth Stage.
- For Major Fischulfure Crops: 50kg - 75kg as per Growth Stage.

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rain.
- Do not mix with any other product for combine or alteration to avoid uncertain performance of the product.
- Small trial is recommended before regular application & comfort expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly.

Packaging	1 kg	25 kg
	●	●

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsibility or liability directly or indirectly relating to the use of this product, since the usage is beyond its control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of this product.

Potassium Sulphate

SOP (00-00-50 + 17.5 5)

Contents	% by Weight	
K (as K_2O)	50.0	Minimum
S	17.5	Minimum
Sodium (as NaCl)	2.5	Maximum
Total Chlorides (as Cl)	2.5	Maximum
Moisture	1.5	Maximum

Mike 00-52-34

Benefits & Applications

Mike 00-52-34 is imported high quality 100% water soluble complex fertilizer. **Mike 00-52-34** with its technical name as MonoPotassium Phosphate is complex mixture of high Phosphorous (P) & high Potash (K) in balance proportion. **Mike 00-52-34** with its unique application helps to bring profuse flowering, flower setting followed by excellent fruit setting & healthy fruit development. **Mike 00-52-34** also uniquely helps to get uniform fruit size & essential high fruit quality. Low pH is its property and it is virtually free from harmful salts like Na & Cl. Ultimately it brings high quality produce & yield.

Application : Drip Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 75kg - 150kg as per Growth Stage.
- All Types of Main Vegetables: 50kg - 100kg as per Growth Stage.
- For Cotton & Oil Seed Crops: 50kg - 100kg as per Growth Stage.
- For Major Floriculture Crops: 50kg - 75kg as per Growth Stage.

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rains.
- Do not mix with any other product for combine application to avoid uncertain performance of the product.
- Small trial is recommended before or until an application & consult expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly.

Packaging	1 kg	25 kg
	●	●

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsiveness or liability directly or indirectly relating to the use of this product, since the usage is known as control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of this product.

Mono Potassium Phosphate
(00-52-34)
(100% Water Soluble Complex Fertilizer)

Contents	% by Weight	
P(WS) (as P_2O_2)	52.00	Minimum
K (as K_2O)	34.00	Minimum
Sodium (as NaCl)	0.5	Maximum
Matter Insoluble in Water	0.5	Maximum
Moisture	0.5	Maximum

Mike 00-60-20

Benefits

- It is a highly acidic phosphorous & Potash (P & K), formulated fertilizer for fertigation & foliar spray having pH about 2.2
- Decreases pH of water and soil which helps to increase the uptake efficiency
- It promotes uptake of and soil phosphorus and delivers readily available orthophosphate to the plant
- It promotes uptake of trace elements in alkaline soils (pH>7)
- It's free of chloride, sodium and other detrimental elements for plants,
- Consists of 100% plant nutrients, readily available to the plant.
- Being highly acidic solution for fertigation it prevents clogging of the drip system & works the system efficiently.

Caution

- The product is not a flammable material but it involved in fire. It may decompose and give off hazardous fumes, keep away from combustible material. In case of fire do not breathe fumes, flood with water and ventilate freely.

Disclaimer

- Do not mix with calcium containing fertilizers.
- Dosage: its depend on as per soil test alue and crop growth stages

Packaging 25 kg

(00-60-20)
(100% Water Soluble Complex Fertilizer)

Contents	% by Weight	
Moisture	0.50	Maximum
Total Nitrogen (N)	00.00	
Water Soluble Phosphates as (P_2O_5)	60.00	Minimum
Water Soluble Potash as (k_2O)	20.00	Minimum
Total Chlorides	1.50	Maximum
Sodium (as NaCl)	0.50	Maximum
Matter Insoluble in Water	0.50	Maximum

Mike 12-61-00

Benefits & Applications

Mike 12-61-00 is imported high quality 100% water soluble complex fertilizer. Mike 12-61-00 with its technical name as Mono-Ammonium Phosphate is complex mixture of high Phosphorus (P) & Ammoniacal Nitrogen (N). Mike 12-61-00 with its unique application helps to bring excellent white roots development & induces and helps in setting up healthy flowering. Mike 12-61-00 offers better control over Nitrogen (N) availability to the plants than Urea with presence of Ammoniacal Nitrogen. Moderate pH and is virtually free from harmful salts like Na & Cl. Ultimately it brings high quality produce and yield.

Application: Orig Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 50kg - 100kg as per Growth Stage.
- All Types of Main Vegetables: 35kg - 75kg as per Growth Stage.
- For Cotton & Oil Seed Crops: 35kg - 75kg as per Growth Stage.
- For Major Floriculture Crops: 25kg - 50kg as per Growth Stage.

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rains.
- Do not mix with any other product for combine application to avoid uncertain performance of the product.
- Small trial is recommended before regular application & consult expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly.

Packaging	1 kg	25 kg
	●	●

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsibility or liability directly or indirectly relating to the use of this product, since the usage is beyond its control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of this product.

Mono Ammonium Phosphate
(12-61-00)
(100% Water Soluble Complex Fertilizer)

Contents	% by Weight	
Moisture	0.5	Maximum
Ammoniacal Nitrogen	12.00	Minimum
Water Soluble Phosphates as (P_2O_5)	61.00	Minimum
Sodium as NaCl	0.5	Maximum
Matter Insoluble in water	0.5	Maximum

Mike 13-40-13

Benefits & Applications

Mike 13-40-13 is imported high quality 100% water soluble mixture of fertilizer. Mike 13-40-13 technically designed as balance NPK Fertiliser with healthy major nutrients & provides unique and balance composition of Nitrogen (N), High Phosphorus (P) & Potash (K). Mike 13-40-13 with its unique application helps to bring uniform, profuse & healthy flowering followed by flower-fruit setting. It helps for healthy white roots development required for efficient nutrient uptake from soil. Moderate pH of 4-5 and virtually free from harmful salts like Na & Cl. Ultimately it brings high quality produce & yield.

Application : Drip Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 50kg - 100kg as per Growth Stage.
- All Types of Main Vegetables: 35kg - 75kg as per Growth Stage.
- For Cotton & Oil Seed Crops: 35kg - 75kg as per Growth Stage.
- For Major Floriculture Crops: 25kg - 50kg as per Growth Stage.

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rains.
- Do not mix with any other product for combine application to avoid uncertain performance of the product.
- Small trial is recommended before regular application & consult expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly.

Packaging	1 kg	25 kg
	●	●

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsibility or liability directly or indirectly relating to the use of this product, since the usage is beyond its control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of this product.

Mike 13-40-13
(100% Water Soluble Complex Fertilizer)

Contents	% by Weight	
N	13.0	Maximum
P (WS) (as P_2O_3)	40.0	Minimum
K (as K_2O)	13.0	Minimum
Sodium (as NaCl)	0.5	Maximum
Total Chlorides	1.5	Maximum
Lead (as Pb)	0.003	Maximum
Cadmium (as Cd)	0.0025	Minimum
Arsenic (as As)	0.01	Minimum
Matter Insoluble as Water	0.5	Maximum
Moisture	0.5	Maximum

Mike 19-19-19

Benefits & Applications

Mike 19-19-19 is imported high quality 100% water soluble mixture of fertilizer. Mike 19-19-19 with its technically designed as balance NPK Fertiliser aimed for supply of healthy major nutrients at the start of crop growth cycle. Mike 19-19-19 provides unique and balanced composition of Nitrogen (N), Phosphorus (P) & Potash (K). Mike 19-19-19 with its unique application helps to bring uniform, profuse & healthy vegetative growth till it achieves blooming stage. Moderate pH of 4-5 and virtually free from harmful salts like Na & Cl. Ultimately it brings high quality produce & yield.

Application: Drip Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 50kg - 100kg as per Growth Stage.
- All Types of Main Vegetables: 25kg - 75kg as per Growth Stage.
- For Cotton & Oil Seed Crops: 25kg - 60kg as per Growth Stage.
- For Major Floriculture Crops: 25kg - 50kg as per Growth Stage.

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rains.
- Do not mix with any other product for combine application to avoid uncertain performance of the product.
- Small trial is recommended before regular application & consult expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly.

Packaging	1 kg	25 kg
	●	●

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsibility or liability directly or indirectly relating to the use of this product, since the usage is beyond its control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of this product.

Mike 19-19-19

(100% Water Soluble Mixture Fertilizer)

Contents	% by Weight	
N	19.0	Minimum
P (WS) (as P_2O_3)	19.0	Minimum
K (as K_2O)	19.0	Maximum
Sodium (as NaCl)	0.5	Maximum
Total Chlorides (as Cl)	1.5	Maximum
Lead (as Pb)	0.003	Minimum
Cadmium (as Cd)	0.0025	Minimum
Arsenic (as As)	0.01	Maximum
Matter Insoluble as Water	0.5	Maximum
Moisture	0.5	Maximum

Mike 13-00-45

Benefits & Applications

Mike 13-00-45 is imported high quality 100% water soluble complex fertilizer. Mike 13-00-45 with its technical name as Potassium Nitrate is complex mixture of Nitrate nitrogen (N) & high Potash (K). Mike 13-00-45 with its unique application helps to bring excellent fruit setting & healthy fruit development. Mike 13-00-45 ultimately useful for achieving uniform fruit size, fruit quality & healthy high yield. Nitrate Nitrogen plays a role in growth nutrient for growing fruits uniquely complexed with Potash. Application stages are small fruit growth till desired fruit.

Application: Drip Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 75kg - 150kg as per Growth Stage.
- All Types of Main Vegetables: 50kg - 125kg as per Growth Stage.
- For Oil seed Crops : 50kg - 100kg as per Growth Stage
- For Major Floriculture Crops: 50kg - 75kg as per Growth Stage

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rains.
- Do not mix with any other product for combine application to avoid uncertain performance of the product.
- Small trial is recommended before regular application & consult expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly.

Packaging	25 kg
	●

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsibility or liability directly or indirectly relating to the use of this product, since the usage is beyond its control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of pthis roduct.

Potassium Nitrate 13-00-45
(100% Water Soluble Complex Fertilizer)

Contents	% by Weight	
N as (NO_2)	13.0	Maximum
K (as K_2O_2)	45.0	Minimum
Sodium (as Na)	1.0	Minimum
Sodium (as NaCl)	0.5	Maximum
Total Chlorides (as Cl)	1.5	Maximum
Matter Insoluble as Water	0.5	Maximum
Moisture	0.5	Minimum

Mike CN

Benefits & Applications

Mike CN is imported high quality 100% water soluble complex fertilizer. **Mike CN** with its technical Calcium Nitrate is complex mixture of Calcium (Ca) & Nitrate Nitrogen (N). Mike CN with its unique application and marked as most efficient Calcium (Ca) fertilizer with optimum Nitrate Nitrogen (N) helps to strengthen plant cells, young leaves & healthy branches. **Mike CN** uniquely helps to prevent fruit cracking, Spot & dropping. **Mike CN** also helps to get uniform healthy fruit quality & thus assures high quality yield. It is totally free from harmful salts like Na & Cl.

Application: Drip Irrigation System (Fertigation Technology)

- All Types of Main Fruit Crops: 50kg – 75kg as per Growth Stage.
- For Cotton & Oil Seed Crops: 25kg – 50kg as per Growth Stage.
- All Types of Main Vegetables: 25kg – 50kg as per Growth Stage.
- For Major Floriculture Crops: 25kg – 50kg as per Growth Stage.

Instructions

- The above recommendations are based on experience and vary according to local & seasonal conditions.
- Apply immediately after dilution.
- The effect will be reduced if used before or during rains.
- Do not mix with any other product for combine application to avoid uncertain performance of the product.
- Small trial is recommended before regular application & consult expert before use of the product.
- Do not buy if package seal is tampered or broken and MRP is erased or not visible clearly

Packaging 25 kg

Disclaimer

- There is no warranty regarding the accuracy of any given data or statements.
- The company specifically disclaims any responsibility or liability directly or indirectly relating to the use of this product, since the usage is beyond its control except uniform quality of the product.
- The buyer assumes all risks of use, storage and application of this product.

Calcium Nitrate Granular
Mike CN
(100% Water Soluble Complex Fertilizer)

Contents	% by Weight	
N (as NH_2 + NO_2)	15.5	Maximum
N (as NO_3)	14.5	Minimum
Matter Insoluble as Water	1.5	Minimum
Water Soluble Calcium (as Ca)	18.5	Maximum

Mike MAG

Benefits

- Boosts Chlorophyll Production: Magnesium is the central atom in chlorophyll, making it essential for converting sunlight into energy.
- Improves Nutrient Absorption: It helps plants regulate the intake of other vital macronutrients like nitrogen and phosphorus.
- Aids Seed Germination: Soaking seeds prior to planting softens their coats and gives seedlings an early energy boost.
- Enhances Fruit & Flower Quality: Sulfur and magnesium improve fruit setting, flower blooming, and overall crop yield.

Fertilizer or secondary nutrients.
Specifications for Mike Mag ($MgSO_4$) under FCO

Composition	by weight
Magnesium (as Mg): Minimum	9.5%
Sulphur (as S): Minimum	12.0%
Matter Insoluble in Water: Maximum	1.0%
pH (5% solution)	5.0 - 8.0
Physical Appearance	Free-flowing crystalline or powder form

DOSAGE

- Drip application-3-4kg/acre
- Foliar spray 6-7gm/L of water
- Dose may vary according to crop stage

Mike CA

Benefits & Applications

Direction of Use:

Foliar Spray: Dissolve 300 to 400 gm of Mike Ca in 150 to 200 liter of water and spray over one acre of standing crop on both sides of leaf. The dose may increase or application can be repeated depending upon severity of Ca deficiency and nature of crop.

Fertigation: Apply 500–700 gm of Mike Ca for one acre of crop. It can be mixed with other water-soluble fertilizer.

Caution: Store in a cool & dry place. Keep away from the reach of children.

Appearance	Free flowing powder
minimum in the form of Ca-EDTA	9.0
pH (5% solution)	6.0-7.9
Matter insoluble in water percent by weight (maximum)	0.5
Lead (as Pb) percent by weight, maximum	0.003
Cadmium (as Cd) percent by weight, maximum	0.0025
Arsenic (as As) percent by weight, maximum	0.01

Packaging	500gm
	●

The Role of Calcium in Plant Health

- Calcium is a secondary macronutrient that is vital for plant cell strcuture and growth.
- It fortifies plant cell walls, ensuring strong and healthy development.
- When calcium is abundant, plants are better equipped to resist diseases and produce high-quality yields.
- It helps in increasing size, weight, quality and shelf life of crop

Mike EDTA Chelated Zinc 12%

Benefits

- Better absorption than Zinc Sulphate.
- It helps in improving efficiency of other micronutrients.
- Easily absorbed by plants in all weather and soil conditions.
- Increases Phosphorous uptake in plant roots.
- It helps in overall growth.
- Zinc deficiency can be easily treated with Mike Zinc EDTA.

Instructions

- Mix well before use.
- Keep away from children.
- Keep away from direct sunlight.
- Store away from pets, livestock and food.

DOSAGE

- Foliar Spray: Apply 300 - 400 gm/acre (2 gm/liter of water).
- Drip Irrigation: 500-700gm/acre

NUTRIENT CONTENT:

Contents	% by Weight
ZN in the form of EDTA	12

Packaging

250gm	500gm	1kg
●	●	●

Mike EDTA Chelated Micro Nutrient

Benefits

- Get high quality yield in higher proportion.
- Solution to general micronutrient deficiencies.
- Improves crop appearance.
- Promotes good yield formation.

Instructions

- Mix well before use.
- Keep away from children.
- Keep away from direct sunlight.
- Store away from pets, livestock and food.

DOSAGE

- Foliar Spray: Apply 300 - 400 gm/acre (2 gm/liter of water).
- Drip Irrigation: 500-700gm/acre

NUTRIENT CONTENT:

Contents	% by Weight
Zinc (ZN)	6.0
Ferrous (Fe)	4.0
Manganese (Mn)	1.0
Copper (Cu)	0.5
Boron (B)	0.5

Packaging

250gm	500gm	1kg
•	•	•

MIKE EDTA CHELATED FERROUS 12%

Benefits

- Easily absorbed by plants.
- It increases productivity in plant tillers.
- It promotes pest and diseases resistance.
- It increases growth rate and yields.
- Because of chelated form it is retained for longer period in plants.
- Iron deficiency can be easily treated with Mike Fe EDTA.

Instructions

- Mix well before use.
- Keep away from children.
- Keep away from direct sunlight.
- Store away from pets, livestock and food.

DOSAGE

- Foliar Spray: Apply 300 - 400 gm/acre (2 gm/liter of water).
- Drip Irrigation: 500-700gm/acre

NUTRIENT CONTENT:

Contents	% by Weight
FE in the form of EDTA	12

Packaging

250gm	500gm	1kg
●	●	●

Mike BORON 20%

Benefits

- Increases leaf size and improves photosynthesis.
- Improves pollination, fertilization and fruit setting.
- Enhances resistance to fungal diseases.
- Have synergistic effect on Calcium metabolism.
- Inhibits fruit cracking and leads to better quality.
- It helps to induce more flowers and to prevent flower droppings.
- It is compatible with all kinds of crop protection products.

Instructions

- Mix well before use.
- Keep away from children.
- Keep away from direct sunlight.
- Store away from pets, livestock and food.

DOSAGE

- Foliar Spray: Apply 300 – 400 gm/acre (2 gm/liter of water).
- Drip Irrigation: 500-700gm/acre

NUTRIENT CONTENT:

Contents	% by Weight
Disodium Octaborate Tetrahydrate	20 (Boron)

Packaging

250gm	500gm	1kg
•	•	•

Mike Potassium Humate 49% (powder)

Benefits

It is essential for the complete growth of plants. Potassium Humate is essential for nutrient uptake from the soil. It increases the porosity of the soil, improves the water-holding capacity of the soil, and supports better root growth of the plant. It also increases fruit colour, size, and flowering.

This product helps increase crop yield and quality. We suggest apply it every 10 to 15 days for better results.

NUTRIENT CONTENT:

Humic Acid per cent by weight, minimum	21%
pH (1% aqueous solution)	0.6-0.8

Crop	Dose
Paddy	One soil application at 1kg/ha
Tomato	One soil application at 1kg/ha

DOSAGE

- Foliar Spray: Apply 300 - 400 gm/acre (2 gm/liter of water).
- Drip Irrigation: 500-700gm/acre

Packaging

250gm	500gm	1kg
•	•	•

MIKE ALPHA AGRO

Registered Office Address:

C-304, Vivaan Elementos, SP Ring Road,
Zundal Circle, Zundal Gandhinagar, Gujarat - 382421

Customer Care No: +91 87992 90971 **Email:** mikealphaagro@gmail.com **Website:** mikealpha.co

MFG Address:

Survey No. 289, Block No. 247/1, UMA Estate,
K T Compound, AT - Vasna (IYAVA), TA - Sanand,
Dist-Ahmedabad, Gujarat - 383170