


Évaluation Prédictive


SEG3525 – Conception et Analyse des Interfaces Usagers

Créé et présenté par:

Caroline Barrière





Approches d'évaluation des IUs



Sommaire

- 01 Revue des 10 heuristiques d'utilisabilité
- 02 Évaluation heuristique





Heuristiques d'utilisabilité

Cette section revisite les 10 heuristiques d'utilisabilité qui seront utilisées pour l'évaluation heuristique.



Jakob's Heuristic

Visibilité de l'état du système

1 Visibility of System Status

Definition The design should **always keep users informed** about what is going on, through appropriate feedback within a reasonable amount of time.



Jakob's Heuristic

Correspondance entre le système et le monde réel

2 Match between System and the Real World

Definition The design should speak the users' language. Use words, phrases, and concepts **familiar to the user**, rather than internal jargon. Follow real-world conventions, making information appear in a natural and logical order.



Contrôle et liberté de l'utilisateur

 Jakob's Heuristic

3 User Control and Freedom

Definition Users often perform actions by mistake. They **need a clearly marked "emergency exit"** to leave the unwanted action without having to go through an extended process.




Cohérence et standards

 Jakob's Heuristic

4 Consistency and Standards

Definition Users should not have to wonder whether different words, situations, or actions mean the same thing. **Follow platform and industry conventions.**




Prévention des erreurs



5 Error Prevention

Definition Good error messages are important, but the best designs **carefully prevent problems** from occurring in the first place. Either eliminate error-prone conditions, or check for them and present users with a confirmation option before they commit to the action.





Reconnaissance sur le rappel



6 Recognition Rather Than Recall

Definition Minimize the user's memory load by making elements, actions, and options visible. The user should **not have to remember information** from one part of the interface to another. Information required to use the design should be visible or easily retrievable when needed.






Jakob's Heuristic

7 Flexibility *and* Efficiency of Use

Definition Shortcuts — hidden from novice users — may speed up the interaction for the expert user such that the design can **cater to both inexperienced and experienced users**. Allow users to tailor frequent actions.



Flexibilité et efficacité d'utilisation




Jakob's Heuristic

8 Aesthetic *and* Minimalist Design

Definition Interfaces should not contain information which is irrelevant or rarely needed. Every extra unit of information in an interface **competes** with the relevant units of information and diminishes their relative visibility.




Design esthétique et minimaliste



9 Help Users Recognize, Diagnose, and Recover from Errors

Definition Error messages should be expressed in **plain language** (no error codes), precisely indicate the problem, and constructively suggest a solution.



10 Help *and* Documentation

Definition It's best if the design **doesn't need** any additional explanation. However, it may be necessary to provide documentation to help users understand how to complete their tasks.





Évaluation heuristique

Cette section présente des lignes directrices pour effectuer une évaluation heuristique.



Origine de l'approche

Jakob Nielsen (born 5 October 1957) is a Danish [web usability](#) consultant, [human–computer interaction](#) researcher, and co-founder of [Nielsen Norman Group](#).^{[2][3]} He was named the “guru of Web page usability” in 1998 by [The New York Times](#) and the “king of usability” by [Internet Magazine](#).^{[4][5][1]}



Nielsen Norman Group (NNG) [\[edit \]](#)

After his regular articles on his website about usability research attracted media attention, he co-founded usability consulting company [Nielsen Norman Group](#) (NN/g) of [Fremont, California](#) in 1998 with fellow usability expert [Donald Norman](#).^{[6][11][12]} The company's vision is to help designers and other companies move toward more human-centered products and internet interactions, as experts and pioneers in the field of [usability](#).^[11]

Jakob Nielsen



Nielsen in 2002

Born	5 October 1957 (age 67) Copenhagen , Denmark
Alma mater	Technical University of Denmark (PhD)
Scientific career	
Fields	Usability User experience Human–computer interaction ^[1]
Institutions	IBM Bellcore Sun Microsystems Nielsen Norman Group Thomas J. Watson Research Center
Thesis	Software Ergonomi ↗ (1988)
Website	www.nngroup.com ↗ ↗

Évaluation heuristique




But

- Trouver des problèmes d'utilisabilité dans une conception



Mise en oeuvre

- Fournir un ensemble de principes d'utilisabilité (heuristiques)
- Un petit groupe d'évaluateurs (3 à 5) examine l'IU
- Vérifier de manière indépendante la conformité à l'heuristique



Nombre d'évaluateurs

How to Conduct a Heuristic Evaluation

Summary: Heuristic evaluation involves having a small set of evaluators examine the interface and judge its compliance with recognized usability principles (the "heuristics").

By Jakob Nielsen on November 1, 1994



Topics: Heuristic Evaluation

Share this article:



[Source](#)

Étude empirique avec 20 évaluateurs
- problèmes faciles et difficiles à trouver



La conclusion de l'étude est que 3 à 5 évaluateurs sont suffisants. De plus, il n'y a pratiquement pas de nouveaux problèmes.

Évaluation heuristique



Avantages

- Peut être fait en équipe de conception (sans frais pour trouver des utilisateurs)
- Permet d'identifier plusieurs erreurs et problèmes potentiels avant la mise en production



Désavantages

- Pas une situation « réelle »... appelé prédictif car il s'agit d'une évaluation qui anticipe les problèmes d'utilisabilité

Sommaire

