# Train ANNs in Python

Siyu Qi

June 7, 2020

### 1 Introduction

There are two platforms to train the ANNs in Python: Google Colab and a local computer. In this tutorial, we will learn how to run scripts on Google Colab. Google Colab is an online environment, based on Python Jupyter notebooks, which provides free Tesla K80 GPUs for use. You can run your Python code in Colab environment, and all you need is a Google account.

Note that Google Colab automatically recycles a runtime (or session) if it lacks activity for 90 minutes or it has existed for 12 hours, which means you have to interact with the web page every 90 minutes, and finish all your work within 12 hours. Otherwise, your job will be killed and files will be deleted.<sup>1</sup>

### 2 Contents

- 1. Preparation
- 2. Create a notebook on Google Colab by uploading a script from local
- 3. Setup the environment and upload dataset
- 4. Train ANNs
- 5. Download trained model

# 3 Preparation

Files in folder "python\_ANN":

1. ann\_helper.py: a helper script which users do not need to modify or run.

<sup>&</sup>lt;sup>1</sup>One easiest way to keep your Colab job active is to open a separate browser window (instead of a tab in your current window) for it, then you don't need to go back to it every 90 minutes.

- 2. train\_single\_output\_ANN.ipynb and train\_multi\_output\_ANN.ipynb : Training scripts. Users can train single-output or multi-output ANNs by running them on Google Colab platform.
- 3. test\_single\_output\_ANN.py and test\_multi\_output\_ANN.py: Testing scripts. Users can test trained ANN models by running them on local computer.

Also, we need a dataset file ANN\_data.xlsx. Before running our scripts on Google Colab platform, we need to upload the helper script and dataset to Google Drive. Go to https://drive.google.com/, click on New , then Folder Upload and select python\_ANN . Then (important!) enter the uploaded python\_ANN folder, select File upload and upload ANN\_data.xlsx.





Figure 1: Upload the complete folder

# 4 Open Notebook

Go to Google Colab (http://colab.research.google.com) and click Upload as in Fig.2a. If this message box does not pop up, select File  $\rightarrow$  Upload files as in Fig.2b. Then click Choose File and select the .ipynb file in python\_ANN folder.

If you already have the notebook created, you can directly open it from Recent tab and skip to next section.



(a) Welcome page

Figure 2: Upload notebook

If uploading is successful, you will be redirected to the newly created notebook on Google Colab just like Fig.3.




Figure 3: New notebook uploaded

# 5 Setup Environment and Prepare Dataset

#### 5.1 Environment Setup

Choose Runtime  $\rightarrow$  Change runtime type in toolbar, set Hardware accelerator to GPU like Fig.4. The settings will be saved, so you can skip this step next time running this same notebook.




Figure 4: Environment setup

### 5.2 Prepare Dataset

Now the environment is ready. Next we will mount our Google Drive to access the dataset.

Go to the first code cell in the notebook and set <code>google\_drive\_dir</code> to the Google Drive folder where <code>ann\_helper.py</code> and <code>ANN\_data.xlxs</code> are in, here it should be:

Note: google\_drive\_dir should be set to a path, not a URL. To find the path, first locate ann\_helper.py and ANN\_data.xlxs in Google Drive, then the path (excluding "My Drive") is at top of the page. Fig. 5 is an example.




Figure 5: Example: google\_drive\_dir='some\_folder/python\_ANN'

Click the button of first code cell, then click on the URL shown in the interactive output block to verify your account, copy authorization code, paste it in the text entry box pointed by the red arrow in Fig.6 and press enter.



Figure 6: Variable settings and verification

# 6 Train your ANN

Before running the script, we can modify the variables in "User Settings" section in the first code block as needed.

- 1. input\_var: a list of (one or more) input variables to be used for training.
- 2. output\_stations: In single-output ANN script, set it to the single output station. In multi-output ANN script, set it to a list of multiple stations.
- 3. google\_drive\_dir: the folder where ann\_helper.py and ANN\_data.xlxs locate.

Click Runtime  $\rightarrow$  Run all, and now your program is running!




Figure 7: Run your training job

### 7 Download Trained Model

Once training is finished, the model and fortran file are automatically downloaded as a szip file.

In case they are not downloaded after training, which usually happens, go to the last cell and click the button beside it. When the icon turns into a button, click on it again.

To use the model, unzip the file and move it to the folder (on your computer, not Google Drive) where test\_single\_output\_ANN.py and test\_multi\_output\_ANN.py is in.