AIDER LoRA CLIP Adapter

2026 10 28

AIDER-LoRA Transformer CLIP Adapter

AIDER LoRA

5+5 best 115 460
[S1]

□□	□□	PLCC ↑	SROCC ↑	KROCC ↑	RMSE ↓
static	115	0.9220	0.9183	0.7512	0.0487
temporal	115	0.9470	0.9392	0.7770	0.0483
dynamic	115	0.6635	0.6892	0.5046	0.0699
text_video	115	0.7699	0.7454	0.5696	0.0704
□□□	-	**0.8256**	**0.8230**	**0.6506**	**0.0593**

PLCC 0.8256 SROCC 0.8230 static temporal SROCC 0.9183 0.9392 dynamic text_video 0.6892 0.7454

PLCC SROCC SRCC KROCC RMSE
RMSE RMSE

LoRA MoE Text-Video AIGV-Assessor

CLIP Adapter

criterion7-intent-projection-v1 82.16% ± 0.98% 72.57% ± 3.05%
CLIP [S5]

AIDER LoRA

AIDER FiLM FFN Transformer Attention FFN LoRA [S2]

	AIDER MoE	AIDER LoRA
	VITAL SlowFast BLIP	
	Artifact Query	
	FiLM alpha	video_only
	2 1536 12	8 token
Attention	Q K V	LoRA
FFN	7 2 1	1 FFN fc1 fc2 LoRA
		ID LoRA

$$W_t = W_{shared} + \frac{16}{8} B_t A_t$$

Q K V fc1 fc2 rank 8 alpha 16 LoRA dropout 0.05 A B Adapter

□□□□	□□□
MoE Gate	94,534,712
LoRA Transformer	28,345,344
LoRA 294,912	1,179,648
LoRA □□□□□□	**29,524,992**

68.8% FiLM MoE Gate

5 5

1 5 Transformer LoRA 6 10 LayerNorm LoRA FiLM alpha Head BLIP 5 last Adam [S3]

CLIP Adapter

CLIP CLIP criterion7-intent-projection-v1 Adapter [S4]

criterion7_intent_v1 768 5,376 56 448 36 [S4]

一级类别	二级评价维度
Q	SQ DQ AQ
R	PC AN
C	DD
A	TA

划分	描述数量	具体意图数量	每个二级维度
	4,032	42	576
	672	7	96
	672	7	96

CLIP ViT-B/32 512 Linear 512 512 ReLU Linear 512 512 L2 525,312 Root [S4]

0.20 0.50 1.25 0.50 margin 0.10 0.35 0.15

seed 42 43 44 AdamW 0.00001 weight decay 0.01 1,000 1 2 6 10 [S4]

CLIP Adapter

seed 42 43 44 CLIP criterion7-hierarchy-projection-v4 gentle [S5]

	CLIP		
	71.27%	76.36 ± 1.30%	82.16 ± 0.98%
	67.11%	58.38 ± 1.21%	72.57 ± 3.05%
>	24.23%	72.85 ± 1.64%	79.63 ± 0.65%
>	22.35%	61.34 ± 2.07%	56.45 ± 0.85%
>	49.57%	64.45 ± 1.19%	78.77 ± 0.69%
p > s > c	5.61%	32.74 ± 2.85%	40.84 ± 1.06%

p s c “±”

CLIP 10.89 5.46 24.23% 79.63%

5.80 14.19 14.33 8.11

61.34% 56.45% 4.89

7 672 672

MOS

Rubric [S4]

AIDER-LoRA ID LoRA ID CLIP FiLM alpha video_only [S2]

FiLM

$$[\gamma_t, \beta_t] = W_t e_t + b_t = c_t$$

alpha sigmoid

Adapter

ID LoRA FiLM Query

CLIP	
Transformer LoRA	
FFN LoRA Attention FFN LoRA	Text-Video Attention
joint 5 5	

ViT-B/32 512 AIDER-LoRA ViT-L/14 768 CLIP Adapter

gamma beta alpha 9,452,548 12,292 LoRA Head

AIDER LoRA

	two_stage 5 dense 5 adapter best seed 42
	461 1,844 115 460
	batch 8 4 231 10 2,310
	AdamW 0.0001 BLIP 0.00001 weight decay 0.05
	BF16 FP32 Adam warmup 116
	FP32 Smooth L1 beta 0.1 MoE
	6 10 SROCC best

best
[S3]

[S1] AIDER-LoRA 2026 10 28 metrics 5+5 best

[S2] AIDER-LoRA /Users/zelu/Desktop/Codes/AIDER-main/AIDER-LoRA/models/ aider.py fusion.py lora.py film.py task_private.py MoE models/

[S3] AIDER-LoRA /Users/zelu/Desktop/Codes/AIDER-main/AIDER-LoRA/ README.md config.yaml COPY_INFO.md engine/optim.py engine/trainer.py

[S4] /Users/zelu/Desktop/Codes/AIGVQA Task Embedding/ data/criterion7_intent_v1/manifest.json work/intent_v1/train_projection.py aigvqa_mapper/criterion_projection.py

[S5] /Users/zelu/Desktop/Codes/AIGVQA Task Embedding/results/criterion7-intent-projection-v1/ comparison_summary.csv report.json protocol.json