

Common Format and MIME Type for Comma-Separated Values (CSV) Files

Status of This Memo

This memo provides information for the Internet community. It does not specify an Internet standard of any kind. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The Internet Society (2005).

Abstract

This RFC documents the format used for Comma-Separated Values (CSV) files and registers the associated MIME type "text/csv".

Table of Contents

1. Introduction	2
2. Definition of the CSV Format	2
3. MIME Type Registration of text/csv	4
4. IANA Considerations	5
5. Security Considerations	5
6. Acknowledgments	6
7. References	6
7.1. Normative References	6
7.2. Informative References	6

1. Introduction

The comma separated values format (CSV) has been used for exchanging and converting data between various spreadsheet programs for quite some time. Surprisingly, while this format is very common, it has never been formally documented. Additionally, while the IANA MIME registration tree includes a registration for "text/tab-separated-values" type, no MIME types have ever been registered with IANA for CSV. At the same time, various programs and operating systems have begun to use different MIME types for this format. This RFC documents the format of comma separated values (CSV) files and formally registers the "text/csv" MIME type for CSV in accordance with [RFC 2048](#) [1].

2. Definition of the CSV Format

While there are various specifications and implementations for the CSV format (for ex. [4], [5], [6] and [7]), there is no formal specification in existence, which allows for a wide variety of interpretations of CSV files. This section documents the format that seems to be followed by most implementations:

1. Each record is located on a separate line, delimited by a line break (CRLF). For example:

```
aaa,bbb,ccc CRLF
zzz,yyy,xxx CRLF
```

2. The last record in the file may or may not have an ending line break. For example:

```
aaa,bbb,ccc CRLF
zzz,yyy,xxx
```

3. There maybe an optional header line appearing as the first line of the file with the same format as normal record lines. This header will contain names corresponding to the fields in the file and should contain the same number of fields as the records in the rest of the file (the presence or absence of the header line should be indicated via the optional "header" parameter of this MIME type). For example:

```
field_name,field_name,field_name CRLF
aaa,bbb,ccc CRLF
zzz,yyy,xxx CRLF
```

4. Within the header and each record, there may be one or more fields, separated by commas. Each line should contain the same number of fields throughout the file. Spaces are considered part of a field and should not be ignored. The last field in the record must not be followed by a comma. For example:

```
aaa,bbb,ccc
```

5. Each field may or may not be enclosed in double quotes (however some programs, such as Microsoft Excel, do not use double quotes at all). If fields are not enclosed with double quotes, then double quotes may not appear inside the fields. For example:

```
"aaa","bbb","ccc" CRLF  
zzz,yyy,xxx
```

6. Fields containing line breaks (CRLF), double quotes, and commas should be enclosed in double-quotes. For example:

```
"aaa","b CRLF  
bb","ccc" CRLF  
zzz,yyy,xxx
```

7. If double-quotes are used to enclose fields, then a double-quote appearing inside a field must be escaped by preceding it with another double quote. For example:

```
"aaa","b""bb","ccc"
```

The ABNF grammar [2] appears as follows:

```
file = [header CRLF] record *(CRLF record) [CRLF]
```

```
header = name *(COMMA name)
```

```
record = field *(COMMA field)
```

```
name = field
```

```
field = (escaped / non-escaped)
```

```
escaped = DQUOTE *(TEXTDATA / COMMA / CR / LF / 2DQUOTE) DQUOTE
```

```
non-escaped = *TEXTDATA
```

```
COMMA = %x2C
```

```
CR = %x0D ;as per section 6.1 of RFC 2234 [2]
```

DQUOTE = %x22 ;as per [section 6.1 of RFC 2234](#) [2]

LF = %x0A ;as per [section 6.1 of RFC 2234](#) [2]

CRLF = CR LF ;as per [section 6.1 of RFC 2234](#) [2]

TEXTDATA = %x20-21 / %x23-2B / %x2D-7E

3. MIME Type Registration of text/csv

This section provides the media-type registration application (as per [RFC 2048](#) [1]).

To: ietf-types@iana.org

Subject: Registration of MIME media type text/csv

MIME media type name: text

MIME subtype name: csv

Required parameters: none

Optional parameters: charset, header

Common usage of CSV is US-ASCII, but other character sets defined by IANA for the "text" tree may be used in conjunction with the "charset" parameter.

The "header" parameter indicates the presence or absence of the header line. Valid values are "present" or "absent". Implementors choosing not to use this parameter must make their own decisions as to whether the header line is present or absent.

Encoding considerations:

As per [section 4.1.1. of RFC 2046](#) [3], this media type uses CRLF to denote line breaks. However, implementors should be aware that some implementations may use other values.

Security considerations:

CSV files contain passive text data that should not pose any risks. However, it is possible in theory that malicious binary data may be included in order to exploit potential buffer overruns in the program processing CSV data. Additionally, private data may be shared via this format (which of course applies to any text data).

Interoperability considerations:

Due to lack of a single specification, there are considerable differences among implementations. Implementors should "be conservative in what you do, be liberal in what you accept from others" ([RFC 793](#) [8]) when processing CSV files. An attempt at a common definition can be found in [Section 2](#).

Implementations deciding not to use the optional "header" parameter must make their own decision as to whether the header is absent or present.

Published specification:

While numerous private specifications exist for various programs and systems, there is no single "master" specification for this format. An attempt at a common definition can be found in [Section 2](#).

Applications that use this media type:

Spreadsheet programs and various data conversion utilities

Additional information:

Magic number(s): none

File extension(s): CSV

Macintosh File Type Code(s): TEXT

Person & email address to contact for further information:

Yakov Shafranovich <ietf@shaftek.org>

Intended usage: COMMON

Author/Change controller: IESG

4. IANA Considerations

The IANA has registered the MIME type "text/csv" using the application provided in [Section 3](#) of this document.

5. Security Considerations

See discussion above in [section 3](#).

6. Acknowledgments

The author would like to thank Dave Crocker, Martin Duerst, Joel M. Halpern, Clyde Ingram, Graham Klyne, Bruce Lilly, Chris Lilley, and members of the IESG for their helpful suggestions. A special word of thanks goes to Dave for helping with the ABNF grammar.

The author would also like to thank Henrik Lefkowitz, Marshall Rose, and the folks at xml.resource.org for providing many of the tools used for preparing RFCs and Internet drafts.

A special thank you goes to L.T.S.

7. References

7.1. Normative References

- [1] Freed, N., Klensin, J., and J. Postel, "Multipurpose Internet Mail Extensions (MIME) Part Four: Registration Procedures", [BCP 13](#), [RFC 2048](#), November 1996.
- [2] Crocker, D. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", [RFC 2234](#), November 1997.
- [3] Freed, N. and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types", [RFC 2046](#), November 1996.

7.2. Informative References

- [4] Repici, J., "HOW-TO: The Comma Separated Value (CSV) File Format", 2004,
<<http://www.creativyst.com/Doc/Articles/CSV/CSV01.htm>>.
- [5] Edoceo, Inc., "CSV Standard File Format", 2004,
<<http://www.edoceo.com/utilis/csv-file-format.php>>.
- [6] Rodger, R. and O. Shanaghy, "Documentation for Ricebridge CSV Manager", February 2005,
<<http://www.ricebridge.com/products/csvman/reference.htm>>.
- [7] Raymond, E., "The Art of Unix Programming, Chapter 5", September 2003,
<<http://www.catb.org/~esr/writings/taoup/html/ch05s02.html>>.
- [8] Postel, J., "Transmission Control Protocol", STD 7, [RFC 793](#), September 1981.

Author's Address

Yakov Shafranovich
SolidMatrix Technologies, Inc.

EMail: ietf@shaftek.org

URI: <http://www.shaftek.org>

Full Copyright Statement

Copyright (C) The Internet Society (2005).

This document is subject to the rights, licenses and restrictions contained in [BCP 78](#), and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the procedures with respect to rights in RFC documents can be found in [BCP 78](#) and [BCP 79](#).

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at ietf-ipr@ietf.org.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.