

# AA 242A Midterm Exam

October 27, 2020


12:30 – 2:00 PM

- This exam is open NOTES/open TEXTBOOK.
- There are three problems, each with multiple parts, and 100 possible points; the value of each problem is indicated. You are to work all of the problems individually.
- The completed exam is to be submitted by 2:00 PM.
- Good luck!



*“You can use logic to justify almost anything.” – Capt. Janeway*


Problem 1 (30 points). Janeway and Torres are fixing the warp core. They are sliding without friction on parallel fixed horizontal wires, separated by a distance  $h$ . Approximate Janeway as a particle of mass  $m_1 = 2m$ , and Torres as a particle of mass  $m_2 = m$ . A spring of stiffness  $k$  and unstretched length  $h$  connects Janeway and Torres. Define their positions on the wires as  $x_1$  and  $x_2$ , respectively. Assume Janeway has an initial velocity  $v_o$  and that Torres is initially motionless; ignore gravity.



- (15 points) What is and is not conserved in this system? Justify your answer.
- (15 points) Find the maximum velocity of Torres.

**Problem 2 (35 points)**

Tuvok has developed a new *effective* weapon to battle Species 8472. His weapon can be approximated as a point particle of mass  $m$  that slides without friction under the influence of gravity on a rotating wire hoop of radius  $a$ . The hoop rotates with a constant angular velocity  $\omega$  about its vertical axis.



- (4 points) Write down the constraint equation(s).
- (6 points) Write down the generalized coordinate(s). How many degrees of freedom are there?
- (3 points) Write an expression for the angular velocity of the particle with respect to the inertial frame.
- (10 points) Write down the Lagrangian of the system.
- (10 points) Find the EOM(s).
- (2 points) In two sentences or less, explain what happens to your EOM if  $\omega$  is 0, and therefore what the term with  $\omega$  represents.

**Problem 3 (35 points)**

(Same setup as for Problem 2)

- (4 points) Draw a FBD in the inertial frame.
- (25 points) Find the EOM(s) using Force Balance. (Use your result from part c.)
- (6 points) Draw a FBD in the rotating frame.