

Unsupervised Lab

Genevera I. Allen, Yufeng Liu, Hui Shen, Camille Little

7/22/2020

Data Description

gdat is Gene Expression Data, $n = 445$ patients \times $p = 353$ genes

- Only 353 genes with somatic mutations from COSMIC are retained ## Data is Level III TCGA BRCA RNA-Sequencing gene expression data that have already been pre-processed according to the following steps:
- Reads normalized by RPKM
- Corrected for overdispersion by a log-transformation ($1 + \text{data}$)
- Short gene name labels are given as the column names

cdat is Clinical Data, $n = 445$ patients \times $q = 6$ clinical features

- Subtype - denotes 5 PAM50 subtypes including Basal-like, Luminal A, Luminal B, HER2-enriched, and Normal-like
- ER-Status - estrogen-receptor status
- PR-Status - progesterone-receptor status
- HER2-Status - human epidermal growth factor receptor 2 status
- Node - number of lymph nodes involved
- Metastasis - indicator for whether the cancer has metastasized

Problems

Problem 1 - Dimension reduction

1a - Apply PCA, NMF, ICA and MDS, UMAP, and tSNE to this dataset. Compare and contrast the results using these methods.

1b - Relate the dimension reduction results with the clinical data. Is any clinical information reflected in the lower dimensional spaces?

1c - Overall, which dimension reduction method do you recommend for this data set and why?

Problem 2 - Clustering

2a - Apply various clustering algorithms such as K-means (explore different K), hierarchical clustering (explore different linkages), NMF, and biclustering. Compare the clustering results using these methods.

2b - Relate the clustering results with the clinical data. Can the clustering algorithm recover some of the clinical information such as cancer subtypes?

2c - Use Consensus Clustering to help Validate Clustering Results

2c - Overall, which clustering method(s) do you recommend for this data set and why?

Problem 3 - Multiple comparisons

3a - Identify important genes to differentiate ER positive and negative, PR positive and negative, HER2 positive and negative, metastasis status.

3b - Try different procedures to adjust for multiple comparisons.

3c - Examine the lists of genes identified using different methods for each clinical response. Which method is best? Why?

Problem 5 - Graphical models

5a - Use graphical models to explore interactions among genes. Are any of the well-connected genes related to patterns previously identified?

Problem 6 - Visualization

6a - Visualize this data using multiple approaches.

6b - Prepare the “best” visual summary of this data.

Problem 7 - Exploratory Data Analysis Summary

7a - What is the most interesting finding?

7b - Is this finding consistent and stable?

7c - Prepare a visual summary that best illustrates this interesting finding.

R scripts to help out with the BRCA case study Lab Don't peek at this if you want to practice coding on your own!!

Load Data

```
load("UnsupL_SISBID_2020.Rdata")
library(ggplot2)
```

```
## Warning: package 'ggplot2' was built under R version 3.6.2
```

```
library(ConsensusClusterPlus)
library(kknn)
library(GGally)
```

```
## Warning: package 'GGally' was built under R version 3.6.2
```

```
## Registered S3 method overwritten by 'GGally':
##   method from
##   +.gg      ggplot2
```

```
library(umap)
```

```
## Warning: package 'umap' was built under R version 3.6.2
```

```
library(Rtsne)
library(igraph)
```

```
##
```

```
## Attaching package: 'igraph'
```

```
## The following objects are masked from 'package:stats':
```

```
##
```

```
##   decompose, spectrum
```

```
## The following object is masked from 'package:base':
##
##      union
library(XMRF)
library(spacejam)

## Loading required package: splines
## Loading required package: Matrix
Explore Data
dim(gdat)

## [1] 445 353
dim(cdat)

## [1] 445    6
table(cdat$Subtype)

##
##      Basal-like HER2-enriched      Luminal A      Luminal B      Normal-like
##           79           53           200           106           7
table(cdat$ER)

##
##              Indeterminate              Negative
##                  2                  100
##      Not Performed Performed but Not Available
##                  2                  2
##              Positive
##                  339
table(cdat$PR)

##
##              Indeterminate              Negative
##                  3                  147
##      Not Performed Performed but Not Available
##                  2                  2
##              Positive
##                  291
table(cdat$HER2)

##
##      Equivocal      Negative Not Available      Positive
##           5           370           4           65
table(cdat$Node)

##
##      0    1    2    3
## 221 146  54  23
table(cdat$Metastasis)

##
```

```
## 0 1
## 427 11
```

```
table(cdat$ER,cdat$PR)
```

```
##
##
## Indeterminate Negative Not Performed
## Indeterminate 0 1 0
## Negative 1 93 0
## Not Performed 0 0 2
## Performed but Not Available 0 0 0
## Positive 2 53 0
##
## Performed but Not Available Positive
## Indeterminate 0 1
## Negative 0 6
## Not Performed 0 0
## Performed but Not Available 2 0
## Positive 0 284
```


```
#cluster heatmap - biclustering
```

```
#cluster heatmap - biclustering
```

```
aa = grep("grey",colors())
bb = grep("green",colors())
cc = grep("red",colors())
gcol2 = colors()[c(aa[1:2],bb[1:25],cc[1:50])]
```


```
Without scaling
```

```
heatmap(gdat,col=gcol2,hclustfun=function(x)hclust(x,method="ward.D"))
```




With scaling

```
heatmap(scale(gdat),col=gcol2,hclustfun=function(x)hclust(x,method="ward.D"))
```



```
Cols=function(vec){cols=rainbow(length(unique(vec)))
  return(cols[as.numeric(as.factor(vec))])}
```

```
heatmap(scale(gdat),col=gcol2,hclustfun=function(x)hclust(x,method="ward.D"),labRow=cdat$Subtype,RowSide
```




#Dimension Reduction

PCA

```
Cols=function(vec){cols=rainbow(length(unique(vec)))
  return(cols[as.numeric(as.factor(vec))])}

sv = svd(scale(gdat,center=TRUE,scale=FALSE))
V = sv$v
Z = gdat%*%V

K = 3
pclabs = c("PC1","PC2","PC3","PC4")
par(mfrow=c(1,K))
for(i in 1:K){
  j = i+1
  plot(Z[,i],Z[,j],pch=16,xlab=pclabs[i],ylab=pclabs[j],col=Cols(cdat$Subtype))
}
legend(-45,0,pch=16,col=rainbow(5),levels(cdat$Subtype))
```




Pairs Plot

```
PC1<-as.matrix(Z[,1])
PC2<-as.matrix(Z[,2])
PC3<-as.matrix(Z[,3])
PC4<-as.matrix(Z[,4])
PC5<-as.matrix(Z[,5])
```

```
pc.df.cdat<-data.frame(Subtype = cdat$Subtype, PC1, PC2, PC3, PC4, PC5)
ggpairs(pc.df.cdat, mapping = aes(color = Subtype))
```


```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



MDS

```
Dmat = dist(gdat,method="maximum")
mdsres = cmdscale(Dmat,k=2)
plot(mdsres[,1],mdsres[,2],pch=16,col=Cols(cdat$Subtype), main = "Dimension Reduction MDS")
legend(-30,20,pch=16,col=rainbow(5),levels(cdat$Subtype))
```


Dimension Reduction MDS




ICA

```
require("fastICA")

## Loading required package: fastICA

K = 4
icafit = fastICA(gdat,n.comp=K)

kk = 3
pclabs = c("ICA1","ICA2","ICA3","ICA4")
par(mfrow=c(1,kk))
for(i in 1:kk){
  j = i+1
  plot(icafit$A[i,],icafit$A[j,],pch=16,xlab=pclabs[i],ylab=pclabs[j],col=Cols(cdat$Subtype))
}
legend(-1,2.8,pch=16,col=rainbow(5),levels(cdat$Subtype))
```




UMAP

```
gdat.umap = umap(gdat)
plot(gdat.umap$layout[,1], y =gdat.umap$layout[,2], type = "n", main = "UMAP", xlab = "UMAP1", ylab = "UMAP2")
text(gdat.umap$layout[,1], y =gdat.umap$layout[,2], type = "n", cdat$Subtype, col=Cols(cdat$Subtype), cex=1.5)

## Warning in text.default(gdat.umap$layout[, 1], y = gdat.umap$layout[, 2], :
## graphical parameter "type" is obsolete
```

UMAP



#Clustering

K-means

K = 5


```
km = kmeans(gdat,centers=K,nstart=25)
table(km$cluster,cdat$Subtype)
```

```
##
##      Basal-like HER2-enriched Luminal A Luminal B Normal-like
##  1           5           8          44         12           4
##  2          74           5           1           1           1
##  3           0          31           3           7           0
##  4           0           7         112          26           1
##  5           0           2          40          60           1
```

Plot Kmeans with labels

```
plot(Z[,1],Z[,2],col=km$cluster, main = "Plot Kmeans Clusters ", xlab = "PC1", ylab = "PC2")
text(Z[,1],Z[,2],cdat$Subtype,cex=.75,col=km$cluster)
cens = km$centers
points(cens%%V[,1],cens%%V[,2],col=1:K,pch=16,cex=3)
```

Plot Kmeans Clusters



Hierarchical

#which linkage is the best?


#which distance metric is the best?

```
Dmat = dist(gdat)
```

```
com.hc = hclust(Dmat,method="ward.D")
```

```
plot(com.hc, labels=cdat$Subtype, cex=.5)
```

Cluster Dendrogram



```
Dmat
hclust (*, "ward.D")
```

```
res.com = cutree(com.hc,5)
table(res.com,cdat$Subtype)
```

```
##
## res.com Basal-like HER2-enriched Luminal A Luminal B Normal-like
##      1      1      3      95      11      3
##      2      0      4      73      65      1
##      3     75      4       5       4      1
##      4      0     27       3       7      0
##      5      3     15      24      19      2
```

Consensus Clustering with Hierarchical


```
results = ConsensusClusterPlus(gdat,maxK=6, reps=500, pItem=0.8, pFeature=1,
clusterAlg="hc", distance="pearson", plot="png")
```

```
## end fraction
```

```
## clustered
## clustered
## clustered
## clustered
## clustered
```

Look at results for first 5 clusters

```
heatmap(results[[2]][["consensusMatrix"]][1:5,1:5])
```



Spectral Clustering


K = 5

```
s_gdat = specClust(gdat, centers=K, nn = 7, method = "symmetric", gmax=NULL)
```

Visualize

```
plot(Z[,1],Z[,2],col=s_gdat$cluster, main = "Visualize Spectral Clusters", xlab = "PC1", ylab = "PC2")
text(Z[,1],Z[,2],cdat$Subtype,cex=.75,col=s_gdat$cluster)
```

Visualize Spectral Clusters



Genes significantly associated with ER or PR Status, etc

```
x = gdat[cdat$ER=="Positive" | cdat$ER=="Negative",]
y.er = cdat$ER[cdat$ER=="Positive" | cdat$ER=="Negative"]
y.label = rep(1, length(y.er))
y.label[y.er == "Positive"]=2
```

```
ps = NULL
for(i in 1:ncol(gdat)) ps = c(ps,
  t.test(x[y.label==1,i],x[y.label==2,i])$p.value)
fdrs.bh = p.adjust(ps, method="BH")
```


```
cat("Number of Tests significant with alpha=0.1 using Bonferroni correction:",
sum(ps<0.1/length(y.label)), fill=TRUE)
```

```
## Number of Tests significant with alpha=0.1 using Bonferroni correction: 165
```

```
cat("Number of Tests with FDR below 0.1:",
sum(fdrs.bh<0.1), fill=TRUE)
```

```
## Number of Tests with FDR below 0.1: 259
```

```
plot(sort(ps,decreasing=FALSE),ylab="P-Values")
#BH procedure
abline(a=0, b=0.1/length(y.label),col="red")
#Bonferroni
abline(a=0.1/length(y.label), b=0,col="blue")
```



Graphical models - how are genes related?


#this takes a bit of time

```
lam = lambdaMax(gdat)*sqrt(log(ncol(gdat))/nrow(gdat))*0.01
net = XMRf(t(gdat),method="LPGM",lambda.path=lam,N=1,th=.0025)
```

```
## LPGM ::: Conducting sampling ... in progress: 100 %
## LPGM Completed.
```

```
plot(net)
```

```
## Plot optimal network
```



```
##           [,1]      [,2]
## [1,]  1.6355344883 27.85025999
## [2,] 22.1442718477  4.14945599
## [3,] 20.7325391667 15.62707111
## [4,]  0.3598560423 10.72861394
```



```

## [5,] 5.1391560551 6.80952548
## [6,] 3.4422169535 7.05897462
## [7,] -0.1282834254 14.56198277
## [8,] 9.5211221830 14.02841568
## [9,] 13.0120031442 23.67542195
## [10,] 7.3526527684 7.57299682
## [11,] -0.6999361967 8.46498822
## [12,] 12.6524368851 31.49232595
## [13,] 15.3526004893 29.68442138
## [14,] 18.3112578970 16.69294316
## [15,] 23.7452057943 15.96816252
## [16,] 1.0395053223 24.91544632
## [17,] 16.1281396299 0.27800071
## [18,] 12.7739057304 11.98069403
## [19,] 2.8573227816 14.64400438
## [20,] 5.5804950852 4.27530664
## [21,] 5.0686927237 29.21347417
## [22,] 23.5885225347 6.23470186
## [23,] 16.4248900544 21.03509625
## [24,] -2.6084351886 22.75475378
## [25,] 4.2226533269 9.94097810
## [26,] 7.5784925085 5.28437187
## [27,] 5.9206233502 27.79913018
## [28,] 24.5952400448 20.27147894
## [29,] 8.8551836752 9.53056592
## [30,] 8.0147185082 5.70007630
## [31,] 0.4531342332 5.11687151
## [32,] 9.8772495984 15.38752244
## [33,] 25.0270638272 11.50961393
## [34,] 24.2595696269 14.16995406
## [35,] 23.1327692716 20.23427271
## [36,] 0.3443657267 23.29555877
## [37,] 18.1738976934 24.60213176
## [38,] 6.5466771640 16.83831716
## [39,] 22.5617117435 5.27419366
## [40,] 21.0985382263 19.89752113
## [41,] 5.0942969586 8.56800782
## [42,] 3.8874036855 15.53962816
## [43,] 18.2052640547 20.63998893
## [44,] 1.9397362829 10.14900066
## [45,] 8.1633930409 18.22557646
## [46,] 25.7895605083 10.42633628
## [47,] -1.1159025759 22.37710522
## [48,] 0.8827201102 12.50127593
## [49,] -0.6924219515 15.61649468
## [50,] 26.0177653066 14.01586359
## [51,] 20.8060742491 4.07594192
## [52,] 10.6121626727 24.26534039
## [53,] 21.6173033651 6.27133936
## [54,] 3.4594853156 8.10452981
## [55,] 8.9302289180 14.31661088
## [56,] 18.5726269366 18.34714539
## [57,] -3.6985587235 24.42821428
## [58,] 7.8126336438 15.47724606

```

```

## [59,] 10.5453556205 17.09260802
## [60,] 6.0121553724 24.75449840
## [61,] 1.4094371593 12.60410787
## [62,] 11.1737595869 11.87767645
## [63,] 0.6451504885 8.28007292
## [64,] 5.5007066431 12.23068504
## [65,] -3.9320218053 23.63918190
## [66,] -1.4918614707 23.88827957
## [67,] 18.3682576202 5.63636809
## [68,] 20.6183083388 26.13519340
## [69,] 11.3425306906 28.54174756
## [70,] 17.0874476532 3.53091091
## [71,] 18.5791627064 27.91154127
## [72,] 9.3769600816 17.20305914
## [73,] 0.6887262754 10.00019828
## [74,] 24.4816840752 7.41449948
## [75,] 8.2979899652 11.56615772
## [76,] 2.2411817578 11.71055191
## [77,] 3.0935735090 27.18869478
## [78,] 5.2052516208 10.02948225
## [79,] 5.1472162610 10.85840509
## [80,] 6.9181964665 3.04266924
## [81,] 4.9557430721 30.51712792
## [82,] 7.1104879112 29.99673042
## [83,] 3.0428409212 16.36863824
## [84,] 13.1639312085 15.93907290
## [85,] 7.0828534808 31.39911672
## [86,] 21.8865524120 13.04185493
## [87,] -0.4194452525 24.86023051
## [88,] -1.1552924225 12.18131486
## [89,] 25.2473442252 21.57301658
## [90,] 1.9077055506 9.33768160
## [91,] 4.9122946732 3.73736625
## [92,] -5.0715235450 21.44559765
## [93,] 22.3666136531 18.81658058
## [94,] 13.3261629948 7.27909549
## [95,] 6.1400453715 11.09518916
## [96,] 4.4600773327 12.80879221
## [97,] 14.3833158677 22.28362374
## [98,] 8.8212911931 30.00460976
## [99,] 19.8328649857 16.75793563
## [100,] 7.7275969992 11.39202597
## [101,] 17.1367569264 19.37680545
## [102,] 4.6830622043 26.08403735
## [103,] 19.1837753835 1.88752236
## [104,] 2.2079863776 8.25217390
## [105,] 12.8763172165 6.77014233
## [106,] 11.3496739988 13.32198360
## [107,] 16.5328978270 24.32865643
## [108,] 11.2118417585 26.46872054
## [109,] 8.4705436427 8.89807478
## [110,] 14.7281207943 25.33764796
## [111,] 15.0624041923 1.07763955
## [112,] 1.8100519726 4.86738689

```

```

## [113,] 1.3795088679 13.48519428
## [114,] 19.9916391398 5.18164272
## [115,] 21.4128848908 23.90842725
## [116,] 6.6422499005 18.54721982
## [117,] 6.9245015835 8.06057554
## [118,] -2.3959057696 24.94802539
## [119,] 0.0001957319 6.80211319
## [120,] 1.8652565465 7.30766639
## [121,] 20.6728014180 14.06179531
## [122,] 21.7468496425 25.24031032
## [123,] 8.8733850655 18.48169428
## [124,] 4.6644937925 9.03443060
## [125,] 6.3517603727 6.77297285
## [126,] 14.7984909209 23.93639650
## [127,] 24.0634822692 10.38636691
## [128,] -0.3065526629 12.91727515
## [129,] 10.2295214204 12.10702202
## [130,] 4.3914415707 27.80038286
## [131,] 4.7434234171 9.40500027
## [132,] 0.1804790996 9.67221342
## [133,] 17.5183428174 22.90894327
## [134,] 18.8062242967 29.26717933
## [135,] 3.1782700265 14.91713559
## [136,] 9.5870443504 6.76809473
## [137,] 20.3337209918 6.67291846
## [138,] 26.2528521241 12.49614870
## [139,] 3.5742786991 12.45201359
## [140,] 0.5879649159 12.28946426
## [141,] -1.3463526741 15.19404134
## [142,] 0.0849464242 28.35872845
## [143,] 5.2226181507 2.94079702
## [144,] 13.9053917097 7.89670973
## [145,] 0.6684586974 8.91403871
## [146,] 2.3322930165 17.30007294
## [147,] 6.6380594733 9.39775576
## [148,] 3.4412098457 3.91238543
## [149,] 5.0579930037 1.25602923
## [150,] 25.1046242452 15.43759695
## [151,] -0.4713105572 10.67663269
## [152,] 1.1822849518 6.64624000
## [153,] 9.4900529425 15.87649007
## [154,] 9.5514307802 18.51933922
## [155,] 5.4665475651 6.45555431
## [156,] 11.1177146351 15.08249929
## [157,] 10.9040872049 16.72405300
## [158,] 10.8132438024 16.02761854
## [159,] 7.0102561130 8.65677230
## [160,] 24.7755574606 12.84750525
## [161,] 10.1900715006 16.59736306
## [162,] 24.8381102861 17.23258070
## [163,] 8.8158305746 7.36626692
## [164,] 14.2511229175 -0.07589935
## [165,] -1.6933224761 14.59219221
## [166,] 20.1621243885 21.25736258

```

```

## [167,] 13.3842652768 8.13522841
## [168,] 11.4890351326 31.45852254
## [169,] 1.5360510542 8.71388451
## [170,] 8.7524305283 10.51227430
## [171,] 8.6723848174 6.43842706
## [172,] 21.8319168432 26.83865747
## [173,] 4.8468313280 7.63641694
## [174,] 2.7428729107 8.88411485
## [175,] 9.7656940172 16.86715546
## [176,] 8.4853925402 13.55681771
## [177,] 10.9160128254 10.22626943
## [178,] 9.3261069947 6.17678977
## [179,] 18.8003609707 22.08760239
## [180,] 24.2991363768 18.81365435
## [181,] 23.7692157922 21.77275505
## [182,] 23.3993337195 17.57876598
## [183,] 11.5455004387 12.76944225
## [184,] 6.4484923864 6.22821976
## [185,] 15.5683938664 28.39796275
## [186,] 9.1211785947 11.46004598
## [187,] 8.4359606273 28.51880794
## [188,] 4.0737424124 24.44856075
## [189,] 23.3690004536 12.24304488
## [190,] -2.9770849275 21.37205150
## [191,] -0.0541263220 13.65972005
## [192,] 8.5966513566 3.30110663
## [193,] 17.8207276099 2.26317112
## [194,] 19.6271003464 26.98141968
## [195,] 7.5272255406 10.46957265
## [196,] 18.8752407374 7.18802818
## [197,] 14.3048047324 26.94029388
## [198,] 19.2958893906 9.38911174
## [199,] 16.0084700161 22.58808702
## [200,] 11.3992053492 8.86227689
## [201,] 3.3577314835 5.23569662
## [202,] 4.2108057076 5.96031561
## [203,] 3.2804575311 28.86152857
## [204,] 26.5091096984 15.29753095
## [205,] 13.0923793134 25.96569042
## [206,] 0.6316479655 6.63498487
## [207,] 1.3398738425 7.27235029
## [208,] 12.0583647687 12.36285088
## [209,] -4.0328558700 8.80697882
## [210,] -1.2700943633 8.77417058
## [211,] 7.4196336635 3.43746163
## [212,] 6.1875767642 11.89855285
## [213,] 6.2676928823 8.89999050
## [214,] 5.5576957890 8.02358946
## [215,] 4.8133914267 11.17009186
## [216,] 9.9401686401 27.57265536
## [217,] 20.6764280396 18.18445012
## [218,] 10.5696366961 9.08100904
## [219,] 4.8465211763 13.84015061
## [220,] 2.9559487445 10.32717285

```

```

## [221,] 5.2052976923 16.58072877
## [222,] 25.8485350201 19.74458057
## [223,] 3.0403407925 6.64149986
## [224,] 6.3420145588 3.27173600
## [225,] 3.0304663454 11.22297699
## [226,] 3.6813153479 6.58908573
## [227,] 9.8154199732 25.72694406
## [228,] 24.4098847401 23.10949544
## [229,] 6.7876496004 10.41514633
## [230,] 8.4408696400 19.03905089
## [231,] 20.3610684343 28.15902258
## [232,] 19.7327400095 11.09798447
## [233,] 0.9733061350 14.12296558
## [234,] 4.6600939218 8.57899382
## [235,] 5.4169684256 16.08698787
## [236,] 2.2680123826 29.89887751
## [237,] 3.0163216671 25.49843186
## [238,] 16.7756698453 25.81401499
## [239,] 17.1822079646 27.64173782
## [240,] 4.3419863347 6.84673093
## [241,] -1.0834874795 27.67141248
## [242,] 1.7125157641 26.28494204
## [243,] 11.8907570616 11.55707793
## [244,] 18.3662822160 26.21162081
## [245,] -2.5405012551 26.26914941
## [246,] 12.4101937306 27.56921985
## [247,] 3.0769233080 8.60313652
## [248,] 5.4757021452 7.20592354
## [249,] 19.8244693182 24.94419689
## [250,] 7.0631785691 11.12575122
## [251,] 9.6978922135 5.09944841
## [252,] 10.1905500248 11.63910089
## [253,] 11.2563506899 10.86208597
## [254,] 13.8757398607 8.90105099
## [255,] 20.1919732745 8.22463931
## [256,] 22.2961353625 15.52555887
## [257,] 19.5436452036 19.55586736
## [258,] 7.6316062185 7.06805801
## [259,] 19.1363703428 14.59846047
## [260,] 7.7643228415 18.74127332
## [261,] 0.2886605471 26.64701468
## [262,] 12.0711464223 16.99004069
## [263,] 2.1596388529 23.92024181
## [264,] 1.4189105441 17.85931313
## [265,] 8.6326964193 5.63279206
## [266,] 21.9923961445 21.17674853
## [267,] 1.0370343812 10.65481446
## [268,] 13.8009006611 30.98925169
## [269,] -0.0228504915 9.13239601
## [270,] 10.2245764904 14.74657215
## [271,] 6.4514609741 12.79267599
## [272,] 1.3455204070 9.70333507
## [273,] 12.0083361580 29.82534746
## [274,] 26.1893328029 16.80781307

```

```

## [275,] 16.2046791326 2.11428660
## [276,] 8.2972284805 27.11414225
## [277,] -0.8216622954 13.83121450
## [278,] 4.0519356359 8.21327424
## [279,] 16.8264878481 30.35270319
## [280,] 22.4036264310 11.05460524
## [281,] 5.9550930585 2.79617575
## [282,] 3.2308844147 10.61544345
## [283,] -1.0045174222 7.95977095
## [284,] 5.7387867986 16.58610933
## [285,] 5.4454984278 14.20609642
## [286,] 4.7891389569 16.38175381
## [287,] 2.4423546442 13.61053789
## [288,] 7.9132691568 8.23263935
## [289,] 2.4498186059 10.61960628
## [290,] 21.9385751859 17.20594953
## [291,] -4.1685616820 20.33505778
## [292,] 2.8856360514 12.77993562
## [293,] 25.1018488786 9.04643111
## [294,] 3.1165356509 7.72888863
## [295,] 10.1184535824 29.29158259
## [296,] -1.3892590838 11.10511276
## [297,] 19.3761862579 12.78561860
## [298,] 19.5026911997 23.50693004
## [299,] 7.5696534379 8.96591554
## [300,] 6.2053484004 26.42002004
## [301,] -4.4760725730 22.11601233
## [302,] 21.0438339395 9.95377095
## [303,] 12.2633228671 9.87695166
## [304,] 26.0290966623 18.27806637
## [305,] 17.5591635917 0.91436795
## [306,] 18.3581736551 4.30901864
## [307,] 3.5457273580 30.49750831
## [308,] 5.9709350608 8.93972773
## [309,] 9.5760758592 7.95584800
## [310,] 17.2768007198 29.14615148
## [311,] 22.8363045707 14.08470200
## [312,] -2.3183478071 9.97847575
## [313,] 5.7899659300 31.36180170
## [314,] 0.5746019148 15.00735005
## [315,] 0.4450411804 11.57228309
## [316,] 19.3603158457 3.43389467
## [317,] 13.5821519333 29.63544367
## [318,] 7.6248227359 25.89741172
## [319,] 23.6922704716 8.47414638
## [320,] -1.1031975861 26.23822876
## [321,] 20.5497615786 2.61642271
## [322,] 9.6762392608 31.98445190
## [323,] 1.1477923654 29.16997445
## [324,] 2.1989588067 8.54066138
## [325,] 21.0115445196 11.90200965
## [326,] 10.7766913791 6.93497889
## [327,] 9.0229464060 15.69911254
## [328,] 7.2058325060 18.67598871

```

```
## [329,] -2.0700458412 13.93506166
## [330,] -5.5368172139 19.39635369
## [331,] 5.0088550446 12.68500625
## [332,] 6.1519235535 14.35566233
## [333,] 3.9495042139 7.58076640
## [334,] 22.8531986670 9.62019607
## [335,] 20.8961886972 22.55928637
## [336,] 8.3963146741 24.70694144
## [337,] 6.8381455893 28.70677254
## [338,] 23.1362038928 25.26092391
## [339,] 21.6319464911 8.48591853
## [340,] 12.0133962589 24.88250930
## [341,] 22.5721598266 22.65201974
## [342,] 22.5692143481 7.44358515
## [343,] 10.3313594496 30.83249657
## [344,] 15.8056948532 26.91748469
## [345,] -0.5384514834 7.09681592
## [346,] 3.9323839849 9.24495932
## [347,] 23.2804904706 23.94454058
## [348,] 0.7117468085 7.81675119
## [349,] 3.2929499150 17.41189849
## [350,] 8.4181684536 31.45882447
## [351,] 15.2043937716 30.99013908
## [352,] 9.7166966281 10.44665006
## [353,] 13.7677379329 28.34287452
```

```
## estimation using spacejam
net2 = SJ(gdat)
net2 = net2$G
sjnet <- 1*(net2)[,1]
sjnet = graph.adjacency(sjnet, mode="undirected")
plot(sjnet, vertex.size=0.1, vertex.label=NA)
```

