



QICTRADER **Design System**

Visual Identity & Component Reference



South Africa's P2P Crypto Marketplace
Version 1.0 — April 2026
Generated from codebase extraction

Brand Colors

The QICTRADER brand is anchored by a vibrant cyan blue. These are the core brand colors used across all touchpoints.

Brand Blue
#00A3F6

Brand Blue Light
#38BDF8

Brand Blue Dark
#0284C7

Brand Blue BG
rgba(0,163,246,0.1)

Semantic Colors

Success / Green
#10B981

Warning / Amber
#F59E0B

Error / Red
#EF4444

Info / Blue
#3B82F6

Surface Colors (Dark Mode)

Background
#000000

Background Secondary
#111111

Card
#191F2A

Surface
#1E293B

Surface Colors (Light Mode)

Background
#FFFFFF

Hero BG
#F8FAFC

Secondary
#F1F5F9

Border
#E2E8F0

Specialized Colors

Cryptocurrency Colors



Bitcoin
#F7931A



Ethereum
#627EEA



Solana
#9945FF



Tether
#26A17B

Affiliate Tier Colors



Novice
#6B7280



Bronze
#CD7F32



Silver
#C0C0C0



Gold
#C9A84C



Diamond
#B9F2FF

Text Colors

TOKEN	LIGHT MODE	DARK MODE	USE
--foreground	#0F172A	#F8FAFC	Primary text
--muted-foreground	#475569	#94A3B8	Secondary text
--text-secondary	#64748B	#94A3B8	Tertiary text
--text-tertiary	#94A3B8	#64748B	Subtle text
--text-placeholder	#9CA3AF	#64748B	Placeholder text

Chart Colors



Chart 1
#3B82F6



Chart 2
#10B981



Chart 3
#F59E0B



Chart 4
#8B5CF6

Type System

PRIMARY FONT

Poppins

Weights: 400 Regular · 500 Medium · 600 SemiBold · 700 Bold

CSS: `--font-poppins` → `--font-sans`

WEIGHT DISTRIBUTION

Medium (500)958x

SemiBold (600)692x

Bold (700)287x

Regular (400)37x

Type Scale

48px / 5x1	Hero Heading
36px / 4x1	Page Title
30px / 3x1	Section Heading
24px / 2x1	Card Title
20px / x1	Subheading
18px / 1g	Dialog Title
16px / base	Input text, field legend
14px / sm	Default body, labels, buttons
12px / xs	TABLE HEADERS, HELPER TEXT


Heading Hierarchy

LEVEL	MOBILE	DESKTOP	WEIGHT	LINE HEIGHT
H1 (Hero)	text-3x1	text-5x1	Medium (500)	leading-tight
H1 (Page)	text-2x1	text-3x1	SemiBold (600)	leading-none
H2	text-x1	text-2x1	Bold (700)	leading-none
H3	text-base	text-1g	SemiBold (600)	leading-none
H4	text-sm	text-base	SemiBold (600)	leading-none

Letter Spacing & Line Height

TOKEN	VALUE	USE	TOKEN	VALUE	USE
tracking-tight	-0.025em	Titles	leading-none	1.0	Headings, badges
tracking-normal	0	Body (default)	leading-tight	1.25	Compact headings

Spacing Scale



Component Spacing

Component	Padding	Gap	Notes
Card Header	p-6 (24px)	space-y-1.5	Standard card section
Card Content	p-6 pt-0	—	No top padding (flows from header)
Modal (mobile)	p-4 (16px)	—	Bottom sheet style
Modal (desktop)	p-6 (24px)	—	Centered dialog
Button (default)	px-4 py-2	—	h-10 (40px)
Button (lg)	px-6 py-4	—	h-11 (44px), CTA size
Input	px-3 py-2	—	h-10 (40px)
Badge	px-2.5 py-0.5	—	Compact inline element
Header (desktop)	px-24 py-3	gap-2	96px horizontal padding
Header (mobile)	px-3 py-2.5	gap-1.5	12px horizontal padding
Field Group	—	gap-7 (28px)	Form field stacking

Radius Scale



Elevation & Shadows

Level	Token	Use
0	None	Flat elements
1	shadow-sm	Inputs, subtle lift
2	shadow-md	Dropdowns, menus
3	shadow-lg	Hover cards, popovers
4	shadow-xl	Modals
5	shadow-2xl	Emphasized modals

Core Components

Buttons

BUTTON VARIANTS

Primary

Destructive

Outline

Secondary

Ghost

Sizes: sm (h-9) · default (h-10) · lg (h-11) · icon (h-10 w-10)
States: hover (90% opacity) · focus (ring-2) · disabled (opacity-50) · active (scale 0.98)

Badges

BADGE VARIANTS

Default

Success

Warning

Error

Outline

Base: rounded-md · px-2.5 py-0.5 · text-xs · font-semibold

Cards

STANDARD CARD

Card Title

Card description text

Card content area with p-6 pt-0 padding. Uses bg-card background with rounded-lg border and shadow-sm.

INPUT FIELD

Label

Placeholder text...

h-10 · rounded-md · border-input · bg-background/20

Label

Focused state

Focus: ring-2 ring-ring ring-offset-2

Modals

MOBILE (BOTTOM SHEET)

- Backdrop: bg-black/60 backdrop-blur-sm
- Content: rounded-t-2xl
- Animation: slide-in-from-bottom
- Max height: 90vh
- Drag handle visible
- Padding: p-4

DESKTOP (CENTERED)

- Backdrop: bg-black/60 backdrop-blur-sm
- Content: rounded-2xl
- Animation: zoom-in-95
- Max height: 85vh
- Sizes: sm / md / lg / xl
- Padding: p-6

Motion System

Entry Animations

Fade In
200ms ease-out
General appearance

Slide from Top
200ms ease-out
Dropdowns, menus

Slide from Bottom
200ms ease-out
Mobile modals

Zoom In (95%)
200ms ease-out
Desktop modals

Transition Colors
150ms default
Hover states

Transition All
150ms default
Multi-property changes

Brand Animations

Crypto Float
6s ease-in-out infinite
Background crypto elements

Brand Pulse
3s ease-in-out infinite
Blue glow pulsing

Breathe
4s ease-in-out infinite
Scale 1 → 1.02

Orbit
20s linear infinite
Rotating elements

Coin Spin
4s ease-in-out infinite
3D coin rotation

Border Glow
3s ease-in-out infinite
Pulsing border accent

Breakpoints & Layout

Breakpoints

NAME	WIDTH	USE
sm	640px	Mobile → tablet
md	768px	Tablet adjustments
lg	1024px	Desktop switch
xl	1280px	Large desktop

Z-Index Scale

VALUE	USE
z-10	Modal inner content
z-40	Sticky header/nav
z-50	Modals, dropdowns, toasts
z-[9999]	Critical overlays

Key Responsive Behaviors

ELEMENT	MOBILE	DESKTOP
Header	Hamburger menu, px-3	Inline nav links, px-24
Hero	Stacked vertical	Side-by-side (flex-row)
Feature Grid	1 column	3-4 columns
Modals	Bottom sheet (rounded-t-2xl)	Centered dialog (rounded-2xl)
Card Grids	1 column	2-3 columns

Anti-Patterns

These patterns are explicitly forbidden in QICTRADER. Introducing them breaks brand consistency.

- ✖ **Fonts:** Do not use Inter, Roboto, Arial, Space Grotesk, or system fonts. Poppins only.
- ✖ **Colors:** No purple-on-white gradients. No colors outside the defined palette without explicit approval.
- ✖ **Radius:** No rounded-3xl or larger, except rounded-full for pills and avatars.
- ✖ **Shadows:** No colored shadows except the brand blue glow effect.
- ✖ **Layout:** No centered hero + three-column feature grid (generic AI pattern).
- ✖ **Components:** No custom components when Shadcn/ui equivalents exist.
- ✖ **Values:** No hardcoded hex/rgb in components. Use CSS variables and Tailwind tokens.

Implementation Reference

Framework

LAYER	TECHNOLOGY
Framework	Next.js 16 (App Router)
React	React 19
Language	TypeScript
Styling	Tailwind CSS 4
Components	Shadcn/ui (New York)
Primitives	Radix UI
Animation	Framer Motion
Icons	Lucide React
Build	Bun

Key Files

FILE	CONTENTS
globals.css	CSS vars, animations
layout.tsx	Font, metadata, root
components/ui/	Shadcn library
components.json	Shadcn config
DESIGN.md	This design system
public/logo.svg	Brand logo
public/landing/	Landing assets
public/icons/	Favicons, PWA

