

Abstract citation ID: pyae059.601

THE DEFICITS OF DECISION-MAKING CONFIDENCE IN OBSESSIVE-COMPULSIVE DISORDER

*Jia-Jia Zhou¹, Qi-Hui Guo¹, Gao-Yang Huang², Zi-Jian Cheng¹, Ru-Yuan Zhang^{1,2}, Qing Fan^{1,3,4}

¹Shanghai Mental Health Center, Shanghai Jiao Tong University School of Medicine, Shanghai, China, ²Institute of Psychology and Behavioral Science, Antai College of Economics and Management, Shanghai Jiao Tong University, Shanghai, China, ³Shanghai Key Laboratory of Psychotic Disorders, Shanghai, China, ⁴Mental Health Branch, China Hospital Development Institute, Shanghai Jiao Tong University, Shanghai, China

Background: Decision-making confidence is a subjective estimation for the accuracy of decision-making (Rahnev et al., 2015), which has great impact on decision-making. Previous literature has indicated that decision-making confidence of patients with obsessive-compulsive disorder (OCD) is obviously lower than that of health control (HC) subjects (Nisticò et al., 2021, Hauser et al., 2017, Marton et al., 2019, Dar et al., 2022), suggesting it as one of the core cognitive defects of OCD (Nisticò et al., 2021).

Aims & Objectives: This study aimed to validate and elucidate the decision-making confidence deficit in OCD while preliminarily exploring its neural underpinnings.

Method: This study included two sub-studies, behavioral and imaging, which were both case-control studies. A total of 23 OCD subjects and 28 HC subjects matched on gender, age, years of education, and intelligence quotient were included in the study. The experimental task was a randomized dot motion (RDM) task under a repeated decision-making scenario (Qiu et al., 2018). Functional Magnetic Resonance Imaging (fMRI) was employed for neural imaging. Clinical features were assessed using scales such as YBOCS, HAMD-17, STAI, and FOCI.

Results: In the behavioral study: (1) Notably lower confidence improvement was identified in the OCD group compared to the HC group. (2) Negative correlations between response time and

confidence were noted in both decision-making phases, with significantly higher correlation coefficients in the HC group. (3) The greater the first confidence, the less confidence improvement for the second confidence. (4) The greater the confidence, the higher accuracy.

In the imaging study: (1) The significant neural deactivations of default mode network (DMN) during both the two decision-making phases. (2) During both the two decision-making phases, the neural activities of DMN were positively correlated with confidences, whereas the neural activities of the metacognition network (MCN) were negatively correlated with confidences. (3) During the first decision-making phase, primary visual cortex in OCD group had significant smaller regression strengths than that in HC group. (4) During the second decision-making phase, precuneus had significant smaller regression strengths in OCD group than HC group.

Discussion & Conclusion: There was a significant defect of OCD in decision-making confidence, which is manifested as an obvious lack of confidence. But the defect is more reflected in the confidence of repeated decision-making, which is related to the lower confidence improvement of OCD. Decision making confidence is significantly negatively correlated with the severity of symptoms, but the confidence improvement of OCD is not affected by the severity of symptoms, which indicates that the abnormality of confidence improvement may be a common and stable defect of OCD. Primary visual cortex and precuneus cortex are the sensitive brain regions of the decision-making confidence defect in OCD, and precuneus may be closely related to the defect of confidence improvement.

References

- DAR, R., SARNA, N., YARDENI, G. & LAZAROV, A. 2022. Are people with obsessive-compulsive disorder under-confident in their memory and perception? A review and meta-analysis. *Psychol Med*, 52, 2404-2412.
- HAUSER, T. U., ALLEN, M., REES, G. & DOLAN, R. J. 2017. Metacognitive impairments extend perceptual decision making weaknesses in compulsivity. *Sci Rep*, 7, 6614.
- MARTON, T., SAMUELS, J., NESTADT, P., KRASNOW, J., WANG, Y., SHULER, M., KAMATH, V., CHIB, V. S., BAKKER, A. & NESTADT, G. 2019. Validating a dimension of doubt in decision-making: A proposed endophenotype for obsessive-compulsive disorder. *PLoS One*, 14, e0218182.
- NISTICÒ, V., DE ANGELIS, A., ERRO, R., DEMARTINI, B. & RICCIARDI, L. 2021. Obsessive-Compulsive Disorder and Decision Making under Ambiguity: A Systematic Review with Meta-Analysis. *Brain Sci*, 11. QIU, L., SU, J., NI, Y., BAI, Y., ZHANG, X., LI, X. & WAN, X. 2018. The neural system of metacognition accompanying decision-making in the prefrontal cortex. *PLoS Biol*, 16, e2004037.
- RAHNEV, D., KOIZUMI, A., MCCURDY, L. Y., D'ESPOSITO, M. & LAU, H. 2015. Confidence Leak in Perceptual Decision Making. *Psychol Sci*, 26, 1664-80.

Keywords: obsessive-compulsive disorder, decision-making confidence, repeated decision-making, precuneus, case control