```
-- Create new database
DROP DATABASE IF EXISTS TutorMeDB;
CREATE DATABASE IF NOT EXISTS TutorMeDB;

-- Select database
USE TutorMeDB;

-- Create tables
CREATE TABLE Tutor -- Each tutor is uniquely identified by tutor_id. A tutor must have a name, unique email address, subject, and positive hourly rate.
(
    tutor_id INT NOT NULL PRIMARY KEY,
    tutor_name VARCHAR(100) NOT NULL,
    `subject` VARCHAR(100) NOT NULL,
    email VARCHAR(254) NOT NULL UNIQUE,
    hourly_rate DECIMAL(12,2) NOT NULL CHECK(hourly_rate > 0)
);

CREATE TABLE Student -- Each student is uniquely identified by student_id. A student must have a name and unique email address.
(
    student_id INT NOT NULL PRIMARY KEY,
    student_name VARCHAR(100) NOT NULL,
    email VARCHAR(254) NOT NULL UNIQUE
);

CREATE TABLE TutoringSession -- Each tutoring session is uniquely identified by session_id.
(
    session_id INT NOT NULL,
    student_id INT NOT NULL,
    tutor_id INT,
    session_date DATE NOT NULL, -- The session date must use the YYYY-MM-DD format.
    duration_min INT NOT NULL CHECK(duration_min BETWEEN 30 A
        -- The session duration must be between 30 and 180 minutes.
    session_status VARCHAR(100) NOT NULL,
    CONSTRAINT FK_student FOREIGN KEY(student_id) REFERENCES
        student(student_id),
    CONSTRAINT FK_tutor FOREIGN KEY(tutor_id) REFERENCES tutor(tutor_id),
    CONSTRAINT PK_session PRIMARY KEY(session_id),
    CONSTRAINT CHECK(session_status IN ('Pending', 'Confirmed', 'Completed', 'Cancelled'))
);


-- Insert values
INSERT INTO Tutor(tutor_id, tutor_name, email, `subject`, hourly_rate)
VALUES (101, 'Narin Chai', 'narin@tutorme.com', 'Mathematics', 450.00),
```

```
            (102, 'Bella Wong', 'bella@tutorme.com', 'English', 500.00),
            (103, 'Clara Kim', 'clara@tutorme.com', 'Programming', 550.00);

INSERT INTO Student(student_id, student_name, email)
VALUES      (201, 'Alex Wen', 'alex@email.com'),
            (202, 'Mina Lee', 'mina@email.com'),
            (203, 'Peter Park', 'peter@email.com');

INSERT INTO       TutoringSession(session_id, student_id, tutor_id, session_date,
duration_min, session_status)
VALUES      (401, 201, 101, '2026-10-06', 60, 'Completed'),
            (402, 202, 103, '2026-10-07', 90, 'Confirmed'),
            (403, 203, 102, '2026-10-08', 60, 'Pending'),
            (404, 201, NULL, '2026-10-10', 120, 'Pending');
```