Status	Finished
Started	Thursday, 6 August 2026, 3:27 PM
Completed	Thursday, 6 August 2026, 3:36 PM
Duration	8 mins 17 secs
Grade	**9.33** out of 10.00 (**93.33**%)

Question 1

Complete

Mark 1.33 out of 2.00

Choose an optimal missing terminology of each following statement.

- Data Communication refers to the exchange of digital data between two or more connected devices through a communication medium.
- In data exchange, Protocol refers to the agreed rules that determine how information is structured and interpreted, similar to grammar in a language.
- Semantics refers to the rules that define the structure, format, and arrangement of symbols in a message.

The correct answer is:
Choose an optimal missing terminology of each following statement.

- [Data Communication] refers to the exchange of digital data between two or more connected devices through a communication medium.
- In data exchange, [Protocol] refers to the agreed rules that determine how information is structured and interpreted, similar to grammar in a language.
- [Syntax] refers to the rules that define the structure, format, and arrangement of symbols in a message.

Question 2

Complete

Mark 1.00 out of 1.00

Which OSI layer is responsible for transmitting and receiving raw bits over the communication medium, including cables, connectors, voltage levels, signaling, and data rates?

a. Transport
b. Physical
c. Data Link
d. Session
e. Network
f. Presentation
g. Application

The correct answer is: Physical

Question 3

Complete

Mark 1.00 out of 1.00

Which OSI layer organizes data into frames and provides flow control, error control, and medium access between neighboring nodes?

- a. Data Link
- b. Application
- c. Transport
- d. Session
- e. Presentation
- f. Physical
- g. Network

The correct answer is: Data Link

Question 4

Complete

Mark 1.00 out of 1.00

Which OSI layer is responsible for logical addressing, path determination, and packet delivery from a source host to a destination host across multiple networks?

- a. Network
- b. Session
- c. Presentation
- d. Physical
- e. Data Link
- f. Transport
- g. Application

The correct answer is: Network

Question 5

Complete

Mark 1.00 out of 1.00

Which communication mode allows two-way communication between sender and receiver, but not at the same time?

- a. Half-duplex
- b. Simplex
- c. Biplex
- d. Multiplex
- e. Full-duplex
- f. Duplex

The correct answer is: Half-duplex

Question 6

Complete

Mark 1.00 out of 1.00

A security camera sends live video to a monitoring station. When the user sends a command to change the camera's direction or zoom, the video transmission pauses temporarily until the command is completed. Which communication mode is used?

- a. Full-duplex, because both devices transmit at the same time
- b. Biplex
- c. Broadcast, because all connected devices can return information
- d. Multiplex, because several signals share one communication link
- e. Simplex, because data travels in only one direction
- f. Half-duplex, because both devices transmit at different times

The correct answer is: Half-duplex, because both devices transmit at different times

Question 7

Complete

Mark 1.00 out of 1.00

Which of the following is **NOT** an appropriate example of simplex communication?

- a. A television station broadcasting content to home viewers
- b. A computer sending display data to a basic monitor
- c. A public announcement system sending information to passengers
- d. Two smartphones exchanging voice data during a call
- e. A radio station transmitting programs to many listeners

The correct answer is: Two smartphones exchanging voice data during a call

Question 8

Complete

Mark 1.00 out of 1.00

Which order correctly arranges network types from smallest to largest coverage?

a. LAN → PAN → WAN → MAN

b. PAN → LAN → MAN → WAN

c. PAN → MAN → LAN → WAN

d. WAN → MAN → LAN → PAN

e. MAN → WAN → PAN → LAN

The correct answer is: PAN → LAN → MAN → WAN

Question 9

Complete

Mark 1.00 out of 1.00

Which statement best explains an advantage of layered communication?

a. Network communication becomes possible without standards or communication protocols

b. Each layer can ignore the services provided by neighboring communication layers

c. Hardware and software for one layer can be developed separately from other layers

d. Layering removes the need for flow control, encoding, and error management

e. All communication errors are completely eliminated by dividing operations into layers

The correct answer is: Hardware and software for one layer can be developed separately from other layers