Watermarking: Device Control 1

Add value, rather than restrict use. 考点：水印是一定要和work有关联的 降低设备价值

- In the radio for payed customer.
  - It is music or commercial now.
- Automatically turn on Dolby FM decoder.
  - It is Dolby FM signal or not.
- Interactive TV.
  - Command a toy with light sensor
- Imperceptible bar code for mobile phone in
  - Magazine advertisements, packaging, tickets ...

Watermarking: Device Control 2

Legacy Enhancement? Device Control!

- Digital watermarking in analog communication for new device
  - International air traffic control system.
- Synchronizing audio and video signals
  - A highly compressed audio signal within the video signal as a reference.
- Embed the lyrics directly into the songs
  - MediaSync

2.2 Applications of Steganography

Applications of Steganography

Motivation

- Benign: Lovers,

Applications of Steganography

Motivation

- Benign: Lovers, Gay
- Political: Dissidents.
- Criminal: Organized crime or terrorism.

Successful steganography is not detectable, so many of the most successful applications may never become public.

Steganography: for <u>Dissidents</u> 政治反对者

Public and wide surveillance: Everyone is <u>monitored</u> and aware of this. 监控.

- Encryption: indication of conceal.
    - arrest and get decryption key through torture.

- Anonymous remailer:
    - A server forwarding message to receiver after removing the origin.
    - Use of an anonymous remailer is a clear sign.
    - Arrest and interrogate A, but B is safe.
    - Block the remailer.

- Steganography:
    - Basic and benign communications cannot be forbidden.

Steganography: for Criminal

Conceal and restricted surveillance: People is usually unaware of being monitored.

- Encryption: indication of conceal.
  - Infer co-conspirators from the recipients.
- Anonymous remailer:
  - Law enforcement agencies access the server.
- Steganography:
  - The computer with stego program is seized.

Steganography: for Criminal

Conceal and restricted surveillance: <u>People is usually unaware of being monitored.</u>

- Encryption: indication of conceal.
  - Infer co-conspirators from the recipients.
- Anonymous remailer:
  - Law enforcement agencies access the server.
- Steganography:
  - The computer with stego program is seized.

Easier in this situation!

2.3 Properties of Watermarking Systems

Properties of Watermarking Systems

Embedding:

- Effectiveness, fidelity, and payload.

Detection:

- Blind or informed detection, false positive behavior, and robustness.

Security feature:

- Security and the use of secret keys.

Embedding Effectiveness

Detection immediately after embedding.

Why cannot 100%?

- Cannot be successfully watermarked within certain fidelity constraints.

Measurement

- Analytically.

- Estimated empirically from samples.

Fidelity 保真度.

Definition:

- Perceptual similarity between the original and watermarked version.

- At the point at which they are presented to a consumer after transmission. 信道噪声干扰

Depends on

- Transmission quality.

- Requirements on quality.

Data Payload

Number of bits in a unit or a work.

- Typical units:

    - Pixels (image), per second (audio), per frame (video).

- Different requirements:

    - Copy control applications: 4-8 bits.

    - Broadcast monitoring: 24 bits.

- Zero-bit watermarks:

    - A watermark is present or not.

    - N bits encodes $\underline{2^N + 1}$ possible outputs.
      $\underline{}$ 9.

Blind or Informed Detection

- Blind: No any information related to the original.

    - Public watermarking systems.

    - Copy control etc..

- Informed: Requires access to the original, unwatermarked work. 需要有原图.

    - Private watermarking systems.

    - Transaction-tracking etc..

False Positive Rate

- False positive
  - The detection of a watermark that does not actually exist.
- Probability
  - Fixed work, randomly selected watermarks:
    - Transaction tracking.
  - Fixed watermark, randomly selected works:
    - Copy control
- Rate: **Presentation: 7.1-7.2**
  - Proof of ownership: 10^{-6}.
  - Copy control: 10^{-12}.

找水印模式 (闯)

关于 随机水印或随机 work
去识比的原因.

找 work 模式
(对应)

Robustness

- Ability to detect the watermark after common signal processing operations
    - Image: filtering, compression, distortions ...
    - Video: recording, change of frame rate ...
    - Audio: DJ mixture ...
- Need only survive the operations between embedding and detection.
    - Broadcast monitoring: lossy compression, analog transmission, additive noise ...
- Even irrelevant or undesirable.
    - Fragile watermark in authentication.

Security 1

benign ⟹ robustness   hostile ⟺ Security

Ability to resist hostile attacks.

From the viewpoint of watermarking

- Unauthorized removal   多种叠加取平均
- Unauthorized embedding   加假水印
- Unauthorized detection

Security 1

Ability to resist hostile attacks.

From the viewpoint of watermarking

- Unauthorized removal

- Unauthorized embedding

- Unauthorized detection

About the viewpoint of cover work

- Active attacks: modify the cover work.

- Passive attacks: do not modify ...

Security 1

Ability to resist hostile attacks.

From the viewpoint of watermarking

- Unauthorized removal: active attacks
- Unauthorized embedding: active attacks
- Unauthorized detection: passive attack

About the viewpoint of cover work

- Active attacks: modify the cover work.
- Passive attacks: do not modify ...

Security 1

Ability to resist hostile attacks.

From the viewpoint of watermarking

- Unauthorized removal: active attacks
- Unauthorized embedding: active attacks
- Unauthorized detection: passive attack

About the viewpoint of cover work

- Active attacks: modify the cover work.
- Passive attacks: do not modify ...

It is not important for some applications (e.g. enhanced functionality to consumers).

Security 2

Unauthorized removal: 检测不到 → 不能去除 prevent the watermark from being detected.

- Elimination attacks: No watermark at all.

    - Does not necessarily mean reconstructing the original, unwatermarked work

- Masking attacks: Still there, but undetectable EASILY.

    - Could still be detected by a more sophisticated detector.

- 放更多水印进去 Collusion attack: combines several copies of a given work with different watermarks.

    - In transaction tracking

Security 3

Unauthorized embedding (forgery) 伪造

- Content Authentication
- Proof of Ownership
- ...

Security 4

Unauthorized detection (passive attacks), can be broken down into three levels of severity.

1. Detects and deciphers the message.

2. Detect the watermark and distinguish it from another.

3. To determine that a watermark is present.

More concern in steganography than in 影响大 watermarking, but

- Broadcast monitoring company: I embed it for my use only.

Cipher and Watermark Keys

Need to read chapter 3 and 10.

Modification and Multiple Watermarks

- Modify watermarks is useful in some applications (e.g. copy control):
  - copy-once to copy-no-more
    - make a copy of a broadcast for the noncommercial purpose.
  - risk of modifying copy-once to copy-freely.
- Multiple watermarks:
  - Embed/Remove the second watermark for copy-no-more.
  - Transactional watermarks: owner, distributor, purchaser.

Cost

Two principal issues of concern:

- Speed/Complexity.
  - Broadcast monitoring: real time.
  - Proof of ownership: takes days.
- Number of embedders and detectors.
  - Copy control: a few embedders and many detectors (in every playback device).
  - Transaction-tracking in DiVX: each player embeds a distinct watermark, a few detectors.

Other issue: special-purpose hardware devices or as software applications or plugins.

2.4 Evaluating Watermarking Systems

"Best"

- The criteria depends on application

  - Robust to rotation: useful for copy control, but not for broadcast monitoring.

- Improvement in one may help others

  - More payload: 20 bits $\to$ 10 bits. *10bit数据 10bit检验*

  - Less false positive probability: 20 bits message and 10 bits checksum ($2^{-10} = 1024$).

- Related properties:

  - Embedding strength: robustness and fidelity.

  - Detection threshold: robustness and false positive probability.

Benchmarking 基准测试

- CPTWG's effort to test watermarks for copy control in DVD recorders.

- Image watermarking: embed 80 bits with certain fidelity, and then distorted the image (via Stirmark) to measure the robustness.

  - Some applications only use a few bits.

  - Assume adversary has no the detector.

No benchmark can ever be relevant to all watermarking systems and applications.

Scope of Testing

- Typicality of the test set: photographs, X-ray images, animation frames.

- To test false positive rates (e.g. 10^{-6})
  - Using millions samples.
  - Verify some statistical model used to predict it from less samples.

In this book: 20,000 images including photographs, but some of them are paintings and textures.

2.5 Properties of Steganographic and Steganalysis Systems

Properties of Steganographic and Steganalysis Systems

Embedding:

payload

- Embedding effectiveness, fidelity, capacity, efficiency.

Detection:

- Blind or informed extraction, blind or targeted steganalysis, statistical undetectability, false alarm rate, robustness.

Security feature:

- Security, stego key.

Embedding Effectiveness

水印放入失败不可换.

又 若减安卷. 隐写可换.

没我到 / 误错.

The probability of an (error) when the detector is applied immediately after embedding.

- Constraints from fidelity.

- Watermarking: Fail. work中放不了, 放不进去失败.

- Steganography: Choose the most appropriate cover work. work中放不了, 可以换个work.

  - The message is not about the cover work.

Fidelity

Not a primary property for steganography.

- Steganalysis systems do not have access to the original cover work.

Capacity, Efficiency

- Embedding capacity 最多放多少.
  - The maximum number of bits that can be hidden in a given cover Work.

- Steganographic capacity 放多点容易被找到
  - Negligible probability of detection.
  - $=$ watermark payload $\leq$ embedding capacity.
  - Difficult to determine.
  - More bits, more risk.

- Embedding efficiency
  - Number of bits embedded per unit distortion. *Read section 12.5.1.*

Blind or Informed Extraction

比较易于用 informed.

- Steganalysis systems do not have access to the original cover work.
- But A,B have.
  - Weak embedding is enough for less risk.

Blind or Targeted Steganalysis

All steganalysis algorithms can be categorized as

- Blind: Independent of the steganography method used.

- Targeted: Specific to one or more particular steganographic methods.

- System attacks: implementation weakness, e.g. insufficient stego keyspace.

Blind

Idea:

- Converting works into high-dimensional feature space.

- Clustering (cover and stego works) via machine learning.

Advantages

- Potentially detect an unknown stego scheme.

- Classifying stego works to individual steganographic methods.

Targeted

Method

- Designed for each individual steganographic method.

Advantages

- More accurate.

Statistical Undetectability 1

Stego Work should be inconspicuous 不显眼的

- Elusive and difficult to formalized/quantified.

Quantified properties

- Histograms and a variety of higher-order statistics.

- Compliant with the intended use of the communication channel.

Statistical Undetectability 1

Stego Work should be inconspicuous

- Elusive and difficult to formalized/quantified.

Quantified properties

- Histograms and a variety of higher-order statistics.

- Compliant with the intended use of the communication channel.

- Hack/joke: Although it is risky to warden, one can use overt communication.

Statistical Undetectability 2

Assumptions

- The same to cryptographic, Kerckhoffs' Principle
  - Completely know all the methods.
  - Only the secret key is unknown.
- Different from cryptographic:
  - Presence $\geq$ Content.
- Adversary knows statistical distribution of all valid cover works.
  - An image about food in a vehicle related conversation.

False Alarm Rate

$=$ false positive rate in watermarking.

- Wrong detection alerts the conspirators.

- More costly verification.

Never detecting the presence of a stego work.

- 100% missing stego works.

- Trade-off between false positives and false negatives

    - Receiver operating characteristic (ROC) curves.

Robustness

Less important than watermarking.

- Usually via digital network (e.g. Internet).

Sometimes, should be considered 信道传迁选择

- Broadcasting.

- Complex transmission (spy).

Security

The ability to resist hostile attacks (active and malicious).

Three types of warden

- Passive: passively observes the communication.

  - Statistical undetectability.

- Active: distort, compress the cover work.

- Malicious: remove the message or 多加信息 impersonate the communicating parties.

Or $=$ undetectability (depends on context).

Stego Key 密钥长度不重要.

Conjuction with a publicly known steganographic algorithm.

Two keys

- Crypto key: encrypt the message.

- Stego key: *read chapter3, section 12.4.3.*

Different from usual crypto key:

- Sometimes, key length is not that critical. *read 13.2.2.*

2.6 Evaluating and Testing Steganographic Systems

Evaluating and Testing 1

Which one is better?

- Currently no universally accepted tests or standards.

Using blind steganalysis

- Classifier from supervised learning:

  - Training set

  - Testing set

- Empirical procedure depends on

  - Steganalysis algorithm

  - Data set.

Evaluating and Testing 2

"Practically secure" steganographic scheme

- No successful targeted attack.

- Resist current blind steganalysis.

The status of a steganographic method may suddenly change with the appearance of a new steganalysis method. 需要一直脏加宪有效.

- MD5 collision

  - A malicious program with official md5 check sum.

  - http://blog.csdn.net/singlerace/article/details/1360400