

Grade 12 Physics

SPH4U

Qinghao Hu

November 3, 2025

Contents

| | |
|---|----------|
| 1 Unit 1A | 3 |
| 1.1 Review of Describing and Graphing Motion | 3 |
| 1.1.1 Position: \vec{d} | 3 |
| 1.1.2 displacement: $\Delta\vec{d}$ | 3 |
| 1.1.3 Velocity: \vec{v} | 3 |
| 1.1.4 Acceleration: \vec{a} | 3 |
| 1.1.5 Graphing motion | 3 |
| 1.2 Equations of Motion | 5 |
| 1.2.1 Format requirements for answering Motion questionss | 5 |
| 1.3 Adding and Subtracting 2-Dimensional Vectors | 6 |
| 1.3.1 Vector addition and subtraction key words | 6 |
| 1.3.2 Steps for solving a vector problem | 6 |
| 1.3.3 Another question type | 6 |
| 1.4 Frame of Reference | 7 |
| 1.4.1 1 Dimension Frame of Reference | 7 |
| 1.5 Relative Velocities in Two Dimensions | 9 |
| 1.5.1 Recall | 9 |
| 1.5.2 Definition | 9 |
| 1.6 F.O.R in 2-D | 10 |
| 1.7 Review of Netwon's Laws of Montion | 11 |
| 1.7.1 Netwon's First Laws | 11 |
| 1.7.2 Newton's second Law | 11 |
| 1.7.3 Newton's Third Law | 11 |
| 1.7.4 Free Body Diagrams (FBD) | 12 |
| 1.7.5 Application of Newton's second Law | 12 |
| 1.8 Review of Projectile Motion | 13 |
| 1.8.1 basic | 13 |
| 1.8.2 Special formula | 13 |
| 1.8.3 An example question | 14 |
| 1.9 Friction | 14 |
| 1.9.1 Kinetic Friction | 15 |
| 1.9.2 Static Friction | 15 |
| 1.9.3 Remainder | 15 |
| 1.10 Tension, compression and Pulleys | 16 |
| 1.10.1 Tention: T | 16 |
| 1.10.2 Compression: C | 16 |
| 1.11 Inclined plane with Friction | 17 |
| 1.11.1 How to determine the direction that the system will likely to accelerate | 17 |
| 1.11.2 Example template | 17 |

| | |
|--|-----------|
| 2 Unit 1B | 18 |
| 2.1 Proportionality | 18 |
| 2.2 Fictitious Forces and Apparent Weight | 19 |
| 2.2.1 Compare Inertial and non-inertial F.O.R | 19 |
| 2.2.2 Fictitious Forces | 19 |
| 2.2.3 Apparent Weight | 19 |
| 2.2.4 Some of the formulas | 19 |
| 2.3 Lecture 2.5 | 20 |
| 2.3.1 Uniform Circular Motion | 20 |
| 2.3.2 Centripetal acceleration | 20 |
| 2.3.3 Formulas | 20 |
| 2.4 Motion of a car on Banked Turn | 21 |
| 2.4.1 Forces | 21 |
| 2.4.2 Critical Speed | 21 |
| 2.5 Universal Gravitation, Gravitational field | 21 |
| 2.5.1 Force of Gravity | 21 |
| 2.5.2 Gravational Fields | 22 |
| 2.5.3 Differences between strength of gravity and acceleration | 22 |
| 2.6 Satellites | 23 |
| 2.6.1 Netwon's Cannon | 23 |
| 2.6.2 Geosynchronous | 23 |
| 2.6.3 Formulas related to satellite | 23 |
| 2.7 Rotating Frame of Reference | 25 |
| 2.7.1 Little problem | 25 |
| 2.7.2 Perceived Acceleration in a Rotating Frame of Reference | 26 |
| 3 Unit 2: Energy and Momentum | 28 |
| 3.1 Linear Momentum & Impulse | 28 |

Chapter 3

Unit 2: Energy and Momentum

3.1 Linear Momentum & Impulse

Linear Momentum

Linear Momentum is the product of an object's mass and its velocity:

$$\vec{p} = m\vec{v} \quad (3.1)$$

\vec{p} is the Momentum in ($kg * \frac{m}{s}$)

Newton called momentum "the **true Quantity of motion**". Why? Momentum is a combination of an object's **inertia**(its mass basically) and what it is doing (its **velocity**). He felt that it provided a more complete picture of what was required to cause a specific change in what an object was doing.

Impulse

Impulse is the **product of that force** acting on an object and the **duration** of time that the force acted on the object.

$$\vec{J} = \vec{F} * \Delta t \quad (3.2)$$

\vec{J} = the impulse in ($N*s$)

The formula has a similar limitation to the formula for the work done on an object. Both formulas assume that the force acting on the object.

Thus, if the force acting on the object is not constant, we can find the impulse that the force provides by finding the area between the line/curve on a **Force vs Gravity graph**

Let's see some formula:

$$\begin{aligned} \sum \vec{J} &= \sum \vec{F} * \Delta t \\ \sum \vec{J} &= (m * \vec{a}) * \Delta t \\ \sum \vec{J} &= (m * \frac{\vec{v}_2 - \vec{v}_1}{\Delta t}) * \Delta t \\ \sum \vec{J} &= m * \vec{v}_2 - m * \vec{v}_1 \\ \sum \vec{J} &= \vec{p}_1 - \vec{p}_1 \\ \sum \vec{J} &= \Delta \vec{p} \end{aligned} \quad (3.3)$$