

# Supplementary Material for “Adaptive Estimation Distribution Multi-task Optimization”

Shi-Yuan Zhou, *Student Member, IEEE*, Zi-Jia Wang, *Senior Member, IEEE*, Wei-Jie Yu, *Member, IEEE*, Tian-Fang Zhao, *Member, IEEE*, Zhi-Hui Zhan, *Fellow, IEEE*, Sam Kwong, *Fellow, IEEE*, Jun Zhang, *Fellow, IEEE*

## I. EXPERIMENTAL RESULTS WITH CONFIDENCE INTERVALS AND STATISTICAL POWERS

In this section, the complete experimental results of AEDMTO with confidence intervals and statistical powers on CEC2017, CEC2022, and SCP application are revealed.

### A. Confidence Interval

The confidence intervals are the estimated ranges  $[lb, hb]$  within which the results fall. Suppose the sample follows a Gaussian distribution  $N(\mu_0, (\sigma_0)^2)$ , the confidence interval of the sample is shown as:

$$1 - \alpha = P\{lb < Y \leq hb\}, Y \sim N(\mu_0, (\sigma_0)^2) \quad (S1)$$

$$lb = z_{\alpha/2}, hb = z_{1-\alpha/2} \quad (S2)$$

where  $z_p$  is the critical value corresponding to cumulative probability  $p$  of the Gaussian distribution  $N(\mu_0, (\sigma_0)^2)$ . Herein, the confidence interval at 95% confidence level ( $\alpha = 0.05$ ) for each result across the 30 runs can be computed.

### B. Statistical Power

The statistical power is the probability of avoiding a Type-II error in a hypothesis test, i.e., when the null hypothesis is false, the probability that the samples can lead to rejection of the null hypothesis. Herein, for two algorithms A and B on one task, the null hypothesis is that the results obtained by A and B are similar. Suppose the results obtained by A and B both follow a Gaussian distribution. The null hypothesis is:  $\mu_1 = \mu_0$ , and the alternative hypothesis is:  $\mu_1 \neq \mu_0$ , where  $\mu_0$  and  $\mu_1$  are the mean values of the 30 runs obtained by A and B, respectively. The statistical power is defined as:

$$power = 1 - \beta = P\{Y \leq z_{0.025} \cup Y > z_{0.975}\}, Y \sim N(\mu_1, (\sigma_1)^2) \quad (S3)$$

$$P\{X \leq z_p\} = p, X \sim N(\mu_0, (\sigma_0)^2) \quad (S4)$$

where  $\beta$  is the probability of a type-II error,  $z_p$  is the critical value corresponding to cumulative probability  $p$  of the Gaussian distribution  $N(\mu_0, (\sigma_0)^2)$ , and  $\sigma_0$  and  $\sigma_1$  are the standard deviations of the results obtained by A and B, respectively. Higher statistical power usually indicates more obvious differences between the results. In practice, if two samples are with a high statistical power greater than 0.8 [S1], the two samples can be considered significantly different.

## C. Complete Experimental Results on CEC2017, CEC2022, and SCP

TABLE S.1  
COMPLETE EXPERIMENTAL RESULTS OF AEDMTO AND COMPARED ALGORITHMS ON CEC2017

| CEC2017          |    |          | AEDMTO                | MFEA                 | MFEA-II              | MFDE                 | MFEA-DGD             | RLMFEA               | MFEA-FL              | MTGA                 | AEMTO                | MKTDE                | OTMTO                | BLKT-DE              |
|------------------|----|----------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| CIHS             | T1 | mean     | <b>0.00e+00</b>       | 1.58e-01(+)          | 4.29e-02(+)          | 7.88e-04(+)          | 0.00e+00(=)          | 2.48e-02(+)          | 1.17e-03(+)          | 2.24e-02(+)          | 1.03e-01(+)          | 2.54e-05(+)          | 1.19e-02(+)          | 4.92e-02(+)          |
|                  |    | interval | [0.00e+00, 0.00e+00]  | [4.79e-02, 2.69e-01] | [1.49e-02, 7.08e-02] | [3.71e-03, 5.28e-03] | [0.00e+00, 0.00e+00] | [1.88e-02, 6.85e-02] | [7.26e-03, 9.60e-03] | [1.07e-02, 5.54e-02] | [5.51e-03, 2.01e-01] | [2.35e-04, 2.86e-04] | [6.31e-03, 3.01e-02] | [3.38e-02, 1.32e-01] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 |
|                  | T2 | mean     | <b>5.33e-14</b>       | 1.25e+02(+)          | 2.59e+01(+)          | 1.55e+00(+)          | 1.74e-08(+)          | 5.22e+01(+)          | 6.78e-01(+)          | 7.19e+01(+)          | 1.55e+02(+)          | 5.83e-02(+)          | 1.35e+01(+)          | 1.07e+02(+)          |
|                  |    | interval | [1.84e-14, 8.83e-14]  | [4.70e+01, 2.03e+02] | [1.85e+00, 5.37e+01] | [7.62e+00, 1.07e+01] | [6.03e-09, 4.08e-08] | [1.89e+01, 1.23e+02] | [4.01e+00, 5.37e+00] | [3.29e+01, 1.11e+02] | [2.34e+01, 2.87e+02] | [5.45e-01, 6.62e-01] | [1.95e+01, 4.65e+01] | [1.42e+01, 2.00e+02] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 |
| CIMS             | T1 | mean     | <b>4.40e-10</b>       | 3.30e+00(+)          | 9.85e-01(+)          | 1.27e-02(+)          | 3.49e-08(+)          | 2.21e+00(+)          | 4.89e-03(+)          | 1.49e+00(+)          | 1.06e+00(+)          | 1.60e-08(+)          | 2.09e-03(+)          | 3.02e-01(+)          |
|                  |    | interval | [2.61e-10, 6.19e-10]  | [2.09e+00, 4.52e+00] | [8.93e-02, 1.88e+00] | [7.34e-02, 9.88e-02] | [7.33e-08, 1.43e-07] | [1.28e+00, 3.14e+00] | [1.44e-03, 1.12e-02] | [2.90e-01, 2.68e+00] | [1.50e-04, 2.13e+00] | [1.82e-08, 5.01e-08] | [9.06e-05, 4.09e-03] | [2.49e-02, 6.30e-01] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 0.99                 | 1.00                 | 1.00                 |
|                  | T2 | mean     | <b>0.00e+00</b>       | 1.65e+02(+)          | 2.41e+01(+)          | 2.75e-01(+)          | 1.98e-08(+)          | 7.97e+01(+)          | 1.99e-02(+)          | 7.01e+01(+)          | 1.25e+02(+)          | 2.75e-13(=)          | 2.76e-03(+)          | 1.07e+02(+)          |
|                  |    | interval | [0.00e+00, 0.00e+00]  | [6.86e+01, 2.61e+02] | [2.06e+00, 5.02e+01] | [1.73e+00, 2.28e+00] | [1.19e-08, 5.16e-08] | [2.88e+01, 1.31e+02] | [3.86e-02, 7.85e-02] | [2.41e+01, 1.16e+02] | [2.64e+01, 2.75e+02] | [1.30e-12, 1.85e-12] | [2.13e-03, 7.66e-03] | [3.34e+01, 1.81e+02] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 |
| CILS             | T1 | mean     | 2.08e+01              | 2.04e+01(-)          | 2.12e+01(+)          | 2.12e+01(+)          | 5.85e+00(-)          | 2.00e+01(-)          | <b>1.88e-02(-)</b>   | 2.12e+01(+)          | 2.12e+01(+)          | 2.12e+01(+)          | 2.12e+01(+)          | 2.12e+01(+)          |
|                  |    | interval | [2.06e+01, 2.10e+01]  | [2.02e+01, 2.06e+01] | [2.11e+01, 2.13e+01] | [2.11e+01, 2.13e+01] | [8.44e+00, 2.01e+01] | [1.99e+01, 2.01e+01] | [4.67e-04, 3.71e-02] | [2.09e+01, 2.14e+01] | [2.11e+01, 2.13e+01] | [2.08e+01, 2.15e+01] | [2.12e+01, 2.13e+01] | [2.11e+01, 2.13e+01] |
|                  |    | power    | -                     | 0.99                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 0.83                 | 1.00                 | 0.78                 | 1.00                 | 1.00                 |
|                  | T2 | mean     | 2.33e+03              | 2.43e+03(=)          | 1.81e+03(-)          | 1.20e+04(+)          | 2.03e+03(-)          | 3.29e+03(+)          | <b>1.40e-02(-)</b>   | 5.28e+03(+)          | 1.04e+04(+)          | 1.20e+04(+)          | 8.32e+03(+)          | 6.36e+03(+)          |
|                  |    | interval | [1.07e+03, 3.60e+03]  | [1.47e+03, 3.38e+03] | [1.07e+03, 2.54e+03] | [8.45e+03, 1.56e+04] | [5.79e+03, 9.85e+03] | [2.47e+03, 4.12e+03] | [1.20e-02, 4.00e-02] | [3.95e+03, 6.62e+03] | [9.18e+03, 1.15e+04] | [9.00e+03, 1.49e+04] | [7.55e+03, 9.09e+03] | [2.71e+03, 1.00e+04] |
|                  |    | power    | -                     | 0.01                 | 0.02                 | 1.00                 | 0.75                 | 0.24                 | 1.00                 | 0.99                 | 1.00                 | 1.00                 | 1.00                 | 0.93                 |
| PIHS             | T1 | mean     | 2.07e+02              | 4.67e+02(+)          | 1.33e+02(-)          | 8.94e+01(-)          | <b>0.00e+00(-)</b>   | 2.36e+02(=)          | 8.91e+01(-)          | 7.22e+01(-)          | 4.44e+02(+)          | 3.65e+02(+)          | 4.59e-05(-)          | 1.67e+02(-)          |
|                  |    | interval | [4.26e+01, 3.72e+02]  | [2.66e+02, 6.68e+02] | [8.73e+01, 1.79e+02] | [5.55e+01, 1.23e+02] | [0.00e+00, 0.00e+00] | [1.50e+02, 3.21e+02] | [3.43e+01, 1.44e+02] | [2.24e+01, 1.22e+02] | [4.12e+02, 4.76e+02] | [3.27e+02, 4.03e+02] | [4.57e-05, 1.38e-04] | [2.51e+01, 3.58e+02] |
|                  |    | power    | -                     | 0.82                 | 0.00                 | 0.00                 | 1.00                 | 0.00                 | 0.05                 | 0.12                 | 1.00                 | 0.36                 | 1.00                 | 0.12                 |
|                  | T2 | mean     | 7.79e-02              | 2.03e+00(+)          | 1.92e-02(+)          | 1.30e-04(+)          | 4.16e+01(+)          | 3.63e-02(+)          | 2.37e-02(+)          | 8.90e-03(+)          | 3.34e+00(+)          | 3.39e-01(+)          | <b>9.89e-07(-)</b>   | 2.82e-01(+)          |
|                  |    | interval | [-6.68e-01, 8.24e-01] | [5.18e-04, 4.59e+00] | [2.07e-02, 5.92e-02] | [1.69e-04, 4.29e-04] | [2.84e+00, 8.03e+01] | [9.47e-02, 1.67e-01] | [1.11e-04, 4.75e-02] | [1.96e-02, 3.74e-02] | [3.86e-01, 6.29e+00] | [1.25e-01, 5.53e-01] | [1.08e-06, 3.05e-06] | [1.31e-01, 6.95e-01] |
|                  |    | power    | -                     | 0.84                 | 0.00                 | 0.00                 | 1.00                 | 0.00                 | 0.00                 | 0.00                 | 0.96                 | 0.00                 | 0.00                 | 0.01                 |
| PIMS             | T1 | mean     | <b>2.74e-03</b>       | 2.17e+00(+)          | 4.38e-01(+)          | 4.26e-03(=)          | 2.12e+00(+)          | 1.54e+00(+)          | 2.35e-01(+)          | 5.41e-01(+)          | 1.47e-01(+)          | 3.94e-03(+)          | 4.38e-03(+)          | 4.02e-01(+)          |
|                  |    | interval | [-3.61e-03, 9.08e-03] | [8.91e-01, 3.44e+00] | [9.67e-01, 1.84e+00] | [9.67e-01, 1.47e-02] | [1.48e+00, 2.77e+00] | [4.63e+01, 2.61e+00] | [3.11e-01, 7.80e-01] | [6.64e-01, 1.75e+00] | [7.72e-02, 2.16e-01] | [1.23e-03, 6.65e-03] | [4.08e-04, 8.34e-03] | [2.71e-01, 1.08e+00] |
|                  |    | power    | -                     | 1.00                 | 0.99                 | 0.25                 | 1.00                 | 1.00                 | 0.99                 | 0.99                 | 1.00                 | 0.00                 | 0.01                 | 0.99                 |
|                  | T2 | mean     | 4.99e+01              | 2.43e+02(+)          | 1.49e+02(+)          | 7.91e+01(+)          | <b>4.41e+00(-)</b>   | 1.60e+02(+)          | 4.77e+01(+)          | 2.45e+02(+)          | 9.53e+01(+)          | 7.49e+01(+)          | 1.15e+02(+)          | 7.04e+01(+)          |
|                  |    | interval | [2.77e+01, 7.22e+01]  | [4.18e+01, 4.43e+02] | [1.53e+02, 4.50e+02] | [3.73e+01, 1.21e+02] | [6.11e+00, 1.49e+01] | [1.73e+01, 3.03e+02] | [4.68e+01, 4.87e+01] | [4.01e+02, 8.91e+02] | [9.06e+01, 9.99e+01] | [3.78e+01, 1.12e+02] | [1.04e+01, 2.20e+02] | [1.26e+01, 1.28e+02] |
|                  |    | power    | -                     | 0.97                 | 0.91                 | 0.64                 | 1.00                 | 0.92                 | 0.00                 | 0.95                 | 1.00                 | 0.56                 | 0.84                 | 0.55                 |
| PILS             | T1 | mean     | <b>0.00e+00</b>       | 1.87e+01(+)          | 1.63e+00(+)          | 5.57e-01(+)          | 3.94e-09(+)          | 2.90e+00(+)          | 1.74e-02(+)          | 2.35e+00(+)          | 1.24e+01(+)          | 4.46e+00(+)          | 3.95e-02(+)          | 6.33e+00(+)          |
|                  |    | interval | [0.00e+00, 0.00e+00]  | [1.01e+01, 2.73e+01] | [7.39e-01, 2.52e+00] | [5.03e-01, 1.62e+00] | [1.32e-08, 2.11e-08] | [1.67e+00, 4.14e+00] | [7.60e-03, 2.72e-02] | [1.18e+00, 3.53e+00] | [1.02e+00, 2.39e+01] | [5.35e-01, 8.39e+00] | [3.67e-01, 4.46e-01] | [8.60e+00, 2.13e+01] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 |
|                  | T2 | mean     | <b>0.00e+00</b>       | 1.98e+01(+)          | 5.87e+00(+)          | 9.86e-02(+)          | 1.46e-03(+)          | 3.59e+00(+)          | 1.04e-01(+)          | 3.57e+00(+)          | 9.78e+00(+)          | 1.45e+00(+)          | 6.00e-02(+)          | 3.48e+00(+)          |
|                  |    | interval | [0.00e+00, 0.00e+00]  | [8.35e+00, 3.12e+01] | [9.35e-01, 1.08e+01] | [2.05e-01, 4.02e-01] | [9.00e-04, 2.03e-03] | [1.05e+00, 6.14e+00] | [4.08e-02, 1.67e-01] | [8.96e-01, 8.03e+00] | [9.44e-01, 2.05e+01] | [8.36e-01, 3.73e+00] | [3.47e-01, 4.67e-01] | [2.61e+00, 9.56e+00] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 |
| NIHS             | T1 | mean     | 4.79e+01              | 4.39e+02(+)          | 2.00e+02(+)          | 9.17e+01(+)          | <b>2.90e+00(-)</b>   | 2.06e+02(+)          | 4.79e+01(=)          | 2.12e+02(+)          | 3.54e+02(+)          | 4.67e+01(-)          | 9.34e+01(+)          | 1.35e+02(+)          |
|                  |    | interval | [4.76e+01, 4.83e+01]  | [3.95e+01, 8.38e+02] | [1.06e+02, 2.94e+02] | [1.86e+01, 1.65e+02] | [5.00e+00, 1.08e+01] | [8.62e+01, 3.25e+02] | [4.76e+01, 4.81e+01] | [4.21e+02, 8.44e+02] | [5.31e+01, 6.56e+02] | [4.47e+01, 4.87e+01] | [2.25e+01, 2.09e+02] | [1.52e+02, 4.23e+02] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 0.01                 | 1.00                 | 1.00                 | 0.87                 | 1.00                 | 1.00                 |
|                  | T2 | mean     | 2.09e-04              | 2.07e+02(+)          | 7.32e+01(+)          | 2.44e+01(+)          | <b>0.00e+00(-)</b>   | 1.12e+02(+)          | 3.74e-02(+)          | 7.69e+01(+)          | 2.92e+02(+)          | 2.03e+00(+)          | 1.30e+02(+)          | 1.51e+02(+)          |
|                  |    | interval | [-4.04e-04, 8.22e-04] | [8.94e+01, 3.25e+02] | [3.75e+01, 1.84e+02] | [3.39e+00, 5.22e+01] | [0.00e+00, 0.00e+00] | [3.80e+01, 1.87e+02] | [3.14e-02, 1.06e-01] | [3.94e+01, 1.14e+02] | [2.16e+02, 3.68e+02] | [7.11e+00, 1.12e+01] | [1.70e+02, 4.29e+02] | [4.60e+01, 2.57e+02] |
|                  |    | power    | -                     | 1.00                 | 1.00                 | 1.00                 | 0.00                 | 1.00                 | 0.99                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 | 1.00                 |
| NIMS             | T1 | mean     | 2.97e-03              | 2.06e-01(+)          | 2.62e-02(+)          | <b>2.48e-03(=)</b>   | 1.10e-01(+)          | 7.42e-02(+)          | 1.33e-02(+)          | 1.26e-02(+)          | 2.79e-01(+)          | 7.84e-03(+)          | 1.44e-03(+)          | 9.21e-02(+)          |
|                  |    | interval | [-8.42e-03, 1.44e-02] | [6.32e-02, 3.48e-01] | [2.30e-03, 5.00e-02] | [9.19e-03, 1.41e-02] | [9.71e-03, 2.30e-01] | [1.79e-02, 1.30e-01] | [3.07e-03, 2.35e-02] | [9.14e-03, 3.44e-02] | [1.60e-01, 3.99e-01] | [2.98e-03, 1.27e-02] | [4.98e-03, 7.87e-03] | [1.27e-02, 1.97e-01] |
|                  |    | power    | -                     | 1.00                 | 0.84                 | 0.06                 | 0.97                 | 0.98                 | 0.42                 | 0.47                 | 1.00                 | 0.00                 | 0.00                 | 0.96                 |
|                  | T2 | mean     | 3.19e+00              | 2.65e+01(+)          | 1.59e+01(+)          | 3.51e+00(=)          | <b>7.52e-03(-)</b>   | 1.87e+01(+)          | 8.26e-01(-)          | 1.01e+01(+)          | 8.59e+00(+)          | 1.56e+00(-)          | 5.97e+00(+)          | 3.21e+00(=)          |
|                  |    | interval | [9.55e-01, 5.43e+00]  | [1.94e+01, 3.36e+01] | [7.73e+00, 2.41e+01] | [1.27e+00, 5.76e+00] | [2.50e-03, 1.25e-02] | [1.09e+01, 2.65e+01] | [2.64e-01, 1.39e+00] | [1.19e+00, 1.91e+01] | [6.92e+00, 1.03e+01] | [9.21e-01, 2.20e+00] | [2.28e+00, 9.66e+00] | [1.91e+00, 4.50e+00] |
|                  |    | power    | -                     | 1.00                 | 0.99                 | 0.06                 | 1.00                 | 1.00                 | 0.67                 | 0.87                 | 1.00                 | 0.03                 | 0.62                 | 0.00                 |
| NILS             | T1 | mean     | 1.68e+02              | 5.50e+02(+)          | 1.80e+02(=)          | 1.65e+02(=)          | <b>0.00e+00(-)</b>   | 3.35e+02(+)          | 1.08e+02(-)          | 2.69e+02(+)          | 4.55e+02(+)          | 4.27e+02(+)          | 4.60e+02(+)          | 3.79e+02(+)          |
|                  |    | interval | [3.03e+01, 3.07e+02]  | [2.73e+02, 8.26e+02] | [7.74e+00, 3.52e+02] | [4.32e+01, 3.72e+02] | [0.00e+00, 0.00e+00] | [1.49e+02, 5.22e+02] | [1.59e+01, 2.33e+02] | [1.46e+02, 3.93e+02] | [4.21e+02, 4.90e+02] | [3.87e+02, 4.68e+02] | [4.17e+02, 5.02e+02] | [2.30e+02, 5.28e+02] |
|                  |    | power    | -                     | 0.96                 | 0.12                 | 0.19                 | 1.00                 | 0.62                 | 0.11                 | 0.28                 | 1.00                 | 1.00                 | 1.00                 | 0.83                 |
|                  | T2 | mean     | 2.93e+03              | 2.41e+03(-)          | <b>1.69e+03(-)</b>   | 4.24e+03(+)          | 9.06e+03(+)          | 3.26e+03(+)          | 4.85e+03(+)          | 4.43e+03(+)          | 1.48e+04(+)          | 2.09e+03(-)          | 9.82e+03(+)          | 1.88e+03(-)          |
|                  |    | interval | [1.80e+03, 4.06e+03]  | [1.40e+03, 3.42e+03] | [9.01e+02, 2.47e+03] | [2.50e+03, 5.98e+03] | [6.73e+03, 1.14e+04] | [2.28e+03, 4.25e+03] | [2.21e+03, 7.49e+03] | [2.96e+03, 5.90e+03] | [1.38e+04, 1.58e+04] | [1.48e+03, 2.69e+03] | [8.56e+03, 1.11e+04] | [9.95e+02, 4.75e+03] |
|                  |    | power    | -                     | 0.12                 | 0.61                 | 0.58                 | 1.00                 | 0.06                 | 0.73                 | 0.69                 | 1.00                 | 0.18                 | 1.00                 | 0.55                 |
| Number of "+/=-" |    |          | 15/1/2                | 14/1/3               | 13/4/1               | 9/1/8                | 16/1/1               | 12/1/5               | 17/0/1               | 18/0/0               | 14/1/3               | 16/0/2               | 15/1/2               |                      |

TABLE S.II  
COMPLETE EXPERIMENTAL RESULTS OF AEDMTO AND COMPARED ALGORITHMS ON CEC2022


| CEC2022    |    |          | AEDMTO                | MFEA                 | MFEA-II               | MFDE                 | MFEA-DGD              | RLMFEA                | MFEA-FL               | MTGA                  | AEMTO                | MKTDE                | OTMTO                | BLKT-DE               |
|------------|----|----------|-----------------------|----------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|----------------------|----------------------|-----------------------|
| Benchmark1 | T1 | mean     | <b>6.03e+02</b>       | 6.52e+02(+)          | 6.16e+02(+)           | 6.06e+02(+)          | 6.16e+02(+)           | 6.32e+02(+)           | 6.03e+02(=)           | 6.18e+02(+)           | 6.21e+02(+)          | 6.09e+02(+)          | 6.09e+02(+)          | 6.17e+02(+)           |
|            |    | interval | [6.01e+02, 6.05e+02]  | [6.43e+02, 6.62e+02] | [6.08e+02, 6.24e+02]  | [5.98e+02, 6.13e+02] | [6.13e+02, 6.19e+02]  | [6.18e+02, 6.46e+02]  | [6.01e+02, 6.05e+02]  | [6.05e+02, 6.30e+02]  | [6.06e+02, 6.36e+02] | [6.00e+02, 6.17e+02] | [6.02e+02, 6.16e+02] | [6.07e+02, 6.27e+02]  |
|            |    | power    | -                     | 1.00                 | 1.00                  | 0.71                 | 1.00                  | 1.00                  | 0.06                  | 0.98                  | 0.99                 | 0.85                 | 0.91                 | 0.99                  |
|            | T2 | mean     | <b>6.03e+02</b>       | 6.51e+02(+)          | 6.17e+02(+)           | 6.06e+02(+)          | 6.19e+02(+)           | 6.33e+02(+)           | 6.03e+02(=)           | 6.17e+02(+)           | 6.21e+02(+)          | 6.08e+02(+)          | 6.09e+02(+)          | 6.15e+02(+)           |
|            |    | interval | [6.01e+02, 6.04e+02]  | [6.40e+02, 6.62e+02] | [6.05e+02, 6.29e+02]  | [5.98e+02, 6.14e+02] | [6.16e+02, 6.22e+02]  | [6.17e+02, 6.50e+02]  | [6.01e+02, 6.06e+02]  | [6.06e+02, 6.29e+02]  | [6.05e+02, 6.37e+02] | [6.00e+02, 6.17e+02] | [6.03e+02, 6.16e+02] | [6.04e+02, 6.25e+02]  |
|            |    | power    | -                     | 1.00                 | 0.98                  | 0.76                 | 1.00                  | 1.00                  | 0.27                  | 0.99                  | 0.99                 | 0.86                 | 0.94                 | 0.98                  |
| Benchmark2 | T1 | mean     | 7.00e+02              | 7.01e+02(+)          | 7.00e+02(+)           | <b>7.00e+02(=)</b>   | 7.01e+02(+)           | 7.00e+02(+)           | 7.00e+02(+)           | 7.00e+02(+)           | 7.01e+02(+)          | 7.00e+02(+)          | 7.00e+02(=)          | 7.00e+02(+)           |
|            |    | interval | [7.00e+02, 7.00e+02]  | [7.01e+02, 7.01e+02] | [7.00e+02, 7.00e+02]  | [7.00e+02, 7.00e+02] | [7.01e+02, 7.01e+02]  | [7.00e+02, 7.00e+02]  | [7.00e+02, 7.00e+02]  | [7.00e+02, 7.00e+02]  | [7.01e+02, 7.01e+02] | [7.00e+02, 7.00e+02] | [7.00e+02, 7.00e+02] | [7.00e+02, 7.01e+02]  |
|            |    | power    | -                     | 1.00                 | 0.33                  | 0.00                 | 1.00                  | 0.00                  | 0.02                  | 0.45                  | 1.00                 | 0.00                 | 0.00                 | 0.99                  |
|            | T2 | mean     | 7.00e+02              | 7.01e+02(+)          | 7.00e+02(+)           | <b>7.00e+02(=)</b>   | 7.01e+02(+)           | 7.00e+02(+)           | 7.00e+02(+)           | 7.00e+02(+)           | 7.01e+02(+)          | 7.00e+02(+)          | 7.00e+02(+)          | 7.00e+02(+)           |
|            |    | interval | [7.00e+02, 7.00e+02]  | [7.01e+02, 7.01e+02] | [7.00e+02, 7.00e+02]  | [7.00e+02, 7.00e+02] | [7.01e+02, 7.01e+02]  | [7.00e+02, 7.00e+02]  | [7.00e+02, 7.00e+02]  | [7.00e+02, 7.00e+02]  | [7.01e+02, 7.01e+02] | [7.00e+02, 7.00e+02] | [7.00e+02, 7.00e+02] | [7.00e+02, 7.01e+02]  |
|            |    | power    | -                     | 1.00                 | 0.60                  | 0.00                 | 1.00                  | 0.00                  | 0.33                  | 0.62                  | 1.00                 | 0.03                 | 0.00                 | 1.00                  |
| Benchmark3 | T1 | mean     | 4.13e+05              | 4.69e+06(+)          | 2.63e+06(+)           | 5.75e+06(+)          | <b>1.24e+05(-)</b>    | 1.96e+06(+)           | 4.67e+05(=)           | 2.09e+06(+)           | 2.03e+07(+)          | 8.27e+06(+)          | 5.10e+07(+)          | 3.31e+06(+)           |
|            |    | interval | [6.00e+03, 8.20e+05]  | [7.22e+05, 8.66e+06] | [2.12e+05, 5.04e+06]  | [1.76e+06, 9.74e+06] | [-2.28e+03, 2.51e+05] | [-5.72e+03, 3.93e+06] | [-3.15e+05, 1.25e+06] | [3.64e+05, 3.81e+06]  | [1.19e+07, 2.87e+07] | [2.47e+06, 1.41e+07] | [1.51e+07, 8.70e+07] | [-5.31e+05, 7.15e+06] |
|            |    | power    | -                     | 0.98                 | 0.95                  | 0.99                 | 0.03                  | 0.90                  | 0.31                  | 0.93                  | 1.00                 | 1.00                 | 1.00                 | 0.94                  |
|            | T2 | mean     | 3.60e+05              | 4.41e+06(+)          | 2.81e+06(+)           | 5.78e+06(+)          | <b>2.47e+05(-)</b>    | 1.93e+06(+)           | 5.24e+05(=)           | 1.86e+06(+)           | 2.13e+07(+)          | 8.44e+06(+)          | 4.89e+07(+)          | 4.16e+06(+)           |
|            |    | interval | [1.92e+02, 7.21e+05]  | [8.28e+05, 7.98e+06] | [3.12e+05, 5.32e+06]  | [1.49e+06, 1.01e+07] | [-3.87e+04, 5.32e+05] | [-7.15e+05, 4.57e+06] | [-2.34e+05, 1.28e+06] | [-1.91e+05, 3.90e+06] | [1.01e+07, 3.24e+07] | [2.26e+06, 1.46e+07] | [8.96e+06, 8.88e+07] | [-2.93e+05, 8.61e+06] |
|            |    | power    | -                     | 0.99                 | 0.96                  | 0.99                 | 0.05                  | 0.89                  | 0.39                  | 0.90                  | 1.00                 | 1.00                 | 1.00                 | 0.97                  |
| Benchmark4 | T1 | mean     | 1.30e+03              | 1.30e+03(+)          | 1.30e+03(=)           | 1.30e+03(+)          | 1.30e+03(=)           | 1.30e+03(=)           | 1.30e+03(=)           | <b>1.30e+03(-)</b>    | 1.30e+03(+)          | 1.30e+03(+)          | 1.30e+03(+)          | 1.30e+03(+)           |
|            |    | interval | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03]  |
|            |    | power    | -                     | 0.41                 | 0.17                  | 0.24                 | 0.03                  | 0.07                  | 0.01                  | 0.20                  | 0.84                 | 0.58                 | 0.14                 | 0.53                  |
|            | T2 | mean     | 1.30e+03              | 1.30e+03(+)          | 1.30e+03(+)           | 1.30e+03(+)          | <b>1.30e+03(-)</b>    | 1.30e+03(=)           | 1.30e+03(-)           | 1.30e+03(=)           | 1.30e+03(+)          | 1.30e+03(+)          | 1.30e+03(+)          | 1.30e+03(+)           |
|            |    | interval | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03]  | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03] | [1.30e+03, 1.30e+03]  |
|            |    | power    | -                     | 0.13                 | 0.11                  | 0.40                 | 0.25                  | 0.11                  | 0.14                  | 0.02                  | 0.89                 | 0.67                 | 0.42                 | 0.69                  |
| Benchmark5 | T1 | mean     | 1.52e+03              | 1.57e+03(+)          | 1.52e+03(=)           | 1.53e+03(+)          | 1.58e+03(+)           | 1.53e+03(=)           | 1.52e+03(=)           | <b>1.51e+03(-)</b>    | 1.54e+03(+)          | 1.54e+03(+)          | 1.53e+03(+)          | 1.54e+03(+)           |
|            |    | interval | [1.51e+03, 1.54e+03]  | [1.54e+03, 1.60e+03] | [1.51e+03, 1.53e+03]  | [1.53e+03, 1.53e+03] | [1.56e+03, 1.61e+03]  | [1.52e+03, 1.54e+03]  | [1.50e+03, 1.54e+03]  | [1.51e+03, 1.52e+03]  | [1.53e+03, 1.55e+03] | [1.53e+03, 1.54e+03] | [1.53e+03, 1.54e+03] | [1.53e+03, 1.54e+03]  |
|            |    | power    | -                     | 0.99                 | 0.03                  | 0.00                 | 1.00                  | 0.01                  | 0.10                  | 0.19                  | 0.78                 | 0.19                 | 0.01                 | 0.32                  |
|            | T2 | mean     | 1.52e+03              | 1.57e+03(+)          | 1.52e+03(=)           | 1.53e+03(+)          | 1.58e+03(+)           | 1.52e+03(=)           | 1.52e+03(=)           | <b>1.51e+03(-)</b>    | 1.54e+03(+)          | 1.54e+03(+)          | 1.53e+03(+)          | 1.54e+03(+)           |
|            |    | interval | [1.51e+03, 1.53e+03]  | [1.54e+03, 1.60e+03] | [1.51e+03, 1.53e+03]  | [1.53e+03, 1.54e+03] | [1.54e+03, 1.61e+03]  | [1.51e+03, 1.54e+03]  | [1.51e+03, 1.54e+03]  | [1.51e+03, 1.51e+03]  | [1.54e+03, 1.54e+03] | [1.53e+03, 1.54e+03] | [1.53e+03, 1.54e+03] | [1.53e+03, 1.54e+03]  |
|            |    | power    | -                     | 0.99                 | 0.02                  | 0.31                 | 0.99                  | 0.06                  | 0.11                  | 0.18                  | 1.00                 | 0.78                 | 0.30                 | 0.87                  |
| Benchmark6 | T1 | mean     | <b>3.59e+05</b>       | 2.54e+06(+)          | 1.47e+06(+)           | 2.40e+06(+)          | 1.23e+06(+)           | 1.21e+06(+)           | 9.96e+05(+)           | 1.20e+06(+)           | 8.75e+06(+)          | 2.13e+07(+)          | 2.27e+07(+)          | 1.96e+06(+)           |
|            |    | interval | [-8.84e+04, 8.06e+05] | [1.65e+05, 4.91e+06] | [-2.24e+05, 3.16e+06] | [8.39e+05, 3.96e+06] | [-1.27e+05, 2.59e+06] | [-3.48e+05, 2.77e+06] | [-8.08e+05, 2.80e+06] | [-1.11e+05, 2.51e+06] | [4.22e+06, 1.33e+07] | [5.66e+06, 3.70e+07] | [9.45e+06, 3.59e+07] | [-6.70e+05, 4.58e+06] |
|            |    | power    | -                     | 0.94                 | 0.81                  | 0.98                 | 0.76                  | 0.75                  | 0.70                  | 0.75                  | 1.00                 | 1.00                 | 1.00                 | 0.87                  |
|            | T2 | mean     | <b>2.09e+05</b>       | 2.33e+06(+)          | 1.55e+06(+)           | 2.08e+06(+)          | 8.77e+05(+)           | 7.18e+05(+)           | 7.83e+05(+)           | 9.40e+05(+)           | 9.23e+06(+)          | 2.11e+07(+)          | 2.09e+07(+)          | 1.79e+06(+)           |
|            |    | interval | [-1.10e+05, 5.28e+05] | [2.77e+04, 4.62e+06] | [-4.10e+04, 3.15e+06] | [4.05e+05, 3.75e+06] | [-2.96e+05, 2.05e+06] | [-1.42e+05, 1.58e+06] | [-3.16e+05, 1.88e+06] | [-3.38e+05, 2.22e+06] | [5.26e+06, 1.32e+07] | [5.67e+06, 3.65e+07] | [6.63e+06, 3.52e+07] | [-1.61e+06, 5.20e+06] |
|            |    | power    | -                     | 0.96                 | 0.92                  | 0.97                 | 0.77                  | 0.70                  | 0.73                  | 0.79                  | 1.00                 | 1.00                 | 1.00                 | 0.90                  |
| Benchmark7 | T1 | mean     | <b>2.84e+03</b>       | 3.40e+03(+)          | 2.98e+03(=)           | 3.86e+03(+)          | 3.04e+03(+)           | 3.17e+03(+)           | 3.04e+03(+)           | 2.87e+03(=)           | 4.09e+03(+)          | 4.25e+03(+)          | 4.33e+03(+)          | 2.95e+03(=)           |
|            |    | interval | [2.22e+03, 3.46e+03]  | [2.65e+03, 4.15e+03] | [2.40e+03, 3.57e+03]  | [3.55e+03, 4.17e+03] | [2.56e+03, 3.52e+03]  | [2.45e+03, 3.90e+03]  | [2.46e+03, 3.62e+03]  | [2.35e+03, 3.39e+03]  | [3.74e+03, 4.45e+03] | [3.75e+03, 4.74e+03] | [3.88e+03, 4.78e+03] | [2.39e+03, 3.51e+03]  |
|            |    | power    | -                     | 0.44                 | 0.06                  | 0.99                 | 0.04                  | 0.22                  | 0.08                  | 0.02                  | 1.00                 | 1.00                 | 1.00                 | 0.04                  |
|            | T2 | mean     | 2.97e+03              | 3.38e+03(+)          | 2.98e+03(=)           | 3.92e+03(+)          | 3.16e+03(+)           | 3.12e+03(+)           | 3.03e+03(=)           | <b>2.91e+03(=)</b>    | 4.13e+03(+)          | 4.24e+03(+)          | 4.28e+03(+)          | 3.09e+03(=)           |
|            |    | interval | [2.27e+03, 3.66e+03]  | [2.43e+03, 4.32e+03] | [2.26e+03, 3.70e+03]  | [3.57e+03, 4.26e+03] | [2.57e+03, 3.75e+03]  | [2.61e+03, 3.64e+03]  | [2.49e+03, 3.57e+03]  | [2.36e+03, 3.47e+03]  | [3.79e+03, 4.47e+03] | [3.77e+03, 4.72e+03] | [3.81e+03, 4.74e+03] | [2.42e+03, 3.75e+03]  |
|            |    | power    | -                     | 0.29                 | 0.06                  | 0.93                 | 0.05                  | 0.02                  | 0.01                  | 0.02                  | 1.00                 | 0.99                 | 1.00                 | 0.05                  |
| Benchmark8 | T1 | mean     | 5.21e+02              | 5.21e+02(-)          | 5.21e+02(+)           | 5.21e+02(+)          | 5.20e+02(-)           | <b>5.20e+02(-)</b>    | 5.21e+02(+)           | 5.21e+02(+)           | 5.21e+02(+)          | 5.21e+02(+)          | 5.21e+02(+)          | 5.21e+02(+)           |
|            |    | interval | [5.21e+02, 5.21e+02]  | [5.20e+02, 5.21e+02] | [5.21e+02, 5.21e+02]  | [5.21e+02, 5.21e+02] | [5.20e+02, 5.20e+02]  | [5.20e+02, 5.21e+02]  | [5.21e+02, 5.22e+02]  | [5.21e+02, 5.21e+02]  | [5.21e+02, 5.21e+02] | [5.21e+02, 5.21e+02] | [5.21e+02, 5.21e+02] | [5.21e+02, 5.21e+02]  |
|            |    | power    | -                     | 0.99                 | 0.74                  | 0.78                 | 1.00                  | 0.98                  | 0.48                  | 0.79                  | 0.71                 | 0.70                 | 0.76                 | 0.65                  |
|            | T2 | mean     | 5.21e+02              | 5.21e+02(-)          | 5.21e+02(+)           | 5.21e+02(+)          | <b>5.20e+02(-)</b>    | 5.20e+02(-)           | 5.21e+02(+)           | 5.21e+02(+)           | 5.21e+02(+)          | 5.21e+02(+)          | 5.21e+02(+)          | 5.21e+02(+)           |
|            |    | interval | [5.21e+02, 5.21e+02]  | [5.20e+02, 5.21e+02] | [5.21e+02, 5.21e+02]  | [5.21e+02, 5.21e+02] | [5.20e+02, 5.20e+02]  | [5.20e+02, 5.21e+02]  | [5.21e+02, 5.21e+02]  | [5.21e+02, 5.21e+02]  | [5.21e+02, 5.21e+02] | [5.21e+02, 5.21e+02] | [5.21e+02, 5.21e+02] | [5.21e+02, 5.21e+02]  |
|            |    | power    | -                     | 0.98                 | 0.46                  | 0.40                 | 1.00                  | 0.98                  | 0.34                  | 0.40                  | 0.47                 | 0.53                 | 0.41                 | 0.51                  |
| Benchmark9 | T1 | mean     | 8.49e+03              | 8.39e+03(=)          | 1.28e+04(+)           | 1.50e+04(+)          | 8.26e+03(=)           | 7.47e+03(-)           | 7.51e+03(-)           | <b>7.41e+03(-)</b>    | 1.51e+04(+)          | 1.49e+04(+)          | 1.50e+04(+)          | 8.98e+03(=)           |
|            |    | interval | [6.20e+03, 1.08e+04]  | [6.75e+03, 1.00e+04] | [7.18e+03, 1.85e+04]  | [1.40e+04, 1.59e+04] | [6.50e+03, 1.00e+04]  | [5.80e+03, 9.14e+03]  | [6.39e+03, 8.63e+03]  | [5.44e+03, 9.38e+03]  | [1.45e+04, 1.56e+04] | [1.41e+04, 1.58e+04] | [1.41e+04, 1.58e+04] | [4.71e+03, 1.32e+04]  |
|            |    | power    | -                     | 0.01                 | 0.77                  | 1.00                 | 0.01                  | 0.07                  | 0.01                  | 0.11                  | 1.00                 | 1.00                 | 1.00                 | 0.30                  |
|            | T2 | mean     | 1.62e+03              | 1.62e+03(+)          | 1.62e+03(+)           | 1.62e+03(+)          | 1.62e+03(-)           | 1.62e+03(=)           | 1.62e+03(=)           | <b>1.62e+03(-)</b>    | 1.62e+03(+)          | 1.62e+03(+)          | 1.62e+03(+)          | 1.62e+03(+)           |
|            |    | interval | [1.62e+03, 1.62e+03]  | [1.62e+03, 1.62e+03] | [1.62e+03, 1.62e+03]  | [1.62e+03, 1.62e+03] | [1.62e+03, 1.62e+03]  | [1.62e+03, 1.62e+03]  | [1.62e+03, 1.62e+03]  | [1.62e+03, 1.62e+03]  | [1.62e+03, 1.62e+03] | [1.62e+03, 1.62e+03] | [1.62e+03, 1.62e+03] | [1.6                  |

TABLE S.III  
COMPLETE EXPERIMENTAL RESULTS OF AEDMTO AND COMPARED ALGORITHMS ON SCP APPLICATION

| SCP                |     |          | AEDMTO        | AEMTO           | MaTDE           | BLKT-DE        | TRADE          |
|--------------------|-----|----------|---------------|-----------------|-----------------|----------------|----------------|
| Case 1             | T1  | mean     | 7.11e+01      | 1.06e+02(+)     | 1.63e+02(+)     | 9.64e+01(+)    | 1.56e+02(+)    |
|                    |     | interval | [59.32,82.97] | [83.29,129.06]  | [62.04,264.79]  | [25.24,167.56] | [59.17,252.58] |
|                    |     | power    | -             | 0.98            | 0.96            | 0.80           | 0.96           |
|                    | T2  | mean     | 6.53e+01      | 9.77e+01(+)     | 1.54e+02(+)     | 8.89e+01(+)    | 1.41e+02(+)    |
|                    |     | interval | [55.21,75.32] | [77.51,117.84]  | [50.21,257.31]  | [32.76,144.96] | [52.49,229.35] |
|                    |     | power    | -             | 0.99            | 0.96            | 0.80           | 0.96           |
| Number of "+/=-/—" |     |          | 2/0/0         | 2/0/0           | 2/0/0           | 2/0/0          |                |
| Case 2             | T1  | mean     | 7.29e+01      | 1.64e+02(+)     | 1.98e+02(+)     | 1.75e+02(+)    | 1.77e+02(+)    |
|                    |     | interval | [55.30,90.44] | [115.07,213.65] | [102.92,293.35] | [77.34,273.31] | [97.56,256.01] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.96           | 0.98           |
|                    | T2  | mean     | 6.56e+01      | 1.52e+02(+)     | 1.86e+02(+)     | 1.69e+02(+)    | 1.58e+02(+)    |
|                    |     | interval | [54.70,76.48] | [95.60,208.89]  | [84.42,287.40]  | [76.25,262.01] | [86.88,229.59] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.98           | 0.99           |
|                    | T3  | mean     | 6.03e+01      | 1.41e+02(+)     | 1.77e+02(+)     | 1.63e+02(+)    | 1.44e+02(+)    |
|                    |     | interval | [50.26,70.36] | [86.12,194.95]  | [81.72,272.75]  | [69.10,257.10] | [75.57,213.24] |
|                    |     | power    | -             | 0.99            | 0.99            | 0.98           | 0.99           |
|                    | T4  | mean     | 5.71e+01      | 1.35e+02(+)     | 1.74e+02(+)     | 1.51e+02(+)    | 1.39e+02(+)    |
|                    |     | interval | [45.94,68.30] | [80.72,190.13]  | [76.25,271.21]  | [55.20,246.93] | [65.75,211.65] |
|                    |     | power    | -             | 0.99            | 0.99            | 0.97           | 0.98           |
|                    | T5  | mean     | 5.64e+01      | 1.33e+02(+)     | 1.66e+02(+)     | 1.53e+02(+)    | 1.36e+02(+)    |
|                    |     | interval | [47.54,65.23] | [80.47,184.67]  | [71.23,260.37]  | [66.97,238.09] | [54.25,218.68] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.99           | 0.97           |
|                    | T6  | mean     | 5.50e+01      | 1.32e+02(+)     | 1.60e+02(+)     | 1.41e+02(+)    | 1.19e+02(+)    |
|                    |     | interval | [45.93,63.99] | [77.48,186.23]  | [75.34,244.49]  | [49.47,232.39] | [45.36,192.68] |
|                    |     | power    | -             | 0.99            | 0.99            | 0.97           | 0.95           |
| Number of "+/=-/—" |     |          | 6/0/0         | 6/0/0           | 6/0/0           | 6/0/0          |                |
| Case 3             | T1  | mean     | 7.06e+01      | 2.04e+02(+)     | 2.18e+02(+)     | 1.64e+02(+)    | 1.62e+02(+)    |
|                    |     | interval | [59.98,81.30] | [185.47,222.91] | [130.96,305.78] | [50.37,276.78] | [70.73,253.84] |
|                    |     | power    | -             | 1.00            | 1.00            | 0.96           | 0.97           |
|                    | T2  | mean     | 6.52e+01      | 1.94e+02(+)     | 2.00e+02(+)     | 1.61e+02(+)    | 1.58e+02(+)    |
|                    |     | interval | [55.13,75.18] | [171.49,217.10] | [118.92,280.66] | [41.56,280.89] | [85.78,230.32] |
|                    |     | power    | -             | 1.00            | 1.00            | 0.96           | 0.99           |
|                    | T3  | mean     | 6.08e+01      | 1.80e+02(+)     | 1.82e+02(+)     | 1.51e+02(+)    | 1.45e+02(+)    |
|                    |     | interval | [49.62,71.91] | [156.97,202.74] | [94.54,269.06]  | [44.31,257.21] | [65.41,224.67] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.96           | 0.97           |
|                    | T4  | mean     | 5.62e+01      | 1.69e+02(+)     | 1.81e+02(+)     | 1.42e+02(+)    | 1.28e+02(+)    |
|                    |     | interval | [48.61,63.86] | [147.76,189.84] | [87.61,275.23]  | [44.65,240.21] | [36.58,219.42] |
|                    |     | power    | -             | 1.00            | 1.00            | 0.97           | 0.96           |
|                    | T5  | mean     | 5.51e+01      | 1.66e+02(+)     | 1.70e+02(+)     | 1.39e+02(+)    | 1.23e+02(+)    |
|                    |     | interval | [47.58,62.62] | [144.08,188.68] | [79.22,260.38]  | [44.95,233.50] | [44.29,202.48] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.97           | 0.96           |
|                    | T6  | mean     | 5.41e+01      | 1.62e+02(+)     | 1.64e+02(+)     | 1.31e+02(+)    | 1.29e+02(+)    |
|                    |     | interval | [47.24,60.90] | [144.45,178.81] | [59.53,268.50]  | [36.11,225.45] | [42.42,216.38] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.97           | 0.97           |
|                    | T7  | mean     | 5.47e+01      | 1.54e+02(+)     | 1.55e+02(+)     | 1.32e+02(+)    | 1.27e+02(+)    |
|                    |     | interval | [46.78,62.66] | [138.11,170.08] | [61.48,248.30]  | [40.31,224.12] | [48.30,205.14] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.97           | 0.97           |
|                    | T8  | mean     | 5.42e+01      | 1.52e+02(+)     | 1.50e+02(+)     | 1.30e+02(+)    | 1.12e+02(+)    |
|                    |     | interval | [48.13,60.19] | [136.78,168.16] | [59.61,240.64]  | [43.75,215.61] | [33.71,190.34] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.97           | 0.96           |
|                    | T9  | mean     | 5.39e+01      | 1.49e+02(+)     | 1.43e+02(+)     | 1.28e+02(+)    | 1.22e+02(+)    |
|                    |     | interval | [49.34,58.42] | [136.86,161.99] | [63.00,223.28]  | [51.32,204.22] | [43.79,199.24] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.98           | 0.98           |
|                    | T10 | mean     | 5.47e+01      | 1.44e+02(+)     | 1.39e+02(+)     | 1.20e+02(+)    | 1.22e+02(+)    |
|                    |     | interval | [51.60,57.71] | [126.04,161.36] | [58.47,219.75]  | [45.66,194.93] | [54.24,188.97] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.99           | 0.99           |
|                    | T11 | mean     | 5.52e+01      | 1.44e+02(+)     | 1.40e+02(+)     | 1.21e+02(+)    | 1.07e+02(+)    |
|                    |     | interval | [50.49,59.87] | [130.51,157.46] | [61.03,219.46]  | [47.11,194.20] | [22.37,191.87] |
|                    |     | power    | -             | 1.00            | 0.99            | 0.98           | 0.96           |
| Number of "+/=-/—" |     |          | 11/0/0        | 11/0/0          | 11/0/0          | 11/0/0         |                |
| Summary            |     |          | 19/0/0        | 19/0/0          | 19/0/0          | 19/0/0         |                |


## II. CONVERGENCE CURVES OF AEDMTO AND COMPARED EMTO ALGORITHMS

### A. Convergence Curves of AEDMTO and Compared Algorithms on CEC2017



**Fig. S1.** Convergence curves on all tasks in CEC2017. (a) CIHS; (b) CIMS; (c) CILS; (d) PIHS; (e) PIMS; (f) PILS; (g) NIHS; (h) NIMS; (i) NILS.

### B. Convergence Curves of AEDMTO and Compared Algorithms on CEC2022



**Fig. S2.** Convergence curves on all tasks in CEC2022. Subplots (a)-(j) correspond to the ten benchmarks, respectively.

### III. EXTENSIVE ABLATION STUDIES

#### A. Justification of Gaussian Assumption

In AEDMTO, the unimodal Gaussian distribution may not always be theoretically guaranteed across all optimization landscapes, such as multimodal, heavier-tailed, skewed, or uniform. Without prior knowledge of the landscapes of problems, we adopt a simple unimodal Gaussian model to describe the distribution of tasks due to its simplicity and widespread use [S2]-[S4]. To justify the unimodal Gaussian model, we generate four AEDMTO variants with multimodal Gaussian distribution (Gaussian mixture distribution)-based AED, Cauchy distribution (one of the heavier-tailed distribution models)-based AED, skewed distribution-based AED, and uniform distribution-based AED, respectively, denoted as AEDMTO-w/-multimodal, AEDMTO-w/-Cauchy, AEDMTO-w/-skew, and AEDMTO-w/-uniform, respectively.

The multimodal Gaussian distribution is the mixture distribution of multiple Gaussian probability distribution models [S5]. In AEDMTO-w/-multimodal, we employ  $K$  (set as 5) Gaussian distribution components to describe the distribution of each dimension in the target task. First, the  $K$ -means is executed to split individuals into  $K$  clusters. Note that to avoid the ‘‘curse of dimensionality’’ [S6], individuals will be reduced to 3 dimensions by principal component analysis when clustered. Then, the centroid and the standard deviation of each cluster are calculated. By combining the parameters of each Gaussian component, we can obtain the new distribution description, shown as Eq. (S5):

$$ds_j(\mathbf{XS}) = \sum_{k=1}^K \frac{N_k}{N} \exp\left(\frac{-(XS_j - \text{cntr}_{k,j})^2}{2 \times (\text{std}_{k,j})^2}\right) \quad (\text{S5})$$

where  $\text{cntr}_{k,j}$  and  $\text{std}_{k,j}$  are the centroid and standard deviation of  $j^{\text{th}}$  dimension in the  $k^{\text{th}}$  cluster, respectively,  $N_k$  denotes the number of individuals in the  $k^{\text{th}}$  cluster.

The Cauchy distribution is one of the heavier-tailed distributions, with tails heavier than those of the Gaussian distribution, i.e., extreme values occur with a higher probability than in the Gaussian distribution. We have tried to use the Cauchy distribution [S7] in AED strategy to estimate the distribution of each dimension in the target task using Eq. (S6):

$$ds_j(\mathbf{XS}) = \frac{1}{1 + \left(\frac{x - \text{cntr}_j}{\text{std}_j}\right)^2} \quad (\text{S6})$$

In AEDMTO-w/-skew, we assume that each dimension follows a skewed distribution with a bias between the mean and median. The distribution for each dimension is shown in Eq. (S7):

$$ds_j(\mathbf{XS}) = \frac{2}{\text{std}_j} \times \varphi\left(\frac{XS_j - \text{cntr}_j}{\text{std}_j}\right) \times \Phi\left(SK \times \frac{XS_j - \text{cntr}_j}{\text{std}_j}\right) \quad (\text{S7})$$

$$SK = \frac{1}{N} \sum_{i=1}^N \frac{(XT_i^j - \text{cntr}_j)^3}{\text{std}_j^3} \quad (\text{S8})$$

where  $\varphi(*)$  and  $\Phi(*)$  are the probability density function and distribution function of the standard Gaussian distribution  $N(0, 1)$ ,  $SK$  is the skewness of the skewed distribution.

In AEDMTO-w/-uniform, for each dimension, we first search for the minimum and maximum values for each dimension across all individuals, as:

$$lb_j = \min\{XT_i^j \mid i = 1, 2, \dots, N\} \quad (\text{S9})$$

$$hb_j = \max\{XT_i^j \mid i = 1, 2, \dots, N\} \quad (\text{S10})$$

Then, for each individual in the source task, the similarity of the  $j^{\text{th}}$  dimension to the target task is described by Eq. (S11):

$$ds_j(\mathbf{XS}) = \begin{cases} 1, & \text{if } XS_j \in [lb_j, hb_j] \\ 0, & \text{otherwise} \end{cases} \quad (\text{S11})$$

We have compared AEDMTO with these four variants and the experimental results are shown in Table S.IV. From Table S.IV, we find that AEDMTO and its variants achieve similar performance on at least 13 of 18 tasks, indicating that AEDMTO is relatively insensitive to different distribution models. Note that the core idea of AED is to measure similarity from both individual and population aspects, rather than relying on a specific distribution model. Therefore, we employ the simple unimodal Gaussian distribution-based AED in AEDMTO.

TABLE S.IV  
THE COMPARISON AMONG AEDMTO WITH DIFFERENT DISTRIBUTION MODELS

| CEC2017           |    | AEDMTO          | AEDMTO-w/-multimodal | AEDMTO-w/-Cauchy   | AEDMTO-w/-skew     | AEDMTO-w/-uniform  |
|-------------------|----|-----------------|----------------------|--------------------|--------------------|--------------------|
| CIHS              | T1 | <b>0.00e+00</b> | <b>0.00e+00(=)</b>   | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> |
|                   | T2 | 5.33e-14        | 6.66e-14(+)          | 1.95e-13(+)        | <b>3.45e-14(=)</b> | 8.64e-14(+)        |
| CIMS              | T1 | 4.40e-10        | 4.82e-10(=)          | 7.45e-10(+)        | <b>3.86e-10(=)</b> | 4.86e-10(=)        |
|                   | T2 | <b>0.00e+00</b> | <b>0.00e+00(=)</b>   | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> |
| CILS              | T1 | 2.08e+01        | 2.08e+01(=)          | 2.08e+01(=)        | <b>2.01e+01(=)</b> | 2.08e+01(=)        |
|                   | T2 | 2.33e+03        | 2.75e+03(+)          | 2.94e+03(+)        | <b>2.31e+03(=)</b> | 2.66e+03(=)        |
| PIHS              | T1 | 2.07e+02        | <b>1.70e+02(=)</b>   | 1.92e+02(=)        | 2.79e+02(+)        | 1.78e+02(=)        |
|                   | T2 | 7.79e-02        | <b>2.20e-04(=)</b>   | 9.63e-02(=)        | 1.68e-01(+)        | 1.70e-03(=)        |
| PIMS              | T1 | 2.74e-03        | 3.53e-03(=)          | 4.66e-03(-)        | 2.09e-02(+)        | <b>1.94e-03(-)</b> |
|                   | T2 | 4.99e+01        | 4.65e+01(=)          | <b>4.64e+01(=)</b> | 5.31e+01(=)        | 4.99e+01(=)        |
| PILS              | T1 | <b>0.00e+00</b> | <b>0.00e+00(=)</b>   | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> |
|                   | T2 | <b>0.00e+00</b> | <b>0.00e+00(=)</b>   | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> |
| NIHS              | T1 | <b>4.79e+01</b> | 4.80e+01(=)          | <b>4.79e+01(=)</b> | 4.80e+01(=)        | <b>4.79e+01(=)</b> |
|                   | T2 | 2.09e-04        | 1.68e-04(=)          | <b>2.21e-06(-)</b> | 6.34e-05(-)        | 7.11e-06(-)        |
| NIMS              | T1 | 2.97e-03        | 1.64e-03(=)          | <b>7.26e-04(=)</b> | 2.93e-03(+)        | 2.68e-03(=)        |
|                   | T2 | 3.19e+00        | 3.35e+00(=)          | 3.37e+00(=)        | 3.45e+00(=)        | <b>3.16e+00(=)</b> |
| NILS              | T1 | 1.68e+02        | 1.63e+02(=)          | <b>1.50e+02(=)</b> | 1.94e+02(=)        | 1.97e+02(+)        |
|                   | T2 | <b>2.93e+03</b> | 3.01e+03(=)          | 3.05e+03(=)        | <b>2.93e+03(=)</b> | 3.09e+03(=)        |
| Number of “+/-/-” |    | 2/16/0          |                      | 3/13/2             | 4/13/1             | 2/14/2             |

### B. Justification of Exponential Weighting

We define the KT frequency  $f_{KT}$  as the weighted average of the  $ds$  for all individuals from the source task as:

$$f_{KT} = \sum_{i=1}^N \frac{1}{2^i} \times ins(\mathbf{S}_i) \quad (S12)$$

where  $\mathbf{S}_i$  is the  $i^{\text{th}}$  individual sorted in descending order by their  $ins$  values (the similarity measurement between the  $i^{\text{th}}$  individual in the source task and the entire target task), and the weight  $1 / 2^i$  is positively correlated with the  $ins$  values. Therefore, the core idea of exponential weighting is to assign higher weights to individuals with higher similarities, rather than to specify a particular weighting method. Therefore, using different weighting methods does not affect this core idea and may all work well, though slight performance differences may exist. Herein, we first prove the rationality of the exponential weights, which results in  $0 \leq f_{KT} \leq 1$ .

*Proof:* The sequence of the exponential weights  $1 / 2^i$  is a geometric sequence, whose sum is close to or a little less than 1. Meanwhile, the similarity  $ins(\mathbf{XS})$  between an individual  $\mathbf{XS}$  and the entire target task is defined as the average  $ds$  of all dimensions in  $\mathbf{XS}$ , shown in Eq. (5) of the manuscript, also given in Eq. (S13) herein:

$$ins(\mathbf{XS}) = \frac{1}{D_t} \sum_{j=1}^{D_t} ds_j(\mathbf{XS}_M) \quad (S13)$$

and the similarity  $ds_j(\mathbf{XS})$  between the  $j^{\text{th}}$  dimension  $XS_j$  of individual  $\mathbf{XS}$  in the source task and the  $j^{\text{th}}$  dimension of the entire target task is calculated as Eq. (4) of the manuscript, also given in Eq. (S14) herein:

$$ds_j(\mathbf{XS}) = \exp\left(-\frac{(XS_j - ctr_j)^2}{2 \times (std_j)^2}\right) \quad (S14)$$

where  $ctr_j$  and  $std_j$  stand for the centroid and standard deviation of the  $j^{\text{th}}$  dimension for all individuals in target task, respectively. From Eq. (S14), we find that for any dimension of  $\mathbf{XS}$ ,  $ds_j(\mathbf{XS})$  satisfies  $0 \leq ds_j(\mathbf{XS}) \leq 1$ , while the  $ins(\mathbf{XS})$  of each individual  $\mathbf{XS}$  in Eq. (S13), as the average of  $ds_j(\mathbf{XS})$ , also satisfies  $0 \leq ins(\mathbf{XS}) \leq 1$ . Hence, the KT frequency  $f_{KT}$ , as the weighted average of  $ins(\mathbf{XS})$  ( $ins(\mathbf{XS}) \in [0, 1]$ , the sum of weights is close to or a little less than 1), also satisfies  $0 \leq f_{KT} \leq 1$ .

To explore the suitable weighting mechanism, we generate AEDMTO variants using other weighting methods, including linear weighting and logarithm weighting, denoted as AEDMTO-w/-linear and AEDMTO-w/-log, respectively. With the linear weighting and logarithm weighting, the KT frequency  $f_{KT}$  is calculated as Eqs. (S15) and (S16):

$$f_{KT} = \sum_{i=1}^N \frac{2 \times i}{N \times (N+1)} \times ins(\mathbf{S}_i) \quad (S15)$$

$$f_{KT} = \sum_{i=1}^N \frac{\log(i)}{\log(N!)} \times ins(\mathbf{S}_i) \quad (S16)$$

The results are shown in Table S.V. From Table S.V, we find that AEDMTO and its variants obtain the similar performance on 17 of 18 tasks, which indicates that AEDMTO is relatively insensitive to different weighting models. Therefore, the exponential weighting is finally employed in AED strategy.

TABLE S.V  
THE COMPARISON AMONG AEDMTO, AEDMTO-W/-LINEAR, AND AEDMTO-W/-LOG

| CEC2017           |    | AEDMTO          | AEDMTO-w/-linear   | AEDMTO-w/-log      |
|-------------------|----|-----------------|--------------------|--------------------|
| CIHS              | T1 | <b>0.00e+00</b> | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> |
|                   | T2 | <b>5.33e-14</b> | 6.34e-14(=)        | 6.90e-14(=)        |
| CIMS              | T1 | <b>4.40e-10</b> | 4.66e-10(=)        | 5.04e-10(+)        |
|                   | T2 | <b>0.00e+00</b> | <b>0.00e+00(=)</b> | <b>0.00e+00(=)</b> |
| CILS              | T1 | 2.08e+01        | <b>2.08e+01(=)</b> | 2.08e+01(=)        |
|                   | T2 | <b>2.33e+03</b> | 2.83e+03(+)        | 2.55e+03(=)        |
| PIHS              | T1 | 2.07e+02        | <b>1.62e+02(=)</b> | 1.70e+02(=)        |
|                   | T2 | 7.79e-02        | <b>7.68e-05(=)</b> | 1.06e-02(=)        |
| PIMS              | T1 | 2.74e-03        | <b>2.12e-03(=)</b> | 8.83e-03(=)        |
|                   | T2 | 4.99e+01        | 5.03e+01(=)        | <b>4.67e+01(=)</b> |
| PILS              | T1 | <b>0.00e+00</b> | <b>0.00e+00(=)</b> | 3.25e-05(=)        |
|                   | T2 | <b>0.00e+00</b> | <b>0.00e+00(=)</b> | 1.84e-01(=)        |
| NIHS              | T1 | <b>4.79e+01</b> | 4.79e+01(=)        | 4.80e+01(=)        |
|                   | T2 | 2.09e-04        | 3.68e-01(=)        | <b>1.65e-04(=)</b> |
| NIMS              | T1 | 2.97e-03        | 3.19e-03(=)        | <b>2.68e-03(=)</b> |
|                   | T2 | <b>3.19e+00</b> | 3.70e+00(=)        | 3.46e+00(=)        |
| NILS              | T1 | 1.68e+02        | 1.68e+02(=)        | <b>1.64e+02(=)</b> |
|                   | T2 | <b>2.93e+03</b> | 3.15e+03(=)        | 3.12e+03(=)        |
| Number of “+/-/-” |    |                 | 1/17/0             | 1/17/0             |

### C. Robustness of AEDMTO on High-Dimensional Scenarios

In this section, AEDMTO is extended to high-dimensional scenarios by enlarging the dimensionalities of tasks in CEC2017 by 20 times. On high-dimensional scenarios, we first compare AEDMTO with its variants with fixed KT frequency values of 0.0, 0.1, 0.3, 0.5, 0.7, 0.8, and 1.0. The comparison results are shown in Table S.VI. From Table S.VI, we find that AEDMTO still outperforms all its variants with fixed KT frequency on high-dimensional MTOPs. Specifically, AEDMTO dominates its variants with fixed  $f_{KT}$  values on at least 8 tasks, while none of the variants can surpass AEDMTO on more than 2 tasks, which fully shows the scalability of AED strategy on high-dimensional scenarios.

Next, we continue to plot the variation curves of the  $f_{KT}$  values on these high-dimensional MTOPs in Fig. S3. From Fig. S3, we find that in CI group, tasks in CIHS and CIMS adjust their KT frequency to higher values, while the KT frequency for tasks in CILS decreases gradually to lower values to avoid negative KT. Similarly, in NI group, tasks in NIHS maintain a higher KT frequency during evolutionary process, while tasks in NIMS and NILS decrease the KT frequency. Note that in PI group, the variation curves seem to be inconsistent with the problem definition of CEC2017, where tasks in PILS maintain a higher KT frequency, while tasks in PIMS and PIHS obtain a medium and a lower KT frequency. However, according to the experimental results in Table S.VI, the curves still show consistent trends with the experimental results, where tasks in PIHS obtain better results with a lower KT frequency, tasks in PIMS and PILS perform better with medium and higher KT frequency. This phenomenon fully shows that even on high-dimensional scenarios, the adaptive KT frequency mechanism in AEDMTO is still effective, further revealing the scalability of AEDMTO on high-dimensional scenarios.

According to the analysis about the experimental results and the variation curves, the phenomenon illustrates that whether the suitable mapping can be sampled may not be mainly determined by the dimensionalities, but the similarity of tasks. For tasks with high similarity, suitable dimension-matching schemes can be easier to sample, in that case,  $f_{KT}$  will raise to a high value to allow more high-quality information to be transferred, even when tasks are with higher dimensionalities. Meanwhile, for tasks with low similarity, suitable mapping may be harder to sample, at this time,  $f_{KT}$  decreases with the evolutionary process, which filters the unsuitable dimension-matching schemes.

TABLE S.VI  
THE COMPARISONS AMONG AEDMTO AND ITS VARIANTS WITH FIXED KT FREQUENCY ON HIGH-DIMENSIONAL SCENARIOS

| CEC2017           | Adaptive $f_{KT}$ | $f_{KT} = 0.0$  | $f_{KT} = 0.1$     | $f_{KT} = 0.3$ | $f_{KT} = 0.5$ | $f_{KT} = 0.7$ | $f_{KT} = 0.8$ | $f_{KT} = 1.0$     |
|-------------------|-------------------|-----------------|--------------------|----------------|----------------|----------------|----------------|--------------------|
| CIHS              | T1                | <b>1.75e-02</b> | 3.82e+00(+)        | 5.58e-01(+)    | 2.72e-02(=)    | 3.10e-02(=)    | 2.06e-02(=)    | 3.82e-02(=)        |
|                   | T2                | <b>3.34e+02</b> | 1.23e+04(+)        | 5.12e+03(+)    | 4.98e+02(=)    | 5.60e+02(=)    | 4.01e+02(=)    | 7.43e+02(=)        |
| CIMS              | T1                | 7.85e-02        | 8.46e+00(+)        | 2.18e+00(+)    | 2.71e-01(+)    | 1.54e-01(=)    | 1.57e-01(=)    | 6.99e-02(=)        |
|                   | T2                | 7.54e+01        | 1.23e+04(+)        | 4.22e+03(+)    | 4.75e+02(+)    | 2.50e+02(=)    | 2.65e+02(=)    | 5.64e+01(=)        |
| CILS              | T1                | <b>1.54e+01</b> | 1.58e+01(+)        | 1.57e+01(+)    | 1.58e+01(+)    | 1.58e+01(+)    | 1.59e+01(+)    | 1.60e+01(+)        |
|                   | T2                | 2.67e+05        | <b>2.58e+05(-)</b> | 2.64e+05(=)    | 2.76e+05(+)    | 2.85e+05(+)    | 2.90e+05(+)    | 2.92e+05(+)        |
| PIHS              | T1                | <b>5.08e+03</b> | 1.21e+04(+)        | 5.48e+03(+)    | 5.53e+03(+)    | 5.37e+03(+)    | 5.71e+03(+)    | 5.47e+03(+)        |
|                   | T2                | <b>8.14e+04</b> | 4.20e+05(+)        | 9.27e+04(+)    | 9.12e+04(+)    | 9.30e+04(+)    | 9.52e+04(+)    | 1.00e+05(+)        |
| PIMS              | T1                | <b>6.93e-01</b> | 8.60e+00(+)        | 9.07e-01(+)    | 7.43e-01(=)    | 8.00e-01(=)    | 8.13e-01(+)    | 8.20e-01(+)        |
|                   | T2                | 6.00e+03        | 3.09e+09(+)        | 1.77e+04(+)    | 8.62e+03(+)    | 9.11e+03(=)    | 6.20e+03(=)    | <b>5.16e+03(=)</b> |
| PILS              | T1                | 1.72e-03        | 8.53e+00(+)        | 1.46e+00(+)    | 8.42e-02(+)    | 4.01e-02(+)    | 4.06e-03(+)    | 2.45e-03(=)        |
|                   | T2                | 8.90e-01        | 1.79e+02(+)        | 3.70e+01(+)    | 7.12e+00(+)    | 5.15e+00(+)    | 1.59e+00(+)    | 1.19e+00(=)        |
| NIHS              | T1                | 2.16e+03        | 3.20e+09(+)        | 2.15e+06(+)    | 3.07e+03(+)    | 2.59e+03(+)    | 6.39e+03(=)    | 2.45e+03(=)        |
|                   | T2                | 2.29e+02        | 1.23e+04(+)        | 3.70e+03(+)    | 2.30e+02(=)    | 2.60e+02(+)    | 5.11e+02(=)    | 2.48e+02(=)        |
| NIMS              | T1                | <b>1.23e+00</b> | 4.02e+00(+)        | 1.57e+00(+)    | 1.33e+00(+)    | 1.38e+00(+)    | 1.38e+00(+)    | 1.35e+00(+)        |
|                   | T2                | <b>1.03e+02</b> | 4.18e+02(+)        | 1.83e+02(+)    | 1.20e+02(+)    | 1.05e+02(=)    | 1.06e+02(=)    | 1.09e+02(=)        |
| NILS              | T1                | <b>1.24e+04</b> | 1.25e+04(=)        | 1.25e+04(=)    | 1.29e+04(=)    | 1.32e+04(+)    | 1.33e+04(+)    | 1.33e+04(+)        |
|                   | T2                | 2.67e+05        | <b>2.58e+05(-)</b> | 2.67e+05(=)    | 2.76e+05(+)    | 2.83e+05(+)    | 2.92e+05(+)    | 2.99e+05(+)        |
| Number of “+/-/-” |                   | 15/1/2          | 15/3/0             | 13/5/0         | 11/7/0         | 10/8/0         | 8/10/0         | 8/10/0             |






Fig. S3. The KT frequency variation curves for the three groups on high-dimensional scenarios. (a) CI group; (b) PI group; (c) NI group.

#### D. Analysis of Dimension Selection in SDM

In SDM strategy, the least-repeated selection is employed to fully exploit the information from all dimensions in source task. To illustrate the effectiveness of this restriction, AEDMTO is further compared with its variant with repeated selection of dimensions in SDM, denoted as AEDMTO-SDM-RS, where the dimension-matching is completely random. The detailed comparison results between AEDMTO and AEDMTO-SDM-RS on CEC2022 are shown in Table S.VII.

From Table S.VII, we find that AEDMTO outperforms AEDMTO-SDM-RS on 5 tasks, while AEDMTO-SDM-RS fails to show superiority on any task. This phenomenon fully shows that with the non-repeated selection of dimensions, the potential useful index-unaligned dimensions are more likely to match with each other, which enables sufficient knowledge exchange between index-unaligned dimensions and preserves the diversity of dimension-matching schemes.

TABLE S.VII  
THE COMPARISON BETWEEN AEDMTO AND AEDMTO-SDM-RS

| CEC2022           |    | AEDMTO          | AEDMTO-SDM-RS      |
|-------------------|----|-----------------|--------------------|
| Benchmark1        | T1 | <b>6.03e+02</b> | 6.03e+02(+)        |
|                   | T2 | <b>6.03e+02</b> | 6.03e+02(+)        |
| Benchmark2        | T1 | 7.00e+02        | <b>7.00e+02(=)</b> |
|                   | T2 | <b>7.00e+02</b> | 7.00e+02(+)        |
| Benchmark3        | T1 | <b>4.13e+05</b> | 4.64e+05(=)        |
|                   | T2 | <b>3.60e+05</b> | 5.27e+05(+)        |
| Benchmark4        | T1 | 1.30e+03        | <b>1.30e+03(=)</b> |
|                   | T2 | <b>1.30e+03</b> | 1.30e+03(=)        |
| Benchmark5        | T1 | 1.52e+03        | <b>1.52e+03(=)</b> |
|                   | T2 | 1.52e+03        | <b>1.52e+03(=)</b> |
| Benchmark6        | T1 | <b>3.59e+05</b> | 3.85e+05(=)        |
|                   | T2 | <b>2.09e+05</b> | 3.02e+05(+)        |
| Benchmark7        | T1 | <b>2.84e+03</b> | 2.88e+03(=)        |
|                   | T2 | 2.97e+03        | <b>2.89e+03(=)</b> |
| Benchmark8        | T1 | 5.21e+02        | <b>5.21e+02(=)</b> |
|                   | T2 | <b>5.21e+02</b> | 5.21e+02(=)        |
| Benchmark9        | T1 | <b>8.49e+03</b> | 8.72e+03(=)        |
|                   | T2 | <b>1.62e+03</b> | 1.62e+03(=)        |
| Benchmark10       | T1 | <b>1.06e+04</b> | 1.11e+04(=)        |
|                   | T2 | <b>4.46e+05</b> | 4.47e+05(=)        |
| Number of “+/-/-” |    | 5/15/0          |                    |

#### REFERENCES

- [S1] M. V. Battle, G. S. M. Cowan and E. A. Rakow, “Statistical power: planning for it, estimating it post hoc, and reporting it,” *IEEE Trans. Prof. Comm.*, vol. 43, no. 4, pp. 345-354, Dec. 2000.
- [S2] H. Liu, C. Zhao, B. Fan, Z. Liu and Y. Hu, “Learning boundary continuity-aware Gaussian encoder for oriented object detection,” *IEEE Trans. Cybern.*, vol. 55, no. 7, pp. 3262-3275, Jul. 2025.
- [S3] Y. Xiao, H. Wang and W. Xu, “Parameter selection of Gaussian kernel for one-class SVM,” *IEEE Trans. Cybern.*, vol. 45, no. 5, pp. 941-953, May 2015.
- [S4] Y. Jeong and H. S. Kim, “New speaker adaptation method using 2-D PCA,” *IEEE Signal Process. Lett.*, vol. 17, no. 2, pp. 193-196, Feb. 2010.
- [S5] S. Martina, C. Recalcati, A. Guadagnini, M. Riva, “A Gaussian-mixture based stochastic framework for the interpretation of spatial heterogeneity in multimodal fields,” *J. Hydrol.*, vol. 617, p. 128849, Feb. 2023.
- [S6] R. E. Bellman, “Curse of dimensionality,” in *Adaptive Control Processes: A Guided Tour*. Princeton, NJ, USA: Princeton Univ. Press, 1961, pp. 94-95.
- [S7] E. T. Wang, “Efficient quantum state preparation for the Cauchy distribution based on piecewise arithmetic,” *IEEE Trans. Quantum Eng.*, vol. 3, pp. 1-9, 2022, Art no. 3100609.