Review Questions: Stochastic Growth Model

Econ720. Fall 2016. Prof. Lutz Hendricks

Useful problems from the texts:

- Acemoglu, "Introduction to Modern Economic Growth:" Exercises 17.2.1, 17.5.2, 17.9, 17.11, 17.12, 17.18, 17.19.
- Romer, "Advanced Macro:" Exercises 4.8, 4.9, 4.10, 4.11.

1 Stochastic growth model

[Due to Oksana Leukhina] Consider a neoclassical growth model with uncertainty. Time is discrete: t = 0, 1, 2, ...

Demographics: There is a unit mass of identical households.

Preferences: $\mathbb{E} \sum_{t=0}^{\infty} \beta^t \ln c_t$.

Endowments: The household is endowed with one unit of labor time in each period and with initial capital stock k_0 .

Technology: Output per capita is given by $\theta_t k_t^{\alpha}$ where k is the capital-labor ratio. The resource constraint is given by $k_{t+1} = \theta_t k_t^{\alpha} - c_t$. θ_t is an i.i.d. random variable that takes on the values θ^1 with probability π and θ^2 with probability $1 - \pi$.

- a. State the social planner's problem in recursive form.
- b. Solve for the value function and the policy function. Start from the guess $V(k, \theta^i) = A + B \ln k + C \ln \theta^i$.
- c. Define a Competitive Equilibrium, assuming: (i) θ_t is an aggregate shock; (ii) trading takes place in a sequence of markets; (iii) households trade a complete set of Arrow securities (an Arrow security pays one unit of the good if history $\theta^t = (\theta_1, ..., \theta_t)$ occurs).

1.1 Answer: Stochastic growth model

[I have not checked the details.]

a. The Bellman equation is formulated as

$$V(k, \theta_i) = \max_{c, k' \ge 0} \{ \ln(c) + \beta \mathbb{E} V_1(\theta', k') \}$$

s.t. $c + k' \le \theta_i k^{\alpha}$,

where θ is a discrete i.i.d. r.v. that takes on two values θ_1 with probability π and θ_2 with probability $(1-\pi)$.

Find the value function using the method of undertermined coefficients. Use $V(k, \theta_i) = A + B \ln k + C \ln \theta_i$ as a guess.

The Bellman equation is formulated as

$$V(k, \theta_i) = \max_{k'} \left\{ \ln(\theta_i k^{\alpha} - k') + \beta \left[\pi V(k', \theta_h) + (1 - \pi) V(k', \theta_h) \right] \right\}.$$

Plugging the guess into the functional equation gives

$$V(k,\theta_{i}) = \max_{k'} \left\{ \ln(\theta_{i}k^{\alpha} - k') + \beta [\pi(A + B \ln k' + C \ln \theta_{h}) + (1 - \pi) (A + B \ln k' + C \ln \theta_{l})] \right\} =$$

$$= \max_{k'} \left\{ \ln(\theta_{i}k^{\alpha} - k') + \beta B \ln k' + \beta A + \beta C [\pi \ln \theta_{h} + (1 - \pi) \ln \theta_{l}] \right\}.$$

Taking first-order conditions, which are necessary and sufficient, gives

$$\frac{-1}{(\theta_i k^{\alpha} - k')} + \frac{\beta B}{k'} = 0.$$

The optimal policy function is then

$$k' = \frac{\beta B}{1 + \beta B} \theta_i k^{\alpha},$$

i.e., a constant share of output is saved in each period.

We have

$$\begin{split} A + B \ln k + C \ln \theta_i &= \ln \left(\frac{\theta_i k^\alpha}{1 + \beta B} \right) + \beta B \ln \left(\frac{\beta B}{1 + \beta B} \theta_i k^\alpha \right) + \beta A + \beta C [\pi \ln \theta_h + (1 - \pi) \ln \theta_l] \\ A + B \ln k + C \ln \theta_i &= \ln \left(\frac{\theta_i k^\alpha}{1 + \beta B} \right) + \beta B \ln \left(\frac{\beta B}{1 + \beta B} \theta_i k^\alpha \right) + \beta A + \beta C [\pi \ln \theta_h + (1 - \pi) \ln \theta_l] \\ A + B \ln k + C \ln \theta_i &= \alpha \left(1 + \beta B \right) \ln k + (1 + \beta B) \ln \theta_i - (1 + \beta B) \ln (1 + \beta B) + \beta B \ln \beta B + \beta A + \beta C [\pi \ln \theta_h + (1 - \pi) \ln \theta_l] \end{split}$$

We are now able to determine the coefficients:

$$B = \alpha (1 + \beta B), \text{ i.e. } B = \frac{\alpha}{(1 - \alpha \beta)}$$

$$C = (1 + \beta B)$$

$$A = ((1 + \beta B) \ln \theta_i - (1 + \beta B) \ln (1 + \beta B) + \beta B \ln \beta B + \beta C [\pi \ln \theta_h + (1 - \pi) \ln \theta_l]) / (1 - \beta)$$