

Clone:

```
liqiy@Cloudy_Ryan MINGW64 ~ (master)
$ git clone https://github.com/Qiyun506/MySpace.git
Cloning into 'MySpace'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
```

checkout:

```
liqiy@Cloudy_Ryan MINGW64 ~ (add-read-me)
$ cd MySpace

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (main)
$ git checkout -b add-read-me
Switched to a new branch 'add-read-me'

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
```

README.md:

```
liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ ls
README.md

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ cat README.md
# MySpace

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ vim README.md

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ cat README.md
# MySpace
Qiyun's User Page
```

add file

```
liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ git status
On branch add-read-me
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   README.md

liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ |
```

commit

```
liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ git commit -m "Update readme file"
[add-read-me 7a0ef0b] Update readme file
1 file changed, 2 insertions(+), 1 deletion(-)
```

push:

```
liqiy@Cloudy_Ryan MINGW64 ~/MySpace (add-read-me)
$ git push origin main
Everything up-to-date
```



