Catatan:

- 1. Content.php itu route.
- 2. Proses.php itu codingan create,update, dan delete.
- 3. Media.php itu tampilan utama.
- 4. Codingan merender grcode materi di admin (adm/grcode.php)

```
<?php
include "view/adm/phpqrcode/qrlib.php";
$this_mapel = mysqli_real_escape_string($conn, $_GET['idnya']);
$sql = "SELECT * FROM materi where id=$this_mapel";
$query = $conn->query($sql);
if ($query->num_rows!==0) {
while ($get_mapel=$query->fetch_assoc()) {
              $codeContents = $get_mapel['qrcode'];
 $image = $codeContents.'.png';
 //output gambar langsung ke browser, sebagai PNG
QRcode::png($codeContents,$image);
  <img src="<?php echo $image; ?>" />
```

5. Codigan Menscan qr code.

Tampilan absen_masuk.php

```
ch1 class="page-header">Absen</h1>
c?nhn $this day = mysoli real_escape_string($conn, $_GET['idnya']); ??
<?php $this_mapel = mysqli_real_escape_string($conn, $_GET['idmapel']); ?>
 form name="myText" id="myText" method="post">
cinout cype= cext name="x" value="<?phip echo $_SESSION['10'];?>" style="01splay:none">
cingut type= text" name="y" value=" ecno sthis_day;* style="display.none";
cinput type="text" name="z" value="<?php echo $this mapel;?>" style="display:none">
<video id="preview"></video>
   <script type="text/javascript">
     let scanner = new Instascan.Scanner({ video: document.getElementById('prgview') });
     scanner.addListener('scan', function (content) {
             document.getElementById("myText").action="./model/proses.php?code="ycontent+"&absen=i";
             // alert("Or cou
             document.getElementById("myText").submit();
     Instascan.Camera.getCameras().then(function (cameras) {
       if (cameras.length > 0) {
         scanner.start(cameras[0]);
       } else {
         console.error('No cameras found.');
     }).catch(function (e) {
       console.error(e);
   </script>
```

• Codingan proses.php?code=KODE YANG DISCAN&absen=1

```
$codenya=$_GET['code'];
$query = $conn->query($cek);
if($hitung--1){
       if($_GET['absen']--1){
           $idne=$_SESSION['id'];
           $status = "Menunggu";
              id bln,
                                                                                                                                                            1 D SN
               jan_msk,
              st_jam_msk) VALUES ('$id','$idne','$month', '$day', '$day_tgl', '$hour','$status')";
              if (mysqli_query($conn, $sql)) {
                  header("location:../mapel&idnya-$za");
           $id_user = mysqli_real_escape_string($conn, $_$E$$$ION['id']);
           $status = "Menunggu";
           $sql = "UPDATE data absen SET jam klr='$hour', st jam klr='$status' NHERE id materi='$ya' AND id user='$id_user' AND id tgl='$day_tgl' AND id_bln='$id_bln'";
              header(*location:../mapel&idnya=$za*);
}else{
```

- 6. Contoh Hapus data Mapel
 - Tombol hapus

<a class='btn btn-danger' href="./model/proses.php?del_mapel=<?php echo \$get_mapel['id']?>" >Delete

Berisi link ke proses.php dengan get data del_mapel yang berisi id mapel

Proses.phpnya

```
}elseif (isset($_GET['del_mapel'])) {
    $hariid=$_GET['del_mapel'];
    $cek =$conn->query("SELECT*FROM materi WHERE id_mapel='$hariid'")->num_rows;
   if ($cek==0) {
       $sql = "DELETE FROM mapel WHERE id=$hariid";
       if (mysqli_query($conn, $sql)) {
           header("location:../mapel&st=3");
       } else {
           header("location:../mapel&st=4");
    }else{
       header("location:../mapel&st=4");
   mysqli_close($conn);
```