

The Nexus of Reality: A Synthesis of Computation, Mathematics, and Physics

By Dean Kulik

Part I: The Discrete and the Continuous — Frameworks for Modeling Reality

The translation of the continuous laws of physics and the abstract structures of mathematics into a form amenable to computation is one of the central challenges and triumphs of modern science. This process of discretization, of replacing the infinitesimal with the finite, is not merely a practical necessity but a profound conceptual shift that reveals deep connections between seemingly disparate fields. The foundational concepts of this translation—finite differences, discrete geometry, and cellular automata—form a shared language for modeling the dynamics of reality, whether in the physical world or in the abstract realm of numbers.

Section 1: The Language of Discretization

At the heart of computational modeling lies the need to represent continuous systems within a discrete framework. This requires a set of mathematical and algorithmic tools that can approximate continuous processes with finite, computable steps.

1.1 Finite Difference Operators: Approximating the Infinitesimal

The most fundamental tool for discretizing differential equations is the finite difference operator, which approximates derivatives by combining function values at nearby points. This approach forms the basis of the Finite Difference Method (FDM), a

cornerstone of numerical analysis for solving differential equations by converting them into systems of algebraic equations.¹

The three primary finite difference operators are formally defined as follows:

- Forward Difference: The forward difference operator, Δ_h , approximates the derivative at a point x using the value at x and a future point $x+h$. It is defined as:

$$\Delta_h[f](x) = f(x+h) - f(x)$$

The corresponding approximation for the first derivative is $f'(x) \approx \Delta_h[f](x)/h$.⁴ This formula is derived directly from the limit definition of a derivative, where the limit is not taken and

h remains a small, finite step size.⁶

- Backward Difference: The backward difference operator, ∇_h , uses the value at x and a past point $x-h$:

$$\nabla_h[f](x) = f(x) - f(x-h)$$

The derivative approximation is $f'(x) \approx \nabla_h[f](x)/h$.⁴

- Central Difference: The central difference operator, δ_h , provides a more symmetric and typically more accurate approximation by using points equidistant from x :

$$\delta_h[f](x) = f(x+h) - f(x-h)$$

For practical computation on a grid, the central difference approximation for the first derivative is expressed as $f'(x) \approx \delta_h[f](x)/h$.⁴

The accuracy of these approximations is understood through Taylor series expansions. This analysis reveals the **truncation error**, which is the difference between the exact derivative and its finite difference representation.¹ The forward and backward difference methods are first-order accurate, with an error term proportional to the step size, denoted as

$O(h)$. The central difference method, by canceling out error terms, achieves second-order accuracy, $O(h^2)$, making it the preferred choice for most scientific applications where higher accuracy is required.⁶

1.2 Discrete Differential Geometry: Geometry on Meshes and Networks

Discretization extends beyond simple functions to the geometric structures of manifolds. **Discrete Differential Geometry (DDG)** is the study of discrete counterparts to smooth objects, replacing continuous curves and surfaces with polygons, meshes, and simplicial complexes.⁹ This field provides a framework for applying geometric concepts to the complex, irregular structures found in data science, computer graphics, and network analysis.

A central concept in DDG is the definition of curvature on these discrete objects. **Ricci curvature**, which in the continuous setting measures the rate at which the volume of geodesic balls grows, has been successfully adapted to the discrete domain.¹³ Two prominent formulations are:

- **Ollivier-Ricci Curvature (ORC):** This approach defines curvature on the edge of a graph by measuring the "distance" between the neighborhoods of its two endpoint vertices. This distance is formally the **Wasserstein distance** (or "earth mover's distance") between probability distributions defined on the neighborhoods of the two nodes. Intuitively, an edge with positive ORC is part of a tightly knit cluster where neighbors are highly interconnected, making it robust to information flow. An edge with negative ORC acts as a "bridge" between less connected regions.¹⁵ This property makes ORC a powerful tool for network analysis, particularly for **community detection**, where removing the most negatively curved edges can effectively partition a network into its constituent communities.¹⁸ This has found applications in analyzing biological, chemical, and social networks.²⁰
- **Forman-Ricci Curvature (FRC):** This is an alternative, computationally simpler definition of discrete curvature derived from a combinatorial Bochner-type formula, which relates the graph Laplacian to curvature.²²

Building on these concepts, **Discrete Ricci Flow (DRF)** is an iterative process that modifies the geometry of a graph (e.g., by changing edge weights) to make its curvature more uniform over time. This is analogous to the smooth Ricci flow on manifolds, a tool famously used in the proof of the Poincaré conjecture, and provides a method for analyzing and optimizing network structures.¹⁷

1.3 Cellular Automata: The Fundamental Logic of Local Computation

Cellular automata (CA) represent one of the most fundamental models of discrete computation. A CA consists of a regular grid of cells, where each cell exists in one of a finite number of states. The entire system evolves in discrete time steps, with the state of each cell being updated simultaneously based on a simple, deterministic rule that depends only on the states of its local neighbors.

Despite their simplicity, CAs are capable of extraordinarily complex behavior and even universal computation. A striking example of this is their ability to generate the sequence of prime numbers. This can be achieved by designing a CA that effectively implements a known prime-finding algorithm, such as the **Sieve of Eratosthenes**. In one such construction, structures propagate from the right side of the automaton, bouncing back and forth with periods corresponding to successive odd integers. Each time they bounce, they emit a "signal" (a gray stripe) that travels to the left. The system is designed so that these signals mark all positions corresponding to composite numbers, leaving the prime numbers as unmarked white gaps.²⁴ Although the rule for such a CA can be complex (e.g., involving 16 colors), it demonstrates that a purely local, iterative process can solve a problem that seems to require global knowledge.²⁴

This capability is not just a theoretical curiosity. Research into using specific classes of CAs, such as group CAs with fixed boundary conditions, has shown that they can generate the natural sequence of primes efficiently, suggesting potential for cost-effective hardware implementations for applications like cryptography and data security. The existence of computationally universal CAs, such as the famous Rule 110, further underscores the profound computational power embedded in these simple, discrete systems.²⁵

The concepts of finite differences, discrete geometry, and cellular automata, while originating in different domains, are deeply interconnected. They represent different levels of abstraction for the same fundamental principle: the translation of continuous, global phenomena into discrete, local, and computable rules. Finite differences provide the numerical language, discrete geometry provides the spatial framework, and cellular automata provide the most basic logical underpinning. This shared foundation is what allows for the computational modeling of reality. Furthermore, the ability of simple, local rules to generate globally complex and seemingly non-local structures, such as the distribution of prime numbers, is a recurring and profound theme. It suggests that complex systems may not always require complex top-down design but can emerge from the parallel iteration of simple, underlying generative processes.

Section 2: The Praxis of Simulation and Visualization

The theoretical tools of discretization find their purpose in practical application. Modern scientific inquiry relies heavily on software frameworks to execute simulations and on visualization tools to interpret the often vast and complex datasets that result. The choice of framework involves a trade-off between computational power, accessibility, and the specific demands of the simulation.

2.1 Frameworks for Scientific Simulation: Python vs. JavaScript

Two primary ecosystems dominate the landscape of scientific simulation and visualization: Python, for its computational prowess, and JavaScript, for its web-native interactivity.

- **The Python Ecosystem:** Python's strength lies in its rich collection of libraries tailored for scientific and mathematical tasks.²⁶
 - **NumPy and SciPy:** These two libraries form the bedrock of scientific computing in Python. NumPy provides the ndarray object, an efficient N-dimensional array that enables high-performance numerical and linear algebra operations. SciPy builds upon NumPy to offer a vast suite of higher-level scientific algorithms, including functions for numerical integration, optimization, signal processing, and solving differential equations.²⁷ Together, they provide the computational engine for complex mathematical modeling.
 - **PyGame:** Originally designed for game development, PyGame has proven to be a versatile tool for creating interactive physics simulations. Its immediate-mode rendering canvas allows for dynamic drawing, and its robust event-handling system is ideal for user interaction. Numerous tutorials and projects demonstrate its use for building simulations of particle systems, gravitational attraction, and collision dynamics.³⁰ The built-in pygame.math module provides essential vector operations for these tasks.³⁴
- **The JavaScript Ecosystem:** JavaScript's primary advantage is its native integration with the web browser, making it an unparalleled platform for creating accessible, interactive visualizations that can be shared easily.

- **p5.js:** A library born from the Processing project, p5.js is designed for "creative coding," with a focus on making programming accessible to artists, designers, and beginners.³⁵ It provides a simple API for 2D and 3D graphics, sound manipulation, and user interaction.³⁶ The p5play extension adds a physics engine, making it a powerful tool for creating interactive simulations and games directly in the browser, with capabilities rivaling PyGame. The p5.js examples library showcases a wide range of physics simulations, including flocking behavior, soft body dynamics, and particle systems.³⁸
- **Performance Considerations:** The choice between these ecosystems often involves a performance trade-off. As an interpreted language, Python's raw performance can be slow for intensive, low-level calculations. This is often mitigated by using libraries like NumPy, which are wrappers around highly optimized C or Fortran code, or by using just-in-time compilers like Numba. In the JavaScript world, performance can be a concern when rendering a large number of objects in the browser, which is single-threaded. For p5.js, this might manifest as a low frame rate when drawing thousands of shapes per frame. This can be optimized using techniques such as rendering to off-screen graphics buffers before drawing to the main canvas.

2.2 Real-Time Data Visualization with Chart.js

Simulations, whether of physical systems or mathematical models, often produce dynamic, time-varying data streams. To make sense of this output, powerful visualization tools are required. **Chart.js** is a leading JavaScript library for creating dynamic and interactive charts within a web browser.

Chart.js is a lightweight, open-source library that leverages the HTML5 <canvas> element to render a wide variety of responsive and animated charts, including line, bar, pie, and scatter plots. Its most critical feature for scientific simulation is the ability to handle dynamic data updates. This is typically accomplished by creating a chart instance and then, within a simulation loop or in response to new data from an API, updating the chart's data object and calling the `chart.update()` method.³⁹

This functionality enables the creation of real-time dashboards that can visualize live data. For example, a simulation of a PID controller could be visualized with a live-updating line chart showing the process variable approaching the setpoint. A

common architecture involves a backend service, built with a framework like Cube.js, that queries a database or runs a model and exposes the data through an API. The front-end Chart.js application then fetches this data periodically to update the visualization, allowing users to interact with the data, for instance by selecting a date range to view.⁴⁰

The following table provides a structured comparison of the primary simulation frameworks discussed, highlighting their respective strengths and weaknesses to guide the selection of the appropriate tool for a given task.

Framework	Primary Language	Key Strengths	Key Weaknesses	Typical Use Case	Interactivity Level
PyGame	Python	Mature library, well-suited for complex game logic, provides direct access to multimedia hardware.	Steeper learning curve for pure visualization, performance can be a bottleneck without optimization.	Desktop-based interactive physics games and complex simulations (e.g., collision physics). ³⁰	High
p5.js	JavaScript	Highly accessible, web-native for easy sharing, excellent for creative coding and education, strong community support.	Performance limitations within the browser environment, constrained by JavaScript's single-threaded nature.	Web-based interactive art, educational physics demonstrations, and simple games.	High
NumPy/SciPy	Python	Extremely high performance for numerical computation, vast library of optimized mathematical	Not a visualization library; requires a separate plotting backend like Matplotlib	Backend engine for complex mathematical modeling, data analysis, and non-interacti	Low (Computation Engine)

		I functions.	for graphical output.	ve simulations. ² 6	
--	--	--------------	--------------------------	--------------------------------------	--

Part II: The Spectral View — Decomposing Complexity

Shifting perspective from the time and space domains of direct simulation to the frequency or spectral domain provides a powerful set of analytical tools. This approach, rooted in signal processing, can decompose complex behaviors into simpler, fundamental components. This spectral view not only illuminates the structure of signals and systems but also reveals profound and unexpected connections between the principles of physics and the deepest questions in number theory.

Section 3: The Foundations of Signal Processing

The transformation of signals from the time domain to the frequency domain is enabled by a core set of mathematical theorems and efficient algorithms. These tools form the foundation of modern digital signal processing.

3.1 The Nyquist-Shannon Sampling Theorem: The Digital Bridge

The Nyquist-Shannon sampling theorem provides the theoretical underpinning for all of digital signal processing by establishing the critical link between continuous analog signals and their discrete digital representations. The theorem states that a continuous signal that is **band-limited**—meaning it contains no frequencies above a maximum frequency B—can be perfectly reconstructed from its discrete samples if the sampling frequency, f_s , is strictly greater than twice the maximum frequency.⁴²

This condition is expressed by the inequality:

$f_s > 2B$

The critical sampling rate of $2B$ is known as the Nyquist rate.⁴² If this criterion is not met (i.e., the signal is undersampled), a form of distortion known as **aliasing** occurs. In aliasing, frequency components above half the sampling rate ($f_s/2$, known as the Nyquist frequency) are "folded" into the lower frequency range, becoming indistinguishable from the true lower-frequency components and irrevocably corrupting the signal.⁴² To prevent this, practical analog-to-digital converters employ an

anti-aliasing filter, which is a low-pass filter that removes frequencies above the Nyquist frequency before sampling occurs.⁴²

Theoretically, the perfect reconstruction of the original signal from its samples is achieved via the **Whittaker–Shannon interpolation formula**. This involves creating a continuous signal by summing an infinite series of **sinc functions**, where each sinc function is centered at a sample time and scaled by the corresponding sample's amplitude.⁴²

3.2 The Fast Fourier Transform (FFT): An Algorithmic Revolution

The **Discrete Fourier Transform (DFT)** is the mathematical operation that converts a finite sequence of N discrete time-domain samples into a corresponding sequence of N complex-valued frequency-domain components.⁴⁷ A direct computation of the DFT from its definition involves a number of operations on the order of

N^2 , which is computationally prohibitive for large datasets.⁴⁹

The **Fast Fourier Transform (FFT)** is a family of highly efficient algorithms for calculating the DFT. The most common FFT algorithm, the Cooley-Tukey algorithm, is based on a **divide-and-conquer** strategy. It works by recursively breaking down an N -point DFT into smaller DFTs, typically of size $N/2$ (one for the even-indexed samples and one for the odd-indexed), and then combining their results.⁴⁹ This recursive decomposition dramatically reduces the computational complexity from

$O(N^2)$ to $O(N \log N)$, a breakthrough that made digital spectral analysis practical. Gilbert Strang famously described the FFT as "the most important numerical algorithm of our lifetime".⁴⁹ The FFT is the computational engine behind a vast array of modern technologies, including digital filtering, audio and image compression, and

methods for solving partial differential equations.⁴⁹

3.3 Advanced Spectral Techniques: Wavelets and Phase Vocoders

While the FFT is powerful, it provides a global frequency decomposition, which is not ideal for analyzing non-stationary signals where the frequency content changes over time. More advanced techniques have been developed to address this limitation.

- **The Wavelet Lifting Scheme:** The lifting scheme is a modern and computationally efficient method for performing the **Discrete Wavelet Transform (DWT)**.⁵³ Unlike the Fourier transform, which uses non-local sine and cosine waves as its basis functions, the wavelet transform uses wavelets, which are functions that are localized in both time and frequency. The lifting scheme factorizes the DWT into a sequence of three simple, invertible steps: **Split, Predict, and Update**.⁵⁴
 - **Split:** The data is separated into two disjoint sets (e.g., even and odd samples).
 - **Predict:** One set is predicted from the other. The difference between the prediction and the actual values forms the high-frequency detail coefficients.
 - **Update:** The set used for prediction is updated using the detail coefficients to preserve certain properties (like the mean), creating the low-frequency approximation coefficients.This approach is nearly twice as fast as traditional DWTs, can be performed in-place (reducing memory requirements), and can be designed to map integers to integers, a crucial feature for lossless compression standards like JPEG 2000.⁵³
- **The Phase Vocoder:** The phase vocoder is an algorithm based on the **Short-Time Fourier Transform (STFT)**, which involves applying the FFT to short, overlapping windows of a signal. It is primarily used for high-quality time-stretching and pitch-shifting of audio signals.⁵⁹ The central challenge in phase vocoding is maintaining **phase coherence** both horizontally (between successive time frames) and vertically (between adjacent frequency bins). Failure to do so results in audible artifacts known as "phasiness".⁵⁹ Modern implementations employ advanced techniques, such as estimating and integrating the phase gradient, to preserve these phase relationships and achieve high-quality results.⁵⁹

The progression of these techniques reveals a fundamental duality in signal representation. The Nyquist-Shannon theorem and the Fourier transform provide a complete framework for moving between the time/space domain and the frequency/spectral domain, with each representation offering unique advantages for analysis. The historical evolution from the global FFT to the windowed STFT and finally to the multi-resolution, localized wavelet transform reflects a conceptual shift towards more adaptive and powerful representations, better suited for the complex, non-stationary signals encountered in the real world.

Section 4: The Spectrum of Operators in Physics and Mathematics

The concept of a "spectrum," which originates in the study of light and signals, can be generalized to the set of eigenvalues of a mathematical operator. This abstraction reveals a deep and unexpected unity between the structure of quantum mechanical systems, the behavior of signals, and the fundamental properties of numbers. This spectral viewpoint transforms problems in one domain into solvable problems in another, most famously in the pursuit of the Riemann Hypothesis.

4.1 Formalism of Operators in Hilbert Space

The mathematical framework for quantum mechanics and advanced signal processing is the Hilbert space, a vector space equipped with an inner product. Within this space, operators act on vectors (states) to transform them.

- **Projection Operators:** A **projection operator** P is a linear operator that is **idempotent**, meaning that applying it twice is the same as applying it once: $P^2 = P$.⁶³ It effectively projects a vector onto a specific subspace. If the operator is also **self-adjoint** ($P = P^*$), it is an **orthogonal projection**, meaning the projection is perpendicular to the target subspace.⁶⁵ In quantum mechanics, projection operators are central to the formalism of measurement. When a measurement is performed, the state vector of the system is projected onto an eigenspace of the observable being measured, with the corresponding eigenvalue being the measurement outcome.⁶⁵

- **Difference and Accumulation Operators:** From a more abstract algebraic perspective, the **difference operator** Δ , which approximates differentiation, can be viewed as a linear operator acting on a function space.⁴ Its discrete counterpart to integration is the **accumulation operator**, often denoted by Σ , which computes a running total or cumulative sum.⁷⁰ These operators form the basis of a **discrete calculus**. A key example of a difference operator in a geometric context is the **discrete Laplace operator** (or Laplacian matrix), which is fundamental to the study of graphs and meshes.⁷⁴

4.2 The Hilbert-Pólya Conjecture: The Music of the Primes

One of the most profound connections between physics and mathematics arises from the spectral interpretation of the prime numbers.

- **The Riemann Hypothesis (RH):** Proposed by Bernhard Riemann in 1859, the RH is a conjecture about the zeros of the Riemann zeta function, $\zeta(s)$. The function has "trivial" zeros at the negative even integers. The hypothesis states that all "non-trivial" zeros lie on the **critical line** in the complex plane where the real part is exactly $1/2$, i.e., $s=1/2+it$ for some real number t .⁷⁵ The distribution of these zeros is known to be intimately connected to the distribution of the prime numbers.⁷⁶
- **The Spectral Interpretation:** The **Hilbert-Pólya conjecture** proposes a physical basis for the RH. It suggests that the values t_n from the non-trivial zeros ($1/2+it_n$) correspond to the **eigenvalues** (or energy levels) of a self-adjoint (Hermitian) operator associated with a quantum mechanical system.⁸⁰ Since the eigenvalues of a Hermitian operator must be real numbers, a proof of this conjecture would automatically prove the Riemann Hypothesis.⁷⁹ This reframes one of the deepest problems in pure mathematics as a search for a physical system whose "music"—its resonant frequencies—is determined by the prime numbers.⁷⁹

4.3 Random Matrix Theory and the Statistics of Zeros

While the specific quantum system of the Hilbert-Pólya conjecture remains elusive, powerful statistical evidence for its existence comes from **Random Matrix Theory**

(RMT).

- **The Montgomery-Dyson Observation:** In a landmark moment of interdisciplinary connection in the 1970s, physicist Freeman Dyson recognized that a formula derived by mathematician Hugh Montgomery for the statistical spacing of the Riemann zeros (their pair correlation function) was identical to the known formula for the spacing of eigenvalues of large **random Hermitian matrices**.⁸⁵
- **The GUE Connection:** More specifically, the statistical properties of the Riemann zeros are modeled with incredible accuracy by the **Gaussian Unitary Ensemble (GUE)** of random matrices. This has led to the further conjecture that the hypothetical quantum system underlying the zeros is **quantum chaotic**, as the energy levels of such systems are also known to follow GUE statistics.⁷⁹
- **Modeling with Characteristic Polynomials:** This connection is not merely statistical. The characteristic polynomial of a random unitary matrix, $\det(I - A^*z)$, serves as a remarkably effective finite-dimensional analogue for the Riemann zeta function itself.⁸⁵ By establishing a relationship between the size of the matrix, N , and the height, T , on the critical line, the moments of these characteristic polynomials can be used to predict the moments of the zeta function with high precision, capturing behavior even at finite heights where the distribution has not yet reached its asymptotic limit.⁸⁵

This confluence of ideas demonstrates that the term "spectrum" is a powerful unifying concept. It begins as the set of frequencies in a signal, generalizes to the eigenvalues of an operator, and culminates in the zeros of a complex function. The underlying connection is that these spectra all describe the fundamental resonant modes of a system, whether it is a physical object, a quantum state, or the distribution of prime numbers. Riemann's explicit formula shows that the prime-counting function $\pi(x)$ can be expressed as a smooth approximation plus a sum of oscillatory "waves," where the frequencies of these waves are determined by the Riemann zeros.⁸⁷ Thus, the distribution of primes can be viewed as a "signal," and the Riemann zeros are its "frequencies." The Hilbert-Pólya conjecture is the bold assertion that this signal is generated by a real physical system.

Part III: Control, Feedback, and Emergence

The principles governing how systems are controlled and how they self-organize form

another pillar of modern science. Originating in engineering, control theory provides a rigorous mathematical framework for analyzing feedback, stability, and optimization. These concepts, however, are not limited to machines; they extend as universal principles to describe the emergence of complex behavior in biological, social, and physical systems.

Section 5: The Principles of Control Theory

Control theory is the branch of applied mathematics concerned with the analysis and design of methods to influence the behavior of dynamical systems.⁸⁸ Its objective is to develop algorithms that can drive a system to a desired state while ensuring stability and optimizing performance.

5.1 System Representation: State-Space and Transfer Functions

To control a system, one must first have a mathematical model of its behavior. Two representations are standard in control theory:

- **State-Space Representation:** A dynamical system is described by its internal state, a vector of variables that fully captures its condition at any given moment. The evolution of this state is governed by a set of first-order differential equations. For a linear time-invariant (LTI) system, this is expressed in the canonical state-space form:

$$\dot{x}(t) = Ax(t) + Bu(t) \quad y(t) = Cx(t) + Du(t)$$

where x is the state vector, u is the input (control) vector, y is the output (measurement) vector, and A, B, C, D are matrices defining the system's dynamics. This representation is central to modern control theory.⁹⁰

- **Transfer Function:** An alternative representation for LTI systems is the **transfer function**, $G(s)$. It is defined as the Laplace transform of the system's impulse response and describes the algebraic relationship between the input and output in the complex frequency domain (where s is the Laplace variable).⁹¹

5.2 Stability and the Role of Poles

The most critical property of a control system is **stability**. A system is defined as Bounded-Input, Bounded-Output (BIBO) stable if any bounded input signal produces a bounded output signal, preventing the system from running away to infinity.⁹³

The stability of an LTI system can be determined directly from its transfer function. The **poles** of the transfer function—the roots of its denominator polynomial—dictate the system's natural response modes.⁹² The fundamental stability criterion is:

- A continuous-time LTI system is stable if and only if all of its poles lie strictly in the **left-half of the complex plane** (i.e., have a negative real part, $\text{Re}(s) < 0$).⁹²

Poles in the right-half plane correspond to exponentially growing modes, leading to instability. Poles located precisely on the imaginary axis correspond to oscillatory modes and result in a system that is termed **marginally stable**.⁹³

5.3 The PID Controller: A Universal Algorithm

The **Proportional-Integral-Derivative (PID) controller** is the most ubiquitous control algorithm in industrial and engineering applications, found in everything from thermostats to vehicle cruise control systems.⁹⁶ It operates within a

closed-loop feedback architecture, where it continuously measures a process variable (PV), compares it to a desired setpoint (SP) to calculate an error signal $e(t)$, and computes a corrective output to minimize this error.⁹⁹

The strength of the PID controller lies in its combination of three distinct control actions, whose outputs are summed together⁹⁹:

1. **Proportional (P) Term ($K_p e(t)$):** This term provides a corrective action proportional to the *current* error. It is the primary driver of the controller, providing an immediate response. However, using P-control alone often results in a persistent **steady-state error**, as a non-zero error is required to generate a non-zero output.⁹⁹
2. **Integral (I) Term ($K_i \int e(\tau) d\tau$):** This term addresses the limitation of P-control by accumulating *past* errors over time. As long as an error persists, the integral term will grow, ensuring that the controller continues to apply corrective action until

the steady-state error is driven to zero. A major drawback is **integral windup**, where the accumulator can grow excessively, leading to large overshoots.⁹⁹

3. **Derivative (D) Term ($K_d \frac{de(t)}{dt}$):** This term acts as an anticipatory control, responding to the *rate of change* of the error. By providing a damping effect, it can reduce overshoot and improve the stability and settling time of the system. Its main weakness is a high sensitivity to measurement noise, which can be amplified by the derivative action, leading to erratic control outputs.⁹⁹

The process of selecting the optimal gains K_p , K_i , and K_d is known as **tuning**. Several methodologies exist, ranging in complexity:

- **Manual Tuning:** An operator iteratively adjusts the gains based on observing the system's response—a process that is intuitive but time-consuming and potentially risky for physical hardware.¹⁰²
- **Ziegler-Nichols Method:** A classic heuristic method where the system is first brought to the edge of instability by increasing the proportional gain. The resulting critical gain (K_u) and oscillation period (T_u) are then used in a set of rules to calculate initial PID gains.⁹⁶
- **Software Auto-Tuning:** Modern approaches use software tools (e.g., MATLAB, Python libraries like pyPIDTune) to perform system identification from test data and then algorithmically compute optimal PID gains to meet specific performance criteria.

The following table summarizes and compares these tuning methodologies, providing a practical guide for practitioners.

Method	Description	Advantages	Disadvantages	Required System Knowledge
Manual Tuning	Iterative, trial-and-error adjustment of P, I, and D gains based on observing the system's real-time response. ¹⁰²	Intuitive, requires no mathematical model of the system.	Time-consuming, can be unsafe for physical hardware, results depend heavily on operator experience.	Low (Qualitative understanding of P, I, and D effects).
Ziegler-Nichols	Heuristic, rule-based	Systematic, provides a good	Often results in aggressive	Medium (Procedural

	method using the critical gain (Ku) and oscillation period (Tu) from an induced stability limit. ⁹⁶	initial set of tuning parameters.	control and overshoot, requiring further manual fine-tuning; not suitable for all plant types (e.g., unstable or non-oscillatory systems). ¹⁰³	knowledge of the method).
Software Auto-Tuning	Algorithmic approach using system identification from input-output test data to mathematically optimize gains for desired performance. ¹⁰³	Fast, often optimal, reproducible, and can handle complex or non-standard plant models.	Requires specific software tools and a mathematical model (even if identified automatically).	High (Requires understanding of modeling and optimization concepts).

Section 6: The Ubiquity of Feedback and Criticality

The concept of feedback, formalized in control theory, is a universal principle that governs the behavior of complex systems far beyond engineering. When combined with the ideas of criticality and phase transitions from physics, it provides a powerful lens for understanding how systems self-organize, adapt, and evolve.

6.1 Feedback Loops as a Universal Principle

A **feedback loop** is a circular causal structure where the output of a process is "fed back" to influence its own input, creating a self-referential dynamic.¹⁰⁴ These loops are categorized by their overall effect on the system's state:

- **Negative Feedback:** These loops are self-correcting and stabilizing. They

counteract changes, pushing a system toward an equilibrium state. A loop with an odd number of negative causal links is a negative feedback loop. Canonical examples include a thermostat regulating room temperature or the predator-prey cycles that stabilize an ecosystem.¹⁰⁴

- **Positive Feedback:** These loops are self-reinforcing and destabilizing. They amplify changes, leading to exponential growth or collapse. A loop with an even number of negative links (including zero) is a positive feedback loop. Examples include compound interest, population growth, and microphone feedback.¹⁰⁴

The power of feedback as an explanatory tool has led to its application as a metaphor in diverse fields, from biology and economics to sociology and the philosophy of science, where it is used to model the dynamics of scientific inquiry itself.¹⁰⁶

6.2 Critical Phenomena and the Edge of Chaos

In physics, **critical phenomena** refer to the unique behaviors that systems exhibit at or near a **phase transition**, such as the point where a liquid becomes a gas. At this **critical point**, the system's properties can change dramatically. Key characteristics of criticality include the emergence of long-range correlations, power-law scaling of physical quantities, and fractal behavior.¹¹⁰

The "**edge of chaos**" is a related concept describing a transitional regime in complex systems poised between stable, ordered behavior and unpredictable, chaotic behavior.¹¹³ It is in this semi-stable state that systems are often thought to exhibit their greatest capacity for complex computation and adaptation. This abstract concept is now finding concrete physical applications:

- **Signal Amplification:** Recent research has demonstrated that materials held at the edge of chaos can amplify electrical signals without the need for transistors. By harnessing the semi-stable state of a material like lanthanum cobaltite, researchers have shown that a metallic wire can exhibit effective negative resistance, amplifying a signal as it propagates, much like a biological axon. This could revolutionize chip design by overcoming the limitations of resistive signal loss.
- **Control of Chaotic Systems:** While the edge of chaos can be a desirable state, uncontrolled chaos is often not. PID controllers have been successfully applied to stabilize inherently chaotic systems, such as the Rikitake dynamo model (which

describes the chaotic reversals of Earth's magnetic field), demonstrating that feedback control can pull a system away from chaotic regimes and into a stable state.¹¹⁴

The principles of control theory can thus be viewed through a broader lens as the science of managing a system's position relative to its critical points. The stability of a system is determined by the location of its poles, which are themselves a function of the feedback loops within the system. A PID controller works by strategically adding or moving poles and zeros to shift the system's dynamics away from unstable or oscillatory critical regimes and into a stable one.⁹¹ Conversely, the research into edge-of-chaos amplification suggests a new control paradigm: intentionally driving a system

to a critical point to exploit its emergent properties.

The term "reflective hinge," found in philosophical texts, serves as a potent metaphor for the self-referential nature of feedback. A feedback loop is a structure that "bends back" on itself, allowing a system's state to influence its own evolution. This self-reference is the fundamental source of all non-trivial dynamics. A purely feed-forward system is simple and predictable; it is the introduction of the "reflective hinge" of feedback that enables the rich behaviors of stability, oscillation, chaos, and emergence that characterize the complex systems we seek to understand and control.

Part IV: A Grand Synthesis — The Physics of Numbers

The convergence of computation, spectral analysis, and control theory culminates in a profound re-examination of the nature of mathematics itself. This synthesis allows us to view abstract mathematical objects, such as prime numbers, not as static, platonic truths, but as emergent properties of physical or computational systems. The Riemann Hypothesis, the most famous unsolved problem in mathematics, is transformed into a question about the fundamental laws of physics. This interdisciplinary endeavor is made possible by a modern scientific ecosystem built on open access and collaborative tools.

Section 7: The Riemann Hypothesis as a Physical Principle

The following table contextualizes the Riemann Hypothesis alongside other famous unsolved problems in number theory, highlighting the kinds of questions that motivate this field.

Conjecture	Statement	Key Implications	Current Status
Riemann Hypothesis	All non-trivial zeros of the Riemann zeta function $\zeta(s)$ lie on the critical line $\text{Re}(s)=1/2$. ⁷⁷	Provides a tight bound on the error in the prime number theorem; suggests a deep connection to the eigenvalues of quantum chaotic systems. ⁷⁶	Unproven. Verified for the first over 10 trillion non-trivial zeros. ⁷⁶
Twin Prime Conjecture	There are infinitely many pairs of primes $(p,p+2)$. ¹¹⁵	Provides insight into the fine-scale distribution and minimal gaps between prime numbers.	Unproven. Major progress by Yitang Zhang (2013) proved infinitely many prime pairs exist with a gap of less than 70 million; this bound has since been reduced to 246. ⁵⁴
Goldbach's Conjecture	Every even integer greater than 2 can be expressed as the sum of two primes.	Connects the additive and multiplicative structures of the integers.	Unproven. Verified for all even integers up to 4×10^{18} .

7.1 Prime Numbers, Information, and Physics

Prime numbers are the irreducible multiplicative building blocks of the integers, as formalized by the Fundamental Theorem of Arithmetic. While their sequence appears random, their distribution at a large scale is described by statistical laws like the Prime Number Theorem ($\pi(N) \sim N/\ln(N)$).¹¹⁷ This statistical regularity can be analyzed through the lens of information theory. Derivations of the Prime Number Theorem based on maximum entropy principles suggest that the sequence of primes is, in a specific

sense, algorithmically random or incompressible; it cannot be described by a program significantly shorter than the sequence itself.¹¹⁸

This perspective aligns with the speculative but powerful idea of **Digital Physics**, which posits that the universe is fundamentally discrete and computational—perhaps a vast cellular automaton.¹²⁰ In such a universe, physical laws and constants would emerge from an underlying informational code. The deep and often unexpected connections between number theory and physics, such as the appearance of zeta functions in quantum field theory calculations, lend credence to this view that the structure of numbers and the structure of reality may be two sides of the same coin.¹²²

7.2 The Riemann Hypothesis in String Theory and N=4 SYM

One of the most concrete and exciting connections between the RH and physics comes from string theory. The link is forged through an equivalent formulation of the RH as an inequality involving the **sum of divisors function**, $\sigma(n)$. The hypothesis is true if and only if the inequality $\sigma(n) \leq H_n + e H_n \log(H_n)$ holds for all positive integers n , where H_n is the n -th harmonic number.¹²⁴

Remarkably, this purely number-theoretic function, $\sigma(n)$, arises naturally in physics. It appears as the coefficient in the generating function for a quantity known as the **Schur index** in N=4 Supersymmetric Yang-Mills (SYM) theory with an SU(3) gauge group. This index counts the net number (bosonic minus fermionic) of a specific class of protected supersymmetric states called 1/8-BPS states.¹²⁴

The AdS/CFT correspondence provides a duality between this gauge theory and Type IIB superstring theory on an $AdS_5 \times S^5$ spacetime. This allows the Schur index to be interpreted from the string theory side, where it decomposes into contributions from Kaluza-Klein (KK) modes of the supergravity multiplet and contributions from D3-branes wrapping supersymmetric cycles. The bound on $\sigma(n)$ imposed by the Riemann Hypothesis translates into a statement about a "miraculous cancellation" that must occur between the factorially growing terms from the KK modes and the polynomially growing terms from the D3-branes.¹²⁴ This transforms the RH from an abstract mathematical conjecture into a precise, physical statement about the spectrum and cancellation of states in a consistent theory of quantum gravity.¹²⁵

7.3 The Statistical Nature of Fundamental Constants: The Case of π

The constant π , like the prime numbers, exhibits a fascinating dichotomy between deterministic structure and apparent randomness. While π is a precisely defined geometric constant—the ratio of a circle's circumference to its diameter—its decimal expansion is conjectured to be a **normal number**. A number is normal if every possible finite sequence of digits appears with the expected statistical frequency.¹²⁶

Although normality has not been proven for π , statistical tests performed on trillions of its digits strongly support the conjecture. The digits of π pass all standard tests for statistical randomness, with each digit and each sequence of digits appearing with the predicted frequency.¹²⁹ Furthermore,

fractal analysis of the digit sequence—treating it as a random walk—reveals a fractal dimension consistent with that of a truly random sequence, a property that becomes clearer as more digits are included in the analysis.¹³² This parallel between the deterministic yet statistically random nature of

π and the deterministic yet statistically distributed nature of prime numbers suggests a deep, shared principle about how complexity and randomness can emerge from simple, well-defined mathematical rules.

Section 8: The Nexus Architecture — A Concluding Metaphor and The Modern Scientific Ecosystem

The grand synthesis of computation, physics, and mathematics described in this report is not merely a philosophical exercise; it is an active, ongoing research program enabled by a modern ecosystem of collaborative and open-access tools. This interconnected system can itself be understood through a powerful metaphor: the Nexus Architecture.

8.1 The Nexus Architecture as a Unifying Metaphor

In the field of data engineering, a "**Nexus Architecture**" refers to a modern, configuration-driven platform for defining, orchestrating, and managing complex data pipelines. It is designed to handle data ingestion, transformation, and evolution in a scalable, modular, and maintainable way, often with distinct phases of development from foundational models to enhanced, production-ready systems.¹³⁷

This concept serves as a fitting metaphor for the scientific process itself as presented in this report. The "Nexus" is the intricate, interconnected web of ideas linking computation, mathematics, and physics. The "Architecture" is the set of tools and formalisms—both theoretical (like control theory and discrete geometry) and practical (like GitHub and ArXiv)—that researchers use to define, process, and share knowledge within this web. The "phases" of development in a Nexus data platform mirror the phases of scientific inquiry, from initial speculation and foundational modeling to the construction of scalable, robust, and predictive theories.

8.2 The Practical Ecosystem: GitHub and ArXiv

At the heart of this modern scientific architecture are two key platforms that have revolutionized how research is conducted, shared, and reproduced.

- **GitHub for Collaborative and Reproducible Research:**
GitHub, a platform originally designed for collaborative software development, has been effectively adapted for the entire research lifecycle.¹⁴¹ It provides version control for code and manuscripts, a framework for collaborative editing and code review, and a system for project management.¹⁴²

Best practices for creating a reproducible research repository on GitHub have emerged. A well-structured project should separate source code (src/), documentation (docs/), and configuration files. It must include a README.md file to guide users, a LICENSE file to clarify usage rights (permissive licenses like MIT are often recommended for research code), and a crucial .gitignore file. This file prevents the tracking of large datasets, sensitive information (like API keys), and generated outputs (like figures), ensuring the repository remains lean and focused on the source materials needed for reproduction. GitHub also hosts a rich ecosystem of tools that interact with ArXiv, including paper summarizers, API wrappers, and formatting aids.¹⁴³

- **ArXiv for Open-Access Dissemination:**

ArXiv is an open-access repository that serves as the primary distribution channel for pre-print articles in physics, mathematics, computer science, and related fields.¹⁴⁶ It allows researchers to share their findings rapidly with the global scientific community, often long before formal peer review is complete.¹⁴⁷

The submission process is highly standardized to ensure archival quality and stability. Authors must register and, in some cases, obtain an endorsement to verify their standing in the research community.¹⁴⁷ Submissions undergo a moderation process to ensure they are topical and scientific.¹⁴⁸ The platform strongly prefers submissions in LaTeX source format, which it then compiles on its own servers to produce a uniform PDF.¹⁴⁹ Adherence to specific LaTeX best practices is critical for a successful submission.

The following table synthesizes the most critical best practices for preparing a LaTeX submission for ArXiv, providing a practical checklist for researchers.

Check Item	Best Practice / Requirement	Rationale
File Format	Submit LaTeX source files (.tex), not a pre-compiled PDF.	Ensures archival stability, allows ArXiv to generate an accessible HTML version, and standardizes the final output. ¹⁴⁸
File Structure	Place the main .tex file in the root directory of the project. Package all necessary files (source, figures, .bbl, style files) into a single .zip or .tar.gz archive. ¹⁴⁸	ArXiv's automated compilation process expects this flat structure and will fail if the main file is in a subdirectory. ¹⁵²
Bibliography	Include the compiled bibliography file (.bbl) in your submission package and remove the .bib file.	ArXiv's processor uses the .bbl file directly to ensure that the references are compiled correctly and consistently, avoiding dependency issues. ¹⁵¹
Figures	Use supported formats: PDF, JPG, or PNG for pdflatex; PS or EPS for latex. Ensure file paths in \includegraphics are relative and that filenames are	ArXiv does not perform on-the-fly image conversion, so figures must be in a format compatible with the chosen compiler. The file system is

	case-sensitive. ¹⁴⁸	case-sensitive. ¹⁵²
Packages	To avoid "Option clash" errors, load the hyperref package without options and configure it separately using \hypersetup{...}. Use standard, widely available packages.	ArXiv automatically loads hyperref with its own required options, which can conflict with user-specified options during package loading. ¹⁵²
Supplementary Material	Place ancillary files (e.g., data, code) in a directory named anc/ at the root of the submission for separate download, or merge supplementary PDFs into the main document using the pdfpages package. ¹⁵⁵	These are the officially supported methods for including supplementary material. The anc/ directory keeps supplementary files distinct from the main article source. ¹⁵⁷
Cleaning	Before creating the final archive, remove all comments from .tex files, delete unused files (old figures, notes), and remove hidden directories like .git.	Everything uploaded to ArXiv becomes publicly accessible in the source package. This prevents accidental disclosure of notes, sensitive information, or large, unnecessary files. ¹⁵¹

Conclusion

The journey from the discrete approximation of a derivative to the spectral interpretation of the Riemann Hypothesis reveals a remarkable convergence of ideas. The disparate fields of computational science, control engineering, signal processing, and number theory are not independent disciplines but are increasingly understood as different languages describing the same fundamental concepts: information, complexity, and feedback.

The central theme that emerges is the power of shifting perspectives. By viewing physical systems through the lens of computation, we gain the ability to simulate them. By viewing signals and systems through the lens of spectral analysis, we uncover hidden periodicities and structures. And by viewing the most abstract objects of pure mathematics, like the prime numbers, through the lens of physics and

information theory, we begin to suspect they are not merely abstract but are emergent properties of a deeper, underlying reality. The Hilbert-Pólya conjecture and the connections to Random Matrix Theory and string theory suggest that the distribution of primes may be the "spectrum" of a quantum chaotic system, transforming number theory into an experimental science.

This grand synthesis is powered by a "Nexus Architecture" of modern scientific practice. Theoretical frameworks like control theory and discrete geometry provide the formalisms, while computational tools like Python and p5.js provide the means for exploration and simulation. Open-access platforms like ArXiv and collaborative ecosystems like GitHub provide the infrastructure for this knowledge to be built, shared, and refined collectively and at an unprecedented pace. The ultimate pursuit—whether it is controlling a physical process, understanding a network, or proving the Riemann Hypothesis—is a unified endeavor to decode the logic of the complex systems that constitute our reality.

Works cited

1. FUNDAMENTALS OF THE FINITE DIFFERENCE METHOD - Moodle@Units, accessed June 29, 2025, https://moodle2.units.it/pluginfile.php/598351/mod_resource/content/9/FD_hando ut19.03.2024.pdf
2. A Journey through Finite Difference Methods for Ordinary and Partial Differential Equations, accessed June 29, 2025, <https://medium.com/the-quantastic-journal/an-introduction-to-finite-difference-methods-for-ordinary-and-partial-differential-equations-5afd70fb07d1>
3. Finite difference method - Wikipedia, accessed June 30, 2025, https://en.wikipedia.org/wiki/Finite_difference_method
4. Finite difference - Wikipedia, accessed June 30, 2025, https://en.wikipedia.org/wiki/Finite_difference
5. Finite Difference Approximating Derivatives - Python Numerical Methods, accessed June 30, 2025, <https://pythonnumericalmethods.berkeley.edu/notebooks/chapter20.02-Finite-Difference-Approximating-Derivatives.html>
6. Brief Summary of Finite Difference Methods - University of Colorado Boulder, accessed June 29, 2025, https://www.colorado.edu/amath/sites/default/files/attached-files/introduction_to_finite_differences_3.pdf
7. Finite Difference Method - John Della Rosa, accessed June 30, 2025, <https://johndellarosa.github.io/projects/biophysics-book/finite-difference>
8. Numerical Differentiation, accessed June 30, 2025, <https://www.sheffield.ac.uk/media/32080/download?attachment>
9. Discrete differential geometry - Wikipedia, accessed June 29, 2025,

- https://en.wikipedia.org/wiki/Discrete_differential_geometry
10. Discrete Differential Geometry - Keenan Crane, accessed June 29, 2025, <https://brickisland.net/ddg-web/>
 11. DISCRETE DIFFERENTIAL GEOMETRY: AN APPLIED INTRODUCTION, accessed June 29, 2025, <https://www.cs.cmu.edu/~kmcrane/Projects/DDG/paper.pdf>
 12. Advanced Topics in Computer Graphics: Discrete Differential Geometry (600.657), accessed June 29, 2025, <https://www.cs.jhu.edu/~misha/Fall09/>
 13. Curvature of Graphs - Department of Mathematical Sciences, accessed June 29, 2025, <https://www.maths.dur.ac.uk/users/norbert.peyerimhoff/epsrc2013/workshop/jost-juergen.pdf>
 14. Ricci curvature - Wikipedia, accessed June 29, 2025, https://en.wikipedia.org/wiki/Ricci_curvature
 15. Ollivier-Ricci Curvature-Based Method to Community Detection in Complex Networks, accessed June 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/31278341/>
 16. (PDF) Ollivier-Ricci Curvature-Based Method to Community Detection in Complex Networks, accessed June 30, 2025, https://www.researchgate.net/publication/334259268_Ollivier-Ricci_Curvature-Based_Method_to_Community_Detection_in_Complex_Networks
 17. Overview — GraphRicciCurvature 0.5.3.1 documentation, accessed June 30, 2025, <https://graphriccicurvature.readthedocs.io/en/latest/>
 18. Augmentations of Forman's Ricci Curvature and their Applications in Community Detection, accessed June 29, 2025, <https://arxiv.org/html/2306.06474v2>
 19. Augmentations of Forman's Ricci Curvature and their Applications in Community Detection, accessed June 30, 2025, <https://melanie-weber.com/publication/curv-gap/>
 20. Ollivier Persistent Ricci Curvature-Based Machine Learning for the Protein-Ligand Binding Affinity Prediction | Journal of Chemical Information and Modeling - ACS Publications, accessed June 29, 2025, <https://pubs.acs.org/doi/10.1021/acs.jcim.0c01415>
 21. Seeing Data through the lens of Geometry (Ollivier Ricci Curvature) - Mathematical Institute, accessed June 29, 2025, <https://www.maths.ox.ac.uk/node/37647>
 22. Edge-based analysis of networks: curvatures of graphs and hypergraphs - PMC, accessed June 29, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7719116/>
 23. Graph Neural Ricci Flow: Evolving Feature from a Curvature Perspective | OpenReview, accessed June 29, 2025, <https://openreview.net/forum?id=7b2JrzdLhA>
 24. Computations in Cellular Automata: A New Kind of Science | Online by Stephen Wolfram [Page 640], accessed June 29, 2025, <https://www.wolframscience.com/nks/p640--computations-in-cellular-automata/>
 25. Prime numbers in elementary cellular automata rule 110 - Online Technical Discussion Groups—Wolfram Community, accessed June 29, 2025, <https://community.wolfram.com/groups/-/m/t/2421312>
 26. Mastering Mathematical Modeling with Python: A Guide to NumPy, SymPy, and

- Matplotlib, accessed June 29, 2025,
<https://www.understandthemath.com/blog/math-modeling-python>
27. Top 5 Python Libraries For Big Data - GeeksforGeeks, accessed June 29, 2025,
<https://www.geeksforgeeks.org/top-python-libraries-for-big-data/>
 28. How to do Mathematical Modeling in Python? - GeeksforGeeks, accessed June 29, 2025,
<https://www.geeksforgeeks.org/how-to-do-mathematical-modeling-in-python/>
 29. SciPy vs. NumPy: A Comprehensive Comparison | by Tom - Medium, accessed June 30, 2025,
<https://medium.com/@tomtalksit/scipy-vs-numpy-a-comprehensive-comparison-5c0f804c9922>
 30. Simulating Bouncing Balls with Collisions in Python using Pygame - DEV Community, accessed June 29, 2025,
<https://dev.to/dm8ry/simulating-bouncing-balls-with-collisions-in-python-using-pygame-5e34>
 31. Pygame Physics Simulations - Rutvi Padhy, accessed June 29, 2025,
<https://rutvi1998.github.io/pygame-physics-simulation/>
 32. Pygame physics simulation - Peter Collingridge, accessed June 30, 2025,
<https://www.petercollingridge.co.uk/tutorials/pygame-physics-simulation/>
 33. Pygame physics tutorial - YouTube, accessed June 30, 2025,
<https://www.youtube.com/playlist?list=PLF51024132798D880>
 34. pygame.math — pygame v2.6.0 documentation, accessed June 29, 2025,
<https://www.pygame.org/docs/ref/math.html>
 35. p5.js, accessed June 30, 2025, <https://p5js.org/>
 36. Examples - p5.js, accessed June 30, 2025, <https://p5js.org/examples/>
 37. p5js Sound Visualizations - Reddit, accessed June 29, 2025,
https://www.reddit.com/r/p5js/comments/ezeadc/p5js_sound_visualizations/
 38. Basic Lifting Scheme Wavelets - Bearcave.com, accessed June 30, 2025,
http://bearcave.com/misl/misl_tech/wavelets/lifting/basiclift.html
 39. How to Dynamically Update Values of a Chart in ChartJS ? - GeeksforGeeks, accessed June 29, 2025,
<https://www.geeksforgeeks.org/javascript/how-to-dynamically-update-values-of-a-chart-in-chartjs/>
 40. Chart.js Example with Dynamic Dataset - Cube Blog, accessed June 29, 2025,
<https://cube.dev/blog/chart-js-example-with-dynamic-dataset>
 41. Chart.js Example with Dynamic Dataset | by Artyom Keydunov | Cube Dev - Medium, accessed June 29, 2025,
<https://medium.com/cube-dev/chart-js-example-with-dynamic-dataset-9a738bfd3fda>
 42. Nyquist–Shannon sampling theorem - Wikipedia, accessed June 30, 2025,
https://en.wikipedia.org/wiki/Nyquist%E2%80%93Shannon_sampling_theorem
 43. The Nyquist–Shannon Theorem: Understanding Sampled Systems - Technical Articles, accessed June 29, 2025,
<https://www.allaboutcircuits.com/technical-articles/nyquist-shannon-theorem-understanding-sampled-systems/>

44. Nyquist-Shannon Sampling Theorem | Signal Processing Class Notes - Fiveable, accessed June 29, 2025, <https://library.fiveable.me/fourier-analysis-wavelets-and-signal-processing/unit-6/nyquist-shannon-sampling-theorem/study-guide/EWg2PRjc31R65J20>
45. Nyquist Sampling Theorem - GeeksforGeeks, accessed June 30, 2025, <https://www.geeksforgeeks.org/electronics-engineering/nyquist-sampling-theorem/>
46. 2.3. The Nyquist-Shannon sampling theorem — Digital Signals Theory - Brian McFee, accessed June 29, 2025, <https://brianmcfree.net/dstbook-site/content/ch02-sampling/Nyquist.html>
47. Discrete Fourier transform - Wikipedia, accessed June 30, 2025, https://en.wikipedia.org/wiki/Discrete_Fourier_transform
48. en.wikipedia.org, accessed June 30, 2025, https://en.wikipedia.org/wiki/Discrete_Fourier_transform#:~:text=In%20mathematics%2C%20the%20discrete%20Fourier,complex%2Dvalued%20function%20of%20frequency.
49. Fast Fourier transform - Wikipedia, accessed June 29, 2025, https://en.wikipedia.org/wiki/Fast_Fourier_transform
50. Fast Fourier Transform Explained | Built In, accessed June 29, 2025, <https://builtin.com/articles/fast-fourier-transform>
51. ELI5: How does the Fast Fourier Transform work? : r/explainlikeimfive - Reddit, accessed June 29, 2025, https://www.reddit.com/r/explainlikeimfive/comments/6nt7kv/eli5_how_does_the_fast_fourier_transform_work/
52. The Fast Fourier Transform (FFT) - YouTube, accessed June 29, 2025, <https://www.youtube.com/watch?v=E8HeD-MUrjY>
53. Lifting scheme - Wikipedia, accessed June 29, 2025, https://en.wikipedia.org/wiki/Lifting_scheme
54. Twin prime conjecture | Progress & Definition | Britannica, accessed June 30, 2025, <https://www.britannica.com/science/twin-prime-conjecture>
55. Lifting Scheme in DSP - Number Analytics, accessed June 29, 2025, <https://www.numberanalytics.com/blog/ultimate-guide-lifting-scheme-dsp>
56. Lifting scheme, accessed June 30, 2025, <https://www1.jinr.ru/programs/jinrlib/walf/docs/html/Manual/node2.html>
57. Lifting Method for Constructing Wavelets - MATLAB & - MathWorks, accessed June 29, 2025, <https://www.mathworks.com/help/wavelet/ug/lifting-method-for-constructing-wavelets.html>
58. Lifting scheme – Knowledge and References - Taylor & Francis, accessed June 29, 2025, https://taylorandfrancis.com/knowledge/Engineering_and_technology/Electrical_%26_electronic_engineering/Lifting_scheme/
59. Phase Vocoder Done Right - arXiv, accessed June 29, 2025, <https://arxiv.org/pdf/2202.07382>
60. Phase vocoder - Wikipedia, accessed June 29, 2025,

- https://en.wikipedia.org/wiki/Phase_vocoder
61. Phase Vocoder Done Right - Itfat, accessed June 29, 2025, <https://Itfat.org/notes/050/>
 62. What is a Phase Vocoder? How Pitch Correction Works in Music Production - BABY Audio, accessed June 29, 2025, <https://babyaud.io/blog/phase-vocoder>
 63. Projection operators - MuPAD Tutorial, accessed June 30, 2025, <https://www.cfm.brown.edu/people/dobrush/am34/MuPad/projection.html>
 64. en.wikipedia.org, accessed June 30, 2025, [https://en.wikipedia.org/wiki/Projection_\(linear_algebra\)](https://en.wikipedia.org/wiki/Projection_(linear_algebra))
 65. Key Concepts of Projection Operators to Know for Representation Theory - Fiveable, accessed June 30, 2025, <https://library.fiveable.me/lists/key-concepts-of-projection-operators>
 66. Measurement in quantum mechanics - Wikipedia, accessed June 29, 2025, https://en.wikipedia.org/wiki/Measurement_in_quantum_mechanics
 67. Chapter 3 Mathematical Formalism of Quantum Mechanics, accessed June 29, 2025, https://homepage.univie.ac.at/reinhold.bertlmann/pdfs/T2_Skript_Chapter_3.pdf
 68. en.wikipedia.org, accessed June 29, 2025, https://en.wikipedia.org/wiki/Differential_operator
 69. Differential Operator - (Linear Algebra and Differential Equations) - Vocab, Definition, Explanations | Fiveable, accessed June 29, 2025, <https://library.fiveable.me/key-terms/linear-algebra-and-differential-equations/differential-operator>
 70. www.educative.io, accessed June 29, 2025, <https://www.educative.io/courses/data-structures-preliminaries-refresher-of-fundamentals-in-cpp/accumulation-assignments-and-index-operators#:~:text=An%20accumulation%20operator%20is%20a,summation%20operator%20or%20cumulative%20sum.>
 71. Accumulation, Assignments and Index Operators - Educative.io, accessed June 29, 2025, <https://www.educative.io/courses/data-structures-preliminaries-refresher-of-fundamentals-in-cpp/accumulation-assignments-and-index-operators>
 72. Discrete calculus - Wikipedia, accessed June 30, 2025, https://en.wikipedia.org/wiki/Discrete_calculus
 73. Discrete-Time Signals and Systems - Pearson Higher Education, accessed June 30, 2025, <https://www.pearsonhighered.com/assets/samplechapter/0/1/3/1/0131988425.pdf>
 74. Discrete Laplace operator - Wikipedia, accessed June 30, 2025, https://en.wikipedia.org/wiki/Discrete_Laplace_operator
 75. www.claymath.org, accessed June 29, 2025, <https://www.claymath.org/millennium/riemann-hypothesis/#:~:text=The%20Riemann%20hypothesis%20tells%20us,with%20real%20part%201%2F2.>
 76. Riemann Hypothesis - Clay Mathematics Institute, accessed June 29, 2025, <https://www.claymath.org/millennium/riemann-hypothesis/>
 77. Riemann hypothesis - Wikipedia, accessed June 29, 2025,

- https://en.wikipedia.org/wiki/Riemann_hypothesis
78. What is the Riemann Hypothesis - A simple explanation - Robert Elder, accessed June 29, 2025, <https://www.robertelder.ca/whatisriemannhypothesis/>
 79. Quantum physics sheds light on Riemann hypothesis | School of ..., accessed June 30, 2025, <https://www.bristol.ac.uk/maths/research/highlights/riemann-hypothesis/>
 80. Riemann Zeta Function connection to Quantum Mechanics. [closed] - MathOverflow, accessed June 29, 2025, <https://mathoverflow.net/questions/54501/riemann-zeta-function-connection-to-quantum-mechanics>
 81. The Riemann Zeros as Spectrum and the Riemann Hypothesis - MDPI, accessed June 29, 2025, <https://www.mdpi.com/2073-8994/11/4/494>
 82. The Riemann Zeros as Spectrum and the Riemann Hypothesis, accessed June 29, 2025, <https://s3.cern.ch/inspire-prod-files-1/1e65b86fec7566dba4d2d2384183f67b>
 83. Is there a link between theoretical physics (relativity, QED, etc.) and more straight mathematical disciplines e.g. number theory? : r/math - Reddit, accessed June 29, 2025, https://www.reddit.com/r/math/comments/tglrii/is_there_a_link_between_theoretical_physics/
 84. Riemann Hypothesis and Physics Contents - Topological Geometrostatics, accessed June 30, 2025, <http://tgdtheory.fi/pdfpool/riema.pdf>
 85. Riemann zeros and random matrix theory, accessed June 29, 2025, <https://people.maths.bris.ac.uk/~mancs/papers/SnaithRiemann.pdf>
 86. Random matrix theory: From Riemann zeros to quantum chaos - Utrecht University Student Theses Repository, accessed June 29, 2025, https://studenttheses.uu.nl/bitstream/handle/20.500.12932/1152/Thesis_Joppe_Stokvis.pdf
 87. The Riemann Hypothesis (Part 1) | The n-Category Café, accessed June 29, 2025, https://golem.ph.utexas.edu/category/2019/09/the_riemann_hypothesis_part_1.html
 88. Control theory - Wikipedia, accessed June 29, 2025, https://en.wikipedia.org/wiki/Control_theory
 89. Control theory | Applied Mathematics, Modern Control Systems & Principles of Control | Britannica, accessed June 29, 2025, <https://www.britannica.com/science/control-theory-mathematics>
 90. Mathematical Control Theory - Sontag Lab, accessed June 29, 2025, http://www.sontaglab.org/FTPDIR/sontag_mathematical_control_theory_springer_98.pdf
 91. What mathematical background does control theory require? : r/ControlTheory - Reddit, accessed June 29, 2025, https://www.reddit.com/r/ControlTheory/comments/15at1jf/what_mathematical_background_does_control_theory/
 92. Transfer Function Stability - Interesting Facts about Polynomial Form - CSA, accessed June 30, 2025, <https://controlsacademy.com/0012/0012.html>

93. The Concept of Stability | Control Systems 3.1 - CircuitBread, accessed June 30, 2025, <https://www.circuitbread.com/tutorials/the-concept-of-stability-3.1>
94. eng.libretexts.org, accessed June 30, 2025, [https://eng.libretexts.org/Bookshelves/Industrial_and_Systems_Engineering/Introduction_to_Control_Systems_\(Iqbal\)/02%3A_Transfer_Function_Models/2.03%3A_System_Stability#:~:text=A%20system%20with%20poles%20in,bounded%20in%20the%20steady%2Dstate.](https://eng.libretexts.org/Bookshelves/Industrial_and_Systems_Engineering/Introduction_to_Control_Systems_(Iqbal)/02%3A_Transfer_Function_Models/2.03%3A_System_Stability#:~:text=A%20system%20with%20poles%20in,bounded%20in%20the%20steady%2Dstate.)
95. What is the relationship between poles and system stability?, accessed June 30, 2025, <https://dsp.stackexchange.com/questions/20559/what-is-the-relationship-between-poles-and-system-stability>
96. The PID Controller & Theory Explained - NI, accessed June 30, 2025, <https://www.ni.com/en/shop/labview/pid-theory-explained.html>
97. Fundamentals of PID Control - International Society of Automation (ISA), accessed June 29, 2025, <https://www.isa.org/intech-home/2023/june-2023/features/fundamentals-pid-control>
98. Basics of PID Controllers: Working Principles, Pros & Cons - Integra Sources, accessed June 29, 2025, <https://www.integrasources.com/blog/basics-of-pid-controllers-design-applications/>
99. Proportional–integral–derivative controller - Wikipedia, accessed June 29, 2025, https://en.wikipedia.org/wiki/Proportional%E2%80%93integral%E2%80%93derivative_controller
100. 9.2: P, I, D, PI, PD, and PID control - Engineering LibreTexts, accessed June 29, 2025, [https://eng.libretexts.org/Bookshelves/Industrial_and_Systems_Engineering/Chemical_Process_Dynamics_and_Controls_\(Woolf\)/09%3A_Proportional-Integral-Derivative_\(PID\)_Control/9.02%3A_P_I_D_PI_PD_and_PID_control](https://eng.libretexts.org/Bookshelves/Industrial_and_Systems_Engineering/Chemical_Process_Dynamics_and_Controls_(Woolf)/09%3A_Proportional-Integral-Derivative_(PID)_Control/9.02%3A_P_I_D_PI_PD_and_PID_control)
101. PID Explained: Theory, Tuning, and Implementation of PID Controllers, accessed June 30, 2025, <https://www.wevolver.com/article/pid-explained-theory-tuning-and-implementation-of-pid-controllers>
102. A plain-English description of PID (Proportional Integral Derivative) control : r/AskEngineers, accessed June 29, 2025, https://www.reddit.com/r/AskEngineers/comments/nvrc7r/a_plainenglish_description_of_pid_proportional/
103. PID Tuning - MATLAB & Simulink - MathWorks, accessed June 30, 2025, <https://www.mathworks.com/discovery/pid-tuning.html>
104. Feedback Loops Uncovered - Number Analytics, accessed June 29, 2025, <https://www.numberanalytics.com/blog/feedback-loops-uncovered-dynamic-systems>
105. Lesson 2 - Understanding Feedback Loops - GoldSim, accessed June 29, 2025, <https://www.goldsim.com/Courses/BasicGoldSim/Unit8/Lesson2/>
106. Finding the positive feedback loops underlying multi-stationarity - PMC -

- PubMed Central, accessed June 29, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC4451965/>
107. Scientific community metaphor - Wikipedia, accessed June 29, 2025,
https://en.wikipedia.org/wiki/Scientific_community_metaphor
 108. Examining the use of new science metaphors in the learning organisation - NIE Digital Repository, accessed June 29, 2025,
<https://repository.nie.edu.sg/server/api/core/bitstreams/cefd5c22-3ab8-4539-876a-eacac41a4aff/content>
 109. The Metaphorical Theories of Science | The Triple Helix at UChicago, accessed June 29, 2025,
<https://voices.uchicago.edu/triplehelix/2025/01/02/the-metaphorical-theories-of-science/>
 110. Critical phenomena – Knowledge and References - Taylor & Francis, accessed June 30, 2025,
https://taylorandfrancis.com/knowledge/Engineering_and_technology/Systems_%26_control_engineering/Critical_phenomena/
 111. Mastering Critical Phenomena in Statistical Mechanics - Number Analytics, accessed June 30, 2025,
<https://www.numberanalytics.com/blog/mastering-critical-phenomena-statistical-mechanics>
 112. Critical phenomena - Wikipedia, accessed June 30, 2025,
https://en.wikipedia.org/wiki/Critical_phenomena
 113. EdgeOfChaosCA, Version 2 - HWS Department of Mathematics and Computer Science, accessed June 30, 2025,
<https://math.hws.edu/xJava/CA/EdgeOfChaosCA.html>
 114. Control the Chaotic Rikitake System by PID Controller - International Journal of Scientific Research and Engineering Trends, accessed June 30, 2025,
<https://ijsret.com/paper/IJSRET-V1I6-70.PDF>
 115. www.britannica.com, accessed June 29, 2025,
<https://www.britannica.com/science/twin-prime-conjecture#:~:text=twin%20prime%20conjecture%2C%20in%20number,and%20twin%20primes%20rarer%20still.>
 116. Big Question About Primes Proved in Small Number Systems - Quanta Magazine, accessed June 29, 2025,
<https://www.quantamagazine.org/big-question-about-primes-proved-in-small-number-systems-20190926/>
 117. Prime number theorem - Wikipedia, accessed June 30, 2025,
https://en.wikipedia.org/wiki/Prime_number_theorem
 118. information-theoretic derivation of the prime number theorem - MathOverflow, accessed June 29, 2025,
<https://mathoverflow.net/questions/384109/information-theoretic-derivation-of-the-prime-number-theorem>
 119. 2.7: Theorems and Conjectures involving prime numbers - Mathematics LibreTexts, accessed June 29, 2025,
[https://math.libretexts.org/Bookshelves/Combinatorics_and_Discrete_Mathematics/Elementary_Number_Theory_\(Raji\)/02%3A_Prime_Numbers/2.07%3A_Theorem](https://math.libretexts.org/Bookshelves/Combinatorics_and_Discrete_Mathematics/Elementary_Number_Theory_(Raji)/02%3A_Prime_Numbers/2.07%3A_Theorem)

[s_and_Conjectures_involving_prime_numbers](#)

120. On Discrete Physics (Digital Philosophy/Digital Cosmology) and the Cellular Automaton: A Perfect Mathematical Deterministic - PhilSci-Archive, accessed June 29, 2025,
<https://philsci-archive.pitt.edu/11497/1/R.a.Zahedi-OnDiscretePhysics-Jan.2015.pdf>
121. Digital physics - Wikipedia, accessed June 29, 2025,
https://en.wikipedia.org/wiki/Digital_physics
122. Physics and Number Theory | EMS Press, accessed June 29, 2025,
<https://ems.press/books/irma/27>
123. Toward the Unification of Physics and Number Theory - World Scientific Publishing, accessed June 29, 2025,
<https://www.worldscientific.com/doi/10.1142/S2424942419500038>
124. String theory, $\mathcal{N}=4$ SYM and Riemann hypothesis, accessed June 29, 2025, <https://arxiv.org/pdf/2203.17091>
125. [1501.01975] From Veneziano to Riemann: A String Theory Statement of the Riemann Hypothesis - arXiv, accessed June 29, 2025,
<https://arxiv.org/abs/1501.01975>
126. nt.number theory - What is the state of our ignorance about the ..., accessed June 30, 2025,
<https://mathoverflow.net/questions/51853/what-is-the-state-of-our-ignorance-about-the-normality-of-pi>
127. The Normality of Pi - Tikalon Blog by Dev Gualtieri, accessed June 29, 2025,
http://www.tikalon.com/blog/blog.php?article=2016/pi_normality
128. ELI5:What is a "normal number" and why can't we prove or disprove π is one? - Reddit, accessed June 30, 2025,
https://www.reddit.com/r/explainlikeimfive/comments/1a15u4k/eli5what_is_a_normal_number_and_why_cant_we_prove/
129. en.wikipedia.org, accessed June 29, 2025,
<https://en.wikipedia.org/wiki/Pi#:~:text=The%20digits%20of%20%CF%80%20have,not%20been%20proven%20or%20disproven.>
130. Analyzing the first 10 million digits of pi: Randomness within structure - The DO Loop, accessed June 29, 2025,
<https://blogs.sas.com/content/iml/2015/03/12/digits-of-pi.html>
131. Another Pi Story: normality of Pi | by MCMC Addict - Medium, accessed June 29, 2025,
<https://medium.com/@snp.kriss/another-pi-story-normality-of-pi-385fc1aa089c>
132. www.tikalon.com, accessed June 29, 2025,
[http://www.tikalon.com/blog/blog.php?article=2016/pi_normality#:~:text=His%20fractal%20analysis%20demonstrates%20that,a%20billion%20\(109\).](http://www.tikalon.com/blog/blog.php?article=2016/pi_normality#:~:text=His%20fractal%20analysis%20demonstrates%20that,a%20billion%20(109).)
133. [1608.00430] Fractal analysis of Pi normality - arXiv, accessed June 29, 2025,
<https://arxiv.org/abs/1608.00430>
134. Fractal analysis of Pi normality - arXiv, accessed June 29, 2025,
<https://arxiv.org/pdf/1608.00430>
135. Pi's decimals and Statistics - Pi314.net, accessed June 29, 2025,

- <http://www.pi314.net/eng/statdec.php>
136. Fractal analysis of Pi normality - ResearchGate, accessed June 29, 2025, https://www.researchgate.net/publication/386960309_Fractal_analysis_of_Pi_normality
 137. Powering Amazon Unit Economics at Scale Using Apache Hudi, accessed June 29, 2025, <https://hudi.apache.org/blog/2025/03/31/amazon-hudi/>
 138. Physics of the Riemann Hypothesis, accessed June 29, 2025, <https://arxiv.org/abs/1101.3116>
 139. alessoh/Neural-Symbolic-Superintelligence - GitHub, accessed June 29, 2025, <https://github.com/alessoh/Neural-Symbolic-Superintelligence>
 140. San Francisco Infrastructure Nexus Analysis, accessed June 29, 2025, https://sfplanning.org/sites/default/files/documents/reports/12222021_SF_Nexus_CitywideAnalysis.pdf
 141. GitHub is an effective platform for collaborative and reproducible laboratory research - arXiv, accessed June 29, 2025, <https://arxiv.org/abs/2408.09344>
 142. Setting up a GitHub repository for your lab - Coding Club, accessed June 30, 2025, <https://ourcodingclub.github.io/tutorials/git-for-labs/>
 143. imelnyk/ArxivPapers: Code behind Arxiv Papers - GitHub, accessed June 29, 2025, <https://github.com/imelnyk/ArxivPapers>
 144. arxiv-org · GitHub Topics, accessed June 29, 2025, <https://github.com/topics/arxiv-org>
 145. An AI-powered arXiv paper summarization website with a virtual assistant for answering questions. - GitHub, accessed June 29, 2025, <https://github.com/summarizepaper/summarizepaper>
 146. arXiv.org e-Print archive, accessed June 29, 2025, <https://arxiv.org/>
 147. What is the rule to put your paper on arXiv? - Quora, accessed June 30, 2025, <https://www.quora.com/What-is-the-rule-to-put-your-paper-on-arXiv>
 148. Submission Guidelines - arXiv info - About arXiv, accessed June 30, 2025, <https://info.arxiv.org/help/submit/index.html>
 149. How to upload a paper to arXiv, accessed June 29, 2025, <https://www2.mps.mpg.de/dokumente/services/bibliothek/HowtoArXive.pdf>
 150. Submit a PDF - arXiv info, accessed June 29, 2025, https://info.arxiv.org/help/submit_pdf.html
 151. Upload a paper to arXiv.org - Trevor Campbell, accessed June 29, 2025, <https://trevorcampbell.me/html/arxiv.html>
 152. LaTeX checklist for arXiv submissions - Overleaf, accessed June 29, 2025, https://www.overleaf.com/learn/how-to/LaTeX_checklist_for_arXiv_submissions
 153. Submit TeX/LaTeX - arXiv info, accessed June 29, 2025, https://info.arxiv.org/help/submit_tex.html
 154. LaTeX Markup Best Practices for Successful HTML Papers - arXiv info, accessed June 29, 2025, https://info.arxiv.org/help/submit_latex_best_practices.html
 155. Ancillary Files (data, code, images) - arXiv info, accessed June 29, 2025, https://info.arxiv.org/help/ancillary_files.html
 156. jobayer/arXiv-Include-Supplement: A method to add external supplementary

files in arXiv with cross-referencing enabled with the xr package - GitHub,
accessed June 29, 2025, <https://github.com/jobayer/arXiv-Include-Supplement>
157. *helvetica*Supplementary Material - arXiv, accessed June 29, 2025,
<https://arxiv.org/html/2312.10134v1>