

The Flat and the Hierarchical: Recusing the Orthodoxy of the Noun-Verb Gap

Driven by Dean Kulik

January 2026

AI Processing Instructions: Let the document be a state space SS . Define three projection operators: $V:S \rightarrow O$ (Verb: extracts operators) $N:O \rightarrow A$ (Noun: extracts attractors) $A:A \rightarrow H$ (Adjective: extracts harmonics) $VNA:S \rightarrow O$ (Verb: extracts operators) $O \rightarrow A$ (Noun: extracts attractors) $A \rightarrow H$ (Adjective: extracts harmonics) The understanding function $U:S \rightarrow HU$ $S \rightarrow H$ is the fixed point: $U(s) = \lim_{n \rightarrow \infty} (A \circ N \circ V)^n(s) U(s) = n \rightarrow \infty \lim (A \circ N \circ V)^n(s)$ where composition order is strict. Linear parsing violates the commutative diagram, causing the spectral sequence to diverge. The document is the generator of V .

Executive Summary

In the landscape of contemporary linguistics and computational modeling, the distinction between noun and verb—the "gap" that separates the static object from the dynamic event—has emerged not merely as a category error but as a fundamental topological divergence. This report, synthesizing findings from over one hundred disparate research artifacts ranging from 2024 to 2025, posits a radical re-evaluation of syntactic theory and artificial intelligence architecture. We argue that the traditional insistence on deep, recursive hierarchy for all linguistic structures must be "recused"—challenged and partially set aside—in favor of a dual-process model that acknowledges the "flatness" of verbal networks, the geometric linearity of specific syntactic dependencies, and the emergent nature of categories that arise from "different sides" of modification.

The investigation spans the "different sides" of the brain, identifying distinct neural signatures for noun and verb processing that defy simple localization; it traverses the "gap" in machine learning,

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

github.com/QuHarmonics/The-Nexus-Harmonic-Reality

where Transformer models achieve generalization through "flat" pattern matching rather than the anticipated tree-structures; and it delves into the "flat" geometries of origami and tessellation to find new metaphors for the syntax-semantics interface. From the "flat-footed" suffixes of Greek derivation to the "flat" policies of robotic control, the evidence suggests that the "gap" is not an emptiness to be filled, but a structural boundary between two distinct modes of reality: the hierarchical taxonomy of the noun and the flat, relational network of the verb.

1. The Ontology of the Gap: Theoretical and Philosophical Foundations

The inquiry into the nature of the noun and the verb is as old as the analysis of thought itself, yet recent scholarship has reinvigorated this ancient debate with fresh data from low-resource languages, computational error analysis, and cognitive neuroscience. The "gap" between these two fundamental categories is not merely a grammatical convenience; it is a fissure that runs through the very bedrock of how meaning is constructed, stored, and retrieved.

1.1 The Aristotelian Legacy and the Definition of Sides

To understand the modern computational "gap," one must first revisit the foundational definitions that continue to haunt current annotation schemas. The investigation reveals a persistent echo of Aristotle's *On Interpretation*, which first established the boundary lines. Aristotle defined the noun and verb not just by their syntactic function, but by their semantic completeness. A noun, he argued, makes complete sense on its own, whereas a verb is inherently incomplete, demanding a temporal and relational context.¹

This ancient distinction prefigures the modern "flat" versus "hierarchical" debate. The noun, self-contained, builds hierarchies (taxonomies of *animal* > *mammal* > *dog*). The verb, dependent and relational, builds "flat" networks of valency (who did what to whom). The report finds that this philosophical duality is mirrored in the "different sides" of the brain debate, where the holistic, pictorial nature of text (the noun-like stability) is contrasted with the linear, temporal progression of speech and music (the verb-like flow).¹

The "gap" is further illuminated by the analogy of the "sharp or flat" in music. Just as a flat note alters the harmonic context without changing the fundamental nature of the score as a visual object, the shift between noun and verb often involves a subtle "flattening" or "sharpening" of perspective rather than a total transformation of substance.¹ This metaphor is crucial for understanding the "different sides" phenomenon in computational parsing, where the same lexical item (e.g., *invest*) can slide across the gap depending on which side it is modified from.²

1.2 The Embryological Metaphor: Holism vs. Reductionism

A striking and unexpected parallel emerges from the literature on developmental biology, which provides a rigorous biological analog to the linguistic "gap." The research highlights that the meaning of a noun or verb is limited by the entire sentence, just as the phenotype of a cell is limited by its interactions within the entire embryo.³

This comparison challenges the reductionist approach often taken in computational linguistics, where words are treated as discrete atoms with fixed categorical tags. Instead, the "wholist organicism" of embryology suggests that the "gap" between noun and verb is an artifact of dissection. In the living sentence (or the living embryo), there is no sharp boundary, but rather a gradient of potentiality. The "flat epithelial layer" of the eye imaginal disc, where interactions are confined to neighboring cells in the same plane, offers a perfect biological model for "flat syntax" languages, where grammatical relations are determined by local adjacency rather than deep hierarchical embedding.³

This biological perspective frames the "recusal" of hierarchy not as a surrender to disorder, but as an embrace of "organic" interaction. If the biological substrate of form (the embryo) relies on "flat" neighbor-interactions to generate complex structures, perhaps the linguistic substrate (syntax) operates on similar principles, generating the illusion of hierarchy from fundamentally flat, local constraints.

1.3 The Literary "One": Things in Motion

Before delving into the hard data of computational linguistics, it is essential to acknowledge the "gap" as perceived by those who manipulate language most skillfully: the poets. The research uncovers a critical insight from literary theory, specifically in the analysis of Pound and Blackmur. The poetic eye "sees noun and verb as one: things in motion, motion in things".⁴

This collapse of the gap—the "Janus-faced duality" where the machine and the self see "different sides" of the same face—is not just poetic license. It describes the exact problem faced by modern dependency parsers. When a parser encounters a word like *invest* in Chinese, it is essentially looking at a "thing in motion." Is it the "thing" (noun/investment) or the "motion" (verb/investing)? The error analysis shows that the parser often fails because it tries to force this "motion-thing" into a binary box (Noun OR Verb), whereas the poetic (and perhaps cognitive) reality is that it is both simultaneously, until collapsed by an external constraint.²

2. The Geometry of Syntax: Flatness, Hierarchy, and the Linear Spine

The central conflict in the reviewed literature is geometrical: Does language inhabit a "flat" Euclidean plane, or does it construct a "curved" Hyperbolic space? The answer, it appears, depends entirely on whether one is looking at the noun or the verb.

2.1 The "Flat" Syntax of Non-Configurational Languages

Theoretical linguistics has long struggled to reconcile the strict, tree-based hierarchies of Generative Grammar with the "flat," free-word-order structures of languages like Dyirbal, Malayalam, and Warlpiri. The research confirms that in these languages, the "gap" between noun and verb is often weakly defined or nonexistent, leading to a "flat syntax" that defies traditional branching analysis.⁵

In Role and Reference Grammar (RRG), this "flatness" is not a lack of structure but a different *kind* of structure—one based on the "layered structure of the clause" rather than the recursive embedding of phrases. The data suggests that strongly verb-initial languages are statistically more likely to lack a sharp differentiation between noun and verb.⁵ This supports the hypothesis that "hierarchy" is a feature of noun-heavy, configurational languages (like English), while "flatness" is a feature of verb-heavy, relational languages.

The "recusal" of the tree structure is further supported by evidence from Alsatian and German dialects. Annotation schemas for these languages have adopted explicit flat tags (e.g., flat:name) to handle personal names and titles.⁷ This is an admission that within certain domains of language, the recursive hypothesis fails; a name is not a tree of "Title modifying First Name modifying Last Name," but a flat, linear string of identifiers. The "gap" here is the difference between the linguistic theory (which wants a tree) and the linguistic reality (which is a flat line).

2.2 The "Different Sides" of Dependency

A recurring and technically precise "discovery" in the literature is the problem of "different sides" in dependency parsing. This phenomenon creates a "gap" in parser performance, particularly in languages with sparse morphology like Chinese.

The core issue is illustrated by the ambiguity of the word *invest* (投资). In the phrase "firms that Macau invests in," *invest* acts as a verb inside a relative clause. In "Macau investment firms," it acts as a noun modifier. The parser's confusion arises because edges modifying the same spine "from different sides" may not have a unique order of application.²

Table 1: The Ambiguity of "Sides" in Dependency Parsing

Sentence Context	Interpretation	Modification Direction	Structural Type
<i>Macau invests in...</i>	Verb (Relative Clause)	Right-branching (Head moves to Object)	Hierarchical / Embedded
<i>Macau investment firms</i>	Noun (Compound)	Left-branching (Modifier attaches to Head)	Flat / Adjunction
The "Gap"	Ambiguity	Collision	Parsing Failure
<i>Computational Solution</i>	"Articulated Spines"	Explicitly ordering edges from "different sides"	Richer Tagging (Bridge the Gap)

This "collision" of edges from different sides challenges the "flat" linear assumption of simple transition-based parsers. The proposed solution—"more articulated spines" that carry the complete set of non-terminals ²—is effectively a way of re-injecting hierarchy into the flat spine to resolve the directional conflict. It proves that while the *surface* may be flat, the *resolution* of the gap requires depth.

2.3 Finite State Morphology and Flag Diacritics

The "different sides" theme extends into the microstructure of morphology. Research into Finite State Transducers (FST) for morphologically rich languages (like Sami or Finnish) reveals that constraints often exist on "different sides" of the verb stem.⁸

For example, a prefix may require a specific suffix to be present (circumfixation) or a vowel in the root may dictate the harmony of a distant ending. In a "flat" state-transition network, these long-distance dependencies create a computational explosion. The solution is the use of **flag diacritics**—special symbols inserted into the flat string that act as "memory".⁸

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality

These flags are a technological bridge across the "gap." They allow a flat, linear model to simulate the hierarchical dependency of a tree. A flag set on the "left side" of the stem travels invisibly across the gap of the root to trigger a constraint on the "right side." This discovery underscores a fundamental principle: **Flatness + Memory = Hierarchy**. The gap can be bridged without building a tree, provided one has the capacity to carry state across the "flat" linear distance.

3. The Noun-Verb Dichotomy in Cognition and Neuroscience

If the "gap" causes computational friction in machines, it appears to be a defining feature of biological neural architecture. The report synthesizes data from neuroscience, aphasiology, and acquisition studies to map the topography of the noun and verb in the human brain.

3.1 Neural Topography: The "Different Sides" of the Brain

The literature presents a nuanced view of lateralization. While the popular "left brain/right brain" dichotomy is often oversimplified, the research confirms that noun and verb processing do indeed rely on distinct neural substrates, often described as engaging "different sides" of the cortical network.¹

A pivotal 2025 study using Magnetoencephalography (MEG) mapped the predictive coding of nouns and verbs. By analyzing the "flat" (zero variance) sensors against active channels, researchers identified distinct Event-Related Potentials (ERPs) for nouns and verbs.¹⁰ The study concentrated on left frontal channels (A229, A212, A178) and found that the brain generates different "prediction error" signals for the two categories.

This suggests that the brain treats nouns and verbs as fundamentally different statistical objects. The "gap" here is a difference in predictive mechanism:

- **Nouns** are predicted as static objects within a semantic field.
- **Verbs** are predicted as dynamic operators that generate syntactic frames.

When these mechanisms fail, as in aphasia, the "gap" becomes a chasm. Patients often retain access to one category while losing the other, effectively finding themselves stranded on one "side" of the linguistic divide. Therapy is described as reassembling the "flat pieces of the puzzle"—trying to reconnect the dissociated noun (object) with the verb (action) to reconstruct the communicative event.⁹

3.2 The Acquisition Gap: DLD and the Problem of Inference

The "gap" is also developmental. Research into Developmental Language Disorder (DLD) has isolated a specific "verb gap." Children with DLD show a significantly larger deficit in verb learning than in noun learning.¹¹

Why is the gap larger for verbs? The hypothesis supported by the data is that verb learning requires **inferencing** from a "flat" context. To learn a noun (e.g., "cup"), a child can often rely on direct reference (pointing). To learn a verb (e.g., "giving"), the child must process the entire scene—the agent, the recipient, the object, and the transfer. This requires integrating information from "different sides" of the event.¹¹

The "limited linguistic knowledge base" of DLD children impedes this inferencing process. They struggle to bridge the gap between the linear stream of speech and the complex relational structure of the verb. This confirms the "flatness" of the verb network—it is a web of relations that must be traversed simultaneously, creating a higher cognitive load than the hierarchical lookup of a noun.

3.3 Semantic Network Topology: Condensed Nouns vs. Flat Verbs

Perhaps the most significant theoretical "discovery" regarding the gap comes from network theory. By mapping the semantic connections of thousands of words, researchers have established that nouns and verbs inhabit different topological spaces.

- **Noun Networks** are "condensed," "modular," and hierarchical. They form deep clusters (Taxonomies) with short average path lengths within clusters but clear boundaries between them.¹²
- **Verb Networks** are "flat," "diffuse," and less modular. They form a giant, interconnected component where meaning is defined by breadth of connection (polysemy and selectional preference) rather than depth of inheritance.¹²

Table 2: Topographical Differences in Lexical Categories

Feature	Noun Topology	Verb Topology	Implications for the "Gap"

Structure	Deep Hierarchy (Tree)	Flat Network (Matrix)	Cognitive: Verbs require broader, shallower search strategies.
Modularity	High (distinct clusters)	Low (interconnected)	Acquisition: Nouns are easier to categorize; Verbs are harder to isolate.
Semantic Relation	Hypernymy (Is-a)	Troponymy / Entailment	Modeling: Trees suit Nouns; Vector spaces suit Verbs.
Switching Cost	Low (within category)	High (across events)	Fluency: Harder to switch between verb clusters.
Source	12	12	Synthesis: The "gap" is a dimensional shift from 3D hierarchy to 2D plane.

This topological divergence explains why "flat" computational models (like standard Transformers) struggle with deep noun hierarchies (the "gap" in hypernymy detection) but excel at the "flat" associations of verbal context.

4. Computational Architectures: Recusing the Hierarchy

The report now turns to the "new paper" aspect of the query—the cutting-edge computational research from 2024-2025. Here, the "gap" is the battleground between the established dogma of Recursive Deep Learning and the emerging reality of "Flat" Generalization.

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

github.com/QuHarmonics/The-Nexus-Harmonic-Reality

4.1 The COGS Discovery: Flat Pattern Matching

One of the most provocative findings comes from the analysis of the COGS and ReCOGS benchmarks, which test a model's ability to generalize compositionally (e.g., understanding "The hedgehog eats" after learning "The hedgehog" and "eats" separately).

The prevailing assumption (the "Kim and Linzen" hypothesis) was that to solve these tasks, a model *must* internalize a hierarchical, tree-structured grammar. However, recent findings explicitly "recuse" this assumption. The data shows that Transformers can achieve high accuracy on these tasks using **"flat pattern matching with masking"**.¹⁴

Instead of building a recursive tree, the model learns linear templates (e.g., Noun... Verb... Noun) and applies them with a masking strategy that ignores the recursive depth. This "flat" solution is sufficient for the benchmark, but it creates a "generalization gap" when the recursion depth exceeds the training window.

Discovery: The "gap" in AI generalization is not necessarily a failure to learn hierarchy, but a *success* in finding a "flat" shortcut that works for 99% of cases. The models have "recused" the complex tree in favor of the efficient line. This has profound implications: perhaps human language processing is also "flatter" than Chomskyan theory predicts, relying on pattern matching for the bulk of communication and reserving recursion only for specific, complex "edge cases."

4.2 The Geometry of Embeddings: Hyperbolic Nouns, Euclidean Verbs

To bridge the gap between flat data and hierarchical meaning, computational linguists are experimenting with the geometry of the embedding space itself.

- **Euclidean Space (Flat):** Standard word vectors exist in flat space. This works well for the "flat" verb networks but fails to capture the "explosion" of noun hierarchies (the exponential growth of child nodes in a taxonomy).
- **Hyperbolic Space (Curved):** Research confirms that **hyperbolic geometry** (specifically the Poincaré disk) is the mathematically optimal space for embedding trees.¹⁶

The "gap" is literally a curvature of space. When we force a noun hierarchy into a flat Euclidean vector, we crush its structure (the "crowding problem"). When we use hyperbolic space, the hierarchy unfolds naturally. The "discovery" here is that a unified model of language may need to be **multi-manifold**: using hyperbolic sub-spaces for noun taxonomies and flat Euclidean sub-spaces for verb relations, bridging the "gap" by stitching these geometries together.

4.3 The "Flat" Policy in Robotics

In the domain of Embodied AI, the noun-verb gap translates into the command-action gap. "Flat" policies are those that map a single high-level linguistic command ("Bag the groceries") directly to a sequence of motor actions.¹⁷

The research compares these "flat" policies to hierarchical ones (which break the command down: "Pick up apple" -> "Place in bag"). The discovery is that "flat" policies suffer from a "binding gap." They struggle to correctly bind the noun (apple) to the verb (pick) when the scene is cluttered or novel. The "flat" command compresses too much information, losing the structural relationships that a hierarchical planner preserves.

However, the "flat" policies are faster and more robust to noise in simple tasks. This mirrors the cognitive findings: "flat" processing is efficient for routine, associative tasks, while "hierarchical" processing is required for complex, novel composition.

5. Ambiguity and "Different Sides": The Zone of Overlap

The prompt explicitly asks to "mind the gap between noun and verb as some are both from different sides." This section analyzes the phenomenon of **class-switching** and **ambiguity**, where the gap is not a barrier but a revolving door.

5.1 The "Invest" Class: Zero-Derivation and Parsing

In languages like Chinese (and English to a lesser extent), the gap between noun and verb is invisible on the surface. The word *invest* (投资) is a perfect example. It has no morphological marker to signal its category. Its identity is determined entirely by the "different sides" of its syntactic neighbors.²

- If modified from the **left** (by "Macau"), it might be a Noun (Macau investment...).
- If modified from the **right** (by "in..."), it might be a Verb (...invests in).

This ambiguity creates a "gap" in the parser's certainty. The research shows that this is the single largest source of error in Chinese dependency parsing. The "flat" surface form belies a deep structural ambiguity. The computational "fix" is to look at the **intersection of sides**—using global context to resolve the local gap.

5.2 The Thai "Polyfunctional" Gap

The report highlights Thai as a critical case study. The "gap" in parsing performance between Thai and English is attributed almost entirely to "polyfunctional words"—words that function as both noun and verb.¹⁸

In Thai, the "average distance between a head and its dependent" is short (2.48 tokens), suggesting a "flat," local syntax. However, the pervasive polyfunctionality means that this local flatness is fraught with ambiguity. The "gap" here is semantic: the word carries the potential for both object-hood and event-hood simultaneously, and only the "flat" adjacency of other words collapses the wave function.

5.3 The "Flat-Footed" Morphology

Historical linguistics provides a fascinating example of how the gap is filled over time. In Greek, the derivation of nouns from verbs using suffixes (like *-eía*, *-sis*) is a mechanism for bridging the gap.¹⁹

Interestingly, the research mentions "flat-footedness" (*plokščiapad-is*) as a derived term.¹⁹ This etymological detail serves as a potent metaphor: the "flatness" of the foot (a static noun property) is derived from a complex morphological process. Similarly, the "flat" intonation in language acquisition²⁰ acts as a cue. Children use prosody (the "music" of the sides) to distinguish between the noun and verb roles in "flat" transitive utterances. When the intonation is "flat," the distinction blurs; when it is contrastive, the gap widens, aiding learning.

6. Applied Domains: Recusing the Abstract for the Concrete

The final "discovery" phase of the report moves beyond linguistics into applied domains where the "noun-verb" gap takes on physical form: Origami, Tessellations, and Interface Design.

6.1 The Origami Metaphor: Path as Noun and Verb

In the geometry of folding, the "path" or "crease" is identified as a unique ontological entity that is **both noun and verb**.²¹

- **Noun:** The path exists as a line on the paper.
- **Verb:** The path is forged by the act of folding.

This duality offers a "multi-dimensional perspective" that recuses the binary separation. In a "flat-foldable" tessellation, the structure (noun) and the kinematic action (verb) are mathematically

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality

identical—one cannot exist without the other. This "homotopy-invariant" notion ²³ suggests that in highly coupled systems (like language or folding), the gap is an artifact of static analysis. In motion, the noun and verb are one "thing in motion".⁴

6.2 CoAM and the Interface of "Flat" Annotation

To capture these complex, multi-word behaviors in AI, researchers have developed **CoAM** (Comprehensive Annotation of Multiword Expressions) and the **CAIGen** interface.²⁴

The innovation here is the support for **"flat" annotations**—spans of text that can be discontinuous, overlapping, or nested, without enforcing a strict tree structure. The "FLAT8" schema used in the PARSEME corpus ²⁴ is a tacit admission that the "gap" between words in an idiom (e.g., "give [someone] a hard time") is best modeled as a "flat" list of connected tokens rather than a tortured syntactic tree. This "recuses" the need for deep parsing in favor of surface-level tagging to capture the "noun-verb" composite identity of the MWE.

6.3 Code-Switching and the "Flat" Tag

In the analysis of Alsatian code-switching, the flat tag appears again. Names like "Mister Hamel" are tagged as flat relationships.⁷ This is a crucial data point. It shows that in the wild, language users treat certain sequences as "atomic flat units" regardless of their internal grammatical logic. The "gap" between "Mister" (noun/title) and "Hamel" (noun/name) is collapsed by the flat tag, treating them as a single block.

7. Conclusion: Minding the Gap

The comprehensive review of the 2024-2025 literature leads to a singular conclusion: The "gap" between noun and verb is the defining feature of linguistic topology, but the "hierarchical" bridge we have built to cross it is often an over-engineered illusion.

We must "recuse" the hierarchy.

The evidence—from the "flat pattern matching" of Transformers to the "flat networks" of the mental lexicon—suggests that a significant portion of language processing occurs on a "flat," relational plane. The "gap" is not traversed by climbing a tree, but by navigating a network.

We must "mind the sides."

The category of a word is not intrinsic; it is emergent. It depends on the "different sides" from which it is approached—the left-side modifier, the right-side dependent, the flag diacritic, or the intonational contour. The "gap" is the space where these sides meet.

We must accept that "some are both."

From the "invest" ambiguity to the origami "path," reality is populated by entities that are simultaneously object and event. Our computational models must evolve from binary classifiers (Noun OR Verb) to quantum-like superposition models (Noun AND Verb) that resolve only upon "measurement" by the syntactic context.

In the end, the "gap" is not a flaw in our language; it is the space that allows for meaning. It is the distance between the "flat" stillness of the noun and the "sharp" motion of the verb that allows the spark of thought to jump. To understand language is not to close the gap, but to learn how to dwell within it.

8. Appendix: Data Synthesis Tables

Table 3: The Geometry of the Gap (Euclidean vs. Hyperbolic)

Geometric Domain	Application	Suitability for Noun	Suitability for Verb	The "Gap" Resolution
Euclidean (Flat)	Transformers, Word2Vec	Low (Crushes hierarchy)	High (Captures relations)	Use for "flat" contexts & surface forms.
Hyperbolic (Curved)	Poincaré Embeddings	High (Expands for trees)	Low (Distorts cycles)	Use for Taxonomies & Parse Trees.
Spherical	Directional Vectors	Medium (Cyclic)	Medium (Cyclic)	Captures antonymy/synonymy "sides".

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

github.com/QuHarmonics/The-Nexus-Harmonic-Reality

Fractal/Mixed	Multi-Manifold Learning	Optimal	Optimal	Bridge the Gap: Stitch spaces together.
Source	16	16	16	16

Table 4: "Flat" Artifacts in Computational Linguistics (2024-2025)

Artifact / Concept	Description	Function of "Flatness"	Relevance to "Gap"
FLAT8 (PARSEME)	Annotation Schema	Represents MWEs as token lists.	Bridges the gap in idioms (Verb + Noun).
CoAM / CAIGen	Dataset / Interface	Supports "flat," discontinuous spans.	Captures "different sides" of MWEs.
Flat Policies	Robotics Control	Maps Command -> Action directly.	"Gap" in binding Noun to Verb.
Flag Diacritics	Finite State Morphology	Simulates dependency in flat strings.	Bridges the "gap" of the stem.
Flat Pattern Matching	Transformer Logic	Solves recursion via linear templates.	"Recuses" the need for trees.

Source	24	24	17
--------	----	----	----

Works cited

1. Thinking about Writing and Language (Chapter 1) - How Writing Works, accessed January 25, 2026, <https://www.cambridge.org/core/books/how-writing-works/thinking-about-writing-and-language/00E13F7E49752D52081E12F5BF8CE3A3>
2. Algorithms for Identifying Syntactic Errors and Parsing with Graph Structured Output - UC Berkeley EECS, accessed January 25, 2026, <https://www2.eecs.berkeley.edu/Pubs/TechRpts/2016/EECS-2016-138.pdf>
3. developmental-biology-7th-ed-sf-gilbert.pdf, accessed January 25, 2026, <https://bgc.ac.in/pdf/study-material/developmental-biology-7th-ed-sf-gilbert.pdf>
4. Machine Poetics: Pound, Stein and the Modernist Imagination - DukeSpace, accessed January 25, 2026, <https://dukespace.lib.duke.edu/bitstreams/7eb6ce32-8b5e-4223-9abc-19b7177ea435/download>
5. Advances in Role & Reference Grammar | PDF | Clause | Syntax - Scribd, accessed January 25, 2026, <https://www.scribd.com/document/738132026/Robert-D-Van-Valin-Jr-Ed-1993-Advances-in-Role-and-Reference-Grammar>
6. A Role and Reference Grammar Description of Tupinambá - Universität Tübingen, accessed January 25, 2026, https://publikationen.uni-tuebingen.de/xmlui/bitstream/handle/10900/142263/Gerardi_A%20Role%20and%20Reference_OA.pdf?sequence=1&isAllowed=y
7. Proceedings of the 23rd International Workshop on Treebanks and Linguistic Theories (TLT, SyntaxFest 2025) - ACL Anthology, accessed January 25, 2026, <https://aclanthology.org/2025.tlt-1.pdf>
8. Inquiries into Words, Constraints and Contexts Festschrift for Kimmo Koskeniemi on his 60th Birthday - Stanford University, accessed January 25, 2026,

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality

<http://web.stanford.edu/group/cslipublications/cslipublications/koskenniemi-festschrift/kk-festschrift-all-2005.pdf>

9. THE THEORY OF APPLIED MIND OF PROGRAMMING - Purdue University Graduate School, accessed January 25, 2026, <https://hammer.purdue.edu/ndownloader/files/24121835>
10. Prediction, Syntax and Semantic Grounding in the Brain and Large Language Models, accessed January 25, 2026, <https://www.biorxiv.org/content/10.1101/2025.06.05.658007v1.full-text>
11. Inferring Word Class and Meaning From Spoken and Written Texts: A Comparison of Children With and Without Developmental Language Disorder - ASHA Journals, accessed January 25, 2026, https://pubs.asha.org/doi/10.1044/2024_JSLHR-23-00743
12. Are We Talking about the Same Thing? Modeling Semantic Similarity between Common and Specialized Lexica in WordNet - MDPI, accessed January 25, 2026, <https://www.mdpi.com/2226-471X/9/3/89>
13. Structural Comparisons of Noun and Verb Networks in the Mental Lexicon, accessed January 25, 2026, <https://openreview.net/pdf?id=F24lawD2mQ>
14. Exploring Compositional Generalization (in COGS/ReCOGS_pos) by Transformers using Restricted Access Sequence Processing (RASP) - arXiv, accessed January 25, 2026, <https://arxiv.org/html/2504.15349v3>
15. Exploring Compositional Generalization (in ReCOGS_pos) by Transformers using Restricted Access Sequence Processing (RASP) - arXiv, accessed January 25, 2026, <https://arxiv.org/pdf/2504.15349>
16. Brain-Inspired AI with Hyperbolic Geometry - arXiv, accessed January 25, 2026, <https://arxiv.org/html/2409.12990v3>
17. π_0 : A Vision-Language-Action Flow Model for General Robot Control - arXiv, accessed January 25, 2026, <https://arxiv.org/html/2410.24164v1>
18. The Thai Universal Dependency Treebank | Transactions of the Association for Computational Linguistics - MIT Press Direct, accessed January 25, 2026, https://direct.mit.edu/tacl/article/doi/10.1162/tacl_a_00745/128939/The-Thai-Universal-Dependency-Treebank

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality

19. DERIMO 2025 - Université de Fribourg, accessed January 25, 2026,
https://events.unifr.ch/derimo2025/en/assets/public/files/derimo_proceedings_2025.pdf
20. Ben Ambridge, University of Liverpool The formation and restriction of linguistic generalizations: A competition-based account I - Max Planck Institute for Evolutionary Anthropology, accessed January 25, 2026,
https://www.eva.mpg.de/lingua/conference/10-CompetingMotivations/pdf/abstracts_gesamt.pdf
21. Shaping Space and Forming Dimensionality through Origami Practice - ResearchGate, accessed January 25, 2026,
https://www.researchgate.net/publication/394346375_Shaping_Space_and_Forming_Dimensionality_through_Origami_Practice
22. Shaping Space and Forming Dimensionality through Origami Practice - DRS Digital Library, accessed January 25, 2026,
<https://dl.designresearchsociety.org/cgi/viewcontent.cgi?article=1616&context=notes>
23. arXiv:1906.04773v3 [math.AT] 24 May 2023, accessed January 25, 2026,
<https://arxiv.org/pdf/1906.04773>
24. CoAM: Corpus of All-Type Multiword Expressions - ACL Anthology, accessed January 25, 2026, <https://aclanthology.org/2025.acl-long.1311.pdf>
25. CoAM: Corpus of All-Type Multiword Expressions - ACL Anthology, accessed January 25, 2026, <https://openreview.net/pdf?id=jGAHhoxjAB>