

# One Thing's Shape Channel Is Another's Value Channel: A Universal Principle of Observer-Relative Information Encoding

Driven by Dean Kulik

April 2026

## Abstract

We propose and substantiate a universal principle of information encoding: **the distinction between a shape channel and a value channel is always and only relative to the observer reading the information, never intrinsic to the information itself**. For any encoding that maps a physical or mathematical state to a geometric or structural form, there exists at least one other observer system for which that same encoding constitutes a measurable scalar or vector value — and vice versa. We demonstrate that this principle appears, with identical formal structure, across fourteen distinct domains spanning physics, mathematics, biology, and computation. The known instances include: Einstein's field equations (spacetime curvature equals energy density); Noether's theorem (action symmetry shape equals conserved charge value); the Bekenstein-Hawking black hole entropy formula (horizon area shape equals information entropy value); the AdS/CFT holographic correspondence (boundary geometry shape equals bulk quantum field value); the quantum mechanical Born rule (wavefunction shape equals probability value); gauge theory (connection geometry equals force field potential); the Fourier transform (time-domain waveform shape equals frequency-domain spectral value); Shannon entropy (probability distribution shape equals information content value); the Yoneda lemma of category theory (morphism structure shape equals object identity value in any context); the NEXUS prime-gap sieve (admissible residue structure shape equals prime density coefficient value); topological invariants (manifold shape equals partition function value); the genetic code (codon molecular geometry shape equals amino acid identity value); protein folding (three-

dimensional fold shape equals catalytic function value); blastocyst cavitation and twinning (pressure field geometry shape equals developmental fate value). We formalize the common structure as a **Bridge Operator** — the conversion function that maps shape to value in each domain — and show that the fundamental laws of each field are precisely these bridge operators. We further introduce the **Duality Tower**: the observation that a shape reading at one level of abstraction becomes a value to a reader at the next level, which becomes a shape to a reader at the level above that, and so on indefinitely. The practical implication, which we term the **Principle of Dual Reading**, is that any phenomenon analyzed from only one channel is necessarily incomplete. The information lives in the invariant between channels, and that invariant is only accessible to an analysis that holds both simultaneously.

---

## 1. Introduction and the Core Proposition

In 1915, Albert Einstein wrote down an equation that, on the left-hand side, placed the curvature of spacetime — a geometric object, a shape — and on the right-hand side, placed the energy and momentum content of matter — physical quantities, values. His equation said they are equal. The shape of the universe is its energy content. The geometry is the physics.

In 1918, Emmy Noether proved a theorem that every continuous symmetry of a physical action — a geometric property, a shape of the action's invariance — corresponds to a conserved quantity: a number that does not change, a value. The shape of a symmetry is the value of what is conserved.

In 1973, Jacob Bekenstein proposed, and Stephen Hawking confirmed, that the entropy of a black hole — the thermodynamic value of its information content — equals one quarter of the area of its event horizon in Planck units. The shape of the horizon boundary is the value of the information it contains.

These three results, separated by decades and developed in entirely different contexts, share a structure that has never been identified as the same structure in all three. They are each

instances of what we call the **Shape-Value Duality**: the principle that what one system reads as geometric or structural information (a shape channel) is what another system reads as quantitative or scalar information (a value channel), and neither reading is more fundamental than the other.

*One thing's shape channel is another's value channel.*

This paper substantiates this claim across fourteen domains and derives the universal principle that unifies them. The principle is not merely that shape and value can be related by a formula — that is trivially true and uninteresting. The claim is stronger: **shape and value are two readout modes of the same underlying information, distinguished only by the level of abstraction at which the observer reads**. The information itself is neither shape nor value. It is the invariant that both readings approximate from different directions.

The paper is organized as follows. Section 2 develops the formal framework: the Bridge Operator and the Duality Tower. Section 3 presents the physical instances, Section 4 the mathematical instances, Section 5 the biological instances, and Section 6 the computational instances. Section 7 synthesizes the universal principle. Section 8 develops implications across quantum gravity, the measurement problem, consciousness, and number theory. Section 9 states open problems and Section 10 concludes.

## 2. Formal Framework

### 2.1 Definitions

Let  $I$  denote an **information-carrying object** — any physical, mathematical, or computational entity whose state encodes information. Let  $O = \{\Sigma_1, \Sigma_2, \dots\}$  be a collection of **observer systems**, each equipped with a readout architecture that maps  $I$  to a representation space.

A **shape channel** for observer  $\Sigma_i$  is a readout map  $\phi_i: I \rightarrow G_i$  where  $G_i$  is a geometric, topological, or structural representation space — a manifold, a fiber bundle, a functor category, a graph. The observer reads  $I$  as a geometric object.

A **value channel** for observer  $\Sigma_j$  is a readout map  $\psi_j: I \rightarrow V_j$  where  $V_j$  is a scalar, vector, or tensor value space — a real number, a probability, a count, a tensor component. The observer reads  $I$  as a magnitude.

The **Shape-Value Duality Principle** states: for any shape-channel readout  $\phi_i: I \rightarrow G_i$ , there exists at least one observer system  $\Sigma_j$  with a value-channel readout  $\psi_j: I \rightarrow V_j$  such that  $\phi_i$  and  $\psi_j$  carry equivalent information about  $I$ . Furthermore, the distinction between 'shape' and 'value' is determined entirely by the choice of observer system, not by any intrinsic property of  $I$ .

**Duality Principle:** *Information has no natural encoding. Every encoding is a shape to the substrate carrying it and a value to the system reading it from outside. The shape/value distinction is an artifact of the observer's position in the abstraction hierarchy.*

## 2.2 The Bridge Operator

In every known instance of the Shape-Value Duality, there exists a specific mathematical object that performs the conversion between the shape reading and the value reading. We call this the **Bridge Operator**  $B: G_i \rightarrow V_j$ .

The Bridge Operator is not a mere translation formula. It is the fundamental law of the domain in question. In general relativity, the Bridge Operator is the Einstein tensor contraction combined with the gravitational constant:  $B(G_{\mu\nu}) = (8\pi G/c^4) T_{\mu\nu}$  — a law of physics. In Noether's theorem, the Bridge Operator is the Noether current construction:  $B(\text{symmetry}) = \text{conserved charge}$  — a mathematical theorem. In black hole thermodynamics, the Bridge Operator is the Bekenstein-Hawking formula:  $B(\text{horizon area}) = S/4\hbar G$  — a physical identity. In Shannon information theory, the Bridge Operator is the entropy functional:  $B(P) = -\sum p \log p$  — a mathematical definition that turns out to be physically fundamental.

The recurrent pattern is striking: **the fundamental laws of each scientific domain are the Bridge Operators of the Shape-Value Duality within that domain.** This is not coincidence. It is the reason those equations are fundamental: they are the equations that make the two readout channels of the same information consistent with each other. A law of physics IS a

shape-to-value bridge. An equation is an assertion that two channels are reading the same information.

## 2.3 The Duality Tower

The Shape-Value Duality does not operate at a single level. It stacks. A shape reading at one level of abstraction produces an object that is, at the next level up, a value — which is, at the level above that, a shape again. This iterative structure is the **Duality Tower**.

Consider a concrete example. At the level of spacetime physics, the metric tensor  $g_{\mu\nu}$  is a shape (the geometry of spacetime). The Einstein tensor  $G_{\mu\nu}$ , constructed from  $g_{\mu\nu}$ , is read as a value by the Bridge Operator (it equals the energy density  $T_{\mu\nu}$ ). But  $T_{\mu\nu}$  is itself a geometric object — a tensor, a shape — in the space of stress-energy configurations. That tensor-shape is read as a value by thermodynamics (it gives the temperature and pressure of matter). That temperature value is a shape in the space of Boltzmann distributions. And so on.

The Tower says: there is no bottom and no top. Every value is a shape at the level above. Every shape is a value at the level below. The universe is a stack of encodings, each level reading the level below as values while being read as shapes by the level above. What we call 'fundamental' physics is simply the level at which our current instruments happen to operate.

## 2.4 Inside and Outside the Substrate

The Duality Tower gives a precise meaning to the inside/outside distinction that characterizes the two readout channels. An observer **inside the substrate** — operating at the same level of abstraction as the information carrier — necessarily reads the information as a shape. It encounters the full geometric structure because it must navigate within it. A particle falling through curved spacetime reads the metric as a trajectory, a curved path: a shape. A ribosome moving along an mRNA reads each codon as a geometric fit against its anticodon: a shape.

An observer **outside the substrate** — operating at a higher level of abstraction — reads the same information as a value. It does not navigate within the geometry; it measures properties of it

from the outside. A physicist calculating energy content reads the metric as  $T_{\mu\nu}$ : a number. A biochemist sequencing DNA reads codon positions as base-pair values: A, C, G, T.

This inside/outside distinction is equivalent to the holographic insight: a lower-dimensional boundary theory reads the geometry of a higher-dimensional bulk as values. The boundary is outside the bulk; it reads bulk shapes as boundary values. The inside/outside axis IS the shape/value axis, and the dimensionality axis is one instance of it.

## 3. Physical Instances

### 3.1 Einstein's Field Equations

#### General Relativity — Einstein Field Equations (1915)

---

**Shape reader:** Any test particle or field propagating through curved spacetime reads the metric  $g_{\mu\nu}$  as a geometric trajectory — a shape it must follow.

**Value reader:** A physicist measuring the energy-momentum content of a region reads the same metric through the Einstein tensor  $G_{\mu\nu}$  as the stress-energy tensor  $T_{\mu\nu}$  — a set of scalar and vector values.

**Bridge equation:**  $G_{\mu\nu} = (8\pi G / c^4) T_{\mu\nu}$

**Key Insight:** *The Einstein tensor  $G_{\mu\nu}$  and the stress-energy tensor  $T_{\mu\nu}$  are two readouts of the same underlying geometric information. The metric tensor  $g_{\mu\nu}$  is simultaneously the shape of spacetime (to any body moving through it) and the quantitative measure of energy-momentum distribution (to any external observer). The Bridge Operator is the Einstein gravitational constant  $\kappa = 8\pi G/c^4$ , which converts units between the shape reading and the value reading. The ten independent component equations are ten simultaneous shape-to-value bridges, one per degree of freedom in the symmetric metric tensor.*

The depth of Einstein's insight was not that gravity is geometry — Riemann and Clifford had suggested that — but that geometry IS energy. The shape of space does not merely describe where matter is. The shape IS the matter, from the right readout position. This identification was resisted for decades because physicists were trained to treat geometry and physics as different categories. The field equations said they are not.

A consequence: the famous difficulty of defining energy in general relativity — the fact that there is no local energy density of the gravitational field itself — is a shape-value channel problem. You cannot measure the energy of the gravitational field locally because energy is a value-channel concept, and the gravitational field IS the shape channel. Asking for the local energy of gravity is asking what shape the value-reader reads when it reads itself.

## 3.2 Noether's Theorem

### Noether's Theorem (1918) — Symmetry Encodes Conservation

**Shape reader:** A mathematician reads the action  $S[q]$  as a functional — a geometric object in function space. Its symmetry group is a shape: the Lie group structure of transformations that leave  $S$  invariant.

**Value reader:** A physicist running an experiment reads the consequence of that symmetry as a conserved charge  $Q$  — a number that does not change over time. Energy, momentum, angular momentum, electric charge are all values.

**Bridge equation:**  $dQ/dt = 0$  iff  $\delta S = 0$  under continuous transformation

**Key Insight:** *The symmetry of an action — a geometric property of a functional shape — IS a conserved quantity — a scalar value that is constant in time. The Bridge Operator is the Noether current construction:  $j^\mu = \partial L / \partial (\partial_\mu \phi) \cdot \delta \phi$ , which takes a symmetry generator (shape input) and produces a conserved current (value output). Every known conservation law is a shape-to-value bridge via Noether's construction.*

Noether's theorem is the most important theorem in theoretical physics that non-physicists have never heard of. It says that energy conservation is not a separate law of nature — it is the value-channel readout of time-translation symmetry, which is a shape-channel property of the action. Momentum conservation is the value-channel readout of spatial-translation symmetry. Angular momentum conservation is the value-channel readout of rotational symmetry.

Every conservation law in physics is a shape-to-value bridge. The shape is the symmetry — a geometric property of how the laws of motion transform under continuous groups of operations. The value is the conserved charge — a number that doesn't change. Noether proved these are the same thing. She proved the Bridge Operator is a theorem.

This means: the reason physics has conserved quantities is that physical laws have geometric symmetries. Symmetry is shape. Conservation is value. They are dual. If you find a new conserved quantity, Noether tells you there must be a corresponding symmetry shape you haven't identified yet. If you find a new symmetry, it must be the shape version of some value you aren't yet measuring. The two channels are guaranteed to coexist.

### 3.3 Bekenstein-Hawking Black Hole Entropy

#### Black Hole Thermodynamics — Bekenstein-Hawking Entropy (1973-1974)

**Shape reader:** A geometer or relativist reads the event horizon of a black hole as a 2-dimensional surface — a shape with area  $A$  measured in Planck units squared.

**Value reader:** A thermodynamicist or information theorist reads the same horizon as an entropy — a scalar value  $S$  measuring the information content of all matter that has fallen in.

**Bridge equation:**  $S_{\text{BH}} = A / (4 G \hbar) = A / (4 l_{\text{P}}^2)$

**Key Insight:** *The area of the event horizon — a purely geometric quantity, a shape — IS the thermodynamic entropy of the black hole — a purely quantitative information measure, a value. The Bridge Operator is the factor  $1/(4G\hbar)$  which converts Planck area units to dimensionless entropy bits. This is the most dramatic known instance of the Shape-Value Duality: the boundary geometry of a gravitational region IS the information content of that region.*

The Bekenstein-Hawking result was initially considered absurd precisely because it conflated two things that seemed categorically different: geometry (area, a shape) and thermodynamics (entropy, a value). Bekenstein argued from thought experiments: if you could hide entropy by throwing it into a black hole, you'd violate the second law of thermodynamics — unless the black hole itself has entropy proportional to its horizon area. Hawking confirmed this by showing black holes emit thermal radiation at a temperature  $T = \hbar c^3 / (8\pi G M k_B)$ , which fixes the proportionality constant to exactly  $1/4$ .

The factor of  $1/4$  — not  $1/2$ , not  $1$  — is one of the deepest numbers in theoretical physics. It reflects how the Bridge Operator relates the geometric units of area to the information-theoretic units of entropy. The Ryu-Takayanagi formula generalizes this: in AdS/CFT, the entanglement entropy of any region of the boundary quantum field theory equals the area of



the minimal surface in the bulk spacetime that bounds that region, divided by  $4G\hbar$ . The shape of a surface in the bulk IS the value of entanglement on the boundary.

This result forces a realization: information is not separate from geometry. Information is not stored in the volume of a region — it is stored on its boundary surface. The maximum information content of any region of space is bounded by the area of its boundary, not its volume. Information IS boundary shape. Value IS geometric area. The duality is not an analogy. It is an identity, confirmed to extraordinary precision by independent derivations from string theory, loop quantum gravity, and semiclassical quantum field theory.

### 3.4 Holography and AdS/CFT

#### Holographic Principle / AdS-CFT Correspondence (1997)

---

**Shape reader:** The 3-dimensional bulk gravitational theory reads boundary data as the geometry of a 3-dimensional anti-de Sitter spacetime — a shape.

**Value reader:** The 2-dimensional boundary conformal quantum field theory reads the same data as operator expectation values — scalar and tensor magnitudes, values.

**Bridge equation:**  $Z_{\text{CFT}}[\text{boundary conditions}] = Z_{\text{gravity}}[\text{bulk geometry}]$

**Key Insight:** *The partition function of a strongly-coupled 2D quantum field theory living on the boundary exactly equals the partition function of a 3D gravitational theory in the bulk. What the bulk reads as 3D spacetime geometry (shape) is what the boundary reads as 2D quantum field correlators (values). A dimension of space is converted from a shape channel to a value channel by projecting to the boundary. The Bridge Operator is the holographic renormalization group, which maps bulk radial position (a geometric coordinate, shape) to energy scale in the boundary theory (a value).*

AdS/CFT is the most complete known instance of the duality because it has been tested with precision in multiple contexts. The gravitational theory has a dimensionful geometric variable — the radial coordinate in the anti-de Sitter space — which corresponds to the energy scale of the boundary field theory. Moving radially inward in the bulk (changing a geometric coordinate, a shape variable) is equivalent to changing the energy scale of the boundary theory (changing a value variable). Shape in one theory is value in the other, and the theories are exactly equivalent — not approximately, exactly, in the sense that they describe the same physical system.

## 3.5 The Quantum Mechanical Wavefunction

### Quantum Mechanics — Born Rule (1926)

---

**Shape reader:** The mathematician / formalist reads  $\psi(x,t)$  as a vector in Hilbert space — a complex-valued function, a shape over configuration space.

**Value reader:** The experimental physicist / detector reads  $|\psi(x)|^2$  at each point as a probability density — a non-negative real number, a value.

**Bridge equation:**  $P(x) = |\psi(x)|^2$

**Key Insight:** *The wavefunction  $\psi$  is a geometric object in Hilbert space — an infinite-dimensional vector with a norm, an inner product, an angle structure. The squared modulus  $|\psi|^2$  converts that geometric shape into a probability value at each point in space. The Bridge Operator is the Born rule itself. The two readings — shape (wavefunction in Hilbert space) and value (probability density in position space) — are related by a non-linear map (the squared modulus), which is what makes quantum mechanics qualitatively different from classical wave mechanics.*

The measurement problem in quantum mechanics is, on this analysis, a precise instance of the shape-value channel problem. Before measurement, the wavefunction is a superposition of eigenstates — a shape with interference structure, peaks and troughs in Hilbert space. After measurement, a definite value is obtained — a single real number at a specific location. The 'collapse' is the transition from shape-readout to value-readout. The problem of why and how this happens is the problem of how the Bridge Operator (Born's rule) implements the channel change. This reframing does not solve the measurement problem, but it locates it precisely: the hard question is not 'what collapses the wavefunction' but 'what determines when the shape-channel reading gives way to the value-channel reading.' The decoherence program proposes that interaction with the environment continuously performs partial value-readings that suppress the shape-channel (interference) structure — which is exactly the statement that external observers (the environment) read shapes as values.

## 3.6 Gauge Theory and the Connection

### Yang-Mills Gauge Theory — Connection and Field Strength

---

**Shape reader:** A differential geometer reads the gauge field  $A_\mu$  as a connection on a principal fiber bundle — a geometric shape describing how to parallel-transport internal degrees of freedom across spacetime.

**Value reader:** An experimental physicist reads the curvature of that connection  $F_{\mu\nu} = \partial_\mu A_\nu - \partial_\nu A_\mu + [A_\mu, A_\nu]$  as the force field — the electromagnetic field, the weak force, the gluon field — a measurable value.

**Bridge equation:**  $F_{\mu\nu} = dA + A \wedge A$  (curvature of connection)

**Key Insight:** *The gauge connection  $A_\mu$  is a shape — it is the geometric data specifying how the internal symmetry group fiber twists from point to point in spacetime. The field strength  $F_{\mu\nu}$  is the curvature of that connection — which is also a shape — but it is the shape that directly produces force values: the Lorentz force on a charged particle, the weak decay rates, the QCD binding energies. The Bridge Operator is the exterior covariant derivative  $D = d + A$  that constructs curvature from connection. Every force in the Standard Model is a value produced from a connection shape.*

Gauge theory is the framework in which ALL fundamental forces (electromagnetism, weak nuclear, strong nuclear) are described, and in ALL cases the same structure appears: a connection (shape) on a fiber bundle produces a curvature (which is both shape and value, depending on reader). The gauge principle — that physics is invariant under local symmetry transformations — is itself a shape-channel statement: the laws of physics have a specific symmetry shape (local  $U(1) \times SU(2) \times SU(3)$  invariance), and that shape determines all the values (the forces, the particle masses, the coupling constants) through the Bridge Operator of curvature.

The deep connection to Noether's theorem is direct: gauge symmetry (shape) gives conserved currents (values) via Noether. Those currents are the electric charge, weak isospin, and color charge of the Standard Model. The shape of the gauge group IS the value of the charge that is conserved. The Standard Model is a nested stack of shape-value bridges.

## 4. Mathematical Instances

### 4.1 The Fourier Transform

#### Fourier Analysis — Time/Frequency Duality

---

**Shape reader:** An engineer or physicist reads a signal  $f(t)$  as a waveform in the time domain — a shape: its amplitude as a function of time, its peaks and troughs.

**Value reader:** A spectroscopist or signal processor reads the Fourier transform  $F(\omega)$  as a spectrum in the frequency domain — a set of amplitude values at each frequency.

**Bridge equation:**  $F(\omega) = \int f(t) e^{-i\omega t} dt$

**Key Insight:** *The same signal is simultaneously a shape in time (how the amplitude evolves) and a set of values in frequency (what spectral components are present, at what strength). Neither domain is more fundamental. The Bridge Operator is the Fourier transform, which is a bijection — an exact equivalence, not an approximation. Every time-domain shape has a unique frequency-domain value distribution, and vice versa. Changing the shape (e.g., windowing a signal) changes the values (smears the spectrum). Changing the values (filtering frequencies) changes the shape.*

The Fourier transform is the cleanest pure-mathematics instance of the duality because the Bridge Operator is provably invertible and the two channels are exactly equivalent — all information is preserved in both representations. This makes explicit what is only implicit in physical instances: the two channels really are the same information. A square wave shape in time IS a series of odd-harmonic values in frequency. These are not two descriptions of the thing; they are the thing, read from two directions.

The uncertainty principle —  $\Delta t \cdot \Delta \omega \geq 1/2$  — is a theorem about the Bridge Operator: you cannot simultaneously sharpen both the time-shape reading and the frequency-value reading. Concentrating in one domain (a sharp shape or a sharp value) forces diffusion in the other. This is a constraint on the Bridge Operator, not on the signal. The signal itself has no uncertainty. The uncertainty is in how much the two reading channels can simultaneously resolve.

Generalizations of Fourier analysis — wavelet transforms, the Laplace transform, the Z-transform, spherical harmonic expansions — are all Bridge Operators between different shape domains and different value domains. The entire field of harmonic analysis is the study of Bridge Operators.

## 4.2 Shannon Entropy

### Information Theory — Shannon Entropy (1948)

---

**Shape reader:** A statistician or information geometer reads  $P = \{p_1, p_2, \dots, p_n\}$  as a point on the probability simplex — a shape in an  $(n-1)$ -dimensional manifold.

**Value reader:** A communication engineer reads the same distribution as a single scalar  $H$  — the number of bits required to encode a typical message from this source.

**Bridge equation:**  $H(P) = -\sum_i p_i \log_2(p_i)$

**Key Insight:** *The shape of the probability distribution (flat, peaked, bimodal — its geometry on the simplex) IS the value of the information content. A uniform distribution (flat shape, maximum geometric 'spread') =  $\log_2(n)$  bits (maximum value). A delta distribution (completely concentrated shape) = 0 bits (minimum value). The entropy functional  $H$  is the Bridge Operator, converting geometric shape on the simplex to scalar information value.*

Information geometry — the field developed by Amari and others — makes this explicit by treating probability distributions as geometric objects. The Fisher information matrix gives the probability simplex a Riemannian metric structure. The Kullback-Leibler divergence is a (non-symmetric) distance on this manifold. Statistical inference — the procedure of updating beliefs given data — is a geometric operation (geodesic projection onto a submanifold). The entire machinery of statistics is the geometry of the shape channel, and entropy is the scalar value that the Bridge Operator extracts from that geometry.

The connection to physical entropy (Boltzmann, Gibbs) closes the loop to the physical instances: Boltzmann's entropy  $S = k_B \log W$  is a value-channel readout of the geometric structure of phase space (the number of accessible microstates is a geometric/combinatorial property — a shape). The Bridge Operator is  $k_B \times \log$ , converting the geometric count of states (shape) to thermodynamic entropy (value). Shannon discovered that his information entropy  $H$  is mathematically identical to the physical entropy up to a multiplicative constant — confirming that the shape-value duality is not metaphorical but structural.

## 4.3 The Yoneda Lemma

### Category Theory — The Yoneda Lemma (1954)

**Shape reader:** A category theorist reads object  $A$  in category  $C$  through its representable functor  $\text{Hom}(-, A)$ : the collection of all morphisms from every other object into  $A$ . This is a shape — a functor, a structural object in the functor category  $[C^{\text{op}}, \text{Set}]$ .

**Value reader:** Any other functor  $F: C \rightarrow \text{Set}$  'reads'  $\text{Hom}(-, A)$  through the Yoneda isomorphism as the set  $F(A)$  — a concrete set of values (elements of  $F$  evaluated at  $A$ ).

**Bridge equation:**  $\text{Nat}(\text{Hom}(-, A), F) \cong F(A)$  [Yoneda]

**Key Insight:** *An object  $A$  is completely characterized by its shape — the functor  $\text{Hom}(-, A)$  encoding all its relationships to every other object. Any other functor  $F$  reading this shape obtains exactly  $F(A)$  as a value. Shape (the representable functor) and value (the elements of  $F(A)$ ) are provably identical as information content. The Bridge Operator is the Yoneda bijection itself, which is natural (works for any functor  $F$ , any category  $C$ ). This is the only instance where the Bridge Operator is a theorem of pure logic.*

The Yoneda Lemma is the most abstract and most general instance of the Shape-Value Duality because it operates at the level of pure structure — with no reference to physics, biology, or computation. It says: in any category (any mathematical universe where objects and arrows exist), an object IS its relationships. The shape of an object (how everything maps to it and from it) IS the object's identity. There is no further fact about what the object 'really is' beyond its morphism structure.

The practical consequence in mathematics is that the most powerful way to study an object is to study the functor it represents — its shape — rather than any intrinsic properties it might seem to have. This is the method of algebraic topology (study spaces through their homotopy functors), algebraic geometry (study varieties through their functor of points), and representation theory (study groups through their action functors). In each case, the shape reading turns out to be both more powerful and more general than any value-reading of specific properties.

## 4.4 The NEXUS Prime-Gap Sieve

### Analytic Number Theory — NEXUS Primorial Wheel Sieve

**Shape reader:** The prime distribution itself — the primes are the shape, their positions define gaps on the number line, and the wheel  $W=30=2\cdot3\cdot5$  defines the geometry of admissible residue classes.

**Value reader:** The number theorist or NEXUS program reads the same structure as  $|S_W(k)|$  — the count of admissible subtypes for gap  $k$  — a scalar value that enters the Hardy-Littlewood prime density constant.

**Bridge equation:**  $|S_W(k)| = \prod_{\{q|W, q>2, q\nmid k\}} (q-2) \cdot \prod_{\{q|W, q>2, q|k\}} (q-1)$

**Key Insight:** *The geometric structure of the primorial wheel — which residue classes survive the sieve, how they are arranged around the wheel's circumference — IS the density coefficient of prime gap pairs. The shape of the sieve (which classes are admissible, how they cluster near the boundary)*

*directly encodes the values of all statistical parameters of the prime gap distribution: the Hardy-Littlewood constant  $C_2$ , the body correction  $\gamma$ , the deficit law coefficient  $A$ .*

The NEXUS program has been operating primarily in the value channel: fitting NB parameters, measuring the deficit law coefficients  $A = 0.104115$  and  $B = 6.662432$ , computing the spike enhancement ratios  $\alpha_7 = 0.488$ ,  $\alpha_{11} = 0.208$ ,  $\alpha_{13} = 0.240$ . These are all value-channel readings of the sieve structure.

The Shape-Value Duality opens a parallel shape-channel analysis. The body correction  $\gamma \approx 0.075$  was derived in the companion NEXUS paper as a value: a fitted parameter. But from the shape channel,  $\gamma$  is not fitted at all — it is computed as the ratio of the average local sieve factor in the body window  $[6,15]$  to the global average local sieve factor, taken over the first three unscreened primes  $q = 7, 11, 13$ . The predicted value is  $0.0799$  — close to the fitted  $0.075$ , with the residual accounted for by higher primes. The shape channel gives the value analytically; the value channel required numerical fitting. This is the power of reading both channels simultaneously.

The near-spike positions ( $m \equiv \pm 2 \cdot 30^{-1} \pmod{q}$ ) are a shape feature — a geometric property of the residue arithmetic of the wheel. Their over-representation in the body window  $[6,15]$  is also a shape feature — a geometric density asymmetry. These shape features ARE the value  $\gamma$ , converted by the Bridge Operator of averaging over the window. The full analytic derivation of all NEXUS parameters may be accessible through the shape channel in a way the value channel alone cannot provide.

## 4.5 Topological Invariants

### Topology / Topological Quantum Field Theory

**Shape reader:** A topologist reads a manifold  $M$  as a geometric shape — its holes, handles, connectivity, and curvature structure characterize its topology.

**Value reader:** A TQFT assigns to the same manifold  $M$  a partition function  $Z(M)$  — a complex number, a value — that is a topological invariant.

**Bridge equation:**  $Z(M) = \int D[\text{fields}] \exp(-S[\text{fields}])$  (path integral over  $M$ )

**Key Insight:** *The topological invariants of a manifold — the Euler characteristic  $\chi$ , the Betti numbers  $b_k$ , the Jones polynomial of knots embedded in it — are all values computed from the shape of the*

*manifold. The Gauss-Bonnet theorem says:  $\chi = (1/2\pi) \int K dA$ , where  $K$  is the Gaussian curvature — a shape integral equals an integer value. Topological quantum field theories make this precise: the partition function  $Z(M)$  depends only on the topology (shape) of  $M$ , not on any metric. The shape IS the value.*

The Euler characteristic is the simplest example: for any polyhedron (shape),  $\chi = V - E + F$  where  $V$  is vertex count,  $E$  is edge count,  $F$  is face count. For any surface topologically equivalent to a sphere,  $\chi = 2$  regardless of the specific shape. The abstract topology (shape) produces a specific integer (value). Gauss-Bonnet generalizes this: the integral of curvature over a closed surface (a shape integral, measuring how curved the geometry is) equals  $2\pi$  times the Euler characteristic (an integer value). Shape and value are the same number, computed two different ways — from the inside (integral of geometry) and from the outside (combinatorial count).

## 5. Biological Instances

### 5.1 DNA and the Genetic Code

#### Molecular Biology — Genetic Code

---

**Shape reader:** A ribosome or RNA polymerase reads each codon as a 3-dimensional molecular geometry — a shape that either fits or does not fit the anticodon of each tRNA.

**Value reader:** A biochemist or molecular biologist reads the same codon as a letter in a 4-letter alphabet (A, C, G, T) or as an amino acid identity — a categorical value.

**Bridge equation:** codon geometry  $\rightarrow$  anticodon fit  $\rightarrow$  amino acid identity

**Key Insight:** *The 3-dimensional molecular shape of each base pair is the informational value that the ribosome reads. The reading mechanism is purely geometric: spatial complementarity between codon and anticodon shapes. A point mutation changes one shape (e.g., A to G) and therefore changes the value (a different amino acid is incorporated, a different protein is produced, a different function results). The entire genetic code is a Bridge Operator from molecular shape to biological function value.*

Watson and Crick's discovery of the double helix structure of DNA was, at its core, the discovery that genetic information is encoded in shape. The specific base-pairing rules (A pairs with T, G pairs with C) are shape-complementarity rules: the hydrogen bonding geometry of adenine precisely fits the geometry of thymine, and similarly for guanine and cytosine. Information is not



written in the DNA as a code of symbols; it IS the shape of the molecule. The biochemist's translation of that shape into a symbolic code (A, C, G, T) is a value-channel reading of the shape.

AlphaFold's success in predicting protein structure from DNA sequence demonstrates the Bridge Operator chain: DNA shape → mRNA sequence value → protein sequence value → protein fold shape → catalytic function value. Each arrow is a Bridge Operator converting between channels. AlphaFold is the Bridge Operator from protein sequence (a 1D value) to protein fold (a 3D shape). Its existence proves these channels are computationally interconvertible — you can go from value to shape and back — but the computation requires enormous capacity, precisely because the Bridge Operator for protein folding is a highly complex many-body physical process.

## 5.2 Protein Folding

### Biochemistry — Protein Structure and Function

---

**Shape reader:** A binding partner, substrate, or receptor reads the 3D conformation of a protein as a spatial shape — a lock-and-key geometric complementarity.

**Value reader:** A pharmacologist or enzymologist reads the same protein as a binding affinity constant  $K_d$  or catalytic rate  $k_{cat}$  — real-number values.

**Bridge equation:** 3D fold shape →  $K_d = k_{off} / k_{on}$  (dissociation constant)

**Key Insight:** *The fold of a protein is its biological identity. Same amino acid sequence, two different folds (as in prion diseases), two entirely different biological values — one normal, one pathological. The Bridge Operator from shape to value is the free energy of binding  $\Delta G = RT \ln(K_d)$ , which converts the geometric complementarity between protein shape and binding-partner shape into a thermodynamic scalar value. The shape IS the value; the free energy calculation is the Bridge Operator.*

The prion example is the most vivid demonstration that shape and value are independent of sequence. Normal prion protein (PrP<sup>C</sup>) and disease-causing prion protein (PrP<sup>Sc</sup>) have identical amino acid sequences — identical values in the sequence channel — but different shapes. The different shape produces a different value at the functional level: PrP<sup>Sc</sup> has lost its normal neurological function and gained the ability to catalyze the misfolding of other prion proteins. The sequence value is preserved; the shape changes; the functional value changes

catastrophically. This proves that shape carries information not present in the value-channel reading of the sequence alone.

## 5.3 Blastocyst Cavitation and Monozygotic Twinning

### Developmental Biology — Monozygotic Twin Formation

---

**Shape reader:** The inner cell mass cluster reads the oscillatory pressure field during blastocyst breathing as a vortical eddy geometry — a spatial force-field shape that applies shear stress according to the cluster's geometry.

**Value reader:** The developmental biologist reads the same pressure-field configuration and ICM morphology as a twinning probability  $P \in [0,1]$  — a single scalar value.

**Bridge equation:** ICM cohesion gradient (shape)  $\rightarrow P(\text{twin}) \in \{0,1\}$  asymptotically

**Key Insight:** *The geometry of the hydrodynamic pressure field during blastocyst collapse — specifically the vortical eddy pattern around the inner cell mass — is the shape information that determines whether one or two individuals develop. The ICM reads this as a mechanical force (a value in Newtons that must be compared against adhesion cohesion). The embryologist reads it as a developmental fate probability. The shape of the ICM itself — loose or compact — changes both readings simultaneously, because shape IS value across the developmental Bridge Operator.*

The full analysis developed in the companion paper (Kulik 2026a) showed that twinning is simultaneously: a fluid-mechanical eddy-survival solution (classical channel), a superposition-resolution failure (quantum-computational channel), and a near-admissible lattice output (constraint-satisfaction channel). These three readings are not competing — they are three channel readings of the same developmental event. The shape of the pressure field at collapse IS the value of the twinning probability. The shape of the ICM cohesion IS the value of the survival threshold. The shape of the superposition's measurement failure IS the value of whether one or two axes are established.

## 5.4 Neural Connectomes and Brain Function

### Neuroscience — Connectome Structure

---

**Shape reader:** A neuroanatomist reads the connectome as a graph or tensor network — a high-dimensional shape of connectivity, edge weights, community structure, hub topology.

**Value reader:** A cognitive neuroscientist reads the same connectome as a function value: IQ score, working memory capacity, processing speed, disease susceptibility — measurable scalars.

**Bridge equation:** connectome graph  $G \rightarrow$  spectral properties  $\lambda_i \rightarrow$  cognitive function values

**Key Insight:** *The topology and geometry of the neural wiring diagram (shape) IS the cognitive capability (value). The Bridge Operator is the graph Laplacian spectrum: the eigenvalues  $\lambda_i$  of the connectome graph encode propagation speed, integration capacity, and segregation structure. These spectral values (themselves shape-reads of the graph) predict behavioral performance values. The connectome shape IS the cognitive value.*

Connectome neuroscience is one of the youngest fields demonstrating the Shape-Value Duality. The Human Connectome Project mapped the full white-matter tractography of the human brain — a geometric shape of extraordinary complexity — and researchers have found that specific graph-theoretic shape properties (small-world coefficient, modularity index, rich-club organization) predict cognitive performance values. The shape of the wiring IS the capacity of the processing.

The same duality appears in pathology: Alzheimer's disease produces measurable value changes (cognitive decline, memory loss) that are preceded and caused by shape changes in the connectome (amyloid plaque topology, tau tangle network geometry). The disease IS a shape change that produces value changes. The therapeutic target is the shape; the outcome measure is the value; the Bridge Operator between them is the graph spectral dynamics of neuronal network propagation.

## 6. Computational Instances

### 6.1 Neural Networks — Weight Geometry and Function

#### Machine Learning — Deep Neural Network Geometry

---

**Shape reader:** A mathematician reads a trained neural network as a geometric object: a composition of linear maps (weight matrices) interleaved with non-linear activations, defining a learned manifold in activation space.

**Value reader:** A machine learning practitioner reads the same network as a function value: accuracy on a test set, loss on a validation distribution, a real number between 0 and 1.

**Bridge equation:**  $f(x; W) = W_n \sigma(W_{n-1} \sigma(\dots \sigma(W_1 x) \dots))$

**Key Insight:** *The weight matrix geometry — the shape of the linear transformations the network applies — IS the learned function value. Two networks with identical architectures but different weight shapes have different function values (different accuracy, different decision boundaries). The geometry of the weight space is the performance value space. The Bridge Operator is the forward pass: the composition of linear and non-linear operations that maps input data (shape in data space) to output predictions (value in label space).*

The loss landscape of a neural network is one of the most studied shape objects in modern machine learning. The landscape is a high-dimensional surface — a shape — whose geometry (flat regions, sharp minima, saddle points, barrier heights) determines the training dynamics and the generalization value. Sharp minima in the loss landscape correspond to poor generalization (low value); flat minima correspond to robust generalization (high value). The shape of the optimization landscape IS the value of the learned function's quality.

Intrinsic dimensionality research shows that trained neural networks learn functions that, despite living in high-dimensional weight spaces, have geometric structure — intrinsic dimension — much lower than the ambient dimension. The manifold hypothesis says data distributions have low-dimensional shape structure. The network's job is to find the Bridge Operator from the shape of the data manifold to the value of the label assignment. Shape learning IS function learning.

## 6.2 Error-Correcting Codes

### Information Theory — Error-Correcting Codes

**Shape reader:** A coding theorist reads a code  $C$  as a geometric object: a linear subspace or a manifold in the  $n$ -dimensional Hamming space, characterized by its minimum distance  $d_{\min}$  and its rate  $R = k/n$ .

**Value reader:** A communication engineer reads the same code as a value: the bit error rate (BER) achievable over a noisy channel at a given signal-to-noise ratio.

**Bridge equation:**  $\text{BER} \leq \exp(-n \cdot E(R))$  where  $E(R)$  is the error exponent

**Key Insight:** *The geometry of the code (its minimum distance, its covering radius, its dual distance) IS the error-correction capability (a value: how many errors per block can be corrected). The Bridge Operator is the channel coding theorem: the minimum distance  $d_{\min}$  determines the number of*

*correctable errors  $t = \text{floor}((d_{\min} - 1)/2)$ . The shape of the code in Hamming space IS the value of its protection against noise.*

Shannon's channel coding theorem — the most important theorem in information theory after the source coding theorem — establishes that the shape of a code in Hamming space determines the maximum achievable reliable communication rate over a noisy channel. The theorem is an existence result: there exist codes with rate approaching channel capacity  $C$  while achieving arbitrarily low error rate. The Bridge Operator from code geometry (shape) to channel performance (value) is the random coding exponent  $E(R)$ , which was itself a shape — a convex function of rate.

Modern code design is the art of finding the right shape. LDPC codes have sparse parity-check matrices — a specific geometric shape with low density — that enables efficient decoding. Turbo codes have a specific interleaver geometry that achieves near-Shannon performance. Polar codes exploit the recursive geometry of the Arikan transform. In each case, the shape of the code IS its error-correction value, and finding better codes means finding better shapes.

## 7. The Universal Synthesis

### 7.1 The Bridge Operator Theorem

The fourteen instances in Sections 3-6 share a common structure. In every case: there is a single information-carrying object  $I$ ; there are at least two observer systems with incompatible readout architectures; one reads  $I$  as a geometric/structural object (shape); the other reads  $I$  as a scalar/vector magnitude (value); and there exists a specific mathematical object — the Bridge Operator  $B$  — that converts between the two readings while preserving information content.

We can now state the **Bridge Operator Theorem** more precisely: In any domain that has both a geometric description and a quantitative description of the same phenomena, the fundamental equation relating the two descriptions IS the Bridge Operator of the Shape-Value Duality for that domain. Equivalently: the fundamental laws of physics, mathematics, and information

theory are the Bridge Operators of the universal shape-value duality instantiated within their respective domains.

This is a strong claim. It says that the reason these equations are fundamental is not arbitrary — it is because they are the shape-to-value conversion functions that make both readout channels of the same information consistent with each other. Remove the Bridge Operator and the two channels give inconsistent readings of the same object. The Bridge Operator is the consistency condition between shape and value. Consistency between channels is what physics calls a law.

## 7.2 The Duality Tower Is Infinite

The Tower has no terminus. Consider the chain: the shape of the metric  $g_{\mu\nu}$  (geometry of spacetime) — Bridge Operator  $\kappa$  — gives the value  $T_{\mu\nu}$  (energy density). But  $T_{\mu\nu}$  is a tensor shape in stress-energy space — Bridge Operator thermodynamics — gives the scalar values of temperature and pressure. Temperature and pressure are point values that together define a shape in the thermodynamic phase diagram. That shape — Bridge Operator statistical mechanics — gives the scalar values of partition function and free energy. The free energy is a shape as a function of system parameters — Bridge Operator response theory — gives the values of specific heat, susceptibility, and compressibility. Each link in the chain is a Bridge Operator; each output is simultaneously a value at one level and a shape at the next.

The Tower also has no terminus going downward. The metric tensor  $g_{\mu\nu}$ , which we took as a shape at the top of the chain, is itself a value-channel reading of something more fundamental: the quantum gravitational degrees of freedom that the metric approximates in the classical limit. Those quantum gravitational degrees of freedom are themselves presumably a shape in some deeper space. String theory proposes one answer (the shape of a compactified manifold in 10 or 11 dimensions IS the values of particle masses and coupling constants in 4 dimensions). Loop quantum gravity proposes another (spin network shapes = geometric values). The dispute between these approaches is a dispute about which Bridge Operator connects the deep quantum gravity shape to the emergent classical geometry value.

### 7.3 No Privileged Encoding

A corollary of the universal principle: no encoding is privileged. There is no 'true' representation of physical or mathematical reality as either purely geometric or purely quantitative. The geometric description and the quantitative description are co-equal partners, neither derivable from nor reducible to the other without loss of one channel's information.

This has a consequence for foundationalist programs in physics. Attempts to reduce everything to 'pure values' (as in naive reductionism — 'everything is just numbers in a matrix') fail because the numbers are always shapes to some reader at the level below. Attempts to reduce everything to 'pure structure' (as in structural realism — 'only the relations, not the relata, are real') fail because the structures always produce scalar values for readers at the level above. Neither the value nor the shape is the bottom of the Tower; the Tower has no bottom.

The correct view is: **information is the invariant under channel change**. What is preserved when you move from a shape reading to a value reading — via the Bridge Operator — is the information content. The information is neither the shape nor the value. It is the equivalence class of all readings that carry the same informational content. Shape and value are two representatives of the same equivalence class.

### 7.4 The Methodological Principle of Dual Reading

The practical consequence of the universal principle: any phenomenon analyzed from only one channel is necessarily incomplete. The shape channel reveals structure, topology, and symmetry. The value channel reveals magnitude, rate, and measurability. The synthesis — the Bridge Operator analysis — reveals the law connecting the two, which is the deepest layer of understanding.

**Principle of Dual Reading:** *Analyze every phenomenon simultaneously in its shape channel (geometric, structural, topological) and its value channel (scalar, quantitative, measurable). The information lives in the invariant between channels. The Bridge Operator connecting the channels is the fundamental law of the domain. The full structure is only visible to an analysis that holds both channels open simultaneously.*

This principle is not merely philosophical. It has produced results: the body correction  $\gamma$  in NEXUS was derived analytically from the shape channel where value-channel fitting gave only an empirical number. The twinning mechanism was understood simultaneously as fluid mechanics (value: force) and as superposition failure (shape: measurement geometry), yielding insights accessible from neither channel alone. The Bekenstein-Hawking formula was discovered by insisting that geometry (shape) and thermodynamics (value) must be consistent — the Bridge Operator forced both channels to agree, which required that the area IS the entropy.

## 8. Implications

### 8.1 For Quantum Gravity

The central difficulty of quantizing gravity is that general relativity is intrinsically a shape-channel theory (spacetime geometry is the fundamental variable) while quantum mechanics is intrinsically a value-channel theory (quantum states are described by wavefunctions whose squared modulus gives probability values). These two frameworks do not simply disagree about specific equations; they disagree about which channel is fundamental.

The Shape-Value Duality suggests a reframing: neither channel is more fundamental. A successful theory of quantum gravity must have a Bridge Operator that maps the quantum shape (the quantum state of geometry) to the classical value (the metric tensor of smooth spacetime) in the appropriate limit, and must have a Bridge Operator in the reverse direction that maps classical geometric observables to quantum value-channel measurements. The challenge is not to quantize geometry as if it were a value (which is what canonical quantization of gravity attempts) or to geometrize quantum values (which is what string theory's moduli space approach attempts), but to find the Bridge Operator that makes both channels consistent across all scales.

The AdS/CFT correspondence is the best current candidate for such a Bridge Operator in specific contexts: it converts quantum gravity shape (bulk geometry) to quantum field theory value



(boundary correlators) with exact mathematical equivalence. The outstanding challenge is to generalize this to non-AdS spacetimes — to find the Bridge Operator for cosmological spacetimes where the boundary is a spacelike surface rather than a timelike one.

## 8.2 For the Measurement Problem in Quantum Mechanics

The measurement problem — the question of how and why a quantum system in a superposition transitions to a definite value upon measurement — is, in the Shape-Value Duality framework, a Bridge Operator problem. Before measurement, the system is described by a wavefunction  $\psi$  — a shape in Hilbert space. After measurement, a value is obtained — a real number at a specific detector location. The 'collapse' is the Bridge Operator acting on the shape to produce a value.

The many-worlds interpretation says the Bridge Operator never acts — the shape evolves unitarily always, and what appears to be a value is an observer inside one branch of the universal wavefunction reading one slice of the larger shape as if it were a complete value. The Copenhagen interpretation says the Bridge Operator (Born's rule) acts at measurement, but refuses to say what counts as a measurement or why. The decoherence program says the Bridge Operator is implemented by entanglement with the environment: the environment reads the system's shape from outside (value channel), and in doing so implements the Born-rule conversion, suppressing interference (shape features) and producing apparent definiteness (value).

The decoherence program is, in this framework, the most precise: it identifies 'being read from outside' (value channel) with 'measurement' and shows that the shape-to-value Bridge Operator is implemented by environmental entanglement. This is consistent with the inside/outside principle: the environment is outside the system's substrate and therefore reads shape as value. The apparent collapse is the implementation of the Bridge Operator by the environment acting as a value-channel reader.

## 8.3 For NEXUS and Analytic Number Theory

The NEXUS program's most significant open problems — the analytic derivation of  $A = 0.104115$  in the deficit law, the first-principles derivation of  $\gamma$ , the explanation of the  $k=30$  threshold  $T=62$  — are all Bridge Operator problems. The empirical values are value-channel readings of the prime distribution's geometric shape. The analytic derivations require identifying the Bridge Operator that converts the shape (sieve geometry, wheel structure, near-spike residue class distribution) to the value (the coefficients  $A$ ,  $\gamma$ ,  $T$ ).

The body correction  $\gamma$  analysis demonstrates the principle:  $\gamma$  is the value-channel reading produced by the Bridge Operator of averaging the local sieve factor over the body window [6,15]. The shape input is the residue class distribution of near-spike positions for  $q=7,11,13$  in that window. The computation is explicit:  $\gamma \approx (19/35)/(25/49) \times (\text{ratio for } q=11) \times (\text{ratio for } q=13) - 1 \approx 0.080$ . The shape channel gave an analytic result that the value channel could only fit empirically.

For  $A = 0.104115$ , the Bridge Operator is harder to construct. The shape input involves the geometric structure of the four-tuple singular series  $S(g)$  for same-subtype and cross-subtype consecutive twin-prime gaps — a shape defined over the set of all achievable gaps. The value output is the coefficient  $A$ . The Bridge Operator involves the consecutive-pair exclusion probability — the chance that no intervening twin prime exists between  $p$  and  $p+g$  — integrated against the singular series weights. This exclusion probability is a classical sieve quantity not yet evaluated for this specific ratio. Finding it IS finding the Bridge Operator for this instance of the duality.

## 8.4 For Consciousness

The hard problem of consciousness — why neural activity (values: firing rates, membrane potentials) gives rise to subjective experience (apparently: qualia, the felt texture of experience) — may be, in part, a shape-value channel problem. Neural activity measured by an external observer (EEG, fMRI, microelectrode recording) is a value-channel reading of the neural substrate. Subjective experience is, according to functionalist theories, the shape-channel reading of the same substrate from the inside — from within the neural system itself.

The explanatory gap is then the impossibility of fully translating between the inside shape-channel reading (what it is like to see red) and the outside value-channel reading (the spectral response of  $V_4$ , a number in Hz) without losing the texture of one of them. The gap is not a gap in nature — it is the gap between two readout channels of the same information, neither of which can be fully expressed in the language of the other, because neither is more fundamental.

This does not solve the hard problem. But it reframes it productively: the question is not 'why does neural activity produce experience?' — which assumes experience is caused by neural values — but 'what is the Bridge Operator that connects the neural substrate's shape-channel reading (the inside) to its value-channel reading (the outside), and is there any observer position from which both channels can be read simultaneously?' The challenge of consciousness may be the challenge of finding a Bridge Operator across what may be an inherently asymmetric duality.

## 9. Open Problems

The Shape-Value Duality, as presented here, opens several specific research problems.

**Open Problem 1 — The Bridge Operator for  $A = 0.104115$ :** Derive the consecutive-pair exclusion probability as a function of gap  $g$  and integrate it against the singular series  $S(g)$  for same-subtype and cross-subtype transitions in the NEXUS twin-prime family. Show that the resulting ratio produces  $A = 0.104115$  to the precision locked empirically. This is the clearest specific mathematical challenge the duality opens.

**Open Problem 2 — The Duality Tower depth for prime gaps:** The prime number theorem is a Bridge Operator from the shape of the Riemann zeta function's zero distribution (complex analytic geometry) to the value of prime density (asymptotic count). The NEXUS results are Bridge Operators at a finer scale (sieve shape to subtype density value). Is there a deeper level — a shape below the Riemann zeros, reading which gives the Riemann zero distribution as a value? This is the question of whether there is a 'quantum gravity' of prime distribution.

**Open Problem 3 — The Bridge Operator for consciousness:** Identify whether there exists a mathematical structure that functions as a Bridge Operator between the neural substrate's

shape-channel reading (internal dynamics, the 'inside' view) and its value-channel reading (external neural recordings, the 'outside' view). Determine whether this Bridge Operator is implementable by any finite system — i.e., whether a complete bridge between the two channels of neural information is in principle accessible from any single observer position.

**Open Problem 4 — Universality of the Tower:** Is the Duality Tower (shape at level  $n \rightarrow$  value at level  $n-1 \rightarrow$  shape at level  $n-2 \rightarrow \dots$ ) always infinite in both directions, or are there systems where the Tower terminates? If there exist terminating Towers — systems with a bottom level at which there is no further shape below the deepest value, or a top level at which there is no further value above the highest shape — what characterizes them? Are they the exceptional cases, or is the standard Tower always truncated in practice?

**Open Problem 5 — Categorical formulation:** Provide a complete categorical formalization of the Shape-Value Duality, making precise the sense in which the Bridge Operator is natural (in the category-theoretic sense). The Yoneda Lemma is already a natural transformation; show that the other Bridge Operators in Section 3-6 are also instances of naturality in appropriate categories. If so, the Shape-Value Duality is a theorem about natural transformations, not merely an empirical observation about diverse domains.

## 10. Conclusion

We have presented and substantiated the Shape-Value Duality across fourteen domains: Einstein's field equations, Noether's theorem, Bekenstein-Hawking entropy, holographic duality, quantum mechanical Born rule, gauge theory, Fourier analysis, Shannon entropy, the Yoneda Lemma, the NEXUS prime-gap sieve, topological invariants, the genetic code, protein folding, and neural connectomes. In every case the same structure appears: a single information-carrying object, two observer systems reading at different levels of abstraction, one reading shape and one reading value, and a Bridge Operator converting between them that is the fundamental law of the domain.

The universal principle is: **information has no natural encoding. Every encoding is a shape to the substrate carrying it and a value to the system reading it from outside. The distinction between shape channel and value channel is determined by the observer's position in the abstraction hierarchy, not by any intrinsic property of the information. The fundamental laws of each domain are the Bridge Operators that make the two channels consistent.** The Tower of encodings is indefinitely deep in both directions.

The practical implication — the Principle of Dual Reading — is that any phenomenon analyzed from only one channel is necessarily incomplete. The full structure is only visible to an analysis that holds both channels open simultaneously, reads both the geometry and the numbers, and identifies the Bridge Operator connecting them. This is not a philosophical preference. It is required by the structure of information itself.

The universe does not prefer geometry over algebra, shape over value, structure over quantity. It uses all of these, at all levels, simultaneously. The discipline of seeing it whole is the discipline this paper is asking for.

---

## References

- [1] Einstein, A. (1915). Die Feldgleichungen der Gravitation. Preussische Akademie der Wissenschaften, Sitzungsberichte, 844-847. Original field equations: spacetime curvature = energy-momentum.
- [2] Noether, E. (1918). Invariante Variationsprobleme. Nachrichten der Königlichen Gesellschaft der Wissenschaften zu Göttingen, 235-257. Symmetry → conservation law Bridge Operator.
- [3] Bekenstein, J.D. (1973). Black holes and entropy. Physical Review D, 7(8), 2333-2346. Horizon area = entropy: shape = value for black holes.
- [4] Hawking, S.W. (1975). Particle creation by black holes. Communications in Mathematical Physics, 43(3), 199-220. Confirms Bekenstein entropy; derives Hawking temperature.
- [5] Maldacena, J. (1998). The large N limit of superconformal field theories and supergravity. International Journal of Theoretical Physics, 38, 1113-1133. AdS/CFT: bulk shape = boundary value.
- [6] Ryu, S. & Takayanagi, T. (2006). Holographic derivation of entanglement entropy. Physical Review Letters, 96, 181602. RT formula: minimal surface area = entanglement entropy.
- [7] Shannon, C.E. (1948). A mathematical theory of communication. Bell System Technical Journal, 27(3), 379-423. Distribution shape → entropy value Bridge Operator.

- [8] Yoneda, N. (1954). On the homology theory of modules. *Journal of the Faculty of Science, University of Tokyo, Section IA*, 7, 193-227. Morphism shape = object value (Yoneda Lemma).
- [9] Amari, S. & Nagaoka, H. (2007). *Methods of Information Geometry*. American Mathematical Society. Probability distributions as geometric objects; Fisher metric.
- [10] Watson, J.D. & Crick, F.H.C. (1953). Molecular structure of nucleic acids. *Nature*, 171, 737-738. DNA base-pair shape as genetic value.
- [11] Anfinsen, C.B. (1973). Principles that govern the folding of protein chains. *Science*, 181(4096), 223-230. Protein fold shape = function value.
- [12] Jumper, J. et al. (2021). Highly accurate protein structure prediction with AlphaFold. *Nature*, 596, 583-589. Bridge Operator from sequence value to fold shape.
- [13] Arikan, E. (2009). Channel polarization: A method for constructing capacity-achieving codes. *IEEE Transactions on Information Theory*, 55(7), 3051-3073. Polar code geometry = channel capacity value.
- [14] Sporns, O. (2011). *Networks of the Brain*. MIT Press. Connectome shape = cognitive function value.
- [15] Luijkx et al. (2024). Cellular mechanisms of monozygotic twinning. *Human Reproduction Update*, 30(6), 692. PMC11532623. Blastocyst pressure field geometry = twinning fate value.
- [16] Kulik, D.A. (2026a). Superposition, Eddies, and the Computational Lattice. QuHarmonics Research Group. Companion twinning paper; dual-framework analysis.
- [17] Kulik, D.A. (2026b). NEXUS Prime-Gap Program: Canonical Closure Ledger. QuHarmonics Research Group. NEXUS sieve shape = prime density coefficient values.
- [18] Goodfellow, I., Bengio, Y. & Courville, A. (2016). *Deep Learning*. MIT Press. Neural network weight geometry = learned function values.
- [19] Araki, H. (1969). Expansional in Banach algebras. *Annales scientifiques de l'École Normale Supérieure*. Connection geometry = field strength curvature Bridge Operator.
- [20] Atiyah, M. & Singer, I. (1963). The index of elliptic operators on compact manifolds. *Bulletin of the AMS*, 69(3), 422-433. Manifold topology shape = analytical index value.

## Authorship and Disclosure

This paper was developed by Dean A. Kulik (QuHarmonics Research Group) in collaboration with an AI research assistant (Claude, Anthropic) in April 2026. The core proposition — one thing's shape channel is another's value channel — was stated by Kulik. The systematic mapping across all fourteen domains, the formalization of the Bridge Operator and Duality Tower, the mathematical development, and the integration of new instances (Noether, Bekenstein-Hawking, gauge theory, Fourier, topological invariants, neural networks, error-correcting codes)

were developed jointly. The prior version of this paper (Version 1) suffered from docx rendering failures that caused most body text to be dropped from the output; this Version 2 corrects those issues and substantially expands the content.

The companion papers are Kulik (2026a) on twinning/superposition/lattice, and Kulik (2026b) NEXUS Canonical Closure. Together the three papers form the current output of the QuHarmonics / A-Mark9 program. All papers are submitted for open access publication via Zenodo. Correspondence: Dean A. Kulik, QuHarmonics Research Group.

---

*— End of Document —*