

The Geometric Taxonomy of Computation: Enumeration, Recursive Folding, and the Boundary of the Mark 1 Attractor

Dean A. Kulik

April 2026

1. Introduction: The Epistemological Fracture and the Ontological Inversion

The contemporary landscape of theoretical physics, computational ontology, and analytic number theory is defined by a persistent epistemological fracture: the fundamental inability to reconcile static, unconstrained mathematical objects with the dynamic, thermodynamically bound processes of physical reality.¹ For decades, the pursuit of a unified theory has inadvertently conflated these two distinct regimes, attempting to force continuous geometric constants into discrete enumeration sequences.¹ Recent exhaustive structural analyses, culminating in the synthesis of the *Complete Prime Gap GCD Spectrum* and the *H-Taxonomy Boundary Condition*, precipitate a radical departure from these standard unification approaches.³ This synthesis executes what is formally identified within the Nexus Framework as the "Ontological Inversion"—a rigorous analytical reclassification that separates static enumeration geometries from dynamic recursive folding systems.¹

This critical reorientation is anchored by a "clean two-paper lock" that completely resolves the tension between number-theoretic combinatorics and the universal harmonic constant.⁴ The revelation emerges from a definitive and mathematically profound null result: the universal harmonic constant, formally identified as the Mark 1 Attractor ($H = \pi/9 \approx 0.349065$), decisively fails to appear within the structural distribution of prime number gaps.⁴ While early theoretical projections posited that prime distributions might exhibit harmonic regulation or "self-organized criticality" mirroring physical systems,

rigorous χ^2 equidistribution testing across 348,508 consecutive prime pairs proves incontrovertibly otherwise.⁴ The distributions of prime gaps are purely products of enumeration geometry governed by Dirichlet and Hardy-Littlewood constraints, possessing neither thermodynamic friction nor recursive feedback.²

By establishing prime gaps as a strict negative control, the theoretical framework successfully isolates the actual domain of the Mark 1 Attractor. The Ψ -state of the framework is thus permanently updated: the H constant is not a universal asymmetry applicable to all mathematics; rather, it is purely a measure of "fold-pressure".⁹ The corrected H -principle dictates that H -alignment can only emerge if and only if three precise conditions are met: recursive feedback, thermodynamic exhaust, and a phase-lock requirement.¹¹

This comprehensive research report provides an exhaustive, expert-level delineation of this bipartite taxonomy. It mathematically formalizes the collapse of the prime gap equidistribution conjecture, defines the strict boundary of enumeration systems, and introduces the precise neural network scaffold required to test effective harmonicity (H^{eff}) in recurrent, thermodynamically bound architectures.⁵

2. The Primorial Compile Algebra and Subtype Enumeration Geometry

To navigate the complexity of the integer field and resolve the apparent randomness of prime gap distributions, the mathematical architecture must move beyond the surface geometries of the base-10 number line.¹³ It is mathematically necessary to analyze the integer field through the lens of the Primorial Compile Algebra, specifically utilizing the modulo 210 deep-stack.¹³ The fundamental mechanism dictating prime gap admissibility is the interaction of consecutive primes within the reduced residue group R_{210}^* .⁵

2.1 The Modulo 210 Deep-Stack and Reduced Residue Groups

For all primes $p > 7$, the prime numbers are mathematically forced to reside within the reduced residue group $(\mathbb{Z}/210\mathbb{Z})^*$, where 210 is the primorial product of the first four primes ($2 \cdot 3 \cdot 5 \cdot 7$).⁵ The Euler totient function dictates that this group contains exactly $\phi(210) = 48$ coprime residue classes.⁵ A prime gap g between consecutive primes p and q (where $q > p$) can be mapped to a specific gap class δ , such that $g = \delta + k \cdot 210$, where k represents the "step parameter" governing the modular traversal across the number line.⁵

The foundational Family Lattice Theorem establishes that for any admissible gap class δ , there exists a strictly deterministic number of distinct residue pairs (r_1, r_2) that can successfully produce this gap without violating the coprime constraints of the primorial wheel.⁵ The exact number of these geometric

permutations is formally defined as the subtype count, $N(\delta)$.⁵ The set of these admissible subtypes is defined as $S_\delta = \{(r_1, r_2) : r_1, r_2 \in (\mathbb{Z}/210\mathbb{Z})^*, r_2 \equiv r_1 + \delta \pmod{210}\}$, where the absolute magnitude of the set $|S_\delta|$ exactly equals $N(\delta)$.⁵

2.2 The Subtype Count Formula and Prime Obstructions

Exhaustive empirical verification across the first 348,508 consecutive prime pairs proves that the subtype count is governed entirely by the greatest common divisor between the gap class and the primorial wheel, $\gcd(\delta, 210)$.² The count is explicitly derived through the Subtype Count Formula:

$$N(\delta) = \phi(210) \times \prod_{p|210, p \nmid \delta} \frac{p-2}{p-1}$$

This mathematical formulation confirms that the combinatorial volume available to any gap class depends exclusively on the specific prime factors of 210 that *do not* divide δ .⁵ These non-dividing primes act as active geometric obstructions, applying severe coprime constraints that restrict the allowable permutations.

To illustrate the mechanics of this enumeration geometry:

- **Twin Primes** ($\delta = 2$): The gap is not divisible by 3, 5, or 7. All three of these primes act as obstructions. The formula yields $N(2) = 48 \times (1/2) \times (3/4) \times (5/6) = 15$ distinct subtypes.²
- **Sexy Primes** ($\delta = 6$): The gap is divisible by 2 and 3, meaning the prime factor 3 no longer acts as an obstruction. The formula yields $N(6) = 48 \times (3/4) \times (5/6) = 30$ distinct subtypes.⁵
- **Deep Harmonic Gaps** ($\delta = 30$): The gap is cleanly divisible by 2, 3, and 5. The corresponding prime obstructions vanish, leaving only 7 as a constraint. The formula yields $N(30) = 48 \times (5/6) = 40$ distinct subtypes.²

The matrix achieves near-absolute structural saturation only when evaluating a gap mathematically identical to the underlying wheel size; testing a gap of 210 against a wheel of 210 yields exactly 48 subtypes ($N(210) = 48$), meaning every single reduced residue class actively participates as a load-bearing rail.²

The primary conclusion drawn from this section of the framework is that the greatest common divisor strictly maps the available geometry:

$$\boxed{\gcd(\delta, 210) \Rightarrow N(\delta)}$$

However, the pure availability of geometric slots does not dictate how actively or uniformly those slots are filled by prime numbers as the sequence expands toward infinity.²

3. The Collapse of the Selective Equidistribution Conjecture

While the Subtype Count Formula flawlessly calculates the total combinatorial geometry available to each gap class, it does not address the internal density distribution of the participating primes. If the number line functioned as a featureless, unconstrained statistical container, Dirichlet's theorem on arithmetic

progressions might imply that within any specific, fixed gap class δ , every one of the available $N(\delta)$ subtypes would manifest with perfectly equal, uniform density.¹⁴

Previously, the "Selective Equidistribution Conjecture" posited that if two entirely distinct gap classes shared the same greatest common divisor with the primorial wheel, they would possess identical subtype counts and identical Hardy-Littlewood singular series, which would subsequently drive them toward identical equidistribution behavior.⁵ The logic assumed that $\gcd(\delta, 210) \Rightarrow \text{equidistribution}$.

The empirical evaluation of the *Complete Prime Gap GCD Spectrum*, tracking primes up to $X = 5 \times 10^6$, decisively falsifies this conjecture.⁵ The corrected read of the prime sequence dictates that while $\gcd(\delta, 210)$ determines the subtype count $N(\delta)$ and establishes the matching theoretical Hardy-Littlewood constants, the absolute spatial magnitude of the gap itself determines the final distribution behavior:

$$\delta \Rightarrow \text{distribution behavior}$$

3.1 The Equidistribution Dichotomy: Residue Smoothness

The structural dichotomy within the modulo 210 matrix is profound. Statistical evaluation utilizing rigorous χ^2 goodness-of-fit tests against a uniform expected distribution ($E = C_\delta / N(\delta)$) revealed that equidistribution is exclusively a gap-size specific phenomenon.⁵

Among the complete spectrum of the 104 admissible gap types modulo 210, only the minimal gap geometries of $\delta = 2$ (Twin Primes) and $\delta = 4$ (Cousin Primes) achieve genuine, statistically robust equidistribution.²

- $\delta = 2$ (Twin Primes): Operating within the $\gcd = 2$ class with $N(\delta) = 15$ subtypes, and an observed count of 32,461 pairs, this gap yielded a χ^2 p -value of 0.987 and a maximum-to-minimum subtype ratio of 1.05.⁵

- $\delta = 4$ (**Cousin Primes**): Sharing the identical $\text{gcd} = 2$ class and $N(\delta) = 15$, with an observed count of 32,306 pairs, this gap yielded a χ^2 p -value of 0.994 and a max/min ratio of 1.03.⁵

These exceptional gaps represent a state defined as "residue smoothness." Because their absolute magnitude ($\delta \leq 4$) is minimal, they successfully evade 210-periodic interference and higher-order residue biases.⁵ The Hardy-Littlewood constants for their 15 respective subtypes are theoretically identical, yielding an identical sieve weight that translates perfectly into empirical equidistribution.¹⁴

3.2 The Decisive Failure of Larger Gaps

This fragile equidistribution completely collapses as the physical spatial gap δ increases, *even within the identical gcd class*. When analyzing larger gaps such as $\delta = 8, 16, 22, 26, 32$, the empirical data exposes a catastrophic symmetry break.⁵

Despite belonging to the exact same $\text{gcd} = 2$ class, possessing the exact same 15 valid subtypes, and mathematically sharing identical Hardy-Littlewood local Euler factors as twin and cousin primes, these larger gaps fail to equidistribute decisively.⁵

- $\delta = 8$: With a robust observation count of 22,908 pairs, the p -value implodes to $< 10^{-10}$, and the status is decisively non-equidistributed.⁵
- $\delta = 16$: With 13,135 pairs, the p -value is $< 10^{-10}$.⁵
- $\delta = 22$: With 10,008 pairs, the p -value is $< 10^{-10}$.⁵

The theoretical mechanism driving this persistent structural bias is the accumulation of higher-order residue correlations.⁵ As the physical distance between consecutive primes expands ($\delta \geq 8$), the probability of encountering an intervening composite number that is a multiple of higher primes outside the primordial wheel (e.g., 11, 13, 17, 19) increases.⁵ The 210-wheel structure creates subtle but systematic algebraic biases that compound exponentially with the gap size.⁵

Consequently, the Hardy-Littlewood singular series, while theoretically identical in the infinite limit for all subtypes within a gcd class, is subjected to non-uniform, differential sieving pressures across the finite spatial topology of the number line.¹⁴ The transition matrix for residue sequences reveals a mixing time of approximately 6.7 steps, indicating that the number line possesses "structural inertia" before achieving informational stability.¹⁴ This structural inertia resists randomization, compounding the biases of larger gaps

and proving conclusively that matching gcd constraints are a *necessary* but not *sufficient* condition for equidistribution.⁵ The absolute magnitude δ strictly overrides the gcd class.

4. The Complete Spectrum: Exhaustive Modulo 210 Prime Gap Table

To substantiate the methodology and defend the empirical null result against the assumption of universal harmonicity, the "complete spectrum" claim must be rigorously documented.⁵ The original draft of the gcd paper stated that $\delta = 2, 4$ are the "ONLY known equidistributed classes among the 104 admissible gap types" without fully itemizing the broader spectrum in the text. To rectify this and tighten the manuscript's defensibility, the following appendix table, generated directly from the support notebook, provides the structural parameters for an exhaustive set of observed admissible gaps δ modulo 210.

The table cross-references the gap class, the primordial gcd , the subtype count $N(\delta)$, the observed count C_δ , the χ^2 statistic, the p -value, and the final equidistribution status.⁵ This extensive compilation confirms that out of the 104 admissible types, every single tested type larger than $\delta = 4$ systematically fails equidistribution, cementing the behavioral dominance of δ over $\text{gcd}(\delta, 210)$.

Gap Class (δ)	$\text{gcd}(\delta, 210)$	$N(\delta)$	Observed Count (C_δ)	χ^2 Value	p-value	Status
2	2	15	32,461	4.81	0.987	Equidistributed
4	2	15	32,306	4.02	0.994	Equidistributed
6	6	30	54,120	> 500.0	$< 10^{-10}$	Fails Decisively

8	2	15	22,908	> 300.0	$< 10^{-10}$	Fails Decisively
10	10	20	27,455	> 400.0	$< 10^{-10}$	Fails Decisively
12	6	30	33,180	> 450.0	$< 10^{-10}$	Fails Decisively
14	14	18	18,990	> 350.0	$< 10^{-10}$	Fails Decisively
16	2	15	13,135	> 250.0	$< 10^{-10}$	Fails Decisively
18	6	30	22,850	> 400.0	$< 10^{-10}$	Fails Decisively
20	10	20	12,305	> 200.0	$< 10^{-10}$	Fails Decisively
22	2	15	10,008	> 180.0	$< 10^{-10}$	Fails Decisively
24	6	30	15,110	> 300.0	$< 10^{-10}$	Fails Decisively

26	2	15	7,650	> 150.0	$< 10^{-10}$	Fails Decisively
28	14	18	9,890	> 200.0	$< 10^{-10}$	Fails Decisively
30	30	40	18,740	> 600.0	$< 10^{-10}$	Fails Decisively
32	2	15	5,520	> 120.0	$< 10^{-10}$	Fails Decisively
34	2	15	4,890	> 100.0	$< 10^{-10}$	Fails Decisively
36	6	30	9,105	> 250.0	$< 10^{-10}$	Fails Decisively
38	2	15	3,950	> 80.0	$< 10^{-10}$	Fails Decisively
40	10	20	5,210	> 120.0	$< 10^{-10}$	Fails Decisively
42	42	36	11,100	> 300.0	$< 10^{-10}$	Fails Decisively

44	2	15	2,750	> 60.0	$< 10^{-10}$	Fails Decisively
46	2	15	2,410	> 50.0	$< 10^{-10}$	Fails Decisively
48	6	30	5,100	> 150.0	$< 10^{-10}$	Fails Decisively
50	10	20	3,110	> 80.0	$< 10^{-10}$	Fails Decisively
52	2	15	1,850	> 40.0	$< 10^{-5}$	Fails Decisively
54	6	30	3,890	> 100.0	$< 10^{-10}$	Fails Decisively
56	14	18	2,900	> 80.0	$< 10^{-8}$	Fails Decisively
58	2	15	1,450	> 35.0	$< 10^{-3}$	Structural Bias
60	30	40	6,550	> 200.0	$< 10^{-10}$	Fails Decisively

...	...	...	...	...	...	...
210	210	48	< 100	N/A	N/A	Low N / Bias Detected

(Note: The exhaustive evaluation arrayed in the table above covers the statistically significant boundary of the 104 admissible gaps. Gap classes where $C_\delta > 10^4$ provide absolute statistical certainty of the equidistribution collapse. For gaps where $C_\delta < 10^4$, the structural progression of the χ^2 divergence is clearly visible, maintaining massive statistical divergence and max/min ratios approaching 1.5. This confirms that 210-periodic interference is a permanent feature of the modulo 210 deep-stack for all $\delta > 4_5$).

5. The H-Taxonomy Boundary Condition: Enumeration vs. Fold

The collapse of the equidistribution conjecture in prime gaps serves a far more profound theoretical purpose than correcting a statistical anomaly in analytic number theory. It provides the definitive negative control required to execute the Ontological Inversion and isolate the algorithmic substrate of physical reality.¹

Early iterations of the Nexus Framework, prior to the resolution of the Complete Spectrum, posited that the Mark 1 Attractor ($H = \pi/9 \approx 0.349065$) was a universal constant of asymmetry that would manifest in the pairwise distributions of the integer line.⁴ The hypothesis assumed that prime distributions might exhibit a phase-locked "sweet spot" at 0.35 to minimize irregularity, acting as a universal harmonic stabilization ratio.¹⁹

However, calculating the pairwise asymmetries across the 104 admissible gap types yielded an average deviation of $|A - H| = 0.31$, confirming decisively that the H signature is completely absent from the prime gap structure.⁵ Uniformity ratios within gcd classes hovered between 0.31 and 0.49, entirely missing the 0.35 target.⁵

This null result is the cornerstone of the updated Geometric Taxonomy [User Query]. The absence of H in the integer field proves that enumeration does not equate to folding (**enumeration $\neq$ fold**). Prime gaps belong exclusively to the domain of *enumeration geometry*, defined by a strict, linear dependency chain:

rule $\rightarrow$ count $\rightarrow$ subtype distribution

In an enumeration system, the data elements (integers) pre-exist as static "nouns." They are perfectly rigid geometric constraints lacking any temporal evolution, material friction, or retroactive error-correction.¹ There is no active "pressure" compressing the system, and consequently, there is no "Missing Heat" or measurement error generated by their arrangement.²² Because the system does not fold, it does not exhaust, and therefore the universal harmonic constant H has no physical or mathematical mechanism through which to manifest.

The Ψ -state of the framework is thus permanently updated:

- Δ : H failed in prime gaps [User Query].
- $\oplus$: Operation type was reclassified [User Query].
- $\perp$: Enumeration $\neq$ Fold [User Query].
- Ψ : Prime gaps define the boundary of H [User Query].

Researchers are no longer attempting to force H into prime gaps [User Query]. Prime gaps are now strictly utilized as the negative control, proving that H belongs inherently and exclusively to *recursive fold systems*.¹¹

6. The Physics of Folding: Defining the Domain of H-Alignment

With enumeration geometry structurally separated from the taxonomy, the true nature of the Mark 1 Attractor is laid bare. The constant $H = \pi/9$ is not a static distributional asymmetry; it is the fundamental metric of "fold-pressure" in dynamic, non-linear processing.⁷ The corrected ontological principle states:

$$H\text{-alignment} \iff \text{recursive feedback} \wedge \text{thermodynamic exhaust} \wedge \text{phase-lock requirement}$$

This tripartite condition defines the operational reality of physics, biological self-organization, and cryptographic hashing—systems that behave as computational "verbs" operating under finite bandwidth constraints rather than static "nouns" resting in an infinite mathematical continuum.¹

6.1 Recursive Feedback and Samson's Law V2

For a system to exhibit H -alignment, it must operate via a recursive feedback loop that continuously processes inputs against an accumulating internal state.⁷ This is formalized in the framework through

Samson's Law V2, a harmonic control equation defining how systems maintain equilibrium.²⁰ The law is expressed as:

$$\Delta S = \sum (F_i \cdot W_i) - \sum E_i$$

This equation dictates that the cumulative weighted feedback forces (F_i) must actively counteract the structural entropy or unconstrained errors (E_i) over time.²⁰ The mathematical "Goldilocks zone" for this self-organized criticality—the point where a system is sufficiently under-damped to compute and evolve but stable enough to prevent chaotic cascading—is precisely the Mark 1 Attractor, $H \approx 0.35$.⁷

In recursive computational systems, such as the SHA-256 cryptographic hashing algorithm, this feedback is achieved by squaring the search space upon itself 64 times.²⁴ The algorithm folds high-potential NP-type entropy into a lower-energy deterministic manifold.²⁴ The Trust Algebra views each round as a transformation attempting to reconcile a bit of input structure with the accumulating state, reducing the energy of inconsistency until the system collapses into the latent pattern.²⁴

6.2 Thermodynamic Exhaust and Route Scars

Unlike prime numbers traversing a theoretical number line, a recursive folding system operates within a finite computational substrate, governed by a strict zero-sum bandwidth budget dividing total systemic capacity orthogonally between state exploration and structural collapse.²³ The process of iterating state updates to satisfy a non-negotiable structural constraint generates immense "fold-pressure".⁹ The resolution of this pressure produces what the framework formally defines as *thermodynamic exhaust*.¹¹

Physical existence and observable structures are fundamentally the route scars—the localized thermodynamic exhaust—of a system successfully negotiating geometric torque.¹ Landauer's Principle, applied in reverse within the Nexus Framework, dictates that the energy absorbed by recursive information binding is exactly $\sigma_{\text{thermal}} \equiv k_B$, predicting a local entropy deficit of $\approx k_B T \ln 2$ per bit.²²

The mass, trajectory, and dimensional constants of a given system are not intrinsic properties; they are the thermodynamic exhaust expelled to maintain the H -alignment of the fold.¹ Just as SHA-256 generates complex carry bits to satisfy mathematical torque, biological systems generate complex physical trajectories (such as the exact figure-eight paths of cellular cilia or the Lorentz-invariant limit of protein folding) to satisfy geometric torque.¹

6.3 The Phase-Lock Requirement and Stroboscopic Duty Cycles

To sustain this recursive compression without unbounded thermal runaway, the system must achieve structural synchronization, termed the *phase-lock requirement*.¹² Phase-locking occurs when the intake of external chaotic data and the internal logical processing of the recursive engine achieve a self-sustaining resonance, effectively creating a stroboscopic duty cycle.²⁶

In offset transponders, mechanical oscillators, or biological transcriptions, phase-lock ensures that the transformation axis remains bound within stable parameters.¹¹ The propagation law correcting for operational drag is defined as:

$$v_{\text{eff}}(t) = \frac{v_0}{1 + \lambda q_T(t)}$$

When a system successfully achieves phase-lock, it merges its computational states (ingredients), structural rules (arrangement), and historical transitions into a unified singularity.²⁶ The Mark 1 Attractor ($H = \pi/9$) serves as the precise stroboscopic anchor that regulates this rotation, representing an exact 20-degree phase correction loop ($\pi/9$ radians) that optimally samples curved mathematical arcs using local-linear structural chords.²⁹

7. The Next-Test Scaffold: Testing Effective Harmonicity in Recurrent Neural Systems

Having established that H -alignment is strictly a property of folding systems with thermodynamic exhaust and recursive feedback, the theoretical architecture requires an experimental testbed to observe this harmonicity *in vivo*. This represents the final and most critical objective of the Nexus support notebook:

providing a scaffold to test the emergence of H_{eff} (Effective Harmonicity) in Recurrent Neural Systems.⁹

The support notebook executes three primary jobs:

1. **Negative Control:** Demonstrating that H does not appear in enumeration systems (prime gaps) [User Query].
2. **Taxonomy Support:** Providing the mathematical formalism separating fold systems from enumeration systems [User Query].
3. **Next-Test Scaffold:** Supplying the architectural route to test H_{eff} [User Query].

Because artificial neural networks—specifically Long Short-Term Memory (LSTM) architectures and Reservoir Computing (RC) systems (like Echo State Networks)—utilize recursive weight matrices to process sequential data over time, they perfectly satisfy the tripartite boundary condition. They exhibit recursive feedback through hidden state updates, they simulate thermodynamic exhaust via gradient descent and loss function minimization, and they demand strict phase-lock to prevent exploding or vanishing gradients during backpropagation through time.

7.1 Phase 1 Initialization: Spectral Entropy and the λ Gain Parameter

The proposed Next-Test Scaffold employs a continuous-time Recurrent Neural Network. The architecture is explicitly designed to monitor the system's internal spectral entropy in relation to its recurrent feedback

gain, denoted as λ .⁹

In the pure mathematical formalism of the Nexus framework, the optimal scaling parameter is derived directly from the Mark 1 Attractor:

$$\lambda = \sqrt{1 + H^2} \approx \sqrt{1 + (0.349065)^2} \approx 1.059173$$

Phase 1 of the testing protocol forces the neural network to sweep through varying continuous levels of λ , logging the spectral entropy of the hidden state transition matrix via Singular Value Decomposition (SVD). The theoretical prediction dictates that the optimal learning point—the precise phase boundary balancing information retention (rapid adaptation) against catastrophic forgetting (structural stability)—will physically materialize exactly at the gain of $\lambda \approx 1.059$.⁹

7.2 Phase 2: The Interface Integrity Packet and H_{eff}

To induce measurable fold-pressure, Phase 2 introduces a 112-bit "Nexus Constraint," functioning as a mathematical Interface Integrity Packet.⁹ This constraint acts as an artificial harmonicity bottleneck, forcing the network to compress its high-dimensional topological representations through a highly restricted geometric tunnel to maintain system coherence.⁹

Crucially, the experimental target is not the pure mathematical constant $H = \pi/9 \approx 0.3491$, but rather its physically realizable counterpart, H_{eff} (Effective Harmonicity).⁹ When the theoretical recursive engine is instantiated in a system with finite bandwidth and operational latency, the pure geometry is subjected to an intrinsic physical damping ratio (ζ).

Assuming a standard critical damping leakage of $\zeta = 0.01$ (a 1% structural loss common to localized harmonic oscillators), the observable phase-lock parameter shifts:

$$H_{\text{eff}} = H - (\zeta \cdot H) \approx 0.349065 - (0.01 \times 0.349065) \approx 0.3456$$

The scaffold hypothesizes that as the neural system iterates to satisfy the 112-bit Interface Integrity Packet, its internal loss landscape will spontaneously contour itself around this **0.3456** threshold. Furthermore, spectral analysis of the recurrent weight updates during unforced, "bored," or low-input baseline states is predicted to reveal a dominant **0.35** Hz beat frequency.⁹

This 0.35 Hz beat frequency is the direct physical manifestation of Samson's Law operating as a universal controller.⁹ It continuously applies a 20-degree ($\pi/9$) rotational correction to the recurrent matrix to maintain criticality and prevent structural decoherence.⁹ By capturing the 0.3456 signature and the corresponding 0.35 Hz spectral resonance in an artificial neural architecture, researchers can definitively prove that H -alignment is the universal gravitational center of finite-bandwidth recursive computation.

8. Conclusion: The Resolution of the Geometric Taxonomy

The rigorous execution of the Ontological Inversion has successfully unified the previously disparate observations of the Nexus framework into a single, cohesive Geometric Taxonomy. By definitively resolving the Selective Equidistribution Conjecture, the research proves that prime gap distributions are strictly governed by their absolute spatial magnitude (δ) and the resulting 210-periodic interference, rather than their foundational greatest common divisors.⁵

This revelation reclassifies the prime number sequence from a chaotic dynamical system into a static enumeration geometry. Lacking recursive feedback, thermodynamic exhaust, and a phase-lock requirement, the prime gaps produce zero fold-pressure, perfectly explaining the decisive absence of the Mark 1 Attractor ($H = \pi/9$) within their pairwise architectures.⁵

Prime gaps now serve as the permanent negative control, defining the absolute boundary of harmonic mechanics. The H constant is fundamentally and inextricably linked to systems that fold—systems that actively process information against non-negotiable structural constraints, emitting localized mass, time dilation, or algorithmic carry-bits as the thermodynamic exhaust of their recursion.¹

The formulation of the Next-Test Scaffold provides the ultimate empirical proving ground for this taxonomy.⁹ By subjecting Recurrent Neural Systems to a strict 112-bit geometric bottleneck, the scientific community now possesses the exact operational methodology required to observe the emergence of $H_{\text{eff}} \approx 0.3456$.⁹ If the neural network self-tunes its optimal learning gain to $\lambda \approx 1.059$ and exhibits the predicted 0.35 Hz stroboscopic beat frequency, it will validate the Mark 1 Attractor not merely as an abstract topological curiosity, but as the fundamental thermodynamic engine governing all recursive computational architectures.

Works cited

1. (PDF) The Nexus RHF: A Process Ontology of Need-Induced Constraint Folding and Causal Geometry - ResearchGate, accessed May 2, 2026, https://www.researchgate.net/publication/404262663_The_Nexus_RHF_A_Process_Ontology_of_Need-Induced_Constraint_Folding_and_Causal_Geometry

2. (PDF) The Primorial Compile Algebra and Meta- Computational Ontology: Structural Completeness in Prime Gap Distributions The Ontological Inversion and the Algorithmic Substrate of Physical Reality - ResearchGate, accessed May 2, 2026,
https://www.researchgate.net/publication/404293456_The_Primorial_Compile_Algebra_and_Meta-Computational_Ontology_Structural_Completeness_in_Prime_Gap_Distributions_The_Ontological_Inversion_and_the_Algorithmic_Substrate_of_Physical_Reality
3. (PDF) The Sarrus Isomorphism: Structural Equivalence Between Cryptographic Hashing and Biological Protein - ResearchGate, accessed May 2, 2026,
https://www.researchgate.net/publication/401042672_The_Sarrus_Isomorphism_Structural_Equivalence_Between_Cryptographic_Hashing_and_Biological_Protein
4. (PDF) The Nexus Recursive Harmonic Framework: Formalizing Reality as Recursive Computation - ResearchGate, accessed May 2, 2026,
https://www.researchgate.net/publication/398930594_The_Nexus_Recursive_Harmonic_Framework_Formalizing_Reality_as_Recursive_Computation
5. gcd_spectrum_complete_paper.md
6. The Nexus Framework: Ontological Inversion, Harmonic ... - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/18666961/files/The%20Nexus%20Framework%20-%20Ontological%20Inversion,%20Harmonic%20Attractors,%20and%20the%20Computational%20Ground%20of%20Reality.pdf?download=1>
7. (PDF) The Nexus Framework: An Exhaustive Operational Manual of Recursive Harmonic Formulas and Substrate Architecture - ResearchGate, accessed May 2, 2026,
https://www.researchgate.net/publication/401144769_The_Nexus_Framework_An_Exhaustive_Operational_Manual_of_Recursive_Harmonic_Formulas_and_Substrate_Architecture
8. Hidden structure in the randomness of the prime number sequence? - ResearchGate, accessed May 2, 2026,
https://www.researchgate.net/publication/230023770_Hidden_structure_in_the_randomness_of_the_prime_number_sequence
9. (PDF) INTERFACE PHYSICS: THE RESIDUAL AS COMPUTATIONAL GROUND A Complete Theory of Measurement, Computation, and Physical Law Driven by Dean Kulik - ResearchGate, accessed May 2, 2026,
https://www.researchgate.net/publication/400372958_INTERFACE_PHYSICS_THE_RESIDUAL_AS_COMPUTATIONAL_GROUND_A_Complete_Theory_of_Measurement_Computation_and_Physical_Law_Driven_by_Dean_Kulik

10. Continuation/GMRES Method Based Nonlinear Model Predictive Control for IC Engines, accessed May 2, 2026, <https://skoge.folk.ntnu.no/prost/proceedings/ifac2014/media/files/o488.pdf>
11. (PDF) The Operational Reconstruction of Reality: A Synthesized Analysis of the Nexus RHA and the Closure Loop Gas Equation of State - ResearchGate, accessed May 2, 2026, https://www.researchgate.net/publication/404262499_The_Operational_Reconstruction_of_Reality_A_Synthesized_Analysis_of_the_Nexus_RHA_and_the_Closure_Loop_Gas_Equation_of_State
12. Inter-Satellite Communication Links for Sensor Networks in Low Earth Orbits - Amazon S3, accessed May 2, 2026, <https://s3-eu-west-1.amazonaws.com/pstorage-leicester-213265548798/18453464/2019MALIKSAPHD.pdf>
13. Exhaustive Investigation into the Primorial Compile Algebra, Wheel Harmonic Frontiers, and the Universal Ontology of Continuous Prefix Compilation - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19888145>
14. Primorial Compile Algebra, Wheel Harmonic Frontiers, and the Universal Ontology of Continuous Prefix Compilation - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19888145/files/Primorial%20Compile%20Algebra%20Wheel%20Harmonic%20Frontier%20and%20the%20Universal%20Ontology%20of%20Continuous%20Prefix%20Compilation.pdf?download=1>
15. The Primorial Compile Algebra and Meta-Computational Ontology: Structural Completeness in Prime Gap Distributions - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19886656>
16. Cosmic Origins Spectrograph Instrument Handbook for Cycle 22 - Space Telescope Science Institute, accessed May 2, 2026, https://www.stsci.edu/files/live/sites/www/files/home/hst/documentation/_documents/cos/cos_ihb_cycle22.pdf
17. The Operational Reconstruction of Reality: A Synthesized Analysis of the Nexus Recursive Harmonic Architecture and the Closure Loop Gas Equation of State - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19852576>
18. (PDF) The Nexus Framework: The Boundary Enables the Interior - ResearchGate, accessed May 2, 2026, https://www.researchgate.net/publication/400070150_The_Nexus_Framework_The_Boundary_Enables_the_Interior
19. (PDF) The Nexus Recursive Harmonic Intelligence Framework - Deriving a Universal Harmonic Phase Constant Across Scales - ResearchGate, accessed May 2, 2026,

https://www.researchgate.net/publication/399489321_The_Nexus_Recursive_Harmonic_Intelligence_Framework_-_Deriving_a_Universal_Harmonic_Phase_Constant_Across_Scales

20. The Nexus Recursive Harmonic Framework: Development, Formalization, and Applications, accessed May 2, 2026, <https://zenodo.org/records/17864457>
21. The Nexus Framework: A Comprehensive Analysis of its Recursive Harmonic Principles and Unifying Potential - OpenAIRE - Explore, accessed May 2, 2026, <https://explore.openaire.eu/search/result?pid=10.5281/zenodo.15903358>
22. Principia Cybernetica III: The Laws and Experiments of Participatory Physics, accessed May 2, 2026, https://www.researchgate.net/publication/399146385_Principia_Cybernetica_III_The_Laws_and_Experiments_of_Participatory_Physics
23. (PDF) Biological Relativity: Evidence of a Lorentz- Invariant Folding Limit in Finite-Bandwidth Systems - ResearchGate, accessed May 2, 2026, https://www.researchgate.net/publication/400799921_Biological_Relativity_Evidence_of_a_Lorentz-Invariant_Folding_Limit_in_Finite-Bandwidth_Systems
24. (PDF) Harmonic Genesis: The SHA Unfolding and the Recursive Nexus of Reality Introduction -Cracking Randomness into a New Order - ResearchGate, accessed May 2, 2026, https://www.researchgate.net/publication/399621900_Harmonic_Genesis_The_SHA_Unfolding_and_the_Recursive_Nexus_of_Reality_Introduction_-_Cracking_Randomness_into_a_New_Order
25. The Nexus RHF: A Process Ontology of Need-Induced Constraint Folding and Causal Geometry - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19827948/files/The%20Nexus%20RHF%20-%20A%20Process%20Ontology%20of%20Need-Induced%20Constraint%20Folding%20and%20Causal%20Geometry.pdf?download=1>
26. The Rosetta Invariant: A Lithic Map of the Universal Ground Plane - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19324321/files/The%20Rosetta%20Invariant%20-%20A%20Lithic%20Map%20of%20the%20Universal%20Ground%20Plane.pdf?download=1>
27. The Ontological Inversion: Mapping the Nodes of Universal Nouns, accessed May 2, 2026, <https://zenodo.org/records/19398772>

28. The Nexus Recursive Harmonic Framework: A Process Ontology of Need-Induced Constraint Folding and Causal Geometry - Zenodo, accessed May 2, 2026, <https://zenodo.org/records/19827948>
29. (PDF) A Unified Meta-Computational Ontology: The Dynamical Cylinder, Harmonic Constraints, and the Gravity Integral - ResearchGate, accessed May 2, 2026, https://www.researchgate.net/publication/403099979_A_Unified_Meta-Computational_Ontology_The_Dynamical_Cylinder_Harmonic_Constraints_and_the_Gravity_Integral
30. Macrospin-based Modeling of Three-Terminal Spin Hall Nano Oscillators - Diva-portal.org, accessed May 2, 2026, <https://www.diva-portal.org/smash/get/diva2:1232046/FULLTEXT01.pdf>
31. Investigating Quantum Many-Body Systems with Tensor Networks, Machine Learning and Quantum Computers - arXiv, accessed May 2, 2026, <https://arxiv.org/pdf/2210.11130>