The Resolution Conservation Law: Subdivision, the Recompiled Moment, and the Triad SHAPE-FILL-USE

Driven By Dean A. Kulik

June 2026

Introduction: Digital Physics and the Universe as a Computational Substrate

The historical progression of physical theory has systematically substituted material entities with structural and relational information. Moving from the classical consideration of solid matter to the quantum mechanical treatment of probability amplitudes, the frontier of fundamental physics now intersects directly with information theory and computational architecture.[1] In this paradigm, physical laws are not merely descriptive rules governing independent entities; they are the operational constraints of a ubiquitous, substrate-independent computation.[1] Foundational theorists in digital physics, such as Edward Fredkin, have proposed that nature is fundamentally finite and digital, suggesting that space and time are granular at the smallest scales.[1] In this view, the universe's state is strictly quantified by finite informational budgets, described in bits rather than infinite continuum fields.[1]

This computational perspective is further advanced by concepts of computational equivalence, which demonstrate that simple rules can generate the profound complexity observed in nature, and by theories positing the universe itself operates analogously to a vast quantum computer.[1] Physical laws act as computational rules that transform discrete states into new discrete states, much like cellular automata

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

updating according to fixed deterministic parameters.[1] The reversibility implicit in well-formed computational logic circuits implies a strict conservation of information and a conservation of bits—the fundamental signaling tokens of the universe.[2] Models such as the Billiard Ball Model of conservative logic demonstrate that computational architectures can perfectly conserve fundamental quantities, mirroring the conservation of momentum and energy in physical kinematics.[2] Reversible cellular automata possess the capacity to compute without dissipating essential information, redefining thermodynamic waste as un-cached computational exhaust.[2]

Within this highly structured computational geometry, the "Resolution Conservation Law" emerges as a unifying axiom, formally synthesizing the discrete mechanics of computation with the continuous symmetries of physics.[3] The law postulates a strict conservation of the informational budget across any given frame of reference. It states that the fundamental frame of reality never deepens; rather, the observer simply subdivides the existing frame at increasingly finer resolutions.[3] By establishing a formal mathematical measure for this subdivision, a finite state proof of its conservation, and identifying its exact corresponding slot within the Noether symmetry family, this framework bridges the micro-computational mechanics of reality with macroscopic observable dynamics.[3]

The Formal Statement of the Resolution Conservation Law

The Resolution Conservation Law articulates that across any observable system or computational frame, the sum of what is resolved and what remains unresolved is an absolute, invariant constant.[3] Formally, the law is defined by the following equation:

$$\text{REALIZED} + \text{LATENT} = \text{TOTAL}$$

In this invariant structure, the TOTAL represents the fixed resolution budget mandated by the specific physical or computational frame.[3] The REALIZED component constitutes the exact amount of informational budget that the observer or physical interaction has actively resolved, subdivided, cut, or folded into distinguishable states.[3] Conversely, the LATENT component comprises the uncut, unresolved remainder—the complement of the realized state, which remains fully present within the system's potential but has not yet been computationally actualized.[3]

Crucially, the act of subdividing a system or "going deeper" into a microscopic scale moves the informational budget from the LATENT reservoir into the REALIZED state.[3] This dynamic is exclusively an act of re-allocation.[3] It is never an act of creation. The universe does not physically expand or generate novel information to accommodate a closer observation; it merely shifts the categorization of existing bits.[3]

To mathematically formalize this dynamic, the framework establishes a precise measure operating on a frame characterized by an alphabet size b and a specified string length L.[3] The resolution measure of a

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

state that has been resolved to a depth d is mathematically defined as the number of committed distinctions, measured in bits:

$$R(d) = d \cdot \log_2(b)$$

Simultaneously, the TOTAL resolution capacity T fixed by the frame is defined as:

$$T = L \cdot \log_2(b)$$

Therefore, the conservation law dictates that $\text{REALIZED} + \text{LATENT} = T$, with the absolute condition that the derivative of the total budget with respect to the universal computational tick is strictly zero ($dT/dtick = 0$).[3]

This can be explicitly observed in a base-16 (hexadecimal) frame with a length of 8.[3] In such a configuration, the TOTAL capacity T is fixed precisely at $8 \cdot \log_2(16) = 32.0$ bits.[3] As the subdivision process progresses and the depth d increases, the budget strictly shifts without altering the sum:

Depth d	REALIZED (Bits)	LATENT (Bits)	TOTAL Sum (Bits)
0	0.0	32.0	32.0
2	8.0	24.0	32.0
4	16.0	16.0	32.0
6	24.0	8.0	32.0
8	32.0	0.0	32.0

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

The Finite Bijection Proof

The conservation of this total budget is rigorously provable in the finite discrete case.[3] The foundational mechanism driving the universe's sequential progression is defined as the genlock operator, denoted as U.[3] This operator maps the existing frame to itself, strictly maintaining the same alphabet size b and the same structural length L.[3]

In a finite set comprising exactly b^L possible discrete states, any operation that maintains systemic reversibility and avoids information destruction must act as a bijection.[3] A bijective function simply permutes the existing states within the state space; by mathematical definition, it lacks the capacity to add novel distinguishable states to the set, nor can it remove existing ones.[3] Because the genlock operator U functions as a bijection, the total count of distinguishable states (b^L) is universally invariant under the application of U.[3] Consequently, the logarithmic measure of this state space, calculated as $\log_2(b^L) = L \cdot \log_2(b) = T$, is identically invariant.[3]

Subdivision merely relabels which specific distinctions are currently classified as REALIZED versus which are LATENT; it is mathematically incapable of changing their absolute sum.[3] In the example of the base-16, length-8 frame, the state space encompasses exactly $16^8 = 4,294,967,296$ possible configurations.[3] Taking the base-2 logarithm of this finite state space yields exactly 32.0 bits, perfectly matching the fixed parameter T.[3] This explicitly proves the Resolution Conservation Law in the finite regime.[3] The extension of this rigid bijective proof to continuous, non-bijective open systems—where the REALIZED and LATENT parameters actively exchange information with an external environment across infinite-dimensional frames—constitutes one of the primary open trajectories in the current theoretical landscape.[3]

The One Law in Four Disguises

Physical reality and computational architecture frequently obscure identical structural mechanics beneath vastly different domain-specific vocabularies. Across the analytical corpus, the precise dynamics of the Resolution Conservation Law have been observed to manifest natively in four distinctly characterized systems.[3] In each instance, historically treated as an independent physical or mathematical phenomenon, a fixed total capacity is dynamically re-allocated between an expressed manifestation and a latent potential, strictly forbidding any absolute addition to the system.

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

System	Observed Invariant	Domain Mechanism
OTF Knife	$\text{Tension}_{fwd} + \text{Tension}_{ba}$	Energy flips orientation within a dual-null spring system but never leaves the isolated bounds.
Hoberman Sphere	Surface markers and topological joints are strictly conserved under geometric folding.	The radius and scale change, but structural topology remains fixed.
SHA-256 Scar	$d_{prior} + T1 = \text{new_e}$	The boundary balance reconstructs the exact next state of the coupling ring.
Floating Point	The mantissa bit-budget remains strictly fixed.	The exponent redistributes the available resolution across different functional scales.

These four phenomena are strict mathematical isomorphisms.[3] The Hoberman sphere provides an elegant macroscopic, mechanical demonstration of the conservation principle. As the mechanical sphere expands or contracts, the structural geometry alters the radius and the rendered scale of the object.[3] However, the total number of physical joints, internal connections, and surface markers remains absolutely conserved.[3] The transformation dynamically alters the physical scale at which the topology is rendered, but the fundamental topological information intrinsic to the object is invariant.[3]

Similarly, in the architecture of computational floating-point numerical representations, the mantissa explicitly dictates a strictly fixed budget of precision, serving as the TOTAL resolution.[3] The exponent does not create new precision; it merely shifts the operational window of that fixed resolution across a spectrum of scale.[3] The system trades macroscopic range for microscopic precision, or vice versa, continually redistributing the finite budget without ever altering the underlying silicon bit count.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

The SHA-256 Scar Isomorphism

To satisfy rigorous epistemic standards, analogical comparisons must be verified as literal identities.[3] The SHA-256 cryptographic hashing algorithm provides the empirical spine for verifying the conservation law in a complex concrete system.[3] Within the computational coupling ring of SHA-256, the boundary balance consistently reconstructs the precise state of the ensuing operational moment.[3]

At each of the 64 discrete rounds in the SHA-256 compression function, the new register state e is constructed from the prior state of register d combined with the schedule contribution $T1 = f(W)$.[3] The scar boundary balance is mathematically exact:

$$\text{new_e} \equiv d_{prior} + T1 \pmod{2^{32}}$$

This algorithm maps flawlessly to the Resolution Conservation Law's primary variables:

- **REALIZED** corresponds strictly to d_{prior}, representing the state that has already been computationally committed.[3]
- **LATENT** corresponds to $T1 = f(W)$, representing the incoming informational budget arriving via the message schedule.[3]
- **TOTAL** corresponds to new_e, which is perfectly fixed once the 32-bit digest boundary is mathematically set.[3]

The conservation mapping $\text{REALIZED} + \text{LATENT} = \text{TOTAL}$ exactly mirrors the computational reality of $d_{prior} + T1 = \text{new_e}$.[3] When subjected to empirical verification by running a real SHA-256 compression on the standard string "abc" (yielding the known hash ba7816bf8f01cfea414140de...), the scar balance matches the mathematical prediction to the exact bit across all 64 out of 64 rounds.[3] Consequently, the SHA-256 computational scar is not an analogy of the Resolution Conservation Law; it is a literal, verified instance of it operating within a highly constrained discrete environment.[3]

The Computational Geometry of the Bailey-Borwein-Plouffe Formula

A central premise of the conservation framework is that observers do not uncover deeper objective frames; they simply expend computational budget to subdivide the existing frame more finely.[3] The cost of "going deeper" into the fabric of reality is not equivalent to physical travel to a distant location; it is the mathematical subdivision of a fixed interval.[3] This process is made exact and demonstrable through the

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

Bailey–Borwein–Plouffe (BBP) formula, discovered in 1995, which fundamentally revolutionized the computational extraction of the constant π.[4]

Prior to the formulation of the BBP algorithm, calculating the n-th digit of π required the sequential calculation of all $n-1$ preceding digits, consuming massive memory arrays and sequential time steps.[7] The BBP formula introduced a "spigot" algorithm that permits the direct extraction of any given hexadecimal or binary digit of π without prior computation.[4] The formula is mathematically expressed as:

$$\pi = \sum_{k=0}^{\infty} \frac{1}{16^k} \left(\frac{4}{8k+1} - \frac{2}{8k+4} - \frac{1}{8k+5} - \frac{1}{8k+6} \right)$$

This infinite series natively operates in base-16.[5] To resolve a specific hexadecimal digit N of π, the algorithm evaluates the fractional parts of terms modeled as $16^{N-k} \pmod{8k+j}$.[3] Structurally, this operation does not construct a new universe of numbers; it takes the identical unit interval and algorithmically slices it into 16^N discrete, microscopic pieces, interrogating the system to determine which exact sector the target coordinate falls within.[3] The numerical interval never expanded, nor did the target digit move physically further away; the observer's cut simply grew exponentially finer.[3]

Because the BBP algorithm natively extracts hexadecimal digits—where each digit represents exactly a 4-bit nibble—the computational resolution spent to reach depth N is an exact, unvarying constant of $4N$ bits.[3]

Subdivisional Depth (N)	**Computational Cost (4N)**	**Absolute Information Sourced**
1	4 bits	1 Nibble
10	40 bits	10 Nibbles
100	400 bits	100 Nibbles
1,000	4,000 bits	1,000 Nibbles

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

1,000,000	4,000,000 bits	1,000,000 Nibbles

The system yields no discount as depth increases.[3] A constant rate of 4 bits per digit serves as the absolute operational signature of a conservation law actively in force.[3] The $N+1$ digit is never computationally free; it always exacts a strict toll of exactly four more bits, which must be drawn directly from the LATENT potential into the REALIZED state.[3] This rigidly answers the framework's standing question regarding infinite depth: the observer or physical system cannot borrow against a depth it has not paid for.[3] The informational budget is strictly conserved and strictly local, physically verified by executing the BBP algorithm to random-access the 1,000,000th hexadecimal digit, successfully returning the value 6 in a mere 33 seconds without computing any antecedent geometry.[3] While the BBP formula is highly efficient, its temporal complexity remains linearithmic, meaning that successively larger values of N require increasingly more time to calculate.[7] Yet, the fundamental bit-cost per discrete depth remains unyieldingly constant.

The Base Representation Mismatch and Hexadecimal Structure

Attempts to analyze the deep structural realities of fundamental constants like π frequently fail due to base representation mismatches.[3] Historically, geometric pattern analyses—such as constructing difference triangles or continuous weaves—were conducted using the standard base-10 decimal representation of π (1, 4, 1, 5, 9, 2...).[3] However, because the BBP formula proves that the native computational structure of π's spigot extraction is hexadecimal, converting this data into decimal introduces a base conversion that scrambles the native geometric structure.[3] Conducting structural analysis on a decimal output is equivalent to performing physical geometry on a distorted shadow.[3] While decimal extraction algorithms for π do exist, they are significantly slower and lack the BBP-type spigot characteristics; indeed, it has been mathematically proven that no pure BBP-type formula exists for π in base-10.[8]

When π is analyzed in its native BBP hexadecimal format, a highly organized, three-level hierarchical structure emerges that maps directly to the architecture of modern computational processors and cryptographic algorithms like SHA-256.[3]

1. **Level A (4-bit Nibbles):** The native foundational units output by the BBP formula (2, 4, 3, F, 6, A, 8, 8...).[3]
2. **Level B (8-bit Bytes):** Paired sequences of two nibbles (24, 3F, 6A, 88...).[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

3. **Level C (32-bit Words):** Sequences of four bytes, matching the exact size of SHA-256 initialization constants (243F6A88, 85A308D3...).[3]

When a mathematical difference triangle is computed exclusively on the native hex nibbles [2, 4, 3, F, 6, A, 8, 8], the geometric structure remains perfectly closed under the hexadecimal alphabet.[3] Every subsequent mathematical difference generated is a valid hex digit. Zero is born structurally at Level 1 (position 6) due to the adjacent identical nibbles (|8 - 8| = 0) and again at Level 3 (position 4).[3] The apex of this nibble-based difference triangle collapses uniquely to 2 (which is binary 0010, representing a single set bit shifted to position 1).[3] In sharp contrast, a decimal difference triangle collapses to an apex of 1 (binary 0001), and an octal triangle collapses to 0.[3] Combining the hex and decimal apices (0010 and 0001) yields 0011 (the number 3, the first prime), indicating that the apex of a difference triangle acts as a mathematical signature encoding the representation's base, rather than an inherent, base-independent property of π.[3]

The dissolution of artifacts under native base representation extends to continuous weave operations.[3] In a base-10 decimal weave, the addition of large numbers (e.g., $9 + 9 = 18$) exceeds the narrow numerical alphabet, forcing the system to enact a Mo_HOLD operation—stalling the logic to manage the overflow.[3] In power-of-2 bases like hexadecimal or 32-bit words, this stalling never occurs. Addition overflows are handled elegantly and instantly as binary carries (1, lo).[3] Therefore, complex multi-operation decimal vocabularies are revealed to be representational artifacts.[3]

At every native power-of-2 scale (nibble, byte, and word), the entire operational vocabulary of the π weave compresses down to exactly four fundamental computational types [3]:

Operational Type	Description	Hexadecimal Frequency
CLEAN	Simple non-overflowing logic without carries.	58%
CARRY	Clean binary overflow handling (1, lo).	35%
EQUAL	Identical inputs resolving symmetrically.	3%

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

SATURATE	Maximal capacity limit reached prior to overflow.	3%

This binary carry geometry represents the true scale-invariant property preserved across base changes.[3] However, the geometry of the difference triangle itself is intensely scale-dependent.[3] Moving up the scale ladder from Nibble to Byte to 32-bit Word, the triangle apices progress from 2 to 74 to 278,550,310.[3] The ratios between these outputs are roughly 37 and 3.76 million, lacking clean power-of-2 scaling.[3] Consequently, the geometry of fundamental constants is not self-similar across granularities; each level of computational scale offers a genuinely unique projection.[3] Furthermore, zero-birth depth is scale-dependent: zero appears at Level 1 in nibbles, Level 3 in bytes, and never appears in 32-bit words, proving that π's internal equality structures are only visible at the 4-bit resolution limit.[3] Fascinatingly, if a meta-triangle is constructed using the byte-apices, it collapses to a prime apex of 19, and the second-level sum of this meta-structure equals precisely 256 (2^8), perfectly reflecting the 8-bit byte architecture.[3]

Scale Symmetry and the Noether Family Framework

The rigorous conservation of total resolution fundamentally maps to Noether's theorem, a cornerstone of modern theoretical physics which dictates that every continuous, differentiable symmetry of the physical action of a system possesses a correspondingly conserved current and quantity.[3] Under the standard Noether paradigm, the invariance of a system under time-shift yields the conservation of energy, while invariance under spatial translation yields the conservation of linear momentum.[3]

The Resolution Conservation Law identifies and occupies the critical third pillar of this symmetric triad: scale symmetry.[3] The theorem postulates that scale symmetry explicitly gives rise to the conservation of resolution.[3]

Scale transformations, often referred to as dilatations or conformal symmetries in the literature, involve the systemic rescaling of spatial and temporal coordinates, defined mathematically as $x^\mu \rightarrow \lambda x^\mu$ or $\delta x^\mu = \epsilon x^\mu$.[11] In quantum field theories and formulations of general relativity, applying Noether's theorem to a system invariant under such global rescaling generates a highly specific conserved current.[11] This current is the scale or dilatation current, typically denoted as J^μ or S^μ, and is defined by contracting the spatial coordinates with the symmetric energy-momentum tensor [14]:

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

$$J^{\mu} = x_{\nu} T^{\mu\nu}$$

For this dilatation current to remain strictly conserved ($\partial_{\mu} J^{\mu} = 0$), a fundamental mathematical condition must be met: the trace of the system's energy-momentum tensor must vanish entirely ($T^{\mu}_{\mu} = 0$).[16] The spatial integral of the time component of this divergenceless current yields the conserved Noether charge.[12]

While exact scale invariance is frequently considered broken in standard macroscopic physical models due to the presence of dimensionful couplings (such as particle masses or the Newtonian gravitational constant), theoretical frameworks like conformal field theory and string theory heavily rely on domains where these symmetries hold perfectly, such as phase transition boundaries.[17] It is widely theorized that local scale symmetry remains a fundamental, foundational symmetry of nature at ultra-violet (UV) high-energy regimes, existing prior to the symmetry-breaking mechanisms that generate localized mass.[18] Furthermore, the divergence of the dilation current introduces vital modification terms into field equations, drastically affecting how gravity and matter interact in metric-affine modified gravity theories.[19]

Placing the Resolution Conservation Law into this specific Noether slot elegantly contextualizes the behavior of systems like the mechanical Hoberman sphere or the iterative computational scaling of the BBP formula.[3] Expanding or contracting a physical topology or a numerical interval alters the specific local coordinate expression, but it leaves the fundamental relationships invariant.[3] Therefore, the Noether charge associated with scale symmetry is not an arbitrary metric of spatial volume; rather, it is the precise, intrinsic informational bit-depth of the structure—the total resolution budget.[3]

The Triad: Symmetry Breaking and the Generation of Time

While two-term conserved systems—where $\mathrm{REALIZED} + \mathrm{LATENT} = \mathrm{TOTAL}$ — mathematically fulfill Noether constraints and maintain strict informational budgeting, they fail fundamentally to generate complex, progressive dynamic evolution on their own.[3]

A mathematically closed, two-term balance functions conceptually as a perpetual, frictionless oscillator.[3] Mathematically, this standing exchange is described by the relation $A^2 + B^2 = 1$.[3] The "OTF knife" mechanism mapped in the corpus provides the perfect physical example of this limitation: tension oscillates eternally between a forward state and a backward state.[3] Because the energy simply flips orientation and never exits the localized boundary, the system contains zero net flow.[3] It clicks eternally in a vacuum, generating no overall direction, and thus structurally prohibiting the emergence of an "arrow of time".[3] A two-term universe is mathematically perfect, computationally conservative, and completely dead.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

To escape an eternal standing wave and convert cyclical, standing exchange into directed, evolutionary circulation, a third structural role is required to tap the oscillation.[3] This conceptual framework originated from a heuristic biological metaphor within the corpus—the fundamental relationship between a stomach and its food—and translates strictly into physical and computational symmetries through the triad of SHAPE, FILL, and USE.[3]

Triadic Role	Operational Definition	Systemic Instances
SHAPE	The mold, the specific need, the hole, or the localized geometric aperture defining a potential space.	Biological stomach, the SHA-256 state mold, the floating-point exponent, the physical relational aperture.
FILL	The available supply, data, or physical material that perfectly matches and satisfies the required shape.	Consumed food, physical concrete, floating-point mantissa bits, incoming cryptographic message strings.
USE	The active draw, the subsequent tap, or the perceptual readout that ultimately consumes the interaction.	Cellular metabolism, the conscious observer, the cryptographic digest, the ghost channel mechanism.

The third term, USE, acts as the ultimate symmetry-breaking mechanism.[3] Need (SHAPE) does not merely pair passively with supply (FILL) to create a static equilibrium.[3] Rather, the surrounding system actively consumes the paired resource.[3] This continuous draw or readout extracts data or energy from the dead oscillation of $A^2 + B^2 = 1$ and forces the output into a directed, irreversible flow.[3] Physically and computationally, an arrow of time cannot emerge in a purely isolated two-body mechanical exchange; it strictly requires a three-body relational architecture where the third point serves to drain, read, or perceive the interaction, providing a definitive vector to the systemic exchange.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

The Recompiled Moment, Genlock, and Inertia as a Cache Hit

If reality operates as a continuously updating, densely coupled computational matrix, it requires a universal pacing constraint to prevent localized interactions from catastrophic desynchronization.[1] Within this framework, the universal speed limit c (the speed of light in a vacuum) functions structurally as a "genlock".[3]

Crucially, c is not a centralized, top-down scheduler dictating an absolute Newtonian time; rather, it acts as a strict, localized propagation ceiling.[3] It mandates that the universe issue exactly one computational instruction per tick: recompile the moment, everywhere, based strictly on local relations.[3] Nothing in the physical or computational space is permitted to interact, update, or desynchronize faster than this ceiling.[3] This fundamental geometric impossibility of exceeding the update rate organically yields global coherence, generating a master clock constructed entirely from local physical constraints without requiring a master reference signal.[3]

During each discrete tick of this universal recompilation, physical systems evaluate their localized relational states. If a specific configuration's internal and external relations have not shifted since the preceding computational tick, the genlock recompilation operator U simply returns the identical geometric value.[3] From the perspective of the broader computational matrix or any external readout, the node was actively processed, but absolutely nothing happened.[3]

This dynamic provides a radical, information-theoretic redefinition of classical physical properties [3]:

- **Inertia is a Cache Hit.** Rest and uniform rectilinear motion are observationally indistinguishable (forming the basis of Galilean relativity) because both states represent an update cycle that successfully returns a perfectly cached relational value without requiring the calculation of a new trajectory or state.[3]
- **Force is Relational Drift.** A force is computationally defined as any influence that alters a node's local relationships between universal ticks, forcing the recompilation to miss the established cache and return a newly calculated spatial or energetic value.[3]
- **Mass is the Cost of a Cache Miss.** The physical property of mass correlates directly to how computationally expensive that specific cache miss is to the surrounding system. Inertia is the cache successfully holding; mass is the strict computational price exacted for breaking it.[3]

This informational dynamic strongly parallels the mechanisms underlying cellular automata, such as Conway's Game of Life.[1] In such discrete grids, a "still life" structure—such as a simple 2x2 block—is fully processed by the surrounding rules during every single computational tick.[3] Yet, due to its localized stability, it returns precisely the identical configuration back to the board after every cycle.[3] It represents matter perfectly at rest, constantly recomputed by the underlying substrate but never physically drifting, serving as the cleanest conceptual example of inertia acting as an informational cache hit.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

Discrete-Continuous Reconciliation and the $\pi/9$ Quantum Floor

A long-standing theoretical tension in fundamental physics lies in reconciling the continuous, fluid mathematics of classical mechanics and calculus with the discrete, quantized nature of microscopic interactions.[3] The Resolution Conservation Law explicitly bridges this gap by demonstrating that continuous flow is not a separate physical reality, but merely the mathematical limit of a discrete, compounding recompilation sequence.[3]

If the present moment is generated by the sequential running total of every relational delta ever resolved by the system, it can be mathematically unrolled as [3]:

$$\mathrm{NOW}_n = \mathrm{NOW}_{n-1} + \delta_n = \delta_1 + \delta_2 + \cdots + \delta_n$$

This indicates that the present is precisely the sum of all past "nows." When the systemic deltas shrink—as each computational fold subdivides at increasingly finer resolutions—the extended chain mathematically folds inward and converges toward a highly specific finite whole.[3] The physical act of folding-in dictates the mathematical convergence.[3]

At the most elementary scale, this convergence is modeled by the dyadic sequence, which has been computationally verified to 200 terms to yield zero residual error [3]:

$$\frac{1}{2} + \frac{1}{4} + \frac{1}{8} + \frac{1}{16} + \cdots = 1.0$$

However, highly dynamic physical systems do not simply stack linearly; they compound recursively, feeding their own current values back into the next recompilation cycle. A computational system compounding at maximum natural efficiency converges explicitly to Euler's constant e.[3] This specific convergence has been verified within the framework to machine precision (48 decimal digits) from two independent mathematical directions: both as a factorial fold and as a continuous compounding limit [3]:

$$\sum_{n=0}^{\infty} \frac{1}{n!} = 2.718281828459045235360\ldots$$

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

$$\lim_{n\to\infty}\left(1+\frac{1}{n}\right)^n = 2.71828182845904523536\ldots$$

In this structural formulation, the variable n represents the discrete genlock rate of the universe.[3] A finite value of n represents a discrete, stepped universe characterized by discrete ticks (analogous to a Game of Life step).[3] Conversely, the mathematical limit as $n \to \infty$ defines a state where "the ticks become so small it becomes a whole".[3] The ultimate whole it becomes is e.[3] Discrete recompilation and continuous flowing mathematics are therefore revealed to be identical geometric structures residing at opposite extremes of the n spectrum.[3] This exact reconciliation explains why a discrete, stepped, genlocked universe still flawlessly obeys the continuous mathematics of classical calculus: dt is simply the temporal tick approaching zero, and the resulting mathematical limit is physically exact, rather than a mere approximation.[3]

Euler Closure and the $\pi/9$ Geometric Operator

If the constant e functions as the operator of the system continuously compounding upon its own recompilation, then π must serve as the geometric operator that successfully closes the loop (achieving the $2\pi R$ coherence).[3] These compounding and closing functions reconcile perfectly in the elegance of Euler's identity, $e^{i\pi} = -1.0$, which elegantly folds systemic self-reference through a projective half-turn closure.[3]

By extracting the fundamental rotational geometry of this continuous fold operator, denoted as $e^{i\theta}$, a precise discrete quantum floor emerges: $\pi/9$.[3] The angle $\pi/9$ radians (which maps exactly to 20 degrees) acts as the coarsest possible geometric subdivision of a closing half-turn that manages to return to itself with perfect integer symmetry on a projective carrier space (RP^1).[3]

The rotational logic dictates precise integer steps [3]:

- Achieving a half-turn closure ($e^{i\pi} = -1.0$) requires exactly 9 discrete folds of $\pi/9$.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

- Achieving a full-turn, returning the system back to absolute unity ($e^{2i\pi} = +1.0$), requires exactly 18 discrete folds.[3]

In this geometry, both the continuous, unbroken path of $e^{i\pi}$ and the sequential sequence of 9 discrete geometric iterations land on the exact identical coordinate point, demonstrating that discrete and continuous operators agree flawlessly at the seam.[3]

Furthermore, the mathematical rotation operator for $\pi/9$ possesses eigenvalues of $e^{\pm i\pi/9}$.[3] When verified computationally, the eigen-angle of this rotational operator matches the $\pi/9$ quantum to extreme machine precision.[3] The derived eigen-angle is 0.34906585 radians, while the absolute value of $\pi/9$ is 0.34906585 radians, leaving an infinitesimal difference of 5.55×10^{-17}.[3] Therefore, $\pi/9$ represents the fundamental physical floor of the conservation law: it is the absolute least informational budget an observer or physical system can expend while still successfully managing to close a structural fold.[3]

Emergent Synchronization and Kuramoto Field Dynamics

While the identification of $\pi/9$ proves its validity as a perfect geometric attractor by mathematical construction, asserting its dominance in physical applicability requires rigorous proof that a decentralized, unstructured field can autonomously locate and lock onto this specific operational rate without the imposition of an external global clock. This requirement fundamentally bridges the informational framework with the non-linear dynamics of the Kuramoto model of coupled phase oscillators.[3]

The standard Kuramoto model is utilized globally across complex systems theory to mathematically describe synchronization onset within populations of interacting limit-cycle oscillators, ranging from firing neurons to chemical reactions.[21] Its governing dynamic equation relies strictly upon the intrinsic natural frequencies of the oscillators (ω_i) and a shared local coupling constant (K) [21]:

$$\dot{\theta}_i = \omega_i + \frac{K}{N} \sum_{j=1}^{N} \sin(\theta_j - \theta_i)$$

When mathematically transformed and analyzed in the thermodynamic limit as $N \to \infty$, the immensely complex system of individually interacting units collapses into a dynamic governed by macroscopic complex

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

order parameters, defined as $re^{i\psi} = \frac{1}{N}\sum_{j=1}^{N} e^{i\theta_j}$.[21] In this expression, r (ranging from 0 to 1) dictates the overall phase-coherence of the population, while ψ tracks the statistical average phase.[21] Substituting these mean-field parameters back into the individual equations simplifies the dynamic to $\dot{\theta}_i = \omega_i + Kr\sin(\psi - \theta_i)$.[21] This elegantly reveals the mean-field character of the matrix: each oscillator appears seemingly uncoupled from its individual neighbors, yet is continuously pulled toward the mean collective phase (ψ) by the global strength (Kr).[24] As the coupling strength K surpasses a critical threshold ($K_c = \frac{2}{\pi g(0)}$), the individual oscillators rapidly abandon random asynchronous drifting and transition into a profound, globally synchronized locked state.[24] To study localized, geometric synchronization topologies like circular chains or rings, researchers construct a local complex order parameter, $r_k e^{i\Phi_k} = \frac{1}{2d}\sum_j e^{i\theta_j}$, highlighting how local phase locking generates massive global coherence.[21]

To empirically test whether the universal computational "genlock" updating the frame could genuinely be an emergent, localized phenomenon rather than a top-down imposition, a rigorous network simulation was conducted under the framework's strict parameters.[3] A complex computational field comprising $N = 400$ phase oscillators was instantiated with widely dispersed natural frequencies and localized mean-field coupling ($K = 2.0$), deliberately devoid of any global timing mechanism or centralized scheduler.[3]

- **Initial Incoherent State:** The macroscopic order parameter stood at a mere $r = 0.0247$, indicating an almost total lack of coherence.[3]
- **Final Locked State:** Guided purely by localized coupling forces and geometric tensions, the unstructured system autonomously converged to an order parameter of $r = 0.9655$, representing a robustly phase-locked computational architecture.[3]

This dynamic simulation directly validates the "genlock by impossibility" postulate.[3] Because localized units cannot stray too far out of phase without experiencing severe corrective coupling tension from their immediate neighbors, a highly coherent, systemic master clock rate organically emerges from the bottom up.[3] In physical reality, the speed of light c functions as this exact parameter: it is the local connective coupling tension that physically forces synchronization across the frame.[3] While this successfully proves the existence of emergent synchronization without external schedulers, engineering a specific topological

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

coupling matrix whose phase-lock rate mathematically and provably decays precisely into the $\pi/9$ eigen-angle ratio of the natural cycle remains a primary open construction for the framework.[3]

The Pre-existing Constraints of Gap-Sets and Relational Fields

The ultimate consequence of integrating the Resolution Conservation Law with digital physics is a deep philosophical and structural realignment regarding the true origin of natural law and physical constancy. Standard models of physics (including thermodynamics, least action frameworks, and conservation dynamics) inherently assume that reality does not drift unpredictably.[3] They construct vast mathematical equations describing the downstream consequences of this assumed stability.[3] The fine-structure constant, the mass of the electron, the rigid bond angles of water molecules, and absolute mathematical truths like $2 + 3 = 5$ remain strictly identical across billions of light-years of observable space and 13.8 billion years of temporal evolution.[3] However, modern physics fundamentally fails to explain *why* this drift does not occur; the laws are entirely downstream of this consistency, not its cause.[3]

The Resolution Conservation framework supplies the missing conceptual floor: *Consistency of change is guaranteed strictly by self-identity under recompilation*.[3] A computational matrix that executes the identical algorithmic ruleset upon identical localized inputs will, by mathematical definition, output identical relational results.[3] Consistency does not require an external force to "maintain" it because there is nothing physical to maintain.[3] For the rules of physics to drift, the rule itself would have to change between universal ticks.[3] However, the rule is not an independent object residing inside time that is subject to mutation, because time itself is simply the sequence of the recompilation running.[3] The rule cannot drift relative to itself. Newton's first law smuggles in the relational concepts of a "greater" and "outside" force; however, for the universe as a totality, there is no "outside" the whole web, and absolutely nothing greater than it to push it off its true computational trajectory.[3]

This logic leads directly to the core principle of the framework's computational geometry: "Value is perceived, potential is inherent".[3] In nature, perfect repeatability requires absolute conservation, yet individual physical pieces do not carry internal instructions.[3] Two hydrogen atoms and one oxygen atom consistently form a water molecule with a highly precise bond angle, yet they possess no internal lookup tables dictating this geometry, nor is an external agent forcing the alignment.[3]

Rather, perfect repeatability arises because the constraint lives entirely within the **gap-set**—the unseen relational field spanning the space between the physical entities.[3] The computational field itself pre-defines the exact shape of what is mathematically and physically possible.[3] The reacting entities merely collapse into stable geometries because the relational field leaves no other structural configuration available; they slide down geometric gradients similar to water automatically finding the bottom of a bowl due to external constraints.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

The outcome of these physical relationships is strictly written into the structural geometry of the field long before the physical atoms ever instantiated into those spatial coordinates.[3] The chemical reaction or the physical collision is not generating a novel result; it is merely the momentary act of "readout" or "USE" within the Triad.[3] Just as the BBP spigot algorithm mathematically extracts a pre-existing hexadecimal digit of π directly from the latent mathematical structure without sequentially computing its history, physical matter accesses pre-existing potentials within the field.[9] The derived constant $\pi/9$ serves as an emergent structural attractor for genlocked systems precisely because the informational geometry of the universe possesses no other mathematically stable configuration into which it can fold and achieve closure.[3]

Epistemic Standards, Open Problems, and Theoretical Horizons

Validating a theoretical framework that bridges bit-resolution economics, Noether's symmetries, and emergent oscillator dynamics requires rigid epistemic discipline. The analytical standards established for this framework categorize claims distinctly into two labels: `` and [PULL].[3]

`` claims denote structural invariants verified to exact machine precision, representing the undeniable mathematical spine of the theory.[3] These include the four instances of the conservation invariant (including the 64/64 SHA-256 scar checks), the linear 4 bits/digit BBP resolution cost, the integration into Noether's scale-symmetry slot, the triad distinction, the precise 48-digit discrete-to-continuous convergence of e, the Euler closure, the $\pi/9$ eigen-angle calculation, and the existence of clockless synchronization in the Kuramoto 400-node simulation.[3]

Conversely, [PULL] claims mark theoretically motivated propositions that exhibit deep structural alignment but lack definitive mathematical derivation linking them to established continuous physics.[3] The convergence of independent descriptions—such as computational stacks, pointers, caches, geometric folds, continuous vectors, and discrete genlocks—onto a single architecture acts as a powerful signal pointing to where rigorous proof is owed, but linguistic reflections are never permitted to substitute for mathematical proofs.[3]

Advancing this architecture from a structural framework into a comprehensive physical law relies entirely upon successfully resolving four fundamental open trajectories [3]:

1. **Deriving Scale Symmetry from Consistency:** Current continuum physics treats foundational symmetries as a priori givens.[18] The framework proposes an origin layer beneath symmetry itself. The primary open problem is mathematically proving that self-identity-under-recompilation inherently forces scale-invariance. If a self-computing web possesses no external reference frame, it logically lacks an absolute scale, mathematically forcing the Noether scale symmetry underlying the Resolution Conservation Law from a sub-symmetric first principle.[3]

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

2. **Phase-Lock Identification of the $\pi/9$ Attractor:** While the 400-node Kuramoto simulation confirms that decentralized master clocks reliably emerge without centralized schedulers, upgrading the existence of synchronization to the strict identification of rate is necessary.[3] A locally coupled topological dynamics matrix must be engineered whose final phase-lock rate demonstrably and naturally converges to exactly the $\pi/9$ ratio of the natural cycle, thereby elevating $\pi/9$ from a verified mathematical eigen-angle to a verified physical field attractor.[3]
3. **Equating Cache-Miss Penalties to Relativistic Curvature:** The [PULL] hypothesis that physical inertia corresponds directly to a computational cache hit implies that physical mass is the systemic resolution cost of an enforced recompilation.[3] To successfully unify gravitational physics and informational resolution under a single strict conservation mechanism, it must be proven that the computational cost of forcing rapid, localized cache misses, when summed over a spatial region, perfectly reproduces the cut-density geometric curvature tensor described by Einsteinian general relativity.[3] Under this equivalence-principle reading, both gravitational acceleration and mechanical acceleration are mathematically synonymous cache-miss conditions.[3]
4. **Instantiating the Triad Balance within the SHA Scar:** To finalize the translation from empirical cryptography observation to universally applicable physical law, the verified SHA-256 two-term scar identity ($d + W = \text{const}$) must be mathematically re-expressed.[3] The integration of an explicit mathematical function corresponding strictly to the readout or USE mechanism will formalize the complete three-term SHAPE-FILL-USE balance.[3] Instantiating this complete triad within the hardest concrete discrete system will provide a universally checkable computational invariant for directed entropy and the arrow of time.[3]

The systematic resolution of these vectors promises to dismantle the long-standing conceptual barriers separating general relativity, quantum scaling dynamics, and computational complexity. By radically reframing the universe not as a physical expansion of dimensionful coordinates, but strictly as an observer-driven subdivision of a conserved, finite informational budget, the Resolution Conservation Law sets the foundational, mathematical logic for an entirely scale-invariant digital physics.

Works cited

1. Simulated Universes and Computational Reality: A Forward-Thinking Overview, accessed June 9, 2026, https://simulated-universes-and--x78npgr.gamma.site/
2. The Physics of Theoretical Computer Science - MIT CBA, accessed June 9, 2026, https://cba.mit.edu/events/08.04.ASC/Fredkin.ppt
3. Resolution_Conservation_Law_Milestone.docx

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

4. The BBP Algorithm for Pi - UNT Digital Library, accessed June 9, 2026, https://digital.library.unt.edu/ark:/67531/metadc1013585/
5. BBP Formula -- from Wolfram MathWorld, accessed June 9, 2026, https://mathworld.wolfram.com/BBPFormula.html
6. The Baily-Borwein-Plouffe Formula: Compute Digits of Pi Without the Previous Ones, accessed June 9, 2026, https://www.youtube.com/watch?v=oIWxtfR4otM
7. Bailey–Borwein–Plouffe formula - Wikipedia, accessed June 9, 2026, https://en.wikipedia.org/wiki/Bailey%E2%80%93Borwein%E2%80%93Plouffe_formula
8. Pi (mathematical constant) - Knowino, accessed June 9, 2026, https://www.theochem.ru.nl/~pwormer/Knowino/knowino.org/wiki/Pi_(mathematical_constant).html
9. accessed June 9, 2026, https://observablehq.com/@rreusser/computing-with-the-bailey-borwein-plouffe-formula#:~:text=%CF%80%3Dk%3D0%E2%88%91%E2%88%9E,algorithms%20are%20called%20spigot%20algorithms.
10. Computing π with the Bailey-Borwein-Plouffe Formula / Ricky Reusser | Observable, accessed June 9, 2026, https://observablehq.com/@rreusser/computing-with-the-bailey-borwein-plouffe-formula
11. Noether's Theorem and scale invariance - Physics Stack Exchange, accessed June 9, 2026, https://physics.stackexchange.com/questions/270245/noethers-theorem-and-scale-invariance
12. Noether's theorem - Wikipedia, accessed June 9, 2026, https://en.wikipedia.org/wiki/Noether%27s_theorem
13. Physics 221A: HW7 solutions - KITP, accessed June 9, 2026, https://www.kitp.ucsb.edu/sites/default/files/users/joep/qft_sol_set_8.pdf
14. Assignment 3 - Physics Courses, accessed June 9, 2026, https://courses.physics.ucsd.edu/2014/Fall/physics215a/hw3.pdf
15. Scale invariance - Grokipedia, accessed June 9, 2026, https://grokipedia.com/page/Scale_invariance
16. Symmetry associated with scale invariance? : r/Physics - Reddit, accessed June 9, 2026, https://www.reddit.com/r/Physics/comments/785wuy/symmetry_associated_with_scale_invariance/

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

17. What is the conserved quantity of a scale-invariant universe? - Physics Stack Exchange, accessed June 9, 2026, https://physics.stackexchange.com/questions/2670/what-is-the-conserved-quantity-of-a-scale-invariant-universe
18. (PDF) Bootstrapping gravity and its extension to metric-affine theories - ResearchGate, accessed June 9, 2026, https://www.researchgate.net/publication/376269987_Bootstrapping_gravity_and_its_extension_to_metric-affine_theories
19. Metric-Affine Myrzakulov Gravity Theories: Models, Applications and Theoretical Developments - ResearchGate, accessed June 9, 2026, https://www.researchgate.net/publication/387762355_Metric-Affine_Myrzakulov_Gravity_Theories_Models_Applications_and_Theoretical_Developments
20. arXiv:2504.02002v1 [gr-qc] 1 Apr 2025, accessed June 9, 2026, https://arxiv.org/pdf/2504.02002
21. Kuramoto model - Wikipedia, accessed June 9, 2026, https://en.wikipedia.org/wiki/Kuramoto_model
22. Behavior of circular chains of nonlinear oscillators with Kuramoto-like local coupling, accessed June 9, 2026, https://pubs.aip.org/aip/adv/article/13/3/035222/2881258/Behavior-of-circular-chains-of-nonlinear
23. Exponential synchronization rate of Kuramoto oscillators in the presence of a pacemaker - PMC, accessed June 9, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC3874426/
24. INTRODUCTION TO SYNCHRONIZATION PHENOMENA AND THE KURAMOTO MODEL - ICTP – SAIFR, accessed June 9, 2026, https://www.ictp-saifr.org/wp-content/uploads/2023/05/Lect2_compressed.pdf
25. Kuramoto order parameters and phase concentration for the Kuramoto-Sakaguchi equation with frustration - American Institute of Mathematical Sciences, accessed June 9, 2026, https://www.aimsciences.org/article/doi/10.3934/cpaa.2021013
26. Behaviour of circular chains of nonlinear oscillators with Kuramoto, accessed June 9, 2026, https://arxiv.org/html/2310.12165v1

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 9

Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com