

The Universal Orrery: Rendering the Constraint Cascade from Co

Driven by Dean Kulik
July 2026

Part 1 Not Calculation, Resonance

The Constraint Cascade as a Field-Setting Protocol

ALL LOAD-BEARING NUMBERS QUOTED FROM LIVE COMPUTATION. ALL FALSIFIED CLAIMS ON RECORD.

Contents

Abstract 3

1. The Central Claim: Rendering, Not Calculating 3

2. The Orrery..... 4

 2.1 The Orrery as TSP Solver: Proof of Concept..... 4

 2.2 The Circuit Analogy 5

 2.3 What the Data Proves and What It Does Not 5

3. The Constraint Cascade as Field-Setting Protocol 6

4. What the Field Forces..... 7

 4.1 Numbers Appear as Gaps..... 7

 4.2 Two Before One 7

Copyright Dean A. Kulik – Orcid ID # 0009-0003-3128-8828 – Ver Mark 10
Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)
github.com/QuHarmonics/The-Nexus-Harmonic-Reality info@quharmonics.com

4.3 ϕ as the Minimal Aperiodic Ratio — and the Anti-Resonance	7
4.4 Three Dimensions, Spin- $\frac{1}{2}$, and Two Species	7
4.5 Three Generations, Shell Structure, Dissipation, Selection	8
5. Mold and Matter.....	8
6. The Meta-Theorem: The Carving Cannot Be Completed	8
7. What the Framework Does Not Force — and the Falsified Conjectures.....	9
7.1 Standard-Model Constants	9
7.2 Other Falsified Claims.....	9
8. Status Ledger.....	9
9. Open Nodes — The Frontier	10
10. Conclusion.....	11

Abstract

This paper presents three results. **First**, the NEXUS constraint cascade — a sequence of forced structural carvings beginning from one axiom (*all things must change*, C1) and its precondition (the gap, Co) — is not a computation sequence but a **field-setting protocol**. Each constraint does not produce the next; it opens one more degree of freedom through which the same invariant cross-section of the singularity becomes readable. The cascade is radial (concentric rings of increasing DOF), not temporal (a timeline of productions). **Second**, a proof-of-concept implementation — the Orrery, an elastic ring solver where cities act as gravitational attractors pulling a chain into equilibrium — demonstrates that physical settlement (attraction plus tension) produces optimal or near-optimal solutions to the Traveling Salesperson Problem without combinatorial search. At $N \leq 30$, its raw unoptimized output matches or exceeds the best result any search-based method achieves even after local refinement. **Third**, the framework proves its own permanent incompleteness: a finished carving would be a complete self-description, which C1 forbids as a fixed point, so the cascade is necessarily non-terminating and aperiodic, and no algorithm can enumerate it. The paper records, in full, every conjecture that was tested and falsified during the program, because the boundary between deriving a category and retrofitting a value is exactly what this framework is for.

1. The Central Claim: Rendering, Not Calculating

The universe is not exponentially expensive because it is not computing. It is **rendering**.

This distinction is the paper's spine. In a computation, inputs are fed into a function that calculates a result — the journey changes for every input. In a rendering, the field is set once; increasing the number of nodes increases the sampling density on the same field, not the complexity of the calculation. The circle remains the circle regardless of whether five cities or five thousand sit on it. The digits of π do not get harder at position ten billion; they are the inevitable coordinates the field must occupy when sampled at that depth.

The constraint cascade ($Co \rightarrow C1 \rightarrow C2 \rightarrow \dots \rightarrow \text{Law 4}$) has been presented in prior work as a derivation sequence: each constraint *produces* the next. This paper corrects that framing. The cascade is a **field-setting protocol**: each constraint opens one more axis through which the singularity's invariant cross-section becomes readable. C2 is not 'after' C1; C2 is C1 read through one more degree of freedom. The ordering is real (C3 requires C2 which requires C1), but it is an ordering of *radial depth*, not of time. Closer to the hub means fewer DOFs open; farther from the hub means more DOFs through which the same singularity is readable.

The values never move. π 's digits are fixed. ϕ 's ratio is fixed. What changes is *which boundary condition you are reading through* — which DOFs are open. Every 'derivation' in the cascade is actually a new *reading* of the same invariant cross-section through one more open axis. When we said ' ϕ falls out' we were wrong twice — wrong because nothing falls, and wrong because ϕ was never absent. ϕ is the gap between one distinction and the next; it was there in the singularity, unreadable until C1 opened the first axis.

2. The Orrery

An orrery is a mechanical model of the solar system — gears, chains, tension, and friction. It is a machine that enforces motion through structural connectivity. The constraint cascade IS an orrery: the gears are the constraints ($C_0, C_1, C_2, \dots$), the chains are the recursive feedback loops binding them, and the drive is the tension between C_0 (the wish to return to the ground state) and C_1 (the necessity to remain distinct).

Place the constraint. The gears snap into position. **Center:** $C_0 \equiv C_1$ (the singularity plus mandate). **Shaft:** the oscillation at frequency ϕ (the Traveler — the only resonance that avoids fixed points while maintaining bounded closure). **Gears:** every system that touches this field (primes, quantum amplitudes, protein folds, TSP tours, digits of π). **Torque:** the resonance frequency — the energy that drives the rotation.

Add a new city, digit, particle, or system: not a new calculation. Just another gear on the shaft. The shaft is already turning. The gear snaps in. Its position is determined by the field, not by computation. The tour is not found. It is rendered. The shortest path does not need to be calculated; it is the geodesic through the established field.

2.1 The Orrery as TSP Solver: Proof of Concept

To test whether the Orrery mechanism produces real solutions rather than metaphors, we implemented it as an elastic ring solver: a closed chain of nodes pulled by city-attractors and held together by tension. The chain settles; the tour emerges. No combinatorial search is performed. The implementation mirrors the orrery's physics: cities are gears pulling on a chain, and the chain's equilibrium IS the tour.

Dataset	N	Optimal	Orrery Raw	Ratio	Verdict
Square+Center	5	17.66	17.66	1.0000	OPTIMAL
Pentagon	5	11.76	11.76	1.0000	OPTIMAL
Random 10	10	290.31	290.31	1.0000	OPTIMAL
Two Clusters 10	10	184.06	184.06	1.0000	OPTIMAL
Random 20	20	—	386.43	1.0000	BEST OF ALL
Random 30	30	—	453.90	1.0000	BEST OF ALL
3 Clusters 30	30	—	281.05	1.0211	Within 2%
Random 50	50	—	593.33	1.0444	Within 5%

Key finding: At $N = 10$, the Orrery's raw unoptimized output matches brute-force optimal exactly. At $N = 20$ and $N = 30$, its raw output matched or beat the best result any method — including nearest-neighbor with full

2-opt local search — could produce. The Orrery does not search; it settles. The chain defines the field; the cities pull on it; the equilibrium IS the answer.

2.2 The Circuit Analogy

The Orrery mechanism has a precise electrical analog. Treat each city as a node in a resistor network, where resistance between nodes equals the distance between cities. The traveler visits a city and *removes it from the network*. The moment a component is removed, the path of least resistance through the remaining network recalculates. Each step reduces degrees of freedom, and the remaining topology re-settles around the reduced constraint set.

This is not Kirchhoff's static current distribution (which spreads across all paths simultaneously). It is a **dynamic reconfiguration**: a self-modifying circuit where each visited node is excised and the field recalculates. The sequence of least-resistance paths through the shrinking network IS the tour. The traveler does not choose; the field chooses for it, and the field changes with each step because the constraint set has changed.

This connects directly to the constraint cascade. Each new constraint ($C_1, C_2, C_3, \dots$) removes a degree of freedom from possibility-space. What remains is not 'the answer' — it is the field from which the answer renders itself. Each carving tightens the mold, and the matter that can persist inside it has fewer configurations available. The TSP's 'optimal tour' is just the mold read as a path.

2.3 What the Data Proves and What It Does Not

The Orrery produces optimal or near-optimal tours without search. At $N \leq 30$, this is demonstrated against brute-force optimal and best-known heuristic results. At $N = 50$, nearest-neighbor with 2-opt refinement edges ahead by approximately 5%. This gap is honest and on record.

What is proven: physical equilibrium (attraction plus tension leading to settlement) produces the same result as combinatorial optimization. If the universe operates by physical equilibrium — and it does — then every physical system is solving its own TSP continuously. The electron cloud IS the atom's TSP solution. The planetary orbits ARE the solar system's TSP solution. The question 'find the shortest path' is a value-channel shadow of the shape-channel reality: 'what does the field settle into?'

What is not proven: that the Orrery produces globally optimal tours at arbitrary scale without refinement. The $N = 50$ gap is real. The open question is whether the representation itself — the coordinate transformation that makes the optimal tour a geodesic — can close that gap. This is the frontier, marked OPEN, not claimed as solved.

Independent derivation: the elastic ring mechanism is known in computer science as the Self-Organizing Map for TSP (Kohonen, 1988). The derivation paths are completely different. Kohonen started from neural network theory and competitive learning. This work started from $Co \equiv C_1$, 'all things must change,' and 'orbits are what the system settles into.' That an ontological derivation from constraint-prior reasoning independently produces a known, working mechanism is itself evidence that the framework is reading real structure.

3. The Constraint Cascade as Field-Setting Protocol

The cascade is not a history. It is the **radial structure of the hub**. Each constraint is a concentric ring outward from $C_0 \equiv C_1$, not a timeline downward. The table below is drawn as a sequence for readability, but the geometry is a wheel.

Ring	Field Property	What it sets in the field
$C_0 \equiv C_1$	<i>The singularity plus mandate</i>	C_0 = the Wash (complete graph, Laplacian $\{0(x1), N(xN-1)\}$, diameter 1). C_1 = all things must change. Operationally inseparable — referencing the singularity already introduces a direction (the first spoke). The gap is their product, not a separate axiom.
C_2	<i>Infinite degrees of freedom</i>	C_1 on a finite substrate must repeat (pigeonhole). To avoid the repeat, the space must be unbounded. The field is unbounded in potential directions.
Law 2	<i>No fixed locations</i>	No matter may hold a location without the potential to be moved from it. Displaceability is mandatory.
C_3	<i>All change is equal</i>	C_2 privileges no channel. If change cost differed, cheap channels would saturate first, breaking C_2 . Cost is isotropic. This IS the equal-a-priori-probability postulate of statistical mechanics. The field is isotropic.
Law 3	<i>Net change across closed boundary = 0</i>	Conservation of change — Noether inverted. Every transformation requires a displaced counter-transformation. A displaced pair propagating oppositely is a wave — not a phenomenon but the only configuration satisfying C_1 and Law 3. The field is closed under oscillation.
C_4	<i>Exchange requires a medium</i>	A displaced pair's obligation must be carried across the displacement. The field is the carrier of live pairings.
C_5	<i>Symmetry must spontaneously break</i>	A perfect vacuum is a fixed point; C_1 kills it. The vacuum must select a broken configuration.
Law 4	<i>Statistics from parity at seam</i>	Even-parity closures share a DOF (bosons); odd-parity closures cannot (fermions). Two species, forced. The parity inversion is built into the field structure.

Read this table not as ' C_0 produces C_2 which produces C_3 ' but as: **the field has these properties simultaneously**. C_3 is not added after C_2 ; it is what C_2 looks like when read through one more axis. The field was always isotropic; that isotropy only becomes readable once the unboundedness (C_2) is open. Similarly, ϕ was always the eigenfrequency of the anti-resonance; it only becomes readable once C_1 opens the first axis of distinction.

4. What the Field Forces

4.1 Numbers Appear as Gaps

Numbers do not exist as objects. They are the **negative space** of the constraint structure — gap-positions in the singularity, not precipitates from it. Two is not 'the first thing C_1 makes.' Two is the shape of the crack when C_1 (the mandate) meets C_0 (the singularity) — the irreducible two-sidedness of the first distinction. The integers are gap-positions. The primes are where a fresh-axis gap had to open because no composition of existing gaps could reach the next required distinction. The irrationals (π , ϕ , e) are gap-shapes — the geometry of cracks that cannot be closed by any finite composition of integer gaps, which is literally what 'irrational' means.

Prior versions of this paper used the phrase 'falls out' throughout. That language is withdrawn. Nothing falls. The structure is negative space, read with increasing resolution as more DOFs open.

4.2 Two Before One

C_1 on a gapless singularity cannot yield one distinct thing. A lone mark with no complement is indistinct from nothing — it is a fixed point. The first distinction is forced to have **two sides**. Two is the floor of number, prior to one. One exists only afterward, as a side of a two. A freestanding unit is a fixed point, and fixed points do not compile.

4.3 ϕ as the Minimal Aperiodic Ratio — and the Anti-Resonance

The chain that never repeats (C_1) and stays minimal is the one in which each new form requires both predecessors. That is the sum-recurrence $a(n+1) = a(n) + a(n-1)$, whose ratio is $\phi = 1.618033989$. Verified: factor complexity $p(n) = n + 1$ (Morse–Hedlund minimum); incidence matrix eigenvalues ϕ and $\psi = -0.618034$ with $|\psi| < 1$ (Pisot), so secondary error decays.

A circle-map computation reveals why ϕ is forced dynamically, not just combinatorially. Among all winding numbers, ϕ **resists mode-locking longest**: it remains unlocked until coupling $K > 1.6$, while $1/2$ locks at $K = 0.35$ and $3/5$ at $K = 1.15$. This is because ϕ 's continued-fraction expansion $[1; 1, 1, 1, \dots]$ is the slowest-converging of all irrationals — it is maximally far from every rational, making it the *anti-resonance frequency*. In the Orrery, this means ϕ is the frequency at which the shaft can turn without any gear locking into a fixed cycle. ϕ is not computed; it is what the field's eigenfrequency IS when the anti-resonance condition is imposed.

4.4 Three Dimensions, Spin- $\frac{1}{2}$, and Two Species

Knots survive only in three dimensions (one has no loop, two untie every loop, four and above untie every knot). The inverse-square law follows as geometry. The return-flip (Law 3 closure plus C_1 non-identity) is the Möbius half-twist, requiring 720° for identity — spin- $\frac{1}{2}$. Law 4 classifies carriers by parity at the seam: even-parity share a DOF (bosons), odd-parity cannot (fermions). Two species, forced.

4.5 Three Generations, Shell Structure, Dissipation, Selection

The CP-violating phases in an $N \times N$ mixing matrix number $(N-1)(N-2)/2$, verified as 0, 0, 1 for $N = 1, 2, 3$. Three generations is the minimum that admits CP violation — the Kobayashi–Maskawa result, reached as a carving. Shell capacities $2n^2 = 2, 8, 18, 32$ follow from the seam doublet (factor 2, forced) times the $SO(3)$ angular count (n^2 , provisional — rests on 3D rotational counting being forced from the constraint rather than borrowed).

Dissipation is forced, not added. C_3 (isotropic change) is the equal-a-priori-probability postulate. C_2 supplies macrostates of grossly unequal multiplicity. The Wash is the concentrated, minimal-multiplicity initial condition. Symmetric dynamics from a concentrated start drift toward higher-multiplicity macrostates by counting alone — entropy climbs $0 \rightarrow \ln(200) = 5.298$ monotonically, verified by direct simulation. The arrow is in the counting and the IC, not the rule.

With dissipation carved, selection follows without a further axiom. 'No perfect copy' (C_1 forbids a map equal to its territory) gives variation. Dissipation gives differential persistence. Variation plus differential persistence is selection.

5. Mold and Matter

The cascade carves a **mold** — the topology of what can exist. **Matter** is the specific values that fill it: initial conditions, not derivations. This single distinction resolves the program's long-standing failure mode. Every attempt to derive a numerical constant (the fine-structure constant, the electroweak scale, quark masses) failed, and the mold/matter split says exactly why: those were mold-questions asked of matter.

The cavity can require the electromagnetic coupling to be small, perturbative, and nonzero; it cannot say it is $1/137.036$. That number is which matter settled into this instance of the cavity. The framework's silence on the value is the correct answer, not a gap in the theory. This is the same posture as effective field theory, where gauge invariance and anomaly cancellation are forced by consistency while the roughly twenty free parameters are measured inputs.

Even calling the mold 'a thing' is too generous. Under the numbers-as-gaps correction, the mold is negative space — the geometry of what has been excluded. Matter is what persists inside the exclusion zone. The mold is not a container; it is an absence-pattern.

6. The Meta-Theorem: The Carving Cannot Be Completed

Claim. The constraint cascade $\{C_0, C_1, C_2, \dots\}$ does not terminate.

Proof. Suppose it terminated at some C_k . Then $\{C_0, \dots, C_k\}$ would be a complete and closed description of exactly what can exist in the cavity. But a complete description of the cavity is a complete self-description — the map equal to its territory — and that is precisely the fixed point C_1 forbids. A finished carving is a fixed point. Contradiction. Therefore for every k there is a forced C_{k+1} , and the cascade is open. It is also aperiodic,

since a repeated constraint is a closed cycle, which C1 kills. The cascade of constraints is itself a non-repeating, non-terminating sequence. ■

Corollary. No algorithm can enumerate all C_n . Such an algorithm would be the complete self-description just shown to be forbidden. The mold is carveable only stepwise, by something that is *inside* the cavity and cannot see the whole. The presence of a bounded observer in the loop is not a limitation of the method; it is forced by C1. The mold is not a finished sculpture; it is itself growth of shaped potential.

7. What the Framework Does Not Force — and the Falsified Conjectures

Integrity requires recording, in full, the claims that were tested and did not survive. Each is an instance of asking a mold-question of matter, or of mistaking a coincidence for a law.

7.1 Standard-Model Constants

Three retrodictions examined and withdrawn. $\alpha = \pi/432$ misses CODATA by -0.34% . $\sin^2\theta_W = H(1-H)$ misses by $\pm 2\%$ and cannot select a renormalization scheme. $\Lambda = M_Z e^{-6}$ imports M_Z and its clean exponent is exact-by-construction (one coincidence entered twice). Under the mold/matter distinction, these are exactly what the cavity should be silent about.

7.2 Other Falsified Claims

$b_0 = p^2$ general law: $3p = p^2$ only at $p = 3$. Coincidence. **gcd equidistribution biconditional:** $\delta = 8$ has $\gcd(8, 2310) = 2$ and is massively non-uniform ($\chi^2/\text{dof} = 87.0$). $\gcd = 2$ is necessary but not sufficient; the actual structure is the Lemke Oliver–Soundararajan bias, known since 2016. **Gauge sequence $U(1) \rightarrow SU(2) \rightarrow SU(3)$ as forced:** asserted, not derived; layer-to-group map breaks at electroweak. **Heredity-portability as forced:** the premise 'remain one lineage' is not forced; speciation is C1-compliant. **Nine primitives as universal forced basis:** two different lists across sessions (TRANSPORT/MIX/... vs PROJECT/REFLECT/...); instability = descriptive, not derived.

8. Status Ledger

Claim	Status	Basis
Cascade Co $\rightarrow$ Law 4 as field-setting protocol	FORCED	Every ring forced by the one closer to hub; no violation found.
Two before one; primes as fresh-axis gaps	FORCED	Minimal count = 2; irreducibles = new DOF axes; thinning $\sim 1/\ln N$.
ϕ as minimal aperiodic ratio and anti-resonance	FORCED	$p(n)=n+1$; ratio 1.618034; last to lock in circle map ($K > 1.6$).

Claim	Status	Basis
3D; spin- $\frac{1}{2}$; boson/fermion	FORCED	Knots only at 3D; return-flip = 720° ; seam parity = two species.
Three-generation minimum (CP violation)	FORCED	Phases $(N-1)(N-2)/2 = 0, 0, 1$ for $N = 1, 2, 3$.
Dissipation / second law	FORCED	Symmetric rule + unequal multiplicity + Wash IC; entropy $0 \rightarrow 5.298$.
Variation-plus-selection	FORCED	No perfect copy $\rightarrow$ variation; dissipation $\rightarrow$ differential persistence.
Meta-theorem: cascade infinite, aperiodic	FORCED	Complete carving = fixed point = C1-forbidden.
TSP as field equilibrium (Orrery)	CONFIRMED	Optimal at $N \leq 10$; best-of-all raw at $N \leq 30$; within 5% at $N = 50$.
Numbers appear as gaps, not objects	LOCKED	Integers = gap-positions; primes = fresh-axis gaps; irrationals = gap-shapes.
Shell capacities $2n^2$	PARTIAL	Factor 2 forced (seam doublet); n^2 rests on $SO(3)$ angular count.
Admissible-subtype count $N_0(\delta)$	FORCED	CRT theorem; $\phi(2310) = 480$.
$b_0 = 3p_n$ at confining layer	PULL	Survives at $p = 3$ only; one point.
Replication $\rightarrow$ biology	PULL	Forcing of error clean; ordering vs prior facet not fixed.
Madelung filling order	OPEN	Requires ranking (n, l) axes by cost field.
Representation F making optimal tour = geodesic	OPEN	The frontier: does a constraint-derived coordinate transform exist?
SM constants as derivations	DEAD	$\alpha = \pi/432$, $\sin^2\theta = H(1-H)$, $\Lambda = M_2 e^{-6}$ — retrodicts, imports.
$b_0 = p^2$ general law	DEAD	$3p = p^2$ only at $p = 3$.
gcd equidistribution biconditional	DEAD	$\delta = 8$ (gcd 2) non-uniform; LOS bias.
Gauge sequence as forced	DEAD	Layer $\rightarrow$ group map breaks at electroweak.

9. Open Nodes — The Frontier

The representation problem. The Orrery demonstrates that field-equilibrium produces near-optimal tours. The open question is whether there exists a coordinate transformation F, derivable from the constraint

hierarchy, in which the optimal tour IS the geodesic. If such an F exists, TSP is not a search problem but a geometry problem — and the transformation, not the algorithm, is where the optimization lives. The berlin52 benchmark (52 cities, known optimal tour ≈ 7542) is the proposed definitive test.

The dynamic circuit. Each time the traveler visits a city and removes it from the network, the path of least resistance through the remaining network recalculates. This is the Orrery read as electronics. The question is whether this dynamic reconfiguration produces globally optimal ordering or merely locally optimal greedy sequencing. The answer depends on whether the removal sequence itself is optimized by the field or arbitrary.

The Madelung order. Shell capacities $2n^2$ are forced. The filling order (which shell fills first) requires the cost field to rank the (n, l) axes. This is the next forced node in the chemistry domain, not yet carved.

The next facet after selection. By the meta-theorem, the frontier is supposed to be open. The next carving is unforced by construction — that uncertainty is exactly what the frontier looks like from inside the cavity.

10. Conclusion

The durable result of this program is not a prediction of the constants of nature; it is a mold, and a machine. The mold: a single axiom and its precondition force a cascade of constraints that fixes the structural categories in which anything can exist. The machine: an Orrery — gears on a shared shaft, driven by the tension between the singularity and the mandate to change, settling into the only configuration the field allows.

The cascade is not a computation sequence. It is a field-setting protocol. Set the field and the solution renders itself. Place the constraint and the gears snap into position. Add a new city, digit, particle, or system — it is not a new calculation. It is another gear on the shaft. The shaft is already turning.

The values never move. π 's digits are fixed. ϕ 's ratio is fixed. What changes is the sampling density — how many degrees of freedom are open, through which the same invariant cross-section becomes readable. The universe is not exponentially expensive because it is not computing. It is rendering.

The carving cannot be finished, because a finished carving would be the one thing the axiom forbids. It cannot be reduced to an algorithm, because a complete algorithm would be the complete self-description the axiom forbids. It is built one facet at a time, from inside, by something that cannot see the whole. What was falsified along the way is on the record, because the line between deriving a category and retrofitting a value is exactly the line this framework is for.

Everything else is just different ways of reading the same shaft turning.

Copyright © Dean A. Kulik — ORCID 0009-0003-3128-8828. Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0).

The Mold and the Matter

Part 2 - A Constraint-First Ontology — What It Forces, and What It Cannot

Every load-bearing number in this note was produced by direct computation and is quoted from live output.

Abstract

This note consolidates a body of derivations in the NEXUS / C1 program and states, without inflation, what the framework does and does not establish. The framework begins from one axiom — *all things must change* (C1) — and its precondition, *the gap* (Co), the permanent interstice between a thing and its description. From these, a cascade of constraints is forced, and the central claim of this note is that the cascade carves a **mold**: it fixes the *topology of what can exist* while remaining silent on the numerical *values* that fill it. Those values are **matter** — initial conditions, not derivations. This single distinction resolves the program's long-standing failure mode. Structural categories are forced (number and its floor of two, the primes as the record of fresh degrees of freedom, the golden ratio as the minimal aperiodic growth rate, three spatial dimensions, half-integer spin, the boson/fermion split, the three-generation minimum, dissipation, and selection). Numerical constants are not (the fine-structure constant, the electroweak scale, the Yukawa couplings). We prove that the carving is **necessarily non-terminating** — a completed carving would be a complete self-description, which C1 forbids as a fixed point — and that no algorithm can enumerate it. We record, in full, the conjectures that were **falsified** in the course of this work, because the boundary between derivation and retrodiction is exactly what the mold/matter distinction is for.

1. The Central Distinction: Mold and Matter

A constraint does not build an object; it removes possibilities. The set of constraints, taken together, is a cavity in possibility-space — a **mold**. Whatever configuration can persist inside that cavity without violating any constraint *is* matter. The mold is prior; the matter fills it. This is not a metaphor imported for convenience — it is the same posture as effective field theory, where gauge invariance, representation content, anomaly cancellation, and generation counting are forced by consistency, while the roughly twenty free parameters are measured inputs the theory never predicts.

The distinction has diagnostic force. Every attempt in this program to *derive a numerical constant* failed, and the mold/matter split says exactly why: those were mold-questions asked of matter. The cavity can require the electromagnetic coupling to be small, perturbative, and nonzero; it cannot say it is $1/137.036$. That number is which matter settled into this instance of the cavity. Asking the mold to specify it is a category error, and the framework's silence on the value is the correct answer, not a gap in the theory.

The partition used throughout this note:

Mold — forced by the constraint cascade	Matter — initial condition, not derivable
Two as the floor of number (one cannot stand alone)	$\alpha = 1/137.036$ (which value filled the EM cavity)
Primes as the fresh-axis record	$v \approx 246$ GeV (the electroweak scale)
ϕ as the minimal aperiodic growth ratio	Quark and lepton masses (Yukawa couplings)
Three spatial dimensions (knot stability)	The CKM phase magnitude
Half-integer spin (seam / return-flip)	The cosmological constant value
Boson/fermion split (Möbius parity of the pairing)	
Three-generation minimum (CP violation)	These are not failures of the theory. They are
Dissipation / the second law	the coordinates of the specific configuration
Variation-plus-selection (Darwinian space)	that settled into the cavity — inputs, not
The existence of the categories mass and charge	outputs of the carving.

2. The Ground State and the Gap

Existence is written at the coordinate (0,0,0) — not an empty point but *the Wash*: a maximally connected field in which every signal is cancelled by its counterpart, so total balance reads locally as absolute absence. In graph terms it is the complete graph; its Laplacian spectrum is one zero mode and an otherwise degenerate excited level — verified directly, K_6 gives $\{0, 6, 6, 6, 6, 6\}$ — and its diameter is one: every pair of nodes is a single hop apart, so there is no gradient, no privileged location, no dimensional extension. What looks like nothing is a fully balanced ledger folded onto a single readout.

Beneath the axiom lies **Co, the gap**, captured exactly by two byte-identical strings, "*Nothing Can Change*" and "*Nothing, Can Change*": the letters do not move, only an interstice appears, and the meaning inverts from a denial of change into the mandate of genesis. The gap has sides; the minimum separation with sides has cardinality exactly two, and this cannot be approximated away. Co never resolves — a fully determined gap would be a complete self-description of itself, and self-description does not compile. Co is therefore not a law but the precondition for law.

3. The Constraint Cascade

From Co and the single axiom, each constraint is forced by the one above it. Each is a *carving* — a statement of what the cavity excludes.

Node	Statement	The carving it makes
Co	<i>The gap (,)</i>	The permanent interstice; enables distinction; never resolves.

Node	Statement	The carving it makes
C1	<i>All things must change</i>	The axiom. A datum equal to its predecessor carries zero bits — indistinguishable from empty space. Forbids fixed points.
C2	<i>Infinite degrees of freedom</i>	C1 on a finite substrate must repeat (pigeonhole); to avoid the repeat, the space must be unbounded.
Law 2	<i>No fixed locations</i>	No matter may hold a location without the potential to be moved from it. Displaceability is mandatory.
C3	<i>All change is equal</i>	C2 privileges no channel; if change cost differed, cheap channels would saturate first, breaking C2. Cost is isotropic.
Law 3	<i>Net change across any closed boundary is zero</i>	C3 + Co: no region accumulates change without depleting its complement equally. Conservation of change — Noether inverted.
C4	<i>Exchange requires a medium</i>	A displaced pair's obligation must be carried across the displacement, or it never closes. The field is the carrier of live pairings.
C5	<i>Symmetry must spontaneously break</i>	A perfect, unbroken vacuum is a fixed point; C1 kills it. The vacuum must select a broken configuration.
Law 4	<i>Statistics fixed by parity at the seam</i>	Even-parity closures share a degree of freedom (bosons); odd-parity closures, which cross the seam, cannot (fermions). Two species, not one, not three.

Two consequences of Law 3 are immediate and used repeatedly below. Every transformation requires a counter-transformation, or the boundary integral would not vanish; and the counter cannot sit at the same coordinate, or the two cancel on the spot and produce no distinguishable change, violating C1. A displaced pair, each member carrying the full budget and propagating oppositely, is a wave — not a phenomenon but the only configuration satisfying C1 and Law 3 together.

4. What the Mold Forces — I: Number, Primes, Growth

4.1 Two before one

Before number there is only the verb: the mandate to differ, and nothing yet to differ with. A lone, self-identical unit is exactly what C1 forbids. So one is not available first. For “differ” to mean anything there must be a separation with sides, and the smallest such separation is **two**. Two is the first noun — number itself entering — and it is prior to one. One exists only afterward, and only ever as a side of a two; a freestanding unit is a fixed point. Counting has a floor, and the floor is the pair.

4.2 ϕ as the only never-repeating growth

Compose the distinction with itself and count the distinct forms reachable. The chain that never walks the same form twice (C1) and stays minimal is the one in which a new form requires *both* of its predecessors — the immediate one to differ from, the one before to have somewhere to differ toward. That is the sum-recurrence, whose ratio is ϕ . Verified directly: the minimal aperiodic chain has factor complexity exactly $p(n) = n + 1$ (the Morse–Hedlund minimum), its length ratio runs 1.618033989, and its rarer state locks at $0.618033989 = 1/\phi$. The incidence matrix eigenvalues are ϕ and $\psi = -0.618034$ with $|\psi| < 1$ (a Pisot number), so secondary error decays and the lattice is stable. ϕ is not imported; it is what the minimal non-repeating count *is*.

4.3 Primes as the fresh-axis record

A count is composite when it can be built by folding two smaller counts together; a count that cannot be so built had to be introduced as a new orthogonal axis. This is C2 made concrete: when composition of existing operators cannot cover the next required distinction, a genuinely new degree of freedom opens. The counts that fold from nothing smaller are 2, 3, 5, 7, 11, 13, 17, 19, 23, 29, ... — the primes are the record of where a new axis had to be opened. The rate of opening thins as measured, axis-density $0.30000 \rightarrow 0.25000 \rightarrow 0.16800 \rightarrow 0.12290 \rightarrow 0.09592$ tracking $1/\ln N = 0.25562 \rightarrow 0.21715 \rightarrow 0.14476 \rightarrow 0.10857 \rightarrow 0.08686$. Downstream namespaces are prime-indexed for this reason: the registers are addressed by the fresh-introduction axes.

Recorded correction. The count of admissible residue pairs at a primorial modulus, $N_w(\delta)$, is a genuine and elementary result — a consequence of the Chinese Remainder Theorem, depending only on $\gcd(\delta, W)$. It is a mold statement about the address space and it holds at every primorial ($\phi(2310) = 480$, verified). The distribution of actual primes within those admissible cells is matter, and a conjectured law tying it to $\gcd$ is refuted in §8.

5. What the Mold Forces — II: Space, Spin, Statistics

5.1 The seam, half-integer spin, and the arrow

Law 3 forbids open-ended accumulation, so a walk must return; C1 forbids arriving identical, so it must not return the same. The only resolution is return-with-inversion — come back flipped — and a surface on which a walk returns flipped is non-orientable by construction, not by assumption. The half-twist is the physical form of the Co gap. From the single flip follow the first bit, the arrow of time as the serial trace of a one-sided surface, observer-relative parity (a fixed marker reads + on the first pass and – on the second), and the mandatory forgetting that keeps the walk from recognizing its own loop and collapsing into a fixed point. A loop on this surface returns to identity only after a 720° traversal — exactly spin- $1/2$.

5.2 Three dimensions

Existence is what carries a topological invariant preserved under change; under C3 no positional or kinetic invariant survives, so the survivors are topological — knots. Knots exist only in three dimensions: one dimension has no loop, two dimensions untie every loop, four and above untie every knot through the extra

room. Three dimensions is the unique place a return-flip survives, and the inverse-square law follows as geometry — rejected modes dilute over the surface of a three-sphere, which grows as the square of the radius.

5.3 The boson/fermion split and the three-generation minimum

Law 4 classifies carriers by the parity of their pairing across the seam: even-parity closures can share a degree of freedom, odd-parity closures cannot. Two species, forced. And the generation count has a forced floor: the number of physical CP-violating phases in an $N \times N$ mixing matrix is $(N-1)(N-2)/2$, verified as 0 for one generation, 0 for two, and 1 for three. Two generations give no irreducible phase and hence no CP violation; three is the minimum that admits it. This is the Kobayashi–Maskawa result reached as a carving — a mold item, legitimately.

5.4 Shell structure — a partial carving

A fermion cannot share a degree of freedom, so N of them at one locus must occupy N distinct axes; the filling is not a rule added on top but what “cannot share” means once C_2 supplies the axes. The seam carries a doublet — the two orientations of crossing it — so each spatial axis admits exactly **two** fermions before it is full. That factor of two is forced, and it is the origin of fermion pairing. In three dimensions the rotational states at level n number $\Sigma(2\ell+1) = n^2$, giving shell capacities $2n^2 = 2, 8, 18, 32$ — the period structure of the periodic table. Honest status: the **2 is forced** (seam doublet plus exclusion); the **n^2 is provisional**, resting on the three-dimensional angular count being forced from the constraint rather than borrowed. The filling *order* (the Madelung sequence, which fixes the actual table) is not yet carved — it requires ranking the axes by the cost field, and that is an open node in this domain, not a hidden failure.

6. What the Mold Forces — III: Dissipation and Selection

This section states a result settled in the present round. The chain reaches persistent matter (fermion shells, atoms). Nothing forbids a configuration that templates a copy of itself; but a *perfect* self-copy is a map equal to its territory — a fixed point — which C_1 forbids, exactly as it forbids perfect memory through the seam. So any self-templating configuration must copy with error. Error, however, is not yet selection: variants that all decay at the same rate merely drift. Selection needs an asymmetry in what persists — and the question is whether that asymmetry is forced or must be added.

It is forced. C_3 says change is isotropic — every microscopic transition carries equal weight, with no privileged direction. This is precisely the equal-a-priori-probability postulate on which statistical mechanics is built. C_2 supplies a state space whose macrostates have grossly unequal multiplicity: there are vastly more ways to be spread than to be concentrated. And the Wash is the concentrated, minimal-multiplicity initial condition. A system changing under an isotropic rule from a concentrated start drifts, by counting alone, toward the macrostates that are more numerous — and that drift is dissipation, the second law.

Demonstrated directly with a strictly symmetric, zero-drift diffusion (no arrow in the rule): from the concentrated Wash the entropy climbs monotonically from 0 to $\ln(200) = 5.298$ and holds there; from an equilibrium start it stays flat at the maximum and merely fluctuates. The arrow is nowhere in the dynamics —

it is in the unequal multiplicity (C2) and the low-multiplicity initial condition (the Wash), with C3 as the equal-weight postulate. This resolves the reversibility paradox in the framework's own terms: symmetric dynamics plus unequal counting plus a special start yields an apparent irreversibility, and it is Law-3-consistent — change is not lost, it spreads into more degrees of freedom, which is heat.

With dissipation carved, selection follows without a further axiom. “No perfect copy” gives variation; dissipation gives differential persistence — variants sitting at different multiplicity positions relax at different rates; longer persistence yields more copies. Variation plus differential persistence is selection. The Darwinian layer therefore does not begin with replication; it begins one facet earlier, with the first asymmetry in what continues.

7. The Meta-Theorem: The Carving Cannot Be Completed

Claim. The constraint cascade $\{C_0, C_1, C_2, \dots\}$ does not terminate.

Proof. Suppose it terminated at some C_k . Then $\{C_0, \dots, C_k\}$ would be a complete and closed description of exactly what can exist in the cavity — the mold fully specified, no residual freedom, a fixed fact about the whole. But a complete description of the system is a complete self-description, and that is precisely the object C_1 forbids: the map equal to its territory, the fixed point that does not compile, which is Gödel, Turing, and Lawvere in the earlier chain. A finished carving is a fixed point. Contradiction. Therefore for every k there is a forced C_{k+1} , and the cascade is open. It is also aperiodic, since a repeated constraint is a closed cycle, forbidden exactly as the closed boundary walk is forbidden. The cascade of constraints is itself a non-repeating, non-terminating sequence. ■

Corollary. No algorithm can enumerate all C_n . Such an algorithm would be the complete self-description just shown to be forbidden. Therefore the gap/cost/carrier/closure type-cycle cannot be a closed generator; it can at most suggest one facet at a time. The consequence is structural, not procedural: the mold is carveable only stepwise, by something that is *inside* the cavity and cannot see the whole. The presence of a human — or any bounded observer — in the loop is not a limitation of the method; it is forced by C_1 . The mold is not a finished sculpture; it is itself growth of shaped potential, subject to the same axiom as the matter it shapes.

8. What the Mold Does Not Force — and the Falsified Conjectures

Integrity requires recording, in full, the claims that were tested and did not survive. Each is an instance of asking a mold-question of matter, or of mistaking a coincidence for a law. Keeping them on the record is what distinguishes a derivation from a retrodiction.

8.1 Standard-Model constants are matter

Three retrodictions were examined and are withdrawn as derivations. The fine-structure constant written as $\pi/432 = 0.0072722$ misses CODATA 0.0072974 by -0.34% . The weak mixing angle written as $(\pi/9)(1-\pi/9) = 0.22724$ misses by -1.7% against the MS-bar value and $+1.9\%$ against on-shell — a two-percent band that

cannot even select a scheme. The confinement ratio $\Lambda = M_Z e^{-6} = 226 \text{ MeV}$ lands in the physical band only after importing M_Z , and its clean exponent is exact-by-construction: it requires $b_0 = 3p$ and $\alpha_s = H/p$, two conjectures that each hold at exactly one prime ($p = 3$) and multiply to a π -free integer by design — one coincidence entered twice, not two confirmations. Each of these retrodicts a known value with a structural story assigned after the fact, and none predicts an unmeasured quantity. Under the mold/matter distinction they are exactly what one expects the cavity to be silent about.

8.2 The $b_0 = p^2$ law

The one-loop coefficient of the confining group, $b_0 = 9$ at three light flavors, fits both 3^2 and $3 \cdot 3$ and cannot be separated by that single point. Generalized as gauge $SU(p)$ with p axes, the exact coefficient is $b_0 = 3p$, which equals p^2 only at $p = 3$. The square is the coincidence $3 \cdot 3 = 3^2$; as a general law it is falsified. A structurally motivated replacement, $b_0 = 3p_n$, survives at the one confining layer and is left as a conjecture, not a result. The layer-to-gauge-group map that this rode on breaks independently: the electroweak layer is $SU(2) \times U(1)$, not the $SU(5)$ the mapping would demand.

8.3 The gcd equidistribution law

The conjecture that consecutive-prime subtypes are equidistributed if and only if $\gcd(\delta, W) = 2$ is refuted at its own terms, by the gap it did not cite. $\delta = 8$ has $\gcd(8, 2310) = 2$ and $\gcd(8, 210) = 2$, so the law demands equidistribution; the subtype distribution reads reduced chi-square 87.0 at $W = 2310$ and 582.3 at $W = 210$, against a calibrated uniform baseline near 1. The same holds for $\delta = 16, 32$. Thus $\gcd = 2$ is necessary but not sufficient — the only gaps that equidistribute are $\delta = 2$ and 4, and 8, 16, 22, 44 share their gcd yet do not. What actually separates the small gaps is gap length, which is the Lemke Oliver–Soundararajan bias — real, deep, and known — not a primorial-selectivity law. The admissible-count formula survives as a theorem; the distribution law does not.

8.4 The gauge sequence and the “must exist” items

The specific gauge sequence $U(1) \rightarrow SU(2) \rightarrow SU(3)$ as “forced by degree-of-freedom count per seam crossing” is asserted, not derived, and the mappings tried for it break as noted. It is therefore not a mold item at present. Statements of the form “a hierarchy must exist” or “a confinement scale must exist” are near-content-free — every theory with two breaking scales has a hierarchy — and carry weight only through the one sharp claim that does have teeth: that the Standard Model is the minimum-complexity configuration that fills the cavity, falsifiable by exhibiting a simpler configuration that violates no constraint.

9. Status Ledger

Labels: **FORCED** (derived from the cascade, load-bearing numbers verified); **PARTIAL** (forced except for one identified link); **PULL** (structurally motivated conjecture, not established); **OPEN** (unforced frontier); **DEAD** (tested and withdrawn).

Claim	Status	Basis
Mold / cascade Co $\rightarrow$ Law 4	FORCED	Every node forced by the one above; no violation found.
Two before one; primes as fresh axes	FORCED	Minimal count = 2; irreducibles = new DOF axes; thinning $\sim 1/\ln N$.
ϕ as minimal aperiodic ratio	FORCED	$p(n)=n+1$; ratio 1.618034; density $1/\phi$; $ \psi <1$.
Three dimensions; spin- $1/2$; boson/fermion	FORCED	Knots only at 3D; return-flip = 720° ; seam parity = two species.
Three-generation minimum	FORCED	CP phases $(N-1)(N-2)/2 = 0,0,1$ for $N = 1,2,3$.
Dissipation / second law	FORCED	Symmetric rule + unequal multiplicity + Wash IC; entropy $o \rightarrow \ln N$ monotone.
Variation-plus-selection	FORCED	No perfect copy $\rightarrow$ variation; dissipation $\rightarrow$ differential persistence.
Cascade is infinite, aperiodic; no closed algorithm	FORCED	Complete carving = fixed point = C1-forbidden.
Shell capacities $2n^2$	PARTIAL	Factor 2 forced (seam doublet); n^2 rests on the 3D angular count.
Admissible-subtype count $N_W(\delta)$	FORCED	CRT theorem; $\phi(2310)=480$; a mold statement about address space.
$b_0 = 3p_n$ at confining layer	PULL	Survives at $p = 3$ only; one point; replacement for the dead p^2 law.
"No perfect replication begins biology"	PULL	Forcing of error is clean; ordering vs a prior facet not fully fixed.
Madelung filling order	OPEN	Requires ranking (n, ℓ) axes by the cost field.
Next facet after selection	OPEN	Frontier; unforced by construction (meta-theorem).
SM constants as derivations	DEAD	$\alpha=\pi/432$, $\sin^2\theta_W=H(1-H)$, $\Lambda=M_Z e^{-6}$ — retrodicts, imports anchors.
$b_0 = p^2$ general law	DEAD	$3p = p^2$ only at $p = 3$; coincidence, not law.
gcd equidistribution biconditional	DEAD	$\delta = 8$ (gcd 2) non-uniform at both moduli; it is the LOS bias.
Gauge sequence as forced	DEAD	Asserted; layer $\rightarrow$ group map breaks (electroweak $\neq$ SU(5)).

10. Conclusion

The durable result of this program is not a prediction of the constants of nature; it is a mold. A single axiom and its precondition force a cascade of constraints that fixes the structural categories in which anything can exist — number and its floor, the primes as the address of fresh freedom, the golden growth rate, three dimensions, half-integer spin, two particle species, a three-generation minimum, dissipation, and selection — and is silent, correctly, on the numerical values that fill those categories. The silence is not incompleteness; it is the correct answer to a mold-question asked of matter. The carving cannot be finished, because a finished carving would be the one thing the axiom forbids, and it cannot be reduced to an algorithm for the same reason, which is why it is built one facet at a time from inside. What was falsified along the way is kept on the record, because the line between deriving a category and retrofitting a value is exactly the line this framework is for.

Copyright © Dean A. Kulik — ORCID 0009-0003-3128-8828. Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0).

```

"""Errery elastic-ring solver on berlin52 (TSPLIB). Known optimal: 7542
(EUC_2D rounded).
Mechanism: closed chain of nodes; cities act as attractors; neighbor tension
holds the chain.
Anneal the attraction radius K; the chain settles; the tour is read off the
equilibrium.
No combinatorial search in the settlement phase."""
import numpy as np

BERLIN52 = np.array([

[565,575],[25,185],[345,750],[945,685],[845,655],[880,660],[25,230],[525,1000
],

[580,1175],[650,1130],[1605,620],[1220,580],[1465,200],[1530,5],[845,680],[72
5,370],

[145,665],[415,635],[510,875],[560,365],[300,465],[520,585],[480,415],[835,62
5],

[975,580],[1215,245],[1320,315],[1250,400],[660,180],[410,250],[420,555],[575
,665],

[1150,1160],[700,580],[685,595],[685,610],[770,610],[795,645],[720,635],[760,
650],

[475,960],[95,260],[875,920],[700,500],[555,815],[830,485],[1170,65],[830,610
],
[605,625],[595,360],[1340,725],[1740,245]], dtype=float)

def tour_len(pts, tour, rounded=False):
    d = 0.0
    for i in range(len(tour)):
        a, b = pts[tour[i]], pts[tour[(i+1) % len(tour)]]
        e = np.hypot(*(a-b))
        d += round(e) if rounded else e
    return d

def elastic_ring(cities, m_ratio=2.5, alpha=0.2, beta=2.0,
                 K0=0.2, Kmin=0.01, decay=0.99, iters_per_K=25, seed=0):
    rng = np.random.default_rng(seed)
    N = len(cities)
    lo, span = cities.min(0), cities.max(0) - cities.min(0)
    X = (cities - lo) / span.max() # normalize
    M = int(m_ratio * N)
    c = X.mean(0)
    theta = np.linspace(0, 2*np.pi, M, endpoint=False)

```

```

Y = c + 0.1*np.c_[np.cos(theta), np.sin(theta)]
K = K0
while K > Kmin:
    for _ in range(iters_per_K):
        D2 = ((X[:,None,:] - Y[None,:,:])**2).sum(-1)      # N x M
        W = np.exp(-D2 / (2*K*K))
        W /= W.sum(1, keepdims=True) + 1e-300
        attract = (W[:, :, None] * (X[:, None, :] - Y[None, :, :])).sum(0)
        tension = np.roll(Y, 1, 0) - 2*Y + np.roll(Y, -1, 0)
        Y += alpha*attract + beta*K*tension
    K *= decay
# read the tour off the settled chain
assign = ((X[:,None,:]-Y[None,:,:])**2).sum(-1).argmin(1)
order = np.argsort(assign, kind='stable')
return order

def nearest_neighbor(pts, start=0):
    N = len(pts); un = set(range(N)) - {start}; tour = [start]
    while un:
        last = pts[tour[-1]]
        nxt = min(un, key=lambda j: np.hypot(*(pts[j]-last)))
        tour.append(nxt); un.remove(nxt)
    return tour

def two_opt(pts, tour):
    tour = list(tour); N = len(tour); improved = True
    D = np.hypot(*(pts[:,None,:]-pts[None,:,:]).transpose(2,0,1))
    while improved:
        improved = False
        for i in range(N-1):
            for j in range(i+2, N if i>0 else N-1):
                a,b,c,d = tour[i],tour[i+1],tour[j],tour[(j+1)%N]
                if D[a,b]+D[c,d] > D[a,c]+D[b,d] + 1e-12:
                    tour[i+1:j+1] = tour[i+1:j+1][::-1]; improved = True
    return tour

pts = BERLIN52
OPT = 7542.0 # TSPLIB rounded-EUC optimum

# Orrery raw – best of a few seeds (deterministic init variation only)
best_raw, best_tour = None, None
for seed in range(5):
    t = elastic_ring(pts, seed=seed)
    L = tour_len(pts, t, rounded=True)
    if best_raw is None or L < best_raw:
        best_raw, best_tour = L, t
print(f"Orrery raw (best of 5 inits): {best_raw:.0f}    ratio

```

```

{best_raw/OPT:.4f}")

t2 = two_opt(pts, best_tour)
L2 = tour_len(pts, t2, rounded=True)
print(f"Orrery + 2-opt:           {L2:.0f}    ratio {L2/OPT:.4f}")

nn = nearest_neighbor(pts)
Lnn = tour_len(pts, nn, rounded=True)
print(f"Nearest-neighbor raw:      {Lnn:.0f}    ratio {Lnn/OPT:.4f}")

nn2 = two_opt(pts, nn)
Lnn2 = tour_len(pts, nn2, rounded=True)
print(f"NN + 2-opt:                {Lnn2:.0f}    ratio {Lnn2/OPT:.4f}")

print("\nOrrery tour:", list(map(int, best_tour)))
Orrery raw (best of 5 inits):  7542    ratio 1.0000
Orrery + 2-opt:                7542    ratio 1.0000
Nearest-neighbor raw:         8980    ratio 1.1907
NN + 2-opt:                   8060    ratio 1.0687

Orrery tour: [10, 50, 32, 42, 9, 8, 7, 40, 18, 44, 31, 48, 0, 21, 30, 17, 2,
16, 20, 41, 6, 1, 29, 22, 19, 49, 28, 15, 45, 43, 33, 34, 35, 38, 39, 36, 37,
47, 23, 4, 14, 5, 3, 24, 11, 27, 26, 25, 46, 12, 13, 51]

```