

arXiv:1603.07856v3 [quant-ph] 31 Jan 2017

USING SIMON'S ALGORITHM TO ATTACK SYMMETRIC-KEY CRYPTOGRAPHIC PRIMITIVES

THOMAS SANTOLI[a]

Mathematical Institute, University of Oxford;
Andrew Wiles Building, Radcliffe Observatory Quarter
Woodstock Road, Oxford, OX2 6GG

CHRISTIAN SCHAFFNER[b]
ILLC, University of Amsterdam
Centrum Wiskunde & Informatica (CWI)
QuSoft
P.O. Box 94242, 1090 GE Amsterdam, Netherlands

We present new connections between quantum information and the field of classical cryptography. In particular, we provide examples where Simon's algorithm can be used to show insecurity of commonly used cryptographic symmetric-key primitives. Specifically, these examples consist of a quantum distinguisher for the 3-round Feistel network and a forgery attack on CBC-MAC which forges a tag for a chosen-prefix message querying only other messages (of the same length). We assume that an adversary has quantum-oracle access to the respective classical primitives. Similar results have been achieved recently in independent work by Kaplan *et al.* [KLLNP16]. Our findings shed new light on the post-quantum security of cryptographic schemes and underline that classical security proofs of cryptographic constructions need to be revisited in light of quantum attackers.

Keywords: quantum cryptanalysis, Simon's algorithm, Feistel network, CBC-MAC

1 Introduction

The main goal of cryptography is secure communication. While *encryption* ensures the secrecy of a message, its integrity is guaranteed by means of *authentication*. In private-key cryptography, it is assumed that honest players Alice and Bob share a private key unknown to any attacker. The situation is symmetric between Alice and Bob, hence this scenario is also referred to as *symmetric cryptography*. Here, private-key encryption (e.g. the Advanced Encryption Standard AES in a certain encryption mode) can be used to ensure secrecy of a message, while Message-Authentication Codes (MACs) allow to verify that a message originated from the secret-key holder and that the message has not been altered in transit. Cryp-

[a]thsantoli1@gmail.com
[b]c.schaffner@uva.nl