

2022–2024

arXiv:2111.02438v3 [quant-ph] 20 Jan 2023

No second law of entanglement manipulation after all

Ludovico Lami[1,2,*] and Bartosz Regula[3,4,†]

[1]*Institut für Theoretische Physik und IQST, Universität Ulm, Albert-Einstein-Allee 11, D-89069 Ulm, Germany*
[2]*QuSoft, Korteweg–de Vries Institute for Mathematics, and Institute for Theoretical Physics, University of Amsterdam, the Netherlands*
[3]*Department of Physics, Graduate School of Science, The University of Tokyo, Bunkyo-ku, Tokyo 113-0033, Japan*
[4]*School of Physical and Mathematical Sciences, Nanyang Technological University, 637371, Singapore*

Many fruitful analogies have emerged between the theories of quantum entanglement and thermodynamics, motivating the pursuit of an axiomatic description of entanglement akin to the laws of thermodynamics. A long-standing open problem has been to establish a true second law of entanglement, and in particular a unique function which governs all transformations between entangled systems, mirroring the role of entropy in thermodynamics. Contrary to previous promising evidence, here we show that this is impossible, and no direct counterpart to the second law of thermodynamics can be established. This is accomplished by demonstrating the irreversibility of entanglement theory from first principles — assuming only the most general microscopic physical constraints of entanglement manipulation, we show that entanglement theory is irreversible under all non-entangling transformations. We furthermore rule out reversibility without significant entanglement expenditure, showing that reversible entanglement transformations require the generation of macroscopically large amounts of entanglement according to certain measures. Our results not only reveal fundamental differences between quantum entanglement transformations and thermodynamic processes, but also showcase a unique property of entanglement which distinguishes it from other known quantum resources.

Thermodynamics is perhaps the only physical theory that has withstood the several revolutions that have overturned the scientific paradigm since its inception. It started as a phenomenological theory of heat engines, in which context the first and second laws were first formulated, and it has since evolved to encompass general relativity and quantum mechanics. Arguably, its special status stems from its meta-theoretic character: at its root, thermodynamics is a framework to decide which transformations a closed system can or cannot undergo, independently of the underlying physics. In accordance with this view, axiomatic approaches have played an important role in the development of thermodynamics, from Clausius's [1] and Kelvin's [2] formulations of the second law to the groundbreaking work of Carathéodory [3], Giles [4], and recently Lieb and Yngvason [5]. A key feature and strength of these approaches is that only generic assumptions are made on the physical laws that govern the systems under consideration. Early statements of the second law posit the absolute physical impossibility of realising certain transformations, and already in the minds of Carnot, Clausius, and Kelvin were intended to hold equally well e.g. for mechanical and electromagnetic processes [2, 6]. A remarkable success of the axiomatic approach is to arrive at an abstract construction of the entropy as the unique function S that encodes all transformations between comparable equilibrium states: given two such states X and Y, X can be transformed into Y adiabatically if and only if $S(X) \leq S(Y)$ [4, 5]. A logical consequence is that comparable states with the same entropy must be connected by reversible transformations, e.g. Carnot cycles [6].

With the advent of quantum information science, the phenomenon of quantum entanglement emerged as a physical resource in its own right [7], enabling significant advantages in tasks such



* ludovico.lami@gmail.com
† bartosz.regula@gmail.com