



Fine-Grained Complexity via Quantum Natural Proofs

Yanlin Chen* Yilei Chen† Rajendra Kumar‡ Subhasree Patro§
Florian Speelman¶

arXiv:2504.10363v2 [quant-ph] 15 Sep 2025

Abstract

Buhrman, Patro, and Speelman [BPS21] presented a framework of conjectures that together form a quantum analogue of the strong exponential-time hypothesis and its variants. They called it the QSETH framework. In this paper, using a notion of quantum natural proofs (built from natural proofs introduced by Razborov and Rudich), we show how part of the QSETH conjecture that requires properties to be 'compression oblivious' can in many cases be replaced by assuming the existence of quantum-secure pseudorandom functions, a standard hardness assumption. Combined with techniques from Fourier analysis of Boolean functions, we show that properties such as PARITY and MAJORITY are compression oblivious for certain circuit class Λ if subexponentially secure quantum pseudorandom functions exist in Λ, answering an open question in [BPS21].

*University of Maryland (QuICS) yanlin@umd.edu

†Tsinghua University, Shanghai Qi Zhi Institute chenyilei.ra@gmail.com. Supported by Tsinghua University startup funding, and Shanghai Qi Zhi Institute Innovation Program SQZ202405.

‡Indian Institute of Technology Delhi rajendra@cse.iitd.ac.in. Supported by Chandruka New Faculty Fellowship at IIT Delhi.

§Eindhoven University of Technology patrofied@gmail.com

¶University of Amsterdam and QuSoft f.speelman@uva.nl. Supported by the Dutch Ministry of Economic Affairs and Climate Policy (EZK), as part of the Quantum Delta NL program, and the project Divide and Quantum 'D&Q' NWA.1389.20.241 of the program 'NWA-ORC', which is partly funded by the Dutch Research Council (NWO).

