

arXiv:2506.20587v1 [quant-ph] 25 Jun 2025

How to use quantum computers for biomolecular free energies

Jakob Günther[1], Thomas Weymuth[2], Moritz Bensberg[2], Freek Witteveen[1,3], Matthew S. Teynor[4,5], F. Emil Thomasen[6], Valentina Sora[7,8], William Bro-Jørgensen[4], Raphael T. Husistein[2], Mihael Erakovic[2], Marek Miller[1], Leah Weisburn[9], Minsik Cho[9], Marco Eckhoff[2], Aram W. Harrow[*10], Anders Krogh[†7,8], Troy Van Voorhis[‡9], Kresten Lindorff-Larsen[§6], Gemma Solomon[¶4,5], Markus Reiher[‖2], and Matthias Christandl[**1]

[1]University of Copenhagen, Dept. of Mathematical Sciences, Quantum for Life Centre, Copenhagen, Denmark
[2]ETH Zurich, Dept. of Chemistry and Applied Biosciences, Zurich, Switzerland.
[3]QuSoft, Centrum voor Wiskunde en Informatica, Amsterdam, The Netherlands.
[4]University of Copenhagen, Dept. of Chemistry and Nano-Science Center, Copenhagen, Denmark.
[5]University of Copenhagen, Niels Bohr Institute, NNF Quantum Computing Progr., Copenhagen, Denmark.
[6]University of Copenhagen, Dept. of Biology, Linderstrøm-Lang Centre for Protein Science, Copenhagen, Denmark.
[7]University of Copenhagen, Dept. of Computer Science, Quantum for Life Centre, Copenhagen, Denmark.
[8]University of Copenhagen, Dept. of Public Health, Copenhagen, Denmark.
[9]Massachusetts Institute of Technology, Dept. of Chemistry, Cambridge, MA, USA.
[10]Massachusetts Institute of Technology, Center for Theoretical Physics, Cambridge, MA, USA.

June 24, 2025

Abstract

Free energy calculations are at the heart of physics-based analyses of biochemical processes. They allow us to quantify molecular recognition mechanisms, which determine a wide range of biological phenomena from how cells send and receive signals to how pharmaceutical compounds can be used to treat diseases. Quantitative and predictive free energy calculations require computational models that accurately capture both the varied and intricate electronic interactions between molecules as well as the entropic contributions from motions of these molecules and their aqueous environment. However, accurate quantum-mechanical energies and forces can only be obtained for small atomistic models, not for large biomacromolecules. Here, we demonstrate how to consistently link accurate quantum-mechanical data obtained for substructures to the overall potential energy of biomolecular complexes by machine learning in an integrated algorithm. We do so using a two-fold quantum embedding strategy where the innermost quantum cores are treated at a very high level of accuracy. We demonstrate the viability of this approach for the molecular recognition of a ruthenium-based anticancer drug by its protein target, applying traditional quantum chemical methods. As such methods scale unfavorable with system size, we analyze requirements for quantum computers to provide highly accurate energies that impact the resulting free energies. Once the requirements are met, our computational pipeline FreeQuantum is able to make efficient use of the quantum computed energies, thereby enabling quantum computing enhanced modeling of biochemical processes. This approach combines the exponential speedups of quantum computers for simulating interacting electrons with modern classical simulation techniques that incorporate machine learning to model large molecules.

*corresponding author: aram@mit.edu
†corresponding author: akrogh@di.ku.dk
‡corresponding author: tvan@mit.edu
§corresponding author: lindorff@bio.ku.dk
¶corresponding author: solomon@chem.ku.dk
‖corresponding author: mreiher@ethz.ch
**corresponding author: christandl@math.ku.dk

