

2019–
2024

QuSoft is named on page 27 of the paper.

Contemporary Mathematics

Deuring for the People: Supersingular Elliptic Curves with Prescribed Endomorphism Ring in General Characteristic

Jonathan Komada Eriksen, Lorenz Panny, Jana Sotáková, and Mattia Veroni

Abstract. Constructing a supersingular elliptic curve whose endomorphism ring is isomorphic to a given quaternion maximal order (one direction of the *Deuring correspondence*) is known to be polynomial-time assuming the generalized Riemann hypothesis [KLPT14; Wes21], but notoriously daunting in practice when not working over carefully selected base fields.

In this work, we speed up the computation of the Deuring correspondence in *general* characteristic, i.e., without assuming any special form of the characteristic. Our algorithm follows the same overall strategy as earlier works, but we add simple (yet effective) optimizations to multiple subroutines to significantly improve the practical performance of the method.

To demonstrate the impact of our improvements, we show that our implementation achieves highly practical running times even for examples of cryptographic size. One implication of these findings is that cryptographic security reductions based on KLPT-derived algorithms (such as [EHLMP18; Wes22]) have become tighter, and therefore more meaningful in practice.

Another is the pure bliss of fast(er) computer algebra: We provide a Sage implementation which works for general primes and includes many necessary tools for computational number theorists' and cryptographers' needs when working with endomorphism rings of supersingular elliptic curves. This includes the KLPT algorithm, translation of ideals to isogenies, and finding supersingular elliptic curves with known endomorphism ring for general primes.

Finally, the Deuring correspondence has recently received increased interest because of its role in the SQISign signature scheme [DeF+20]. We provide a short and self-contained summary of the state-of-the-art algorithms without going into any of the cryptographic intricacies of SQISign.

1. Introduction

Every supersingular elliptic curve defined over a field of characteristic p has endomorphism ring isomorphic to a maximal order in a quaternion algebra ramified only at p and ∞. Conversely, for every maximal order in such a quaternion algebra, there exists a supersingular elliptic curve whose endomorphism ring is isomorphic to this order. This correspondence is called the Deuring correspondence (see Section 2.5 for a precise formulation) and is an important tool in isogeny-based cryptography.

The Deuring correspondence allows us to translate problems which are assumed to be hard for elliptic curves into analogous questions about maximal orders in quaternion algebras, which are often more tractable. For instance, while finding smooth degree isogenies between supersingular elliptic curves over $\mathbb{F}_{p^2}$ is assumed to be hard, the analogous problem for quaternionic orders can be solved in polynomial time with the KLPT algorithm [KLPT14]. The security of virtually all isogeny-based cryptography relies on the hardness of computing the endomorphism ring of a supersingular elliptic curve (the Deuring correspondence in one direction).

The other direction — constructing a supersingular elliptic curve with a given endomorphism ring — is called *Constructive Deuring Correspondence*. It is known to be computable in polynomial time assuming the generalized Riemann hypothesis [KLPT14; Wes21]. Recently, the Constructive Deuring Correspondence has been used constructively in the post-quantum isogeny-based cryptographic signature scheme SQISign [DeF+20; DLW22]. However, the signature scheme SQISign is only implemented for certain

2020 *Mathematics Subject Classification.* Primary 11Y16, 11T71; Secondary 14K02, 11R52, 11G20.

Key words and phrases. Algorithms, supersingular elliptic curves, endomorphism rings, quaternion algebras.

Author list in alphabetical order; see https://ams.org/profession/leaders/CultureStatement04.pdf. This research was funded in part by the Academia Sinica Investigator Award AS-IA-109-M01 and the Dutch Research Council (NWO) through Gravitation-grant Quantum Software Consortium – 024.003.037. Date of this document: 2025-11-12.