

2022–
2024

Reversibility of quantum resources through probabilistic protocols

Bartosz Regula[1,*] and Ludovico Lami[2,3,4,†]

[1]*Mathematical Quantum Information RIKEN Hakubi Research Team, RIKEN Cluster for Pioneering Research (CPR) and RIKEN Center for Quantum Computing (RQC), Wako, Saitama 351-0198, Japan*
[2]*QuSoft, Science Park 123, 1098 XG Amsterdam, the Netherlands*
[3]*Korteweg–de Vries Institute for Mathematics, University of Amsterdam, Science Park 105-107, 1098 XG Amsterdam, the Netherlands*
[4]*Institute for Theoretical Physics, University of Amsterdam, Science Park 904, 1098 XH Amsterdam, the Netherlands*

arXiv:2309.07206v3 [quant-ph] 16 Apr 2024

Among the most fundamental questions in the manipulation of quantum resources such as entanglement is the possibility of reversibly transforming all resource states. The key consequence of this would be the identification of a unique entropic resource measure that exactly quantifies the limits of achievable transformation rates. Remarkably, previous results claimed that such asymptotic reversibility holds true in very general settings; however, recently those findings have been found to be incomplete, casting doubt on the conjecture. Here we show that it is indeed possible to reversibly interconvert all states in general quantum resource theories, as long as one allows protocols that may only succeed probabilistically. Although such transformations have some chance of failure, we show that their success probability can be ensured to be bounded away from zero, even in the asymptotic limit of infinitely many manipulated copies. As in previously conjectured approaches, the achievability here is realised through operations that are asymptotically resource non-generating, and we show that this choice is optimal: smaller sets of transformations cannot lead to reversibility. Our methods are based on connecting the transformation rates under probabilistic protocols with strong converse rates for deterministic transformations, which we strengthen into an exact equivalence in the case of entanglement distillation.

How to measure and compare quantum resources? As evidenced by the plethora of commonly used quantifiers of resources such as entanglement [1, 2], this seemingly basic question has many possible answers, and it may appear as though there is no unambiguous way to resolve it. However, it is important to keep in mind that, besides simply assigning some numerical value to a given quantum state, one often wishes to compare quantum resources operationally. Is it then possible for a resource quantifier to indicate exactly how difficult it is to convert one resource state into another? Following this pathway is reminiscent of the operational approach used to study thermodynamics, where indeed a unique resource measure — the entropy — emerges naturally from basic axioms [3, 4]. A phenomenon that is intimately connected with the existence of such a measure is reversibility: two comparable states of equal entropy can always be connected by a reversible adiabatic transformation [3, 4].

Reversibility was observed also in the asymptotic manipulation of quantum entanglement of pure states [5], prompting several conjectures about the connections between entanglement and thermodynamics, and in particular about the existence of a unique operational measure of entanglement that would mirror the role of entropy [6–10]. In the asymptotic setting, reversibility is typically understood in terms of asymptotic transformation rates $r(\rho \to \omega)$: given many copies of a state ρ, how many copies of another state ω can we obtain per each copy of ρ? The question of resource reversibility then asks whether $r(\rho \to \omega) = r(\omega \to \rho)^{-1}$, meaning that exactly as many copies of ω can be obtained in the transformation as are needed to transform them back into ρ. Although entanglement of noisy states may exhibit irreversibility in many contexts [11–14], hopes persisted that an operational approach allowing for universal reversibility could be constructed, leading to the identification of a unique asymptotic measure of entanglement [15].

A remarkable axiomatic framework emerged, first for entanglement [9, 10] and later for more general quantum resources [16], which claimed that reversibility can indeed always be achieved under suitable assumptions. Such a striking property would not only establish a unique entropic measure of quantum resources, but also connect the broad variety of different resources in a common operational formalism. However, issues have transpired in parts of the proof of these results [17, 18], putting this general reversibility into question. As of now, there is no known framework that can establish the reversibility of general quantum resource theories — and in particular quantum entanglement — even under weaker assumptions. What is more, recent results demonstrated an exceptionally strong type of irreversibility of entanglement [14], casting doubt on the very possibility of recovering reversible manipulation whatsoever.

In this work, we resolve the question by constructing the first complete reversible framework for general quantum resources, including entanglement. Our setting closely resembles the original assumptions of the reversibility conjectures [9, 10, 16], with only one change: we allow probabilistic conversion protocols. That is, we

* bartosz.regula@gmail.com
† ludovico.lami@gmail.com