

arXiv:2608.20476v1 [math.CO] 20 Aug 2026

PERFECT STATE TRANSFER AND CAYLEY PRESENTATIONS

ARNBJÖRG SOFFÍA ÁRNADÓTTIR AND KRYSTAL GUO

Abstract. We study perfect state transfer on Cayley graphs from the point of view that state transfer is a property of a graph and not of a group. This paper is a bridge between the classical question about isomorphic Cayley graphs of non-isomorphic groups and quantum walks on graphs.

We show that a Cayley graph of a group with an abelian subgroup of index two is a Cayley graph of an abelian group under any one of three hypotheses, two drawn from the theory of isomorphic Cayley graphs. A statement of the same kind holds for extraspecial groups: every Cayley graph of an extraspecial p-group of order p^{2n+1} with a conjugacy-closed connection set is a Cayley graph of $\mathbb{Z}_p^{2n+1}$. From these results we deduce that every explicit construction of perfect state transfer in the six papers we survey, on dihedral, dicyclic, generalized dihedral, V_{8n} and extraspecial 2-groups, is a non-abelian presentation of an abelian Cayley graph. Moreover, we show that a non-abelian group with an abelian subgroup of index two admits a connected Cayley graph with perfect state transfer if and only if its order is divisible by four.

Genuinely non-abelian examples do exist. We prove that, for every odd prime power $q \geq 5$, the $\mathrm{SL}(2,q)$ graph of Pantangi and Sin, which they showed to admit perfect state transfer, is a Cayley graph of no abelian group; to our knowledge, this is the first infinite family of Cayley graphs with perfect state transfer provably admitting no abelian Cayley presentation. The claim rests on a theorem that never mentions state transfer: for $q \geq 5$ the $\mathrm{SL}(2,q)$ graph is a lexicographic double of a Cayley graph of $\mathrm{PSL}(2,q)$ whose automorphism group, by Praeger's inclusion theorem for primitive groups of simple diagonal type, has socle $\mathrm{PSL}(2,q) \times \mathrm{PSL}(2,q)$ and contains no abelian regular subgroup. We also construct an infinite family of Cayley graphs with peak state transfer, each with amount $16/225$, determine all regular subgroups of the automorphism group of every member, and show that each group over which a member is a Cayley graph surjects onto the Frobenius group of order 20; in particular, none of them is abelian.

An appendix records a census of the connected vertex-transitive graphs with perfect state transfer on at most 30 vertices, together with all of their Cayley groups; the smallest examples with no abelian Cayley presentation appear at 24 vertices, the smallest non-Cayley example at 30, and a partial scan at 32 yields the first known non-abelian graphical regular representations with perfect state transfer.

2020 Mathematics Subject Classification. Primary 05C25; Secondary 05C50, 20B25, 81P45.

Keywords. Cayley graphs, isomorphic Cayley graphs, regular subgroups of automorphism groups, graphical regular representations, perfect state transfer, peak state transfer, continuous-time quantum walks.

1. Introduction

One graph can be a Cayley graph of several non-isomorphic groups. By Sabidussi's theorem [38], a graph X is a Cayley graph of G if and only if $\mathrm{Aut}(X)$ contains a regular subgroup isomorphic to G. The same automorphism group may contain non-isomorphic regular subgroups, so the same graph may be a Cayley graph of several non-isomorphic groups; for example both graphs in Figure 1 are Cayley graphs of every group of that order. In particular, a non-abelian Cayley presentation need not be an intrinsically non-abelian feature of the graph: its automorphism group may also admit an abelian

Arnbjörg Soffía Árnadóttir: Division of Mathematics, Science Institute, University of Iceland, Dunhaga 3, 107 Reykjavík, Iceland

Krystal Guo: Korteweg–de Vries Institute for Mathematics, University of Amsterdam, and QuSoft, Amsterdam, The Netherlands

E-mail addresses: asoffia@hi.is, k.guo@uva.nl.