

Near-field imaging of domain switching in in-operando VO_2 devices

Sergio Salvía Fernández, Silvia Cassanelli, and Stephan Bron
van der Waals - Zeeman Institute, University of Amsterdam, Sciencepark 904, 1098 XH Amsterdam, the Netherlands

Xing Gao and Hans Hilgenkamp
Faculty of Science and Technology and MESA+ Institute for Nanotechnology, University of Twente, Enschede, the Netherlands

Erik van Heumen*
van der Waals - Zeeman Institute, University of Amsterdam, Sciencepark 904, 1098 XH Amsterdam, the Netherlands and QuSoft, Science Park 123, 1098 XG Amsterdam, The Netherlands
(Dated: March 14, 2023)

Experimental insight in the nanoscale dynamics underlying switching in novel memristive devices is limited owing to the scarcity of techniques that can probe the electronic structure of these devices. Scattering scanning near-field optical microscopy is a relatively novel approach to probe the optical response of materials with a spatial resolution well below the diffraction limit. We use this non-invasive tool to demonstrate that it provides detailed information on the origin and memory behaviour of ultra-thin films of vanadium dioxide. Simultaneously recorded $I(V)$ characteristics and near-field maps show that discontinuities in the I(V) characteristics arise from the sudden switching of insulating domains to metallic domains. At the threshold voltage, the domains form a continuous current path. The metallic domains persist once the bias voltage is removed, but narrow monoclinic regions appear around the domain boundaries. The key advantage of our approach is that it provides detailed information on the electronic structure at length scales raging from tens of nanometers up to tens of microns and is easily applied under *in operando* conditions.

arXiv:2303.06703v1 [cond-mat.str-el] 12 Mar 2023

Scattering scanning near field optical microscopy (sSNOM) is a versatile, non-invasive probe of the dielectric and plasmonic response of correlated and 2D materials. Based on tapping-mode atomic force microscopy (AFM), an sSNOM can map out optical contrast on a scale of a few tens of nanometers at any wavelength due to the interaction between a polarizable AFM cantilever, an incoming laser and the sample under study. Some of the more recent enhancements of the sSNOM implementation include enabling broadband spectroscopy [1, 2], ultra-fast pump-probe microscopy [3–5] and THz sSNOM [6]. An equally important endeavour has been improving the ability to manipulate material parameters in-situ. Examples include manipulating the optical response of a material through changing the carrier concentration [7, 8] or exploring phase transitions with variable temperature microscopy [9, 10]. Invariably, adding new capabilities to the sSNOM repertoire have led to new insights in the electronic properties of materials on nanometer length scales [11, 12].

In this article we map out the near-field optical response *in operando* on a memristive device as it is driven through switching events. The device is based on a vanadium dioxide thin film, which features a reversible insulator to metal transition. Vanadium dioxide is a poster child for the application of complex oxide materials in a variety of room temperature, energy saving applications [13, 14]. As platform for a memristor device, VO_2 has been investigated in a variety of different forms [15–21]. Depending on the details, switching can be as fast as a few 100's of femtoseconds [5, 22]. Particular interest has gone to fully strained films [23–25]. These ultra-thin films are fully in the rutile phase in both the insulating and metal phases, which is expected to lead to enhanced durability of devices.

Several studies have investigated whether the current driven transition arises from electric field effects [16, 25–28] or from Joule heating [15, 29–31]. It appears that both effects are present to some degree and that the balance depends on detailed properties of the structures studied (film thickness, substrate etcetera). In-operando probing of device switching has provided insight in the parameters determining the switching speed [19], in the role played by film thickness and crack formation [25] and in the role played by nanoscale domains in unstrained films [16].

Scattering near-field optical microscopy has proven to be a valuable tool for the study of VO_2 crystals and films [32–37], but to the best of our knowledge has not been applied to the study of in-operando devices or fully strained thin films. In this article we use it to compare the insulator to metal transition (IMT) both as function of temperature and applied electric field with 20 nm spatial resolution. We investigate the heating induced by the CO_2 laser and its effect on the onset of the MIT. We use the sSNOM contrast to elucidate the mesoscopic changes in the electronic structure as a current is applied. Combined with simultaneously measured $I(V)$ characteristics, this