

QuSoft is named on page 7 of the paper.

arXiv:1807.00169v2 [math.CO] 26 Sep 2019

THE ASYMPTOTIC SPECTRUM OF GRAPHS AND THE SHANNON CAPACITY

JEROEN ZUIDDAM

Abstract. We introduce the asymptotic spectrum of graphs and apply the theory of asymptotic spectra of Strassen (J. Reine Angew. Math. 1988) to obtain a new dual characterisation of the Shannon capacity of graphs. Elements in the asymptotic spectrum of graphs include the Lovász theta number, the fractional clique cover number, the complement of the fractional orthogonal rank and the fractional Haemers bound.

1. Introduction

1.1. **Shannon capacity of graphs.** This paper is about the Shannon capacity of graphs, which was introduced by Shannon in [Sha56]. Let G be a (finite simple) graph with vertex set $V(G)$ and edge set $E(G)$. An independent set (also called stable set) in G is a subset of $V(G)$ that contains no edges. The independence number or stability number $\alpha(G)$ is the cardinality of the largest independent set in G. For graphs G and H, the and-product $G \boxtimes H$, also called the strong graph product, is defined by

$$\begin{aligned} V(G \boxtimes H) &= V(G) \times V(H) \\ E(G \boxtimes H) &= \big\{\{(g,h),(g',h')\} : \big(\{g,g'\} \in E(G) \text{ and } \{h,h'\} \in E(H)\big) \\ &\qquad \text{or } \big(\{g,g'\} \in E(G) \text{ and } h = h'\big) \\ &\qquad \text{or } \big(g = g' \text{ and } \{h,h'\} \in E(H)\big)\big\}. \end{aligned}$$

The Shannon capacity $\Theta(G)$ is defined as the limit

$$\Theta(G) \coloneqq \lim_{N\to\infty} \alpha(G^{\boxtimes N})^{1/N}.$$

This limit exists and equals the supremum $\sup_N \alpha(G^{\boxtimes N})^{1/N}$ by Fekete's lemma: if $x_1, x_2, x_3, \ldots \in \mathbb{R}_{\geq 0}$ satisfy $x_{m+n} \geq x_m + x_n$, then $\lim_{n\to\infty} x_n/n = \sup_n x_n/n$.

Computing the Shannon capacity is nontrivial already for small graphs. Lovász in [Lov79] computed the value $\Theta(C_5) = \sqrt{5}$, where C_k denotes the k-cycle graph, by introducing and evaluating a new graph parameter ϑ which is now known as the Lovász theta number. For example the value of $\Theta(C_7)$ is currently not known. The Shannon capacity Θ is not known to be hard to compute in the sense of computational complexity. On the other hand, deciding whether $\alpha(G) \geq k$, given a graph G and $k \in \mathbb{N}$, is NP-complete [Kar72].

1.2. **Result: new dual characterisation of Shannon capacity.** The result of this paper is a new dual characterisation of the Shannon capacity of graphs. This characterisation is obtained by applying Strassen's theory of asymptotic spectra [Str88], which in turn is based on the representation theorem of Kadison–Dubois [BS83] (see also [PD01] and [Mar08]).

Date: September 27, 2019.