### Automated testing

for RCP Eclipse based applications





Yuksel Ahmedov QA Engineer

**Quality Assurance Team Itd.** 

www.qualityassuranceteam.com



#### **Table of Contents**



- 1. RCP Eclipse Framework
- 2. RCP Testing Tool
- 3. Demo
- 4. ECL Scripting
- 5. Resources






## sli.do

# HRCPTT






#### **RCP Eclipse Framework**



- RCP is a collection of lower level frameworks
  - OSGi At the lowest level
  - SWT Provides the primitive widgets (text controls, radio buttons, etc.)
  - JFace Provides a variety of advanced
     UI functionality controls (wizards,
     data bindings, preference pages, etc.)
  - Other Eclipse APIs



#### **RCP Eclipse Framework**




Formula Mass Natural mass

18154.566 O.C.C.O.C.O.C.C.N.C.N.C.C.N


zif268.pdb

Bioclipse Molecule

Easily built GUI for Java applications







## What is RCPTT?

And why should I care?

#### **RCP Testing Tool**



- Open source project for GUI testing automation
  - Extendible functionality and Plugins available
  - Supported by Eclipse community
- Good for Continuous Integration and Delivery
- Multi platform
  - Linux, Windows and MacOS





#### **RCP Testing Tool**



- Fully aware of the RCP Eclipse internals
  - Hides application's inner complexity
  - No need to deal with wait operations!
  - Always knows when operation is complete
- Easy to setup test Preconditions






#### **RCP Testing Tool**



RCPTT

- Powerful IDE
  - Manage Test Cases and Suites
  - Record / Replay
  - Debug

- Code reusability
  - Contexts
  - Workspaces
  - ECL Scripts



RCPTT - MyFirstTestCase - RCP Testing Tool

Navigate Search Project Run Window Help



## Demo!





## **ECL Scripting**

Native language of Eclipse

#### **ECL Scripting**



- ECL stands for Eclipse Command Language
  - Able to do virtually anything with Eclipse

```
get-view "Package Explorer" | get-tree |
select testJavaProject | get-menu Delete | click
with [get-window "Delete Resources"] {
   get-button "Delete project contents on disk (cannot be
undone)" | check
  get-button OK | click
```

#### **ECL Test Script**



- Tests are meaningless without any assertions
  - Verify your expected result either positive or negative

```
get-view "Package Explorer" | get-tree |
get-property itemCount | equals 0 | verify-true
```

#### Summary



- RCP Eclipse Framework
- ECL Scripting Language
- RCPTT
  - Contexts, Workspaces, Workbenches, etc.
  - Test Cases, Test Suites, Data Sets, etc.



#### **Useful Links**



- RCP Testing Tool website:
  - www.eclipse.org/rcptt/
- Sample test cases:
  - github.com/QualityAssuranceTeam/RCPTT
- ECL Documentation:
  - www.eclipse.org/rcptt/documentation/userguide/ecl
- Contribute to community:
  - -wiki.eclipse.org/RCPTT/Contribution\_Guide











SEO and PPC for Business



Questions?

**SUPERHOSTING:BG** 









#### **Trainings @ Software University (SoftUni)**

- Software University High-Quality Education,
   Profession and Job for Software Developers
  - softuni.bg
- Software University Foundation
  - http://softuni.foundation/
- Software University @ Facebook
  - facebook.com/SoftwareUniversity
- Software University Forums
  - forum.softuni.bg









