

Test Case Specification

End-to-End & Functional Test Cases

Fashion E-commerce Web Application

Prepared per ISO/IEC/IEEE 29119-3:2021 (successor to IEEE Std 829)

Document ID	QT-FEC-TCS-001
Version	1.0 (Baseline draft for review)
Date	25 September 2026
Application Under Test	https://fashion-ecommerce-we-lunb.bolt.host
Test basis	Fashion E-commerce Application – QA User Stories & E2E Test PRD (US-01 to US-60)
Parent test plan	QT-FEC-STP-001 v1.0 – Software Test Plan (IEEE 829)
Standard	ISO/IEC/IEEE 29119-3:2021 – Test documentation: Test Case Specification and Test Procedure Specification
Content	24 end-to-end test procedures (107 steps) + 290 functional test cases
Prepared by	Ram – Senior Test Manager, Quality Thought
Status	Draft – pending review

Revision History

Version	Date	Author	Description
1.0	25 September 2026	Ram (Sr. Test Manager)	Initial test case and procedure specification derived from the PRD and test plan QT-FEC-STP-001

Table of Contents

1. Introduction	3
1.1 Document identification and scope	3
1.2 References	3
1.3 Mapping to ISO/IEC/IEEE 29119-3 information items	3
1.4 Conventions	3
1.5 Summary	4
2. Test Environment and Test Data Requirements	4
3. End-to-End Test Procedures	4
E2E-01: New customer: register, discover, buy with card and receive confirmation	5
E2E-02: Guest checkout with UPI and order lookup, then account creation	5
E2E-03: Returning customer: login, wishlist to cart, saved address and card, gift card split	6
E2E-04: Social login purchase journey	6
E2E-05: Password reset, then secure purchase	6
E2E-06: Payment failure then successful retry without losing cart	7
E2E-07: Duplicate-order prevention under double-click and network retry	7
E2E-08: Last-unit race condition between two customers	7
E2E-09: Cancel an order before shipping and receive refund	8
E2E-10: Ship and track an order, then return an item, track refund and download invoice	8
E2E-11: Exchange a delivered item for a different size	8
E2E-12: Coupon rules across the purchase	9
E2E-13: Cart persistence and guest-to-account merge	9
E2E-14: Session timeout during checkout and recovery	9
E2E-15: Network loss during payment and recovery	10
E2E-16: Out-of-stock notify-me to restock purchase	10
E2E-17: Account maintenance journey	10
E2E-18: Mobile web full purchase on a real device	11
E2E-19: Keyboard-only and screen-reader purchase	11
E2E-20: Cross-browser core purchase flow	11
E2E-21: Security sweep across the customer journey	12
E2E-22: Navigation, content, newsletter and error-page journey	12
E2E-23: Performance spot-check along the funnel	12
E2E-24: Sale pricing through to invoice	13
4. Functional Test Cases by User Story	14
4.1 M01 – Account Registration & Authentication	14
4.2 M02 – Home Page, Navigation & Content	18
4.3 M03 – Product Discovery: Search, Browse & Filters	20
4.4 M04 – Product Detail Page (PDP)	23
4.5 M05 – Shopping Cart	26
4.6 M06 – Checkout & Payments	30
4.7 M07 – Orders, Tracking, Returns & Cancellations	33
4.8 M08 – Account Management	36
4.9 M09 – Notifications, Promotions & Content	38
4.10 M10 – Cross-Cutting: Performance, Security, Compatibility & Accessibility	39
5. Traceability Matrix	43
6. Approval	44

1. Introduction

1.1 Document identification and scope

This document is the Test Case Specification and Test Procedure Specification for the Fashion E-commerce web application at <https://fashion-ecommerce-we-lunb.bolt.host>. It implements the approach defined in test plan QT-FEC-STP-001 and follows the information items of ISO/IEC/IEEE 29119-3:2021, the current international standard for test documentation that superseded IEEE Std 829-2008.

It contains **24 end-to-end test procedures** (107 steps) that exercise complete customer journeys across modules, and **290 functional test cases** – one positive and one negative/edge case for each of the 145 acceptance criteria in US-01 to US-60.

1.2 References

Ref	Document
R1	Fashion E-commerce Application – QA User Stories & End-to-End Test PRD
R2	QT-FEC-STP-001 v1.0 – Software Test Plan (IEEE 829)
R3	ISO/IEC/IEEE 29119-3:2021 – Software and systems engineering – Software testing – Part 3: Test documentation
R4	ISO/IEC/IEEE 29119-4:2021 – Test techniques (equivalence partitioning, boundary value analysis, state transition, scenario testing)
R5	OWASP Web Security Testing Guide; WCAG 2.1 AA

1.3 Mapping to ISO/IEC/IEEE 29119-3 information items

29119-3 item	Where it is recorded in this specification
Unique identifier	E2E-nn for test procedures; TC-USnn-ss for test cases (nn = user story, ss = sequence)
Objective	E2E title / TC title
Priority	Inherited from the user story priority (Critical, High, Medium, Low)
Traceability	User story ID and acceptance criterion number (AC-n); E2E lists covered stories; Section 5 matrix
Preconditions	Stated per user story (applies to all its test cases) and per E2E procedure
Inputs (test data)	Test data column / field
Expected results	Expected result column; per step for E2E procedures
Actual results & test result	Recorded in the companion Excel execution workbook (Actual Result, Status, Defect ID, Executed By, Date, Browser/Device)
Test set	Module (M01-M10) grouping; E2E set

1.4 Conventions

- **Positive** cases (green) confirm the acceptance criterion is met with valid input; **Negative** cases (red) cover invalid input, boundaries, failures and abuse.
- <ts> in test data means a unique timestamp suffix, so each run creates fresh data.
- Monetary values are in INR (₹) unless stated; exact tax and shipping values come from the agreed oracle spreadsheet (test plan §8).
- Business rules the PRD leaves open (lockout threshold, session timeout, return window, coupon rules) use the example values shown; update the test data once the Product Owner confirms them (test plan §12, task 2).
- Critical-priority cases must be executed on every browser/device in test plan §13.2.

1.5 Summary

Module	Stories	Test cases	Positive	Negative	Critical	High	Medium	Low
M01 – Account Registration & Authentication	7	40	20	20	6	20	14	0
M02 – Home Page, Navigation & Content	4	20	10	10	0	0	12	8
M03 – Product Discovery: Search, Browse & Filters	6	32	16	16	8	8	14	2
M04 – Product Detail Page (PDP)	7	34	17	17	6	10	10	8
M05 – Shopping Cart	7	32	16	16	10	16	4	2
M06 – Checkout & Payments	8	38	19	19	26	4	4	4
M07 – Orders, Tracking, Returns & Cancellations	6	26	13	13	0	14	8	4
M08 – Account Management	4	20	10	10	0	0	20	0
M09 – Notifications, Promotions & Content	4	16	8	8	0	0	8	8
M10 – Cross-Cutting: Performance, Security, Compatibility & Accessibility	7	32	16	16	6	4	18	4
Total functional test cases	60	290	145	145	62	76	112	40
End-to-end procedures	—	24	—	—	5	8	9	2

2. Test Environment and Test Data Requirements

Area	Requirement
Environment	https://fashion-ecommerce-we-lunb.bolt.host or production-like staging on HTTPS; build ID recorded per run
Browsers / devices	Chrome, Edge, Firefox, Safari (latest, latest-1); Android Chrome and iOS Safari real devices; tablet
Accounts	qa.user01 (registered, active, saved address + card + wishlist); qa.userB (for authorisation tests); Google/Facebook test users
Catalogue	P-1001 with variants (Red/L in stock 50, Blue/XL out of stock, one variant stock 1, one low-stock 2); sale item MRP 2,000 / sale 1,500; products with no reviews / no recommendations / missing optional data (P-EDGE-01/02); empty category Empty-QA
Promotions	SAVE10 (10%), FLAT200 (min 1,500), WOMEN15 (women's category), ONCE50 (one per user), EXPIRED20 (expired); gift cards GC-1000, GC-ZERO, GC-EXP
Orders	Orders in Placed, Shipped, Delivered (inside and outside return window), Cancelled; prepaid and COD
Payment sandbox	Test cards 4111 1111 1111 1111 / 5555 5555 5555 4444 (success), decline card, 3DS card; UPI success@upi / failure VPA; wallet; COD
Integrations	Email/SMS capture (Mailtrap or vendor sandbox); courier tracking and refund stubs; admin access to change stock, price and order status
Tools	DevTools (throttling, offline, request blocking), Postman, OWASP ZAP / Burp, axe, NVDA / VoiceOver, Lighthouse, k6 / JMeter

3. End-to-End Test Procedures

Each procedure is a complete customer journey executed in order. Record Actual Result and Pass/Fail for every step during execution; the procedure passes only if all steps pass.

E2E-01: New customer: register, discover, buy with card and receive confirmation

Objective	New customer: register, discover, buy with card and receive confirmation
Priority	Critical
Traceability	US-01, 02, 12, 14, 15, 17, 18, 19, 22, 25, 29, 30, 31, 32, 33, 34, 35, 36, 50
Preconditions	Logged out; product P-1001 (Red/L in stock, price 1,499); coupon SAVE10 active; card sandbox
Test data	New email qa.e2e01+<ts>@testmail.com; Password Qa@12345; Card 4111 1111 1111 1111, 12/30, 123; PIN 500081

Step	Action	Expected result	Actual result	P/F
1	Open the homepage and click Register	Registration form displayed with all mandatory fields		
2	Register with valid details	Account created; user logged in (name in header) or redirected to login		
3	Search for "maxi dress"	Relevant results listed; P-1001 present		
4	Apply filter Size L and Colour Red; sort Price Low-High; toggle List view	Only Red/L products shown in ascending price; filter chips visible; layout switches without losing filters		
5	Open P-1001; verify details, size chart and recommended products	Title, price, images, fabric and size chart correct; recommendations link to valid PDPs		
6	Select Red / L and click Add to Cart (qty 2)	Header cart count = 2; mini-cart shows Red/L × 2		
7	Open cart; check delivery estimate for PIN 500081; apply coupon SAVE10	Delivery cost/date shown; subtotal 2,998; discount 299.80; tax/shipping per rule; total matches oracle		
8	Proceed to checkout; add shipping address	Address validated and selected		
9	Select Standard shipping	Shipping cost and ETA shown; total recalculated		
10	Pay with test card	Payment success; redirected to confirmation		
11	Verify confirmation page	Order number, items, totals and address correct		
12	Check mailbox and My Orders	Confirmation email received with matching details; order listed with status Placed/Confirmed		

E2E-02: Guest checkout with UPI and order lookup, then account creation

Objective	Guest checkout with UPI and order lookup, then account creation
Priority	High
Traceability	US-07, 25, 29, 32, 34, 36, 40
Preconditions	Logged out; UPI sandbox
Test data	guest.<ts>@testmail.com; VPA success@upi

Step	Action	Expected result	Actual result	P/F
1	As guest add an in-stock product to cart	Cart count updates		
2	Proceed to checkout and choose Checkout as guest	Guest contact form shown; no login required		
3	Enter email, phone and address	Validated and accepted		
4	Pay via UPI (success VPA)	Payment success; confirmation page with order number		
5	Open Track Order; enter order number + email	Order details and status displayed		
6	Click Create account on confirmation and set password	Account created; guest order visible in Order History		

E2E-03: Returning customer: login, wishlist to cart, saved address and card, gift card split

Objective	Returning customer: login, wishlist to cart, saved address and card, gift card split			
Priority	High			
Traceability	US-02, 24, 28, 39, 47, 48, 49, 34, 36			
Preconditions	Registered user with saved address, saved card and wishlist item Black/M; gift card GC-1000			
Test data	Order value ~1,500			
Step	Action	Expected result	Actual result	P/F
1	Log in with valid credentials	Logged in; previous cart items restored		
2	Open Wishlist; Move Black/M to cart	Cart contains Black/M; wishlist updated		
3	Proceed to checkout	Default saved address pre-selected		
4	Apply gift card GC-1000	1,000 deducted; remaining payable ~500		
5	Pay remainder with saved card (CVV/OTP)	Card shown masked; payment success		
6	Verify confirmation and invoice	Split payment shown correctly; gift card balance now 0		

E2E-04: Social login purchase journey

Objective	Social login purchase journey			
Priority	Medium			
Traceability	US-03, 12, 25, 34, 36			
Preconditions	Google test account not registered on site			
Test data	Google test user			
Step	Action	Expected result	Actual result	P/F
1	Click Continue with Google and approve consent	Account auto-created; logged in with correct email		
2	Search, add product, checkout with card	Order placed successfully		
3	Log out and log in with Google again	Same account; order visible in history		

E2E-05: Password reset, then secure purchase

Objective	Password reset, then secure purchase			
Priority	High			
Traceability	US-04, 02, 05, 06			
Preconditions	Registered user who forgot password			
Test data	New password Reset@2026			
Step	Action	Expected result	Actual result	P/F
1	Request password reset for registered email	Neutral message; reset email received		
2	Open link and set strong new password	Password updated		
3	Log in with old password	Rejected with generic error		
4	Log in with new password and add item to cart	Login succeeds; cart works		
5	Log out and press browser Back	Authenticated pages not shown; redirected to login		

E2E-06: Payment failure then successful retry without losing cart

Objective	Payment failure then successful retry without losing cart			
Priority	Critical			
Traceability	US-34, 35, 37, 29			
Preconditions	Logged in; cart with 2 items; decline test card			
Test data	Decline card; valid card 4111...			
Step	Action	Expected result	Actual result	P/F
1	Proceed to payment and pay with decline card	Clear failure message; no order created		
2	Verify cart and address	Unchanged		
3	Retry with valid card	Payment success; exactly one order		
4	Check gateway sandbox and order history	One successful charge, one declined attempt; one order		

E2E-07: Duplicate-order prevention under double-click and network retry

Objective	Duplicate-order prevention under double-click and network retry			
Priority	Critical			
Traceability	US-37, 36, 59			
Preconditions	Logged in; ready at review step; DevTools			
Test data	Slow 3G throttle			
Step	Action	Expected result	Actual result	P/F
1	Throttle network to Slow 3G	—		
2	Double-click Place Order rapidly	Button disabled after first click with loader		
3	Refresh the confirmation page twice	Same order displayed; no new order		
4	Replay place-order request via DevTools/Postman	Rejected or returns the same order (idempotent)		
5	Check admin and gateway	Exactly one order and one charge		

E2E-08: Last-unit race condition between two customers

Objective	Last-unit race condition between two customers			
Priority	Critical			
Traceability	US-20, 26, 37			
Preconditions	Variant with stock = 1; users A and B in separate browsers			
Test data	Stock 1			
Step	Action	Expected result	Actual result	P/F
1	Users A and B add the last unit to cart	Both carts accept (or second shows low stock)		
2	Both proceed to payment simultaneously	Only one payment captured		
3	Observe result for the second user	Clear out-of-stock message; no charge (or auto-refund per policy)		
4	Check inventory	Stock = 0, never negative; one order		

E2E-09: Cancel an order before shipping and receive refund

Objective	Cancel an order before shipping and receive refund			
Priority	High			
Traceability	US-40, 42, 44, 50			
Preconditions	Prepaid order in Placed status			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Open My Orders and select the order	Cancel option visible		
2	Cancel with reason	Status Cancelled; confirmation email		
3	Check refund status	Refund initiated for full amount to original method		
4	Try to cancel again / cancel a shipped order	Not allowed		

E2E-10: Ship and track an order, then return an item, track refund and download invoice

Objective	Ship and track an order, then return an item, track refund and download invoice			
Priority	High			
Traceability	US-40, 41, 43, 44, 45, 50			
Preconditions	Prepaid order (2 items, coupon applied) ready to ship; courier and refund stubs			
Test data	2 MB JPG photo			
Step	Action	Expected result	Actual result	P/F
1	Move order to Shipped and open tracking; push courier events to Delivered	Tracking link valid; timeline updates to Delivered		
2	Open delivered order; click Return on item 1	Return form with reasons		
3	Select reason, upload photo, submit	Return request ID created		
4	Progress return through pickup and receipt	Status timeline updates; notifications sent		
5	Verify refund amount and status	Amount per policy (proportionate discount); Initiated → Completed		
6	Download invoice / credit note	Valid PDF reflecting return		

E2E-11: Exchange a delivered item for a different size

Objective	Exchange a delivered item for a different size			
Priority	Medium			
Traceability	US-43, 19, 50			
Preconditions	Delivered order within window; alternative size in stock			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Request exchange selecting new size	Only in-stock sizes selectable		
2	Complete pickup and receipt	Status updates		
3	Verify replacement order	New order/shipment for new size at no extra charge		

E2E-12: Coupon rules across the purchase

Objective	Coupon rules across the purchase			
Priority	High			
Traceability	US-30, 29, 26, 27			
Preconditions	Coupons FLAT200 (min 1,500), WOMEN15, ONCE50			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Add items totalling 1,600 and apply FLAT200	Discount 200 applied		
2	Reduce quantity so subtotal is 1,400	Coupon removed/invalidated with message; total correct		
3	Apply WOMEN15 to men's-only cart	Rejected with reason		
4	Place order with ONCE50; try ONCE50 on next order	Second use rejected		

E2E-13: Cart persistence and guest-to-account merge

Objective	Cart persistence and guest-to-account merge			
Priority	Medium			
Traceability	US-28, 25, 02			
Preconditions	Registered user with item B in saved cart			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	As guest add item A	Cart count 1		
2	Log in	Cart contains A and B, no duplicates		
3	Log out; log in on another browser	Same cart contents		

E2E-14: Session timeout during checkout and recovery

Objective	Session timeout during checkout and recovery			
Priority	Medium			
Traceability	US-06, 28, 32			
Preconditions	Logged in; checkout at address step			
Test data	Idle beyond timeout			
Step	Action	Expected result	Actual result	P/F
1	Stay idle beyond session timeout	—		
2	Click Continue	Session expired; redirected to login		
3	Log in again	Returned to checkout/cart with items retained		

E2E-15: Network loss during payment and recovery

Objective	Network loss during payment and recovery			
Priority	Medium			
Traceability	US-59, 34, 36			
Preconditions	Checkout at payment step			
Test data	DevTools Offline			
Step	Action	Expected result	Actual result	P/F
1	Switch DevTools to Offline and click Pay	Clear offline message; no blank page		
2	Reconnect and retry	Payment succeeds; one order		
3	Repeat with offline right after gateway success	On reconnect order confirmed once; no double charge		

E2E-16: Out-of-stock notify-me to restock purchase

Objective	Out-of-stock notify-me to restock purchase			
Priority	Low			
Traceability	US-20, 53, 19, 25			
Preconditions	Variant Blue/XL out of stock			
Test data	notify.<ts>@testmail.com			
Step	Action	Expected result	Actual result	P/F
1	Select Blue/XL on PDP	Add to Cart disabled; Notify me shown		
2	Subscribe with email	Confirmation shown		
3	Restock Blue/XL in admin	Notification email received with PDP link		
4	Open link and buy	Variant pre-selected; purchase completes		

E2E-17: Account maintenance journey

Objective	Account maintenance journey			
Priority	Medium			
Traceability	US-46, 47, 48, 05			
Preconditions	Logged-in user			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Update name and phone	Saved and persisted		
2	Change password with current password	Success; notification email		
3	Add new address and set as default	Pre-selected at next checkout		
4	Remove a saved card	No longer listed or usable		
5	Log out	Session cleared		

E2E-18: Mobile web full purchase on a real device

Objective	Mobile web full purchase on a real device			
Priority	High			
Traceability	US-54, 09, 23, 25, 34, 36			
Preconditions	Android (Chrome) and iPhone (Safari) real devices			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Open site; use hamburger menu to a category	Menu opens/closes correctly		
2	Filter and open PDP; pinch-zoom image	Usable filters; zoom works		
3	Add to cart and checkout with numeric keyboards for PIN/phone	Fields usable; not hidden by keyboard		
4	Pay with UPI/card	Order placed; confirmation readable on mobile		

E2E-19: Keyboard-only and screen-reader purchase

Objective	Keyboard-only and screen-reader purchase			
Priority	Medium			
Traceability	US-57, 09, 19, 32			
Preconditions	NVDA + Chrome; VoiceOver + Safari			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Navigate menu, filters and PDP with keyboard	All controls reachable with visible focus		
2	Select variant and add to cart	State changes announced		
3	Complete checkout form	Labels and errors announced		
4	Place order	Confirmation announced; order placed		

E2E-20: Cross-browser core purchase flow

Objective	Cross-browser core purchase flow			
Priority	High			
Traceability	US-56, 12, 25, 34, 36			
Preconditions	Chrome, Edge, Firefox, Safari (latest and latest-1)			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Execute E2E-01 steps 3-12 on each browser/version	Flow completes identically on all 8 combinations		
2	Compare layout of home, PDP, cart, checkout	No layout-breaking differences		

E2E-21: Security sweep across the customer journey

Objective	Security sweep across the customer journey			
Priority	Critical			
Traceability	US-38, 58, 12, 21, 40, 48			
Preconditions	ZAP/Burp; accounts A and B			
Test data	XSS/SQLi payload list			
Step	Action	Expected result	Actual result	P/F
1	Verify HTTPS/certificate on all pages	HTTPS everywhere; HSTS present		
2	Enter XSS/SQLi payloads in search, review, profile and address	No execution; no errors leaked		
3	Capture card payment traffic	No PAN/CVV in URLs, logs or storage		
4	With A's session access B's orders, addresses, invoices	403/404 for all		
5	Replay state-changing requests without CSRF token	Rejected		

E2E-22: Navigation, content, newsletter and error-page journey

Objective	Navigation, content, newsletter and error-page journey			
Priority	Low			
Traceability	US-08, 09, 10, 11, 51, 60			
Preconditions	—			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	Use homepage carousel and CTAs	Correct destinations		
2	Navigate category → subcategory → PDP via breadcrumbs	Breadcrumbs accurate and clickable		
3	Open each footer policy link	Correct pages load		
4	Subscribe to newsletter from footer, then unsubscribe via email link	Confirmation email received; unsubscribe stops further emails		
5	Open invalid URL and trigger test 500	Branded 404 and friendly 500; no stack trace		

E2E-23: Performance spot-check along the funnel

Objective	Performance spot-check along the funnel			
Priority	Medium			
Traceability	US-55, 13, 16			
Preconditions	Lighthouse; k6/JMeter			
Test data	50 concurrent virtual users			
Step	Action	Expected result	Actual result	P/F
1	Run Lighthouse on home, listing, PDP	Within agreed thresholds		
2	Type in search and measure autocomplete latency	Suggestions within ~300 ms		
3	Scroll/paginate listing to page 5	Load time acceptable; no duplicates		
4	Run concurrent-user spot-check on PDP and checkout	Response times within threshold; error rate < 1%		

E2E-24: Sale pricing through to invoice

Objective	Sale pricing through to invoice			
Priority	Medium			
Traceability	US-52, 29, 45			
Preconditions	Sale item MRP 2,000, sale 1,500			
Test data	—			
Step	Action	Expected result	Actual result	P/F
1	View sale item on listing and PDP	Strikethrough 2,000, price 1,500, 25% off, Sale badge		
2	Add to cart and checkout	Cart and payment use 1,500		
3	Download invoice	Invoice shows correct price, discount and tax		

4. Functional Test Cases by User Story

Test cases are grouped by module and user story. Preconditions stated for a story apply to all its test cases. Steps are numbered in execution order.

4.1 M01 – Account Registration & Authentication

US-01 – Register account with email & password · Priority: **High** · Preconditions: User is logged out; Registration page is reachable from header "Sign up / Register"; test mailbox available

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Registration form validates required fields (name, email, password, confirm password)					
TC-US01-01	Positive	Register with all mandatory fields valid	1. Open Register page 2. Enter full name, unique email, valid password and matching confirm password 3. Click Register	Name: Asha Rao; Email: qa.reg01+<ts>@testmail.com ; Password: Qa@12345	Account is created; success message or redirect shown; no field-level errors
TC-US01-02	Negative	Submit with each mandatory field blank / invalid email format	1. Leave Name blank and submit 2. Repeat for Email, Password, Confirm Password 3. Enter email "asha@", "asha.com", "@test.com" and submit	Blank values; malformed emails	Form is not submitted; inline error shown against the specific field; entered valid data is retained
AC-2: Password enforces minimum strength rules (length, character mix)					
TC-US01-03	Positive	Accept password meeting strength policy	1. Enter password with min length, upper, lower, digit and special character 2. Submit with other fields valid	Password: Qa@12345 (8 chars) and Str0ng!Pass2026	Password accepted; strength indicator (if any) shows Strong; account created
TC-US01-04	Negative	Reject weak passwords at boundary	1. Enter password one character below min length 2. Enter all-lowercase, all-digit and no-special-character passwords 3. Enter password and non-matching confirm	Qa@1234 (7 chars); password: 12345678; Qa123456; Confirm: Qa@12346	Each attempt is rejected with a message stating the unmet rule; mismatch error shown for confirm field
AC-3: Duplicate email registration is blocked with a clear error message					
TC-US01-05	Positive	Register with a never-used email succeeds	1. Register with an email not in the system	qa.unique+<ts>@testmail.com	Registration succeeds; one account exists for this email
TC-US01-06	Negative	Register again with an existing email (case variants)	1. Register with an already registered email 2. Repeat with the same email in UPPERCASE and with leading/trailing spaces	existing: qa.reg01@testmail.com; Q A.REG01@TESTMAIL.COM; " qa.reg01@testmail.com "	Registration blocked with clear "email already registered" message and a link to login/reset; no second account created
AC-4: Successful registration logs the user in or redirects to login/confirmation					
TC-US01-07	Positive	Post-registration landing is correct	1. Complete a valid registration 2. Observe landing page and header	Valid new user	User is logged in (name shown in header) or redirected to login/confirmation page as per design; welcome/verification email received if applicable

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US01-08	Negative	Refresh / back after registration does not re-submit	1. After successful registration press browser Back 2. Press F5 on the confirmation page	—	No duplicate account or error; user is not asked to resubmit form data

US-02 – Login with email & password · Priority: **Critical** · Preconditions: Registered, active account exists; user is logged out

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Valid credentials log the user in and redirect to homepage/account					
TC-US02-01	Positive	Login with valid credentials	1. Open Login 2. Enter registered email and correct password 3. Click Login	qa.user01@testmail.com / Qa@12345	User logged in; redirected to homepage or My Account; user name visible in header
TC-US02-02	Negative	Login with email in different case / extra spaces	1. Enter email in uppercase with trailing space and correct password 2. Submit	" QA.USER01@TESTMAIL.COM "	Login succeeds (email treated case-insensitively and trimmed) or a clear validation message is shown — never a system error
AC-2: Invalid credentials show a generic, non-revealing error message					
TC-US02-03	Positive	Error message is generic for wrong password	1. Enter registered email with wrong password 2. Submit	qa.user01@testmail.com / Wrong@123	Generic message such as "Invalid email or password"; password field cleared; no indication which field is wrong
TC-US02-04	Negative	Error message is identical for unregistered email	1. Enter unregistered email with any password 2. Compare message with previous case	nobody+<ts>@testmail.com	Same generic message and same response time pattern; system does not reveal whether the email exists
AC-3: Account locks or throttles after repeated failed attempts					
TC-US02-05	Positive	Login still allowed below lockout threshold	1. Enter wrong password (threshold-1) times 2. Enter correct password	Threshold per policy (e.g. 5)	Login succeeds; failed-attempt counter resets
TC-US02-06	Negative	Lockout / throttle after threshold	1. Enter wrong password threshold times 2. Try correct password immediately 3. Wait lockout period and retry	5 consecutive failures	Account locked or throttled with clear message (CAPTCHA/delay); correct password rejected during lock; login works after lock period or unlock via email

US-03 – Social / third-party login · Priority: **Medium** · Preconditions: Google and Facebook OAuth apps configured for the test environment; test social accounts available

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Social login button initiates OAuth flow correctly					
TC-US03-01	Positive	Google/Facebook button opens provider consent	1. Click "Continue with Google" 2. Verify provider URL and consent screen 3. Approve	Google test account	Provider login/consent over HTTPS opens; after approval user returns to site logged in
TC-US03-02	Negative	User cancels / denies consent	1. Click social login 2. Cancel or deny on provider screen	—	User returned to login page with friendly message; not logged in; no error page
AC-2: New social users get an account auto-created with correct email					

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US03-03	Positive	First-time social login creates account	1. Log in with a social account whose email is not registered 2. Open My Account > Profile	new.social@gmail.com	Account created automatically; profile shows correct name and email from provider
TC-US03-04	Negative	Social account without email permission	1. Log in with a social account that withholds email (Facebook: deny email scope)	FB test user without email	User is prompted to supply email or shown clear message; no account with blank email created
AC-3: Existing email conflict is handled gracefully					
TC-US03-05	Positive	Social login with email already registered links or prompts	1. Register qa.link@gmail.com with password 2. Log out 3. Use Google login with same email	qa.link@gmail.com	Accounts are linked (after verification) or user is asked to log in with password to link; single account remains
TC-US03-06	Negative	No duplicate account on conflict	1. After conflict flow, check number of accounts/orders for that email	—	Only one account; existing order history intact; no unhandled error

US-04 – Forgot / reset password · Priority: **High** · Preconditions: Registered account exists; reset emails captured in test mailbox

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Reset link is emailed only to registered addresses					
TC-US04-01	Positive	Request reset for a registered email	1. Click Forgot password 2. Enter registered email 3. Submit 4. Open mailbox	qa.user01@testmail.com	Neutral confirmation shown on screen; reset email with single-use link received promptly
TC-US04-02	Negative	Request reset for unregistered email	1. Submit Forgot password with an unregistered email	nobody+<ts>@testmail.com	Same neutral on-screen message (no account enumeration); no email sent
AC-2: Reset link expires after a defined time window					
TC-US04-03	Positive	Reset link works within validity window	1. Request reset 2. Open link within the window 3. Set new valid password	New password: Reset@2026	Password updated; user can log in with new password; old password rejected
TC-US04-04	Negative	Expired and reused links are rejected	1. Open a link after the expiry time 2. Open an already-used link 3. Request two resets and use the older link	Link older than policy (e.g. 30 min)	Clear "link expired/invalid" message with option to request a new one; password not changed
AC-3: New password must meet strength requirements before being accepted					
TC-US04-05	Positive	Strong new password accepted	1. On reset page enter strong password and matching confirm	Reset@2026	Password saved; confirmation shown
TC-US04-06	Negative	Weak or same-as-old password rejected	1. Enter weak password 2. Enter mismatched confirm 3. Enter the current password (if policy forbids reuse)	1234567; Qa@12345	Rejected with rule-specific message; link remains valid until successful reset or expiry

US-05 – Logout · Priority: **Medium** · Preconditions: User is logged in

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Logout clears session/token and redirects to homepage or login					
TC-US05-01	Positive	Logout ends session	1. Click Logout from account menu 2. Inspect cookies/localStorage in DevTools	—	Redirected to homepage/login; auth cookie/token removed or invalidated; header shows Login
TC-US05-02	Negative	Old session token cannot be reused	1. Copy session cookie/token before logout 2. Log out 3. Replay a request to My Account with old token (Postman/DevTools)	Captured token	Server rejects request (401/redirect to login); no account data returned
AC-2: Back button after logout does not expose authenticated pages					
TC-US05-03	Positive	Back button after logout	1. Visit My Orders 2. Log out 3. Press browser Back several times	—	Protected pages are not displayed from cache; user redirected to login
TC-US05-04	Negative	Direct URL to protected pages after logout	1. Paste /account, /orders, /checkout URLs after logout	Bookmarked URLs	Each redirects to login; after login user lands on requested page

US-06 – Session timeout & re-authentication · Priority: **Medium** · Preconditions: Session timeout policy known (e.g. 30 min idle); user logged in with items in cart

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Session times out per defined policy					
TC-US06-01	Positive	Activity within timeout keeps session alive	1. Stay idle for (timeout - 2 min) 2. Navigate to My Account	—	User still logged in
TC-US06-02	Negative	Idle beyond timeout expires session	1. Stay idle beyond timeout 2. Click any authenticated link	Timeout + 1 min	Session expired message; redirected to login; after re-login, cart contents retained per policy
AC-2: User is prompted to re-authenticate for sensitive actions (checkout, payment info)					
TC-US06-03	Positive	Re-auth prompt before sensitive action	1. With an aged session open Saved Payments or place order	Session older than re-auth window	Password re-entry requested; action proceeds after correct password
TC-US06-04	Negative	Wrong password on re-auth prompt	1. Enter wrong password on re-auth prompt	Wrong@123	Action blocked; generic error; attempts counted toward logout

US-07 – Guest checkout · Priority: **High** · Preconditions: User not logged in; in-stock product available; payment sandbox active

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Guest can add to cart and complete checkout without registration					
TC-US07-01	Positive	Guest completes checkout	1. Add product to cart as guest 2. Proceed to checkout 3. Choose "Checkout as guest" 4. Enter email, address, pay with test card	guest.<ts>@testmail.com; Card 4111 1111 1111 1111	Order placed; confirmation page and email received; no account required

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US07-02	Negative	Guest checkout with invalid email / missing contact	1. Enter invalid email or leave phone blank at guest checkout	"guest@"; blank phone	Validation errors; cannot proceed until corrected; cart retained
AC-2: Guest is offered an option to create an account post-purchase					
TC-US07-03	Positive	Create account from confirmation page	1. On confirmation page click Create account 2. Set password	Qa@12345	Account created with same email; the guest order appears in Order History
TC-US07-04	Negative	Decline account creation	1. Dismiss the create-account offer	—	No account created; guest order remains retrievable by lookup; no repeated nagging on refresh
AC-3: Guest order is retrievable via order number + email					
TC-US07-05	Positive	Look up guest order	1. Open Track Order 2. Enter order number and the email used	Valid order no + email	Order details and status displayed
TC-US07-06	Negative	Look up with mismatched details	1. Enter valid order number with a different email 2. Enter random order number	other@testmail.com; ORD-000000	Generic "order not found" message; no data of another customer shown; lookup rate-limited

4.2 M02 – Home Page, Navigation & Content

US-08 – Homepage sections · Priority: **Medium** · Preconditions: Homepage content configured (banners, categories, featured products)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Homepage loads all key sections (banner, categories, featured/trending products)					
TC-US08-01	Positive	All homepage sections render	1. Open homepage on desktop 2. Scroll full page	—	Banner, categories, featured/trending sections visible; no broken images or placeholders; no console errors
TC-US08-02	Negative	Homepage with slow network / missing section data	1. Throttle to Slow 3G and reload 2. (If configurable) empty a featured section	DevTools Slow 3G	Skeletons/loaders shown; page remains usable; empty section hidden gracefully
AC-2: Banner carousel navigation (next/prev/auto-rotate) works correctly					
TC-US08-03	Positive	Carousel next / prev / auto-rotate	1. Click Next and Prev arrows 2. Click pagination dots 3. Wait for auto-rotate interval	—	Slides change in correct order; loops at ends; auto-rotates at configured interval; pauses on hover (if designed)
TC-US08-04	Negative	Rapid clicking and keyboard use	1. Click Next 10 times rapidly 2. Tab to carousel controls and use Enter/arrows	—	No blank slides, overlap or JS errors; controls operable by keyboard
AC-3: All homepage CTAs link to the correct destination pages					
TC-US08-05	Positive	Each CTA reaches correct page	1. Click every banner CTA, category tile and featured product	Link inventory sheet	Each lands on the intended listing/PDP; page title matches
TC-US08-06	Negative	No broken CTA links	1. Run link checker over homepage	—	No 404/500 responses; no links to staging/placeholder URLs

US-09 – Main navigation menu · Priority: **Medium** · Preconditions: Category tree configured with nested subcategories

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All top-level and nested category links route to the correct listing pages					
TC-US09-01	Positive	Navigate every category level	1. Hover/click each top-level menu 2. Click each subcategory	Women > Dresses > Maxi	Correct listing opens; heading and breadcrumbs match chosen category; products belong to category
TC-US09-02	Negative	Direct URL to invalid category	1. Enter /category/does-not-exist	—	Friendly 404 / empty state; navigation still available
AC-2: Menu is keyboard-navigable and collapses correctly on mobile					
TC-US09-03	Positive	Keyboard navigation of menu	1. Tab to menu 2. Use Enter/Space/Arrow keys to open submenus 3. Esc to close	Keyboard only	All items reachable; visible focus; submenus open and close predictably
TC-US09-04	Negative	Mobile hamburger behaviour	1. On 375px viewport open hamburger 2. Expand/collapse subcategories 3. Rotate device	iPhone / Android	Menu opens/closes; no overlap; background scroll locked; closes after selecting a link
AC-3: Broken or empty category pages show a friendly empty state, not an error					
TC-US09-05	Positive	Empty category shows friendly state	1. Open a category with zero products	Test category "Empty-QA"	Message "No products found" with suggestions/continue shopping link
TC-US09-06	Negative	Category API failure	1. Block category API call in DevTools and reload	Request blocking	Friendly error message with retry; no raw error or blank page

US-10 – Breadcrumb navigation · Priority: **Low** · Preconditions: Products exist at least 3 category levels deep

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Breadcrumbs reflect the current category/product path accurately					
TC-US10-01	Positive	Breadcrumb on listing and PDP	1. Navigate Home > Women > Dresses 2. Open a product	—	Breadcrumb shows Home > Women > Dresses (> Product name) accurately
TC-US10-02	Negative	Breadcrumb when PDP opened from search or deep link	1. Open PDP from search results 2. Open PDP via direct URL	—	Breadcrumb shows product's canonical category path; no "undefined" or empty segments
AC-2: Each breadcrumb segment is clickable and navigates correctly					
TC-US10-03	Positive	Click each breadcrumb segment	1. Click each segment from PDP	—	Each navigates to correct level; last segment (current page) is not a link
TC-US10-04	Negative	Breadcrumb retains filters when going back (if designed)	1. Apply filter on listing 2. Open PDP 3. Click category breadcrumb	Filter: Size M	Behaviour matches design (filters retained or cleared); no errors

US-11 – Footer policy links · Priority: **Low** · Preconditions: Footer present on all pages

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All footer links resolve to the correct, non-broken pages					
TC-US11-01	Positive	Footer links open correct pages	1. Click Shipping, Returns, Privacy, Terms, Contact, social links	—	Each opens correct page (social links in new tab); HTTP 200
TC-US11-02	Negative	Footer links from deep pages / link checker	1. Run link checker from PDP and checkout pages	—	No 404s; no mixed-content or http:// links
AC-2: Policy content is legible and up to date					
TC-US11-03	Positive	Policy content review	1. Open each policy page 2. Check headings, dates, contact details	—	Content readable, correctly formatted, "last updated" date present and current
TC-US11-04	Negative	Policy pages on mobile and zoom 200%	1. Open on 375px viewport 2. Zoom browser to 200%	—	Text reflows without horizontal scroll or overlap

4.3 M03 – Product Discovery: Search, Browse & Filters**US-12 – Keyword search** · Priority: **Critical** · Preconditions: Catalogue seeded with known products (e.g. "Floral Maxi Dress", "Denim Jacket")

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Search returns relevant results for exact and partial matches					
TC-US12-01	Positive	Exact and partial keyword search	1. Search "Floral Maxi Dress" 2. Search "maxi" 3. Search "DENIM"	Known product names	Exact product ranks at top; partial matches return all relevant products; search is case-insensitive
TC-US12-02	Negative	Leading/trailing spaces and single character	1. Search " maxi " 2. Search "a"	—	Spaces trimmed with same results; single char handled per design (min length message or results)
AC-2: Search handles typos/synonyms gracefully (or shows 'did you mean')					
TC-US12-03	Positive	Typo returns suggestion	1. Search "florl dres" and "jaket"	—	Relevant results or "Did you mean floral dress / jacket" shown
TC-US12-04	Negative	Synonym search	1. Search "trousers" when catalogue uses "pants" 2. "sneakers" vs "trainers"	—	Relevant products returned or helpful suggestion; no error
AC-3: Empty/no-result search shows a helpful empty state with suggestions					
TC-US12-05	Positive	No-result state	1. Search "zzqxv"	—	"No results for zzqxv" with suggestions/popular categories; search box retains query
TC-US12-06	Negative	Empty submit	1. Click search with empty box / only spaces	"" / " "	No request or friendly prompt; no error page
AC-4: Special characters and SQL/script injection in the search box are handled safely					
TC-US12-07	Positive	Special characters handled	1. Search "T-shirt", "50% off", "Levi's", "café"	—	Results or empty state; characters displayed correctly (encoded)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US12-08	Negative	Injection payloads neutralised	1. Search <script>alert(1)</script> 2. ' OR 1=1 -- 3. ">	XSS / SQLi payloads	No script execution; no SQL error/stack trace; payload shown as escaped text; no data leakage

US-13 – Autocomplete / type-ahead · Priority: **Medium** · Preconditions: Autocomplete enabled

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Suggestions appear after a minimal number of characters with acceptable latency					
TC-US13-01	Positive	Suggestions appear at min characters	1. Type "dr" then "dre" slowly 2. Measure time to suggestions (DevTools)	—	Suggestions appear at configured min chars (e.g. 2–3) within ~300 ms; relevant to typed text
TC-US13-02	Negative	Below minimum / fast typing / no match	1. Type 1 char 2. Type quickly "floraldress" 3. Type "zzq"	—	No suggestions below minimum; no flicker or stale results; "no suggestions" handled gracefully
AC-2: Clicking a suggestion navigates to the correct product or listing page					
TC-US13-03	Positive	Select suggestion with mouse and keyboard	1. Click a product suggestion 2. Use Arrow Down + Enter on a category suggestion	—	Correct PDP/listing opens
TC-US13-04	Negative	Press Enter without selecting suggestion	1. Type "dress" and press Enter	—	Full search results page for "dress" (not first suggestion unless designed)

US-14 – Listing filters · Priority: **High** · Preconditions: Listing with products spanning multiple sizes, colours, brands and prices

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Each filter correctly narrows the result set (single and combined filters)					
TC-US14-01	Positive	Single and combined filters	1. Apply Size M 2. Add Colour Black 3. Add Price 1000–2000 4. Add Brand X	Filters as listed	Every product shown satisfies all selected filters; count updates each time
TC-US14-02	Negative	Contradictory filters / zero results	1. Combine filters yielding no product 2. Enter min price > max price	Price 5000–1000	Friendly "no products match" with Clear filters option; invalid range validated
AC-2: Applied filters are visibly listed and individually removable					
TC-US14-03	Positive	Remove individual filter chip	1. Apply 3 filters 2. Remove one chip	—	Chip removed; results expand accordingly; other filters stay applied
TC-US14-04	Negative	Filters persist on back navigation and URL share	1. Apply filters 2. Open PDP 3. Press Back 4. Copy URL into new tab	—	Filters retained after Back and via shared URL
AC-3: 'Clear all filters' resets the listing to the unfiltered state					

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US14-05	Positive	Clear all	1. Apply multiple filters 2. Click Clear all	—	All chips removed; product count equals unfiltered count
TC-US14-06	Negative	Clear all with sort applied	1. Apply sort Price Low-High and filters 2. Clear all	—	Filters cleared; sort behaviour per design; no error
AC-4: Filter counts (e.g., items per size) match actual results					
TC-US14-07	Positive	Facet count accuracy	1. Note count next to Size M 2. Apply Size M 3. Count products across pages	—	Displayed facet count equals actual number of results
TC-US14-08	Negative	Counts for out-of-stock variants	1. Check count for a size with only out-of-stock products	—	Counts follow design (exclude or label OOS); no mismatch

US-15 – Listing sort · Priority: **Medium** · Preconditions: Listing with > 1 page of products with varying price, date, rating

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Each sort option reorders results correctly and consistently					
TC-US15-01	Positive	Verify every sort option	1. Apply Price Low-High, High-Low, Newest, Popularity, Rating	—	Order is correct per option (verify first/last 10 items against data); stable across reloads
TC-US15-02	Negative	Equal values / discounted prices	1. Sort by price with items having equal price and sale prices	—	Sort uses the displayed (final) price; ties consistent; no mis-ordering
AC-2: Sort selection persists across pagination					
TC-US15-03	Positive	Sort persists on next page	1. Sort Price Low-High 2. Go to page 2 and 3	—	Page 2 continues ascending order; sort selector still shows chosen option
TC-US15-04	Negative	Sort persists after filter change and Back	1. Sort 2. apply filter 3. Open PDP 4. Back	—	Sort retained; no reset to default unexpectedly

US-16 – Pagination / infinite scroll · Priority: **Medium** · Preconditions: Category with at least 3 pages / 60+ products

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Pagination controls or infinite scroll load the correct next set of products					
TC-US16-01	Positive	Load next page / scroll	1. Click Next / page 2 or scroll to bottom	—	Next set of products loads; loader shown; page indicator updates
TC-US16-02	Negative	Last page and invalid page number	1. Go to last page 2. Enter ?page=999 and ?page=-1 in URL	—	Next disabled on last page; invalid page shows friendly state or redirects to page 1
AC-2: No duplicate or skipped products occur between pages					
TC-US16-03	Positive	Continuity across pages	1. Record product IDs on pages 1-3	—	No duplicates or gaps; total equals catalogue count

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US16-04	Negative	Catalogue change during browsing	1. While on page 2, add/remove a product via admin 2. go to page 3	Admin change	No duplicate or missing items beyond expected shift; no crash
AC-3: Page load time remains acceptable as the user scrolls/paginates					
TC-US16-05	Positive	Load time per page	1. Measure load of pages 1-5 in DevTools	—	Each page/segment loads within threshold (e.g. < 2 s)
TC-US16-06	Negative	Deep infinite scroll memory	1. Scroll through 200+ products	—	No significant slowdown, jank or memory growth; scroll position retained on Back

US-17 – Grid / list toggle · Priority: **Low** · Preconditions: Listing page with filters and sort available

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Grid/list toggle changes layout without losing filters/sort/scroll position					
TC-US17-01	Positive	Toggle grid/list	1. Apply filter and sort 2. Scroll to middle 3. Toggle to List then Grid	—	Layout switches; filters, sort and approximate scroll position retained
TC-US17-02	Negative	Toggle on mobile and persistence	1. Toggle on 375px viewport 2. Navigate to PDP and back	—	Layout usable on mobile; preference retained per design

4.4 M04 – Product Detail Page (PDP)

US-18 – Product details · Priority: **High** · Preconditions: Product with multiple images, description, fabric, price and size chart; backend data sheet available

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All product data fields render correctly and match backend data					
TC-US18-01	Positive	PDP data matches backend	1. Open PDP 2. Compare title, price, description, fabric, SKU with data sheet	Product P-1001	All fields match exactly; currency formatting correct
TC-US18-02	Negative	Missing optional data / long text	1. Open product with no fabric info 2. product with very long name	P-EDGE-01	Missing fields hidden gracefully (no "null/undefined"); long text wraps without breaking layout
AC-2: Multiple product images/zoom/gallery function correctly					
TC-US18-03	Positive	Gallery navigation	1. Click thumbnails 2. Use arrows 3. Swipe on mobile	—	Main image updates; correct order; no distortion
TC-US18-04	Negative	Broken image URL	1. Product with one broken image	P-EDGE-02	Placeholder shown; gallery still works
AC-3: Size chart/guide is accessible and accurate					

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US18-05	Positive	Size chart opens and matches data	1. Click Size guide	—	Modal/page opens; measurements match master size chart; closable via X/Esc
TC-US18-06	Negative	Size chart on mobile / keyboard	1. Open on 375px 2. Open via keyboard	—	Table scrollable/readable; focus trapped in modal and returned on close

US-19 – Variant selection · Priority: **Critical** · Preconditions: Product with variants: sizes S-XL and colours with different prices/images; some combinations OOS

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Selecting a variant updates price, image, and availability correctly					
TC-US19-01	Positive	Variant selection updates PDP	1. Select Colour Red then Size L	P-1001 Red/L	Image switches to red; price and stock shown for Red/L; URL/SKU updates
TC-US19-02	Negative	Add to cart without selecting size	1. Click Add to Cart without choosing size	—	Prompt "Please select a size"; item not added
AC-2: Out-of-stock size/color combinations are clearly disabled or labeled					
TC-US19-03	Positive	OOS combination disabled	1. Select Colour Blue	Blue/XL OOS	XL shown disabled/struck-through or labelled "Out of stock"
TC-US19-04	Negative	Attempt to force OOS variant	1. Try to click disabled size 2. manipulate variant ID in request	—	Cannot add OOS variant; server rejects tampered request
AC-3: Selected variant carries correctly into the cart					
TC-US19-05	Positive	Cart shows selected variant	1. Add Red/L to cart 2. Open cart	—	Cart line shows Red, L, correct SKU, image and price
TC-US19-06	Negative	Change variant after adding	1. Add Red/L 2. Return to PDP 3. Add Black/M	—	Two separate lines (Red/L and Black/M); no overwrite

US-20 – Stock availability · Priority: **High** · Preconditions: Products with in-stock, low-stock (e.g. ≤ 3) and zero stock configured

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: 'Out of stock' / 'low stock' indicators reflect actual inventory					
TC-US20-01	Positive	Stock indicators match inventory	1. Open in-stock, low-stock and OOS variants	Stock 50 / 2 / 0	Labels "In stock", "Only 2 left", "Out of stock" match admin values
TC-US20-02	Negative	Stock change reflects on refresh	1. Reduce stock to 0 in admin while PDP open 2. Refresh	—	PDP shows Out of stock after refresh; add to cart blocked
AC-2: Add-to-cart is disabled or blocked for unavailable items					
TC-US20-03	Positive	Add to cart disabled for OOS	1. Select OOS variant	—	Add to Cart disabled or replaced by "Notify me"

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US20-04	Negative	Last-unit race condition	1. Users A and B add the last unit 2. Both proceed to pay	Stock = 1	Only one order succeeds; the other gets clear OOS message before payment capture; stock never negative

US-21 - Ratings & reviews · Priority: **Medium** · Preconditions: Product with existing reviews; one account with verified purchase and one without

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Average rating and review count display accurately					
TC-US21-01	Positive	Rating summary correct	1. Compare average rating and count with review data	e.g. 12 reviews avg 4.3	Displayed average (rounded per rule) and count match data
TC-US21-02	Negative	Product with zero reviews	1. Open product without reviews	—	"No reviews yet" shown; no NaN or 0-star misleading display
AC-2: Reviews list, sort, and pagination function correctly					
TC-US21-03	Positive	Sort and paginate reviews	1. Sort Newest, Highest, Lowest 2. Go to next page	—	Order correct; pagination loads next reviews without duplicates
TC-US21-04	Negative	Review with long text / special chars	1. View review with 2000 chars, emoji and HTML-like text	—	Text wraps/truncates with "Read more"; HTML is escaped
AC-3: Review submission requires a verified purchase or account, per policy					
TC-US21-05	Positive	Verified buyer submits review	1. Log in as verified buyer 2. Submit rating + text	5 stars, "Great fit"	Review submitted (published or pending moderation per policy)
TC-US21-06	Negative	Guest / non-buyer / script injection	1. Try review as guest 2. as non-buyer 3. Submit review text with <script>	XSS payload	Blocked per policy with message; payload sanitised; no script execution

US-22 - Recommended products · Priority: **Low** · Preconditions: Product with related products configured; another product with none

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Recommended products are relevant and link to correct PDPs					
TC-US22-01	Positive	Recommendations are relevant	1. Open PDP 2. Inspect recommended module 3. Click an item	—	Items relevant (same/complementary category); link opens correct PDP; current product not recommended to itself
TC-US22-02	Negative	Recommended OOS items	1. Check module when related items are out of stock	—	OOS items hidden or labelled consistently
AC-2: Recommendation module doesn't break layout when empty					
TC-US22-03	Positive	Layout with few items	1. PDP with 1-2 recommendations	—	Module renders cleanly without gaps
TC-US22-04	Negative	Layout with zero items	1. PDP with no recommendations	—	Module hidden; no empty heading or broken spacing

US-23 - Image zoom / multi-angle · Priority: **Low** · Preconditions: Product with multiple angle images (and 360° if supported)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Zoom works on desktop (hover/click) and mobile (pinch/tap)					
TC-US23-01	Positive	Desktop and mobile zoom	1. Hover/click main image on desktop 2. Pinch/double-tap on mobile	—	Zoom shows higher-resolution detail; exit zoom works
TC-US23-02	Negative	Zoom on low-resolution image	1. Zoom on product with small image	—	No pixelated overscale beyond native resolution or graceful message; no layout break
AC-2: All product angle images load without distortion or broken links					
TC-US23-03	Positive	All angle images load	1. Cycle through all angles / 360 view	—	All images load with correct aspect ratio
TC-US23-04	Negative	Slow network image loading	1. Throttle to Slow 3G	—	Placeholders/lazy-loading shown; no layout shift breaking page

US-24 - Add to wishlist · Priority: **Medium** · Preconditions: Wishlist feature enabled; user logged in (and guest session for negative)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Wishlist icon toggles correctly (added/removed) with visual feedback					
TC-US24-01	Positive	Add and remove from wishlist	1. Click heart on listing 2. Click again on PDP	—	Heart fills with toast "Added"; second click removes; wishlist count updates
TC-US24-02	Negative	Rapid toggling	1. Click heart 6 times quickly	—	Final state consistent with last click; no duplicate entries
AC-2: Wishlist action requires login or persists for guest session, per design					
TC-US24-03	Positive	Logged-in wishlist persists	1. Add item 2. Log out 3. Log in on another browser	—	Item present in wishlist
TC-US24-04	Negative	Guest clicks wishlist	1. As guest click heart	—	Prompt to log in (item added after login) or saved to guest session per design; no error

4.5 M05 - Shopping Cart**US-25 - Add to cart** · Priority: **Critical** · Preconditions: In-stock product with variants; cart empty

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Add-to-cart updates cart icon/count immediately					
TC-US25-01	Positive	Cart count updates	1. Select variant 2. Click Add to Cart	Qty 1	Mini-cart/toast shown; header count increments to 1 immediately without reload
TC-US25-02	Negative	Double-click Add to Cart	1. Double-click Add to Cart rapidly	—	Quantity reflects intended action (1 or 2 per design) without duplicate lines or errors
AC-2: Correct product, variant, price and quantity are reflected in the cart					

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US25-03	Positive	Cart line accuracy	1. Add Red/L qty 2 2. Open cart	Price 1499	Line shows name, Red, L, 2, unit 1499 and line total 2998
TC-US25-04	Negative	Price change after adding	1. Change price in admin after item is in cart 2. Refresh cart / proceed to checkout	New price 1599	Cart updates to current price with notice, or price honoured per policy; never charges a price not displayed
AC-3: Adding an already-in-cart item increments quantity rather than duplicating the line					
TC-US25-05	Positive	Same variant increments	1. Add Red/L 2. Add Red/L again	—	Single line with quantity 2
TC-US25-06	Negative	Same product different variant	1. Add Red/L then Red/M	—	Two separate lines

US-26 – Update cart quantity · Priority: **High** · Preconditions: Cart contains an item with stock = 5

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Quantity increase/decrease updates line total and cart total instantly					
TC-US26-01	Positive	Change quantity	1. Increase qty 1→3 2. Decrease 3→2	Unit 1000	Line total and cart total update instantly (3000, then 2000)
TC-US26-02	Negative	Manual quantity input invalid	1. Type 0, -1, 2.5, "abc", blank into qty field	—	Invalid values rejected/reset to last valid value with message
AC-2: Quantity cannot exceed available stock					
TC-US26-03	Positive	Quantity at stock limit	1. Set qty to 5	Stock 5	Accepted
TC-US26-04	Negative	Quantity above stock	1. Set qty to 6 or click + at 5	—	Blocked with message "Only 5 available"; qty stays 5
AC-3: Quantity cannot go below 1 (must use remove instead)					
TC-US26-05	Positive	Minus disabled at 1	1. Set qty to 1 2. Observe minus button	—	Minus disabled at 1; item remains
TC-US26-06	Negative	Attempt qty 0 via input/API	1. Type 0 or send qty=0 in request	—	Rejected or treated as remove per design with confirmation; no zero-qty line

US-27 – Remove from cart · Priority: **High** · Preconditions: Cart contains 2 different items

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Removing an item updates cart total and item count immediately					
TC-US27-01	Positive	Remove one item	1. Click Remove on item 1	—	Line removed; totals and header count update instantly; optional undo works
TC-US27-02	Negative	Remove item then refresh / other tab	1. Remove item 2. Refresh 3. Check cart in second tab	—	Item stays removed in both tabs

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-2: Removing the last item shows an accurate 'empty cart' state					
TC-US27-03	Positive	Empty cart state	1. Remove all items	—	"Your cart is empty" with Continue shopping; totals hidden; count 0
TC-US27-04	Negative	Checkout from empty cart	1. Navigate to /checkout with empty cart	—	Redirected to cart/empty state; checkout not possible

US-28 – Cart persistence · Priority: **Medium** · Preconditions: Registered user; cart persistence policy known

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Cart contents persist after logout/login for registered users					
TC-US28-01	Positive	Cart persists across login and devices	1. Add 2 items 2. Log out 3. Log in on another browser	—	Same 2 items with same variants and quantities
TC-US28-02	Negative	Guest cart merge on login	1. As guest add item A 2. Log in to account that has item B	—	Cart contains A and B (merged) per design; no duplicates or losses
AC-2: Cart persists after browser refresh/close-reopen within session policy					
TC-US28-03	Positive	Refresh and reopen	1. Add items 2. Refresh 3. Close browser and reopen within policy	—	Cart contents unchanged
TC-US28-04	Negative	After cart expiry period	1. Reopen after cart expiry period (or clear storage)	—	Cart emptied per policy with no errors; stale OOS items flagged

US-29 – Order summary calculations · Priority: **Critical** · Preconditions: Tax rules, shipping rates and discount rules known; oracle spreadsheet ready

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All calculations (tax, shipping, discounts) are mathematically correct					
TC-US29-01	Positive	Totals match oracle for 5 cart combinations	1. Build carts: single item 2. multi-item 3. with coupon 4. above free-shipping threshold 5. mixed tax categories 6. Compare summary with oracle	5 oracle carts	Subtotal, tax, shipping, discount and grand total match oracle to the paisa/cent; rounding rule applied consistently
TC-US29-02	Negative	Boundary values	1. Cart at free-shipping threshold -1, exact, +1 2. 100% discount 3. high-quantity large totals	e.g. threshold 999	Shipping applied/waived correctly at boundaries; totals never negative; no floating-point artefacts
AC-2: Summary updates in real time as cart contents change					
TC-US29-03	Positive	Summary refresh on change	1. Change qty, remove item, apply coupon	—	Summary recalculates immediately without reload

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US29-04	Negative	Rapid successive changes	1. Click + five times quickly	—	Final summary is consistent with final quantity; no stale values

US-30 – Promo / coupon codes · Priority: **High** · Preconditions: Coupons configured: SAVE10 (10%), FLAT200 (min 1500), EXPIRED20, WOMEN15 (category), ONCE50 (one per user)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Valid codes apply the correct discount and update the total					
TC-US30-01	Positive	Apply valid percentage and flat coupons	1. Apply SAVE10 on 2000 cart 2. Replace with FLAT200 on 1600 cart	—	Discount 200 / 200 shown; total updated; coupon removable
TC-US30-02	Negative	Case / whitespace in code	1. Enter " save10 "	—	Applied (normalised) or clear message per design
AC-2: Invalid/expired codes show a clear error and do not apply					
TC-US30-03	Positive	Remove applied coupon	1. Apply SAVE10 2. Remove	—	Discount removed; total restored
TC-US30-04	Negative	Invalid and expired codes	1. Apply "ABC123", EXPIRED20, injection string	—	Clear "invalid/expired" message; total unchanged; no stack trace
AC-3: Code restrictions (min order value, category, one-per-user) are enforced					
TC-US30-05	Positive	Restrictions satisfied	1. FLAT200 on cart 1500 2. WOMEN15 on women's item	—	Applied correctly
TC-US30-06	Negative	Restrictions violated	1. FLAT200 on 1499 2. WOMEN15 on men's only cart 3. ONCE50 second use 4. Remove items after applying FLAT200 to drop below 1500	—	Coupon rejected or auto-removed with reason; total correct

US-31 – Delivery estimate in cart · Priority: **Low** · Preconditions: Shipping rules by pincode/method configured

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Estimated shipping cost/date is calculated correctly based on location/method					
TC-US31-01	Positive	Estimate for serviceable pincode	1. Enter serviceable pincode 2. Select Standard and Express	500081	Cost and date shown per rule for each method
TC-US31-02	Negative	Invalid / non-serviceable pincode	1. Enter 12345, 000000, non-serviceable pincode	—	Clear validation or "not deliverable" message; checkout not blocked unexpectedly

4.6 M06 – Checkout & Payments

US-32 – Shipping address · Priority: **Critical** · Preconditions: Logged-in user with 1 saved address; cart has items; at checkout Address step

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Address form validates required fields and formats (postal code, phone)					
TC-US32-01	Positive	Valid new address accepted	1. Add new address with all mandatory fields	Name, 10-digit mobile 9876543210, PIN 500081, line 1, city, state	Address saved and selected; proceed to next step enabled
TC-US32-02	Negative	Invalid formats and blanks	1. Leave mandatory fields blank 2. Enter PIN 5000, ABCDEF 3. phone 12345, +91-abc	—	Field-level errors; cannot proceed; valid entries retained
AC-2: Saved addresses can be selected, edited, or a new one added					
TC-US32-03	Positive	Select and edit saved address	1. Select saved address 2. Edit house number 3. Save	—	Edited address used for order; reflected in address book
TC-US32-04	Negative	Delete address in use / cancel edit	1. Cancel mid-edit 2. Try deleting the selected address	—	Cancel leaves address unchanged; deletion handled with confirmation and re-selection prompt
AC-3: Address validation catches undeliverable/incomplete addresses					
TC-US32-05	Positive	Serviceable address passes validation	1. Enter complete serviceable address	PIN 500081	Accepted; delivery estimate displayed
TC-US32-06	Negative	Undeliverable / mismatched address	1. PIN not serviced 2. City/State inconsistent with PIN 3. only spaces in address line	PIN 999999	Clear "not deliverable / incomplete" message; order cannot be placed to that address

US-33 – Shipping method · Priority: **Medium** · Preconditions: Multiple shipping methods configured (Standard, Express); region restrictions defined

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Each shipping method updates cost and estimated delivery date correctly					
TC-US33-01	Positive	Switch shipping methods	1. Select Standard 2. Select Express	—	Shipping cost and ETA update per rule; order total recalculated
TC-US33-02	Negative	Free-shipping interaction	1. Cart above free-shipping threshold with Express	—	Standard free; Express charged per rule; totals correct
AC-2: Unavailable methods for certain regions/items are hidden or disabled					
TC-US33-03	Positive	Region with all methods	1. Use metro PIN	500081	All methods available
TC-US33-04	Negative	Restricted region / item	1. Use remote PIN 2. add oversized/restricted item	Remote PIN	Unavailable method hidden/disabled with reason; cannot be forced via request tampering

US-34 – Payment methods · Priority: **Critical** · Preconditions: Payment gateway sandbox; test card, UPI, wallet credentials; COD enabled for eligible orders

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Each supported payment method processes successfully in a test environment					
TC-US34-01	Positive	Pay successfully with each method	1. Pay with test Visa/Mastercard 2. UPI (success VPA) 3. Wallet 4. COD	4111 1111 1111 1111, 12/30, CVV 123; success@upi	Payment success for each; order placed; payment method recorded on order
TC-US34-02	Negative	COD beyond limits / ineligible	1. Select COD for order above COD limit or non-COD PIN	—	COD disabled with reason
AC-2: Card number, expiry, and CVV fields validate format and reject invalid input					
TC-US34-03	Positive	Valid card format accepted	1. Enter valid card 2. observe brand detection and masking	5555 5555 5555 4444	Card brand detected; field accepts; proceeds
TC-US34-04	Negative	Invalid card data rejected	1. Luhn-invalid number 2. expired date 01/20 3. month 13 4. CVV 12 / 12345 5. letters	4111 1111 1111 1112	Inline errors; payment not submitted
AC-3: Payment failures show a clear error and allow retry without losing cart					
TC-US34-05	Positive	Retry after failure succeeds	1. Pay with decline card 2. Retry with valid card	Decline test card	Clear failure message; retry succeeds; single order created
TC-US34-06	Negative	Gateway timeout / user closes popup	1. Simulate timeout 2. Close UPI/3DS window mid-flow	—	Order not confirmed; clear status message; cart and address intact; no duplicate charge

US-35 – Order review · Priority: **High** · Preconditions: Cart, address, shipping and payment steps completed

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Review screen displays all order details accurately prior to payment					
TC-US35-01	Positive	Review screen accuracy	1. Compare items, variants, quantities, address, shipping method, payment method and totals with earlier steps	—	All details match exactly
TC-US35-02	Negative	Changes in another tab reflected	1. Change cart qty in another tab 2. Refresh review page	—	Review reflects latest cart or warns of change before placing order
AC-2: User can navigate back to edit any section without losing other entered data					
TC-US35-03	Positive	Edit section and return	1. Click Edit address 2. change 3. return to review	—	Updated address shown; shipping/payment selections retained
TC-US35-04	Negative	Browser Back during checkout	1. Use browser Back from review	—	Previous step shown with data intact; no session loss or duplicate order

US-36 – Order confirmation · Priority: **Critical** · Preconditions: Order ready to be placed; mailbox for customer email

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Confirmation page shows correct order number, items, and total					
TC-US36-01	Positive	Confirmation page accuracy	1. Place order 2. inspect confirmation	—	Unique order number; items, qty, total, address and ETA correct
TC-US36-02	Negative	Confirmation page accessed directly by other user	1. Copy confirmation URL 2. open in another account/incognito	—	Access denied or minimal info; no PII of other customer
AC-2: Confirmation email is sent promptly and matches the order details					
TC-US36-03	Positive	Email content matches order	1. Check mailbox within 5 minutes	—	Email received with correct order no, items, totals, address; links work
TC-US36-04	Negative	Email failure does not block order	1. Disable email service (sandbox) and place order	—	Order still placed; email queued/retried; issue logged
AC-3: Refreshing/revisiting the confirmation page does not duplicate the order					
TC-US36-05	Positive	Refresh confirmation	1. Press F5 on confirmation page 3 times	—	Same order shown; no new order
TC-US36-06	Negative	Back and resubmit	1. Press Back to review and click Place Order again	—	Duplicate prevented; user informed order already placed; single entry in order history

US-37 – Duplicate-charge prevention · Priority: **Critical** · Preconditions: Order ready at review step; network tools available (DevTools throttling)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Rapid double-clicks or network retries do not create duplicate orders/charges					
TC-US37-01	Positive	Single click creates one order	1. Click Place Order once	—	Exactly one order and one payment in admin/gateway
TC-US37-02	Negative	Double-click and network retry	1. Double/triple-click Place Order 2. Replay the place-order request 3. Throttle network and click again	—	Only one order and one charge; idempotency key honoured; replay rejected
AC-2: Submit button disables/shows loading state after first click					
TC-US37-03	Positive	Button shows loading state	1. Click Place Order and observe	—	Button disabled with spinner until response
TC-US37-04	Negative	Button state after failure	1. Force payment failure	—	Button re-enabled with error message to allow retry

US-38 – Secure transmission of data · Priority: **Critical** · Preconditions: Test environment on HTTPS; DevTools and proxy (ZAP/Burp) available

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All checkout/payment pages load over HTTPS with a valid certificate					
TC-US38-01	Positive	HTTPS and valid certificate	1. Open cart, checkout, payment pages 2. Inspect certificate	—	All pages HTTPS; certificate valid (issuer, expiry, hostname); HSTS header present
TC-US38-02	Negative	HTTP access and mixed content	1. Request http:// version 2. Check console for mixed-content warnings	—	Redirects to HTTPS (301); no mixed-content resources
AC-2: No card/CVV data appears in browser console, network logs in plaintext, or URL parameters					
TC-US38-03	Positive	Card data tokenised	1. Pay by card with DevTools/proxy capturing 2. Inspect requests	—	Card data sent only to gateway/iframe over TLS; own server receives token only
TC-US38-04	Negative	Sensitive data leakage checks	1. Search HAR, console, URLs, localStorage for card number / CVV	4111 1111 1111 1111; CVV 123	No PAN or CVV found in URLs, logs, storage or analytics calls

US-39 – Gift card / store credit · Priority: **Low** · Preconditions: Gift cards: GC-1000 (balance 1000), GC-ZERO (balance 0), GC-EXP (expired)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Gift card balance is validated and deducted correctly from the order total					
TC-US39-01	Positive	Full gift card payment	1. Apply GC-1000 to order of 800	—	800 deducted; remaining balance 200; payable 0
TC-US39-02	Negative	Invalid / zero / expired / reused card	1. Apply GC-ZERO, GC-EXP, wrong PIN, random code 2. Apply same card in two parallel sessions	—	Clear error; no deduction; balance never goes negative
AC-2: Partial gift card balance leaves the remainder payable via another method					
TC-US39-03	Positive	Split payment	1. Apply GC-1000 to order of 1500 2. Pay 500 by card	—	1000 from gift card; 500 charged to card; both on invoice
TC-US39-04	Negative	Split payment failure	1. Second payment method fails	—	Gift card amount released/not consumed; order not placed; clear message

4.7 M07 – Orders, Tracking, Returns & Cancellations**US-40 – Order history** · Priority: **High** · Preconditions: Customer with 3+ past orders in different statuses

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Order history lists all past orders with correct status, date, and total					
TC-US40-01	Positive	Order history accuracy	1. Open My Orders 2. Compare with admin records	—	All orders listed newest first with correct number, date, status, total
TC-US40-02	Negative	No orders / many orders	1. New account with no orders 2. Account with 50+ orders	—	Empty state with shop link; pagination works for many orders
AC-2: Each order links to a detailed order view					

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US40-03	Positive	Open order detail	1. Click an order	—	Detail shows items, address, payment, status timeline, invoice link
TC-US40-04	Negative	Access another user's order	1. Change order ID in URL to another customer's order	—	Access denied (403/404); no data exposed

US-41 – Shipment tracking · Priority: **Medium** · Preconditions: Shipped order with tracking number; courier stub/sandbox

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Tracking status updates reflect real courier/shipment data					
TC-US41-01	Positive	Status updates follow courier events	1. Push events Picked up → In transit → Out for delivery → Delivered	Courier stub	Status and timeline update accordingly with timestamps
TC-US41-02	Negative	Out-of-order or unknown events	1. Send delayed/out-of-sequence or unknown status event	—	Timeline remains consistent; unknown status handled gracefully
AC-2: Tracking link/number is valid and functional					
TC-US41-03	Positive	Tracking link works	1. Click tracking number/link	—	Opens courier tracking page with correct AWB
TC-US41-04	Negative	Order without tracking yet	1. Open tracking for a packed but unshipped order	—	"Tracking will be available once shipped"; no broken link

US-42 – Order cancellation · Priority: **High** · Preconditions: Orders in Placed/Confirmed (cancellable) and Shipped (not cancellable) states; refund sandbox

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Cancel option is available only while order is in a cancellable status					
TC-US42-01	Positive	Cancel eligible order	1. Open Placed order 2. Click Cancel 3. select reason 4. confirm	—	Order status Cancelled; confirmation shown and emailed
TC-US42-02	Negative	Cancel non-cancellable order	1. Open Shipped/Delivered order 2. Try cancel via UI and via API	—	Cancel option hidden/disabled; API rejects request
AC-2: Successful cancellation triggers a refund per policy and updates order status					
TC-US42-03	Positive	Refund on prepaid cancellation	1. Cancel prepaid order	—	Refund initiated to original method for full amount; status reflects refund
TC-US42-04	Negative	COD cancellation / double cancel	1. Cancel COD order 2. Click cancel twice	—	No refund needed for COD; second cancel ignored; stock restored once

US-43 – Returns / exchanges · Priority: **High** · Preconditions: Delivered orders inside and outside return window; return reasons configured

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Return/exchange request is only allowed within the eligible return window					
TC-US43-01	Positive	Return inside window	1. Open delivered order within window 2. Request return	Delivered 3 days ago	Return option available; request created with ID
TC-US43-02	Negative	Return outside window / non-returnable item	1. Order past window 2. innerwear/final-sale item	—	Return option hidden with reason; API rejects
AC-2: Reason selection and item condition upload (if required) work correctly					
TC-US43-03	Positive	Reason and photo upload	1. Select reason 2. Upload JPG/PNG within size limit	2 MB JPG	Request submitted with reason and image
TC-US43-04	Negative	Invalid uploads / missing reason	1. Submit without reason 2. upload .exe, 25 MB file, renamed script	—	Validation errors; unsafe/oversized files rejected
AC-3: Return status is trackable through pickup, receipt, and refund/exchange completion					
TC-US43-05	Positive	Return lifecycle tracking	1. Progress return through Requested → Pickup scheduled → Picked → Received → Refunded/Exchanged	—	Each status visible with dates; notifications sent
TC-US43-06	Negative	Failed pickup / rejected QC	1. Simulate failed pickup and QC rejection	—	Status and reason shown; customer can reschedule or is informed; no refund on rejection

US-44 – Refund status & amount · Priority: **Medium** · Preconditions: Return received for prepaid order; refund policy (shipping/restocking fees) known

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Refund amount matches item price plus/minus applicable policy (shipping, restocking fee)					
TC-US44-01	Positive	Refund amount correct	1. Complete return of 1 of 2 items with coupon applied	Oracle calculation	Refund equals item price minus proportionate discount ± fees per policy
TC-US44-02	Negative	Partial and multiple returns	1. Return items in two separate requests	—	Sum of refunds never exceeds amount paid
AC-2: Refund status updates correctly (initiated, processed, completed)					
TC-US44-03	Positive	Refund status progression	1. Move refund through states in gateway sandbox	—	Status shows Initiated → Processed → Completed with dates and reference no
TC-US44-04	Negative	Refund failure	1. Simulate gateway refund failure	—	Status Failed/Retrying with message; no false "completed"

US-45 – Invoice · Priority: **Low** · Preconditions: Delivered order exists

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Invoice reflects accurate item, tax, and total details					
TC-US45-01	Positive	Invoice data accuracy	1. Open invoice 2. Compare with order	—	Seller details, invoice no/date, items, HSN/tax breakdown, discounts, totals correct
TC-US45-02	Negative	Invoice after partial return / cancellation	1. Open invoice for partially returned order	—	Credit note/updated invoice per policy; no mismatch
AC-2: Invoice downloads in a valid, readable format (e.g., PDF)					
TC-US45-03	Positive	Download invoice PDF	1. Click Download invoice	—	Valid PDF opens in viewers; readable text; correct file name
TC-US45-04	Negative	Invoice access control	1. Access another customer's invoice URL 2. unauthenticated	—	Access denied

4.8 M08 – Account Management**US-46 – Profile update** · Priority: **Medium** · Preconditions: Logged-in user on Profile page

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Each field updates and persists correctly after save					
TC-US46-01	Positive	Update name and phone	1. Edit name and phone 2. Save 3. Reload	—	Changes persisted and shown after reload and re-login
TC-US46-02	Negative	Cancel edit / session expired on save	1. Edit then Cancel 2. Save after session expiry	—	Cancel keeps old values; expired session prompts login without losing input where possible
AC-2: Email/password changes require current password confirmation					
TC-US46-03	Positive	Change password with current password	1. Enter current, new, confirm	Qa@12345 → New@2026	Password changed; other sessions logged out per policy; notification email sent
TC-US46-04	Negative	Wrong current password / email change without it	1. Enter wrong current password 2. try changing email without password	—	Change rejected; generic error; no update
AC-3: Validation errors display clearly for invalid inputs					
TC-US46-05	Positive	Valid boundary inputs accepted	1. Name at max length 2. valid 10-digit phone	—	Accepted
TC-US46-06	Negative	Invalid inputs	1. Name with script tags 2. phone letters 3. email in use by another account	—	Clear field errors; input sanitised; duplicate email blocked

US-47 – Saved addresses · Priority: **Medium** · Preconditions: Logged-in user on Address book

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Add/edit/delete address operations work correctly					
TC-US47-01	Positive	Add, edit and delete	1. Add address 2. Edit it 3. Delete it with confirmation	—	Each operation persists and list updates
TC-US47-02	Negative	Invalid address / max addresses	1. Save invalid PIN 2. add beyond max allowed	—	Validation errors; limit message
AC-2: A default address can be set and is pre-selected at checkout					
TC-US47-03	Positive	Default pre-selected	1. Set address B as default 2. Go to checkout	—	Address B pre-selected
TC-US47-04	Negative	Delete default address	1. Delete the default address	—	Another address becomes default or prompt to choose; checkout still works

US-48 – Saved payment methods · Priority: **Medium** · Preconditions: Logged-in user; card saving supported via gateway tokenisation

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Saved cards show only masked numbers (last 4 digits)					
TC-US48-01	Positive	Masked display	1. Save a card 2. View Saved Payments	4111 1111 1111 1111	Shows brand and •••• 1111 and expiry only
TC-US48-02	Negative	Full PAN not exposed anywhere	1. Inspect page source, API responses, storage	—	No full PAN or CVV present
AC-2: Adding/removing a saved payment method works correctly and securely					
TC-US48-03	Positive	Add and remove card	1. Add card with consent 2. Remove card	—	Card saved (with re-auth/OTP if required); removed card no longer usable at checkout
TC-US48-04	Negative	Remove card via tampered request / other user's card	1. Send delete for another user's card ID	—	Rejected (403); CSRF token enforced

US-49 – Wishlist management · Priority: **Medium** · Preconditions: Logged-in user with items in wishlist

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Wishlist persists across sessions for logged-in users					
TC-US49-01	Positive	Wishlist persists	1. Log out and in on another device	—	Wishlist items intact
TC-US49-02	Negative	Wishlisted item becomes OOS or delisted	1. Set item OOS / delete product	—	Item shown as OOS/unavailable; no broken tile
AC-2: 'Move to cart' from wishlist adds the correct item/variant to the cart					
TC-US49-03	Positive	Move to cart	1. Click Move to cart for Red/L item	—	Cart has Red/L; removed from wishlist per design

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US49-04	Negative	Move item without variant selected / OOS	1. Move item saved without size 2. move OOS item	—	Size selection prompted; OOS blocked with message
AC-3: Removing items from the wishlist updates the list immediately					
TC-US49-05	Positive	Remove item	1. Click remove on item	—	Item disappears immediately; count updates
TC-US49-06	Negative	Remove last item	1. Remove all items	—	Empty wishlist state shown

4.9 M09 – Notifications, Promotions & Content

US-50 – Order notifications · Priority: **Medium** · Preconditions: Email/SMS sandbox configured; test order available

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Notifications trigger at the correct order lifecycle stage					
TC-US50-01	Positive	Notifications at each stage	1. Move order: Confirmed → Shipped → Out for delivery → Delivered	—	One email/SMS per stage, sent promptly
TC-US50-02	Negative	No duplicate / wrong-stage notifications	1. Repeat a status update 2. cancel order	—	No duplicate messages; cancellation notice sent, no shipped notice
AC-2: Notification content matches actual order data					
TC-US50-03	Positive	Content accuracy	1. Compare notification content with order	—	Order no, items, amount, tracking link correct; personalised name
TC-US50-04	Negative	Special characters / long names	1. Customer name with apostrophe and non-ASCII 2. long product names	O'Brien, Zoë	Rendered correctly; no broken template tokens like {{name}}

US-51 – Newsletter · Priority: **Low** · Preconditions: Newsletter signup in footer

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Subscribe form validates email format and confirms subscription					
TC-US51-01	Positive	Subscribe with valid email	1. Enter valid email 2. Submit	news.<ts>@testmail.com	Success message; confirmation/double opt-in email received
TC-US51-02	Negative	Invalid / duplicate email	1. Submit invalid format 2. already subscribed email	"abc@"; existing	Validation error; duplicate handled gracefully
AC-2: Unsubscribe link works and stops future emails					
TC-US51-03	Positive	Unsubscribe from email link	1. Click unsubscribe in email	—	Confirmation page; status unsubscribed; no further marketing emails
TC-US51-04	Negative	Tampered unsubscribe link	1. Modify token in link	—	Invalid link message; other users not unsubscribed

US-52 – Sale / discount pricing · Priority: **Medium** · Preconditions: Sale items configured with original and sale prices

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Discounted price, original price, and % off are mathematically consistent					
TC-US52-01	Positive	Price display consistency	1. Check items: MRP 2000 sale 1500	—	Shows ₹1,500, strikethrough ₹2,000, 25% off; same values on listing, PDP, cart
TC-US52-02	Negative	Rounding cases	1. MRP 999 sale 666 (33.33%)	—	% off rounded per rule consistently; cart charges sale price
AC-2: Promotional badges (e.g., 'Sale', 'New') display only on qualifying products					
TC-US52-03	Positive	Badges on qualifying items	1. Inspect sale and new-arrival items	—	Correct badges shown
TC-US52-04	Negative	Badges removed when promotion ends	1. End sale in admin 2. Refresh	—	Sale badge and strikethrough removed; regular price charged

US-53 – Back-in-stock notification · Priority: **Low** · Preconditions: Out-of-stock variant with Notify Me enabled

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: 'Notify me' signup captures email correctly against the specific variant					
TC-US53-01	Positive	Notify me for variant	1. Select OOS Blue/XL 2. Click Notify me 3. enter email	—	Confirmation; subscription stored for Blue/XL
TC-US53-02	Negative	Invalid email / duplicate signup	1. Submit invalid email 2. sign up twice	—	Validation error; duplicate handled
AC-2: Notification is sent when the item is actually restocked					
TC-US53-03	Positive	Restock triggers notification	1. Restock Blue/XL in admin	—	Email sent with link to Blue/XL PDP
TC-US53-04	Negative	Restock of different variant	1. Restock Blue/L only	—	No notification for Blue/XL subscribers

4.10 M10 – Cross-Cutting: Performance, Security, Compatibility & Accessibility**US-54 – Responsive design** · Priority: **High** · Preconditions: Device matrix: 360×640, 390×844, 768×1024, 1366×768, 1920×1080

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All key pages (home, PDP, cart, checkout) render correctly on common mobile, tablet, and desktop breakpoints					
TC-US54-01	Positive	Key pages at each breakpoint	1. Open home, listing, PDP, cart, checkout at each breakpoint	—	No horizontal scroll, overlap or cut-off content; images scale
TC-US54-02	Negative	Orientation change / browser zoom	1. Rotate device mid-checkout 2. Zoom 200%	—	Layout adapts; form data retained
AC-2: Touch targets, menus, and forms are usable on small screens					

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
TC-US54-03	Positive	Touch usability	1. Tap buttons, filters, size chips, form fields on 360px	—	Targets $\geq 44 \times 44$ px; correct keyboard types (numeric for PIN/phone)
TC-US54-04	Negative	On-screen keyboard overlap	1. Fill checkout form with on-screen keyboard	—	Active field not hidden behind keyboard; sticky CTA not covering fields

US-55 – Page performance · Priority: **Medium** · Preconditions: Lighthouse/WebPageTest available; thresholds agreed (e.g. LCP ≤ 2.5 s)

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Homepage, listing, and PDP load within acceptable performance thresholds					
TC-US55-01	Positive	Page performance within thresholds	1. Run Lighthouse (mobile, 3 runs) on home, listing, PDP	—	LCP ≤ 2.5 s, CLS ≤ 0.1 , INP ≤ 200 ms (median)
TC-US55-02	Negative	Under concurrent load	1. Run k6/JMeter spot-check (e.g. 50 users) on PDP and checkout	—	Response times within threshold; error rate $< 1\%$
AC-2: Image assets are optimized and do not block page rendering					
TC-US55-03	Positive	Image optimisation	1. Inspect image formats/sizes and lazy loading	—	Modern formats (WebP/AVIF), responsive sizes, below-fold lazy-loaded
TC-US55-04	Negative	Render-blocking resources	1. Review Lighthouse opportunities	—	No large render-blocking images; no image $>$ agreed size limit

US-56 – Cross-browser compatibility · Priority: **Medium** · Preconditions: Browsers: Chrome, Safari, Firefox, Edge — latest and latest-1

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Core flows (browse, cart, checkout) are verified on each supported browser and its latest-1 version					
TC-US56-01	Positive	Core flow per browser	1. Execute E2E-01 on each browser/version	—	Flow completes on all 8 browser/version combinations
TC-US56-02	Negative	Unsupported / old browser	1. Open site on unsupported browser version	—	Graceful message or acceptable degraded experience; no blocking script errors
AC-2: No layout-breaking or functional inconsistencies across browsers					
TC-US56-03	Positive	Visual consistency	1. Compare screenshots of key pages across browsers	—	No layout-breaking differences
TC-US56-04	Negative	Browser-specific features	1. Check date pickers, autofill, sticky elements, Safari private mode storage	—	Consistent behaviour; no functional breaks

US-57 – Accessibility · Priority: **Medium** · Preconditions: axe DevTools, NVDA/VoiceOver, keyboard only

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: All interactive elements are reachable and operable via keyboard alone					
TC-US57-01	Positive	Keyboard-only purchase	1. Complete browse → cart → checkout using keyboard only	—	All controls reachable in logical order; visible focus; modals trap and return focus
TC-US57-02	Negative	Keyboard traps	1. Tab through carousel, filters, modals, payment iframe	—	No keyboard trap; skip-to-content link available
AC-2: Images have meaningful alt text; forms have associated labels					
TC-US57-03	Positive	Screen reader announcements	1. Navigate PDP and checkout with NVDA/VoiceOver	—	Product images have meaningful alt; form fields announce labels, errors announced
TC-US57-04	Negative	Missing labels / decorative images	1. Run axe on key pages	—	Zero critical/serious issues; decorative images have empty alt
AC-3: Color contrast meets WCAG AA thresholds					
TC-US57-05	Positive	Contrast check	1. Check text, buttons, links, price, badges	—	Normal text ≥ 4.5:1; large text/UI ≥ 3:1
TC-US57-06	Negative	Disabled / error / placeholder states	1. Check contrast of errors, placeholders, sale price on image	—	Meets AA or has non-colour indicator

US-58 – Protection against XSS / SQLi / CSRF · Priority: **Critical** · Preconditions: OWASP ZAP/Burp; test accounts A and B

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Input fields (search, forms, reviews) reject/sanitize script and injection payloads					
TC-US58-01	Positive	Stored/reflected XSS prevented	1. Submit XSS payloads in profile name, address, review, search	<svg onload=alert(1)>	Payloads rendered as text on all pages, emails and admin
TC-US58-02	Negative	SQL / NoSQL / header injection	1. Inject ' OR 1=1--, {"\$gt":""}, CRLF in inputs and query params	—	No errors, no data leakage; generic error handling
AC-2: Sensitive actions require CSRF protection/re-authentication as applicable					
TC-US58-03	Positive	CSRF token enforced	1. Inspect state-changing requests (place order, change password, delete address)	—	Anti-CSRF token or SameSite cookies present
TC-US58-04	Negative	Cross-site forged request	1. Replay request without/with invalid token from another origin	—	Request rejected (403)
AC-3: No sensitive data (tokens, passwords) is exposed in client-side storage or URLs					
TC-US58-05	Positive	Secure token storage	1. Inspect cookies and storage	—	Session cookies HttpOnly, Secure, SameSite; no passwords stored
TC-US58-06	Negative	Data in URLs / IDOR	1. Check URLs and referer for tokens 2. Access account B's orders/addresses with A's session	—	No tokens in URLs; IDOR attempts return 403/404

US-59 – Network interruption handling · Priority: **Medium** · Preconditions: DevTools network throttling/offline mode

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Loss of connectivity during checkout shows a clear error rather than a blank/broken state					
TC-US59-01	Positive	Offline indicator during checkout	1. Go offline at payment step and click Pay	—	Clear "You're offline" / retry message; no blank page
TC-US59-02	Negative	Timeout from server	1. Simulate 60 s API delay	—	Timeout message with retry; no duplicate submission
AC-2: Cart/session state is preserved or recoverable after reconnecting					
TC-US59-03	Positive	Recovery after reconnect	1. Reconnect and retry	—	Cart, address and selections intact; order placed once
TC-US59-04	Negative	Connection lost after payment captured	1. Go offline right after gateway success	—	On reconnect order status resolved (confirmed) via callback; no double charge

US-60 – Error pages (404 / 500) · Priority: **Low** · Preconditions: Test environment available; user on the relevant page

TC ID	Type	Title / Objective	Test steps	Test data	Expected result
AC-1: Invalid/broken URLs show a branded 404 page with navigation back to the site					
TC-US60-01	Positive	Branded 404	1. Open /xyz-not-found and a deleted product URL	—	Branded 404 with header, search and home link; HTTP status 404
TC-US60-02	Negative	Malformed URLs	1. Open URLs with encoded/special characters and very long path	—	404/400 page handled; no stack trace
AC-2: Server errors are caught and shown as a friendly message, not a raw stack trace					
TC-US60-03	Positive	Friendly 500 page	1. Force server error (test hook)	—	Friendly message with retry/home; HTTP 500; incident logged
TC-US60-04	Negative	No technical details leaked	1. Inspect 500 response body and headers	—	No stack trace, framework version or internal paths revealed

5. Traceability Matrix

Every user story is covered by at least two functional test cases per acceptance criterion; E2E coverage shows which journeys also exercise the story.

Story	Title	Priority	AC	Test cases	E2E procedures
US-01	Register account with email & password	High	4	TC-US01-01 ... TC-US01-08 (8)	E2E-01
US-02	Login with email & password	Critical	3	TC-US02-01 ... TC-US02-06 (6)	E2E-01, E2E-03, E2E-05, E2E-13
US-03	Social / third-party login	Medium	3	TC-US03-01 ... TC-US03-06 (6)	E2E-04
US-04	Forgot / reset password	High	3	TC-US04-01 ... TC-US04-06 (6)	E2E-05
US-05	Logout	Medium	2	TC-US05-01 ... TC-US05-04 (4)	E2E-05, E2E-17
US-06	Session timeout & re-authentication	Medium	2	TC-US06-01 ... TC-US06-04 (4)	E2E-05, E2E-14
US-07	Guest checkout	High	3	TC-US07-01 ... TC-US07-06 (6)	E2E-02
US-08	Homepage sections	Medium	3	TC-US08-01 ... TC-US08-06 (6)	E2E-22
US-09	Main navigation menu	Medium	3	TC-US09-01 ... TC-US09-06 (6)	E2E-18, E2E-19, E2E-22
US-10	Breadcrumb navigation	Low	2	TC-US10-01 ... TC-US10-04 (4)	E2E-22
US-11	Footer policy links	Low	2	TC-US11-01 ... TC-US11-04 (4)	E2E-22
US-12	Keyword search	Critical	4	TC-US12-01 ... TC-US12-08 (8)	E2E-01, E2E-04, E2E-20, E2E-21
US-13	Autocomplete / type-ahead	Medium	2	TC-US13-01 ... TC-US13-04 (4)	E2E-23
US-14	Listing filters	High	4	TC-US14-01 ... TC-US14-08 (8)	E2E-01
US-15	Listing sort	Medium	2	TC-US15-01 ... TC-US15-04 (4)	E2E-01
US-16	Pagination / infinite scroll	Medium	3	TC-US16-01 ... TC-US16-06 (6)	E2E-23
US-17	Grid / list toggle	Low	1	TC-US17-01 ... TC-US17-02 (2)	E2E-01
US-18	Product details	High	3	TC-US18-01 ... TC-US18-06 (6)	E2E-01
US-19	Variant selection	Critical	3	TC-US19-01 ... TC-US19-06 (6)	E2E-01, E2E-11, E2E-16, E2E-19
US-20	Stock availability	High	2	TC-US20-01 ... TC-US20-04 (4)	E2E-08, E2E-16
US-21	Ratings & reviews	Medium	3	TC-US21-01 ... TC-US21-06 (6)	E2E-21
US-22	Recommended products	Low	2	TC-US22-01 ... TC-US22-04 (4)	E2E-01
US-23	Image zoom / multi-angle	Low	2	TC-US23-01 ... TC-US23-04 (4)	E2E-18
US-24	Add to wishlist	Medium	2	TC-US24-01 ... TC-US24-04 (4)	E2E-03
US-25	Add to cart	Critical	3	TC-US25-01 ... TC-US25-06 (6)	E2E-01, E2E-02, E2E-04, E2E-13, E2E-16, E2E-18, E2E-20
US-26	Update cart quantity	High	3	TC-US26-01 ... TC-US26-06 (6)	E2E-08, E2E-12
US-27	Remove from cart	High	2	TC-US27-01 ... TC-US27-04 (4)	E2E-12
US-28	Cart persistence	Medium	2	TC-US28-01 ... TC-US28-04 (4)	E2E-03, E2E-13, E2E-14
US-29	Order summary calculations	Critical	2	TC-US29-01 ... TC-US29-04 (4)	E2E-01, E2E-02, E2E-06, E2E-12, E2E-24
US-30	Promo / coupon codes	High	3	TC-US30-01 ... TC-US30-06 (6)	E2E-01, E2E-12
US-31	Delivery estimate in cart	Low	1	TC-US31-01 ... TC-US31-02 (2)	E2E-01
US-32	Shipping address	Critical	3	TC-US32-01 ... TC-US32-06 (6)	E2E-01, E2E-02, E2E-14, E2E-19
US-33	Shipping method	Medium	2	TC-US33-01 ... TC-US33-04 (4)	E2E-01
US-34	Payment methods	Critical	3	TC-US34-01 ... TC-US34-06 (6)	E2E-01, E2E-02, E2E-03, E2E-04, E2E-06, E2E-15, E2E-18, E2E-20
US-35	Order review	High	2	TC-US35-01 ... TC-US35-04 (4)	E2E-01, E2E-06
US-36	Order confirmation	Critical	3	TC-US36-01 ... TC-US36-06 (6)	E2E-01, E2E-02, E2E-03, E2E-04, E2E-07, E2E-15, E2E-18, E2E-20
US-37	Duplicate-charge prevention	Critical	2	TC-US37-01 ... TC-US37-04 (4)	E2E-06, E2E-07, E2E-08
US-38	Secure transmission of data	Critical	2	TC-US38-01 ... TC-US38-04 (4)	E2E-21

Story	Title	Priority	AC	Test cases	E2E procedures
US-39	Gift card / store credit	Low	2	TC-US39-01 ... TC-US39-04 (4)	E2E-03
US-40	Order history	High	2	TC-US40-01 ... TC-US40-04 (4)	E2E-02, E2E-09, E2E-10, E2E-21
US-41	Shipment tracking	Medium	2	TC-US41-01 ... TC-US41-04 (4)	E2E-10
US-42	Order cancellation	High	2	TC-US42-01 ... TC-US42-04 (4)	E2E-09
US-43	Returns / exchanges	High	3	TC-US43-01 ... TC-US43-06 (6)	E2E-10, E2E-11
US-44	Refund status & amount	Medium	2	TC-US44-01 ... TC-US44-04 (4)	E2E-09, E2E-10
US-45	Invoice	Low	2	TC-US45-01 ... TC-US45-04 (4)	E2E-10, E2E-24
US-46	Profile update	Medium	3	TC-US46-01 ... TC-US46-06 (6)	E2E-17
US-47	Saved addresses	Medium	2	TC-US47-01 ... TC-US47-04 (4)	E2E-03, E2E-17
US-48	Saved payment methods	Medium	2	TC-US48-01 ... TC-US48-04 (4)	E2E-03, E2E-17, E2E-21
US-49	Wishlist management	Medium	3	TC-US49-01 ... TC-US49-06 (6)	E2E-03
US-50	Order notifications	Medium	2	TC-US50-01 ... TC-US50-04 (4)	E2E-01, E2E-09, E2E-10, E2E-11
US-51	Newsletter	Low	2	TC-US51-01 ... TC-US51-04 (4)	E2E-22
US-52	Sale / discount pricing	Medium	2	TC-US52-01 ... TC-US52-04 (4)	E2E-24
US-53	Back-in-stock notification	Low	2	TC-US53-01 ... TC-US53-04 (4)	E2E-16
US-54	Responsive design	High	2	TC-US54-01 ... TC-US54-04 (4)	E2E-18
US-55	Page performance	Medium	2	TC-US55-01 ... TC-US55-04 (4)	E2E-23
US-56	Cross-browser compatibility	Medium	2	TC-US56-01 ... TC-US56-04 (4)	E2E-20
US-57	Accessibility	Medium	3	TC-US57-01 ... TC-US57-06 (6)	E2E-19
US-58	Protection against XSS / SQLi / CSRF	Critical	3	TC-US58-01 ... TC-US58-06 (6)	E2E-21
US-59	Network interruption handling	Medium	2	TC-US59-01 ... TC-US59-04 (4)	E2E-07, E2E-15
US-60	Error pages (404 / 500)	Low	2	TC-US60-01 ... TC-US60-04 (4)	E2E-22

6. Approval

Role	Name	Signature	Date
Senior Test Manager (Author)	Ram		
Test Lead (Reviewer)			
Product Owner			
Development Lead			