





POWER




MICROCONTROLER




ADXL345



Khối Max485




AT24C02



LED STATUS

Title		
Size: A	Number	Revision
Date: 11-04-2026	Sheet of	
File: E:\Altium_Practice\..\Sche_Sensor.SchDoc	Drawn By:	


C2
AMS1
C1
R1
R8
POWER1
RX-485
LED_3
LED_2
LED_1
R3
R18
R16
R14
C8
TVS3
R7
74HC14-SM
3V3/SWDIO/SWCLK/GND
MAX485-SM
D1
RESET
F2
R12
R6
TVS2
C4
F1
AT24CXX-SM
5V/A/B/GND
TVS1
STM32
R4
R9
R17
R15
R10
R5
C16
C7
AMS2
C6
C5
R2
POWER2
TX-485
SENSOR BOX

Comment	Description	Designator	Footprint	LibRef	Quantity
TYPE2		ADXL1	ADXL345_TYPE_2	ADXL345_TYPE_2	1
AMS1117-3.3V	Dán	AMS1, AMS2	SOT223	AMS1117 SMD	2
RESET	Nut Nhan 4 Chan 6x6mm	BT1	Nut Nhan 4 Chan Cam 6x6	Nut Nhan 4 Chan Cam 6x6	1
226	Dán	C1, C2, C5, C6	tu 1206	Tu 1206 226 16V 20%	4
104	Dán	C3, C10, C12, C14, C15, C16	tu 1206	Tu 1206 104 50V 20%	6
105	Dán	C4	tu 1206	Tu 1206 105 50V 20%	1
100nF	Dán	C7	tu 1206	Tu 1206 4.7nF 50V	1
100pF	Dán	C8	tu 1206	Tu 1206 4.7nF 50V	1
101	Dán	C9	tu 1206	Tu 1206 104 50V 20%	1
22pF	Dán	C11, C13	tu 1206	Tu 1206 22pF 50V 10%	2
1N4148(T4)-SM	Fast Switching Diode - Surface Mount	D1	SOD123G_DO-215AD	1N4148(T4)-SM	1
FUSE 1208	Chip Fuses - Surface Mount	F1, F2	FUSE-CHIP-1812-SM	FUSE-CHIP-SM	2
3V3/SWDIO/SWCLK/GND	Cắm	JP1	JP 1x4 DT	JP 1x4 2.54 Duc Thang	1
POWER1	Cắm	L1	LED-3MM-RED	LED 3mm Do	1
POWER2	Cắm	L2	LED-3MM-RED	LED 3mm Do	1
RX-485	Cắm	L3	LED-3MM-RED	LED 3mm Do	1
TX-485	Cắm	L4	LED-3MM-RED	LED 3mm Do	1
LED_1	Cắm	L5	LED-3MM-RED	LED 3mm Do	1
LED_2	Cắm	L6	LED-3MM-RED	LED 3mm Do	1
LED_3	Cắm	L7	LED-3MM-RED	LED 3mm Do	1
5V/A/B/GND	Cắm	P1	CON 4 4EDG5.08	CON 4 EDG5.08	1
220	Dán	R1, R2	tro smd 0805	Tro 0805 5% 2.2k	2
1k	Dán	R3, R10	tro smd 1206	Tro 1206 1% 1k	2
4.7k	Dán	R4, R5, R8, R9, R15, R17	tro smd 1206	Tro 1206 5% 4.7K	6
120	Dán	R6	tro smd 1206	Tro 1206 1% 220k	1
56k	Dán	R7	tro smd 1206	Tro 1206 5% 75k	1
10k	Dán	R12	tro smd 1206	Tro 1206 5% 10k	1
1M	Dán	R13	tro smd 1206	Tro 1206 5% 100K	1
330R	Dán	R14, R16, R18	tro smd 1206	Tro 1206 5% 300R	3
SMAJ6.5CA-SM	ESD Suppressors/TVS Diodes 6.5V Bi-Dir - Surface Mount	TVS1, TVS2, TVS3	SMA-J_DO-214AC_TVS-BI	SMAJ6.5CA-SM	3
74HC14-SM	Hex Inverting Schmitt Trigger - Surface Mount	U1	SOIC14-1.27-150MIL	74HC14-SM	1
MAX485-SM	Low-Power, Slew-Rate-Limited RS-485/RS-422 Transceivers - Surface Mount	U2	SOIC8-1.27-150MIL	MAX485-SM	1
STM32	ARM Microcontrollers - MCU 32BIT Cortex M3 64KB 20KB RAM 2X12 ADC - Surface Mount	U3	LQFP48-0.5-7X7MM	STM32F103C8T6-1-SM	1
AT24CXX-SM	Two-Wire Serial EEPROM - Surface Mount	U4	SOIC8-1.27-150MIL	AT24CXX-SM	1
8Mhz	Crystal For all Crystal 2pin.	Y1	Thach Anh 2 chan SMD	Thach Anh 2 chan SMD	1