BUSINESS ANALYSIS & SYSTEM SPECIFICATION

TeleStar Outreach Pipeline

Business Requirements & System Specification (BRD / SRS)

Redesign of a multi-client lead outreach management system on a CRM platform

---

Quang Vu

Business Analyst (transitioning) | Lead Qualification & CRM Design

TABLE OF CONTENTS

1. Document Information & Control....3
2. Glossary & Abbreviations....3
3. Executive Summary....4
4. Current State (As-is)....4
5. Objectives, Scope, Assumptions & Constraints....5
6. Stakeholders....5
7. Proposed System (To-be)....6
8. Functional Requirements....7
9. Business Rules....8
10. Use Cases & User Stories....9
11. Data Model & Data Dictionary....10
12. Gap Analysis....10
13. Technical Debt Findings....11
14. Prioritized Recommendations....11
15. Requirements Traceability Matrix....12
16. Business Analysis Competencies Demonstrated....12

1. Document Information & Control

1.1 General Information

System name	TeleStar Outreach Pipeline (team pipeline on the Bigin CRM platform)
Document type	Business requirements and system specification (BRD/SRS)
Author	Quang Vu, in the role of system analysis and design
Status	Completed descriptive version, used as a portfolio artifact
Confidentiality note	Client and employee names are anonymized. Process terms are standard industry terms.

1.2 Version History

Version	Date	Author	Changes
1.0	10/2026	Quang Vu	Initial summary analysis
2.0	10/2026	Quang Vu	Upgraded to BRD/SRS standard: coded requirements, business rules, use cases, data dictionary, process diagrams and traceability matrix

1.3 Approval

Role	Name	Signature / Date
Prepared by	Quang Vu	
Reviewed by		
Approved by		

2. Glossary & Abbreviations

Term	Definition
Lead	A potential prospect being engaged in the outreach process.
Pipeline	The flow that manages leads through stages, from first contact to outcome.
Sub-Pipeline	A branch within the pipeline; in the new design it maps to one client of TeleStar.
Stage	The current step of a lead in the outreach process.
Owner	The person responsible for a lead, used to distinguish sales reps.
Outreach	Proactively reaching potential prospects across multiple channels.
Qualified Meeting	A meeting that meets the agreed standard; the main deliverable of the SDR service.
Recycle	Re-engaging an old, previously rejected lead after a defined period.
SDR	Sales Development Representative, staff specialized in finding and filtering leads.

Term	Definition
As-is / To-be	The state before the change / the desired designed state.
Gap Analysis	Analysis of the gap between the current state and the target.
CRM	Customer Relationship Management system (here, Bigin).

3. Executive Summary

TeleStar provides sales development (SDR outsourcing) services for multiple B2B software companies. Each client needs its own outreach process, but the whole operation must be managed centrally to control quality and measure effectiveness.

The old system split the pipeline by sales team, which created three serious problems: duplicate leads on entry, no way to trace filtering history to recycle leads after 6 months, and no way to assess inbound lead quality.

The solution was to redesign everything into a single pipeline, TeleStar Outreach, where each client is a sub-pipeline and each sales rep is distinguished by the Owner field instead of a separate branch, while adding a set of quality-check fields.

This document specifies the full business requirements, rules, data model, process, gap analysis and prioritized recommendations.

4. Current State (As-is)

Previously, TeleStar's outreach was managed on an old pipeline in which each sales team was split into its own branch. Entering leads under this structure created three root problems:

- Duplicate leads: the same company or contact was entered into multiple teams' branches, with no central detection.
- No traceable filtering history for recycling: there was no way to know how and by which team a lead had been filtered, so the rule of re-engaging only after 6 months could not be enforced.
- No assessment of inbound lead quality: data scattered by team made it impossible to score leads or attribute them to a source.

The common root cause was using the sales team as the axis for splitting data, so the same client's leads sat in many places and the identity of the responsible person was mixed into the storage structure. The diagram below illustrates this.




Figure 1. Current state (As-is): the old pipeline split by sales team and the three resulting problems.

5. Objectives, Scope, Assumptions & Constraints

5.1 Objectives

- Consolidate all of a client's leads in one place to control duplication.
- Record filtering history and time spent at each step to support timely lead recycling.
- Add lead-quality scoring criteria directly in the lead record.
- Distinguish leads by owner without fragmenting the data.

5.2 Scope

In scope: the TeleStar Outreach pipeline, the lead data model, the multi-channel outreach stages, and the classification and measurement mechanisms.

Out of scope: payroll systems, email and dialing tools outside the CRM, and data from other pipelines not belonging to TeleStar.

5.3 Assumptions

- The sales team follows data-entry conventions and updates stages promptly.
- The lead source provides at least an email or LinkedIn to serve as an identifier key.

5.4 Constraints

- The Bigin platform limits the number of pipelines, so a separate pipeline per client is not feasible.
- The stage repository is shared across the whole system, so any change affects many clients.

6. Stakeholders

6.1 List & Concerns

Role	Responsibilities & main concerns
Lead Gen / Sales Ops (my role)	Enter leads into the system; check lead qualification via social channels per country market; design and operate the pipeline; report on effectiveness
Operations team	Support getting leads into the system and ensure complete input data
SDR	Filter leads and run multi-channel outreach; know which step a lead is at and avoid duplicate work
Team lead / Manager	Track progress, spot bottlenecks, evaluate performance by person and by client
TeleStar's clients	Receive qualified meetings as committed

6.2 RACI Matrix

R: Responsible, A: Accountable, C: Consulted, I: Informed.

Activity	Lead Gen / Sales Ops (me)	Operations	SDR	Manager
Enter / upload leads	R	R	I	A
Filter leads	C	I	R	A
Qualify via social per market	R/A	I	C	I
Multi-channel outreach	I	I	R	A
Design & maintain system	R/A	C	I	C
Performance reporting	R	I	C	A

7. Proposed System (To-be)

7.1 Architecture Principle

The new design flips the splitting axis: instead of splitting by sales team, the system splits by client. All of a client account's leads go into one corresponding branch (sub-pipeline), all within a single TeleStar Outreach pipeline.

One central pipeline, many client branches. It currently runs about 17 client branches, each with its own set of stages drawn from a shared stage repository, matching the outreach channels that client prefers.

Distinguish reps by Owner. A lead is tagged with the Owner of the rep handling it, so you can still trace who is working a lead without a separate branch, avoiding the fragmentation of the old system.

7.2 To-be Process Diagram




Figure 2. New process (To-be): one pipeline, split by client, quality check and a multi-channel funnel converging on a qualified meeting.

---

8. Functional Requirements

Status “Implemented” means already in the current system. “Proposed” means a recommended addition (see section 12).

ID	Requirement	Acceptance criteria	Status
FR-01	Manage all outreach leads in a single pipeline (TeleStar Outreach).	Every new lead is created in this pipeline; no pipeline is created per team.	**Implemented**
FR-02	Each lead must be assigned to a Client (Sub-Pipeline).	The Sub-Pipeline field is mandatory; the record cannot be saved if empty.	**Implemented**
FR-03	Each lead must be assigned an Owner.	Owner is mandatory; used to distinguish reps instead of a separate branch.	**Implemented**
FR-04	Score lead fit (T1/T2/Not relevant)	A Fit-level field exists; changing it does	**Implement**

ID	Requirement	Acceptance criteria	Status
	independently of the stage.	not affect the Stage.	ed
FR-05	Record the email validation result before outreach.	An email validation field exists on the lead record.	Implemented
FR-06	Support a multi-channel funnel with stages for LinkedIn, Email, Calls and other channels.	Each client's stage set allows the steps matching the channels that client uses.	Implemented
FR-07	Track the time a lead spends at each stage.	The system records stage history and the number of days at each stage.	Implemented
FR-08	Classify the final outcome as qualified or unqualified.	Terminal stages map to the won / lost group.	Implemented
FR-09	Link a lead to a Company record for an account-level view.	A lookup field to the Company module exists.	Implemented
FR-10	Block duplicate leads by an identifier key on entry.	Email or LinkedIn is set as unique; warn or merge on duplicates.	Proposed
FR-11	Record the last-contacted date and the date eligible for re-contact.	Date fields exist to enforce the 6-month recycle rule automatically.	Proposed
FR-12	Record the lead source and import batch.	Lead Source and Import batch/date fields exist to assess quality by source.	Proposed

8.1 Non-functional Requirements

- Consistency: a single source of truth for each client.
- Scalability: adding a new client does not break the shared structure.
- Access control: access and actions by role (SDR, Manager, Admin).
- Reportability: data structured enough to filter and aggregate by client, by person and by source.

---

9. Business Rules

ID	Rule	Status
BR-01	A lead belongs to only one Client (Sub-Pipeline) at a time.	Implemented
BR-02	Reps are distinguished by Owner, not by a separate branch.	Implemented
BR-03	A rejected lead must have a rejection reason logged.	Implemented
BR-04	A rejected lead may only be re-engaged after at least 6 months.	Proposed
BR-05	Only leads with a valid email may move to the email-sending step.	Implemented
BR-06	Two leads with the same email are not allowed within the same client.	Proposed

---

10. Use Cases & User Stories

10.1 UC-01: Enter and assign a new lead

Actor	Lead Gen / Sales Ops (me), with the Operations team
Preconditions	A lead from the sourcing step exists and its client is known
Main flow	1. Open the TeleStar Outreach pipeline 2. Enter lead details (name, company, email, LinkedIn...) 3. Assign the Client (Sub-Pipeline) and the Owner 4. Save the lead at the New lead stage
Alternative flow	3a. Missing mandatory field (Sub-Pipeline, Owner): the system shows an error and does not save
Postconditions	The lead sits in the right client branch with an owner, ready for filtering

10.2 UC-02: Filter out unsuitable leads

Actor	SDR
Preconditions	The lead has been entered and is at the top of the funnel
Main flow	1. Review the lead against basic criteria (contact info, valid email, apparent fit) 2. If unsuitable, set the stage to Not relevant 3. Log the rejection reason
Postconditions	The lead is pre-filtered; passing leads move to the qualification check

10.3 UC-03: Qualify via social media per market

Actor	Lead Gen / Sales Ops (my team)
Preconditions	The lead has passed the SDR pre-filter and the market / country is known
Main flow	1. Identify the lead's market / country 2. Choose the social channel that fits that market (LinkedIn, Zalo, WhatsApp, local channels...) 3. Check the profile and fit of the lead through that channel 4. Assign the Fit level (T1 / T2 / Not relevant) 5. Update the lead's stage
Alternative flow	3a. Lead not found on that market's channel: flag to check another channel
Postconditions	The lead is qualified against each market's own standard, ready for the outreach funnel

10.4 Representative User Stories

- As a Lead Gen / Sales Ops, I want to enter leads into the right client branch and set an Owner, so that input data stays clean and not fragmented.
- As a Lead Gen / Sales Ops, I want to qualify a lead via the social channel that fits each market, so that lead quality is consistent across countries.
- As an SDR, I want to filter leads and see them split by Owner, so that I do not duplicate work with colleagues.
- As a manager, I want to know how long a lead sits at each step, so that I can spot bottlenecks.

11. Data Model & Data Dictionary

Each record is a lead. The table below specifies the main fields of a lead in the TeleStar Outreach pipeline.

Field	Type	Required	Values / Constraint	Description
Lead Name	Text	Yes	String	Display identifier of the lead
Client (Sub-Pipeline)	Picklist	Yes	One of the active clients	Which TeleStar client the lead belongs to
Stage	Picklist	Yes	Per the client's stage set	Current step in the outreach process
Owner	User lookup	Yes	A valid user	The sales rep handling the lead
Fit level	Picklist	No	T1 / T2 / Not relevant	Scores lead quality, separate from progress
Email validation result	Text	No	Valid / Invalid	Confirms the email before outreach
Industry	Text	No	String	Criterion to assess fit
Company size	Text	No	Headcount range	Criterion to assess fit
Email	Email	No	Email format	Primary contact of the lead
Contact phone	Text	No	Digit string	Personal / company phone number
Contact / Company LinkedIn	URL	No	URL format	LinkedIn profile for outreach
Company (Account)	Lookup	No	A valid Company record	Link to the account level
Contact / Company country	Text	No	Country name	Market segmentation

Notable design point: the Fit level field is kept separate from the Stage, clearly distinguishing two different questions: how good the lead is, and which step the lead is at.

12. Gap Analysis

Old problem	What the new design did	Remaining gap
Duplicate leads	Consolidated all of a client's leads into one branch, so de-duplication runs on a single data set	Email is not yet unique, so entry duplicates are not auto-blocked (see FR-10, BR-06)

Old problem	What the new design did	Remaining gap
Cannot recycle after 6 months	Tracks stage time and has stages reflecting the filtering decision	Missing structured fields for last-contacted date, recycle date and a picklist rejection reason (see FR-11, BR-04)
Cannot assess lead quality	Added Fit level, Industry, Company size and email check: a full scoring set	Missing Lead Source and Import batch, so quality cannot be attributed to a source (see FR-12)

13. Technical Debt Findings

The items below were recorded while reviewing the pipeline configuration; they are the natural state of a long-running system edited many times.

#	Finding	Risk
1	Mismatch between display label and stored value, in both client branches and stages. Some stored values still carry team/person names from the old system.	Most serious. Reports usually read the stored value, so figures may be attached to the wrong client or step, silently harming the very lead-quality assessment this project aims for.
2	The stage repository has grown large (about 60 values) with many near-duplicate pairs.	Hard to compare data across clients, easy to enter inconsistently.
3	Leftover default stages from the original sales pipeline, plus a few stages nobody uses.	Clutters the picklist and increases the chance of a wrong choice.
4	The probability field is assigned to each operational outreach step instead of the real chance of success.	The resulting forecast figures are misleading.
5	The default client branch is preset to a specific value.	A lead entered without choosing a client falls into that default client.

14. Prioritized Recommendations

Priority	Recommendation	Solves
P0	Normalize the stored values of branches and stages to match the display labels, or at least build a clean mapping table so reports read correctly.	Stops reports attaching data to the wrong client or step
P1	Merge duplicate stages, delete junk stages, define one standard multi-channel stage set and map it to each client.	Consistent data, easy comparison
P2	Set a unique identifier key (email/LinkedIn),	Eliminates duplicates, enables the 6-

Priority	Recommendation	Solves
	enforce de-duplication on entry; add last-contacted date, recycle date and a picklist rejection reason.	month recycle rule
P3	Add Lead Source and Import batch; build a tracker for T1/T2 rate, valid-email rate and fit rate by person and by source.	Measure and attribute quality to the right source
P4	Stop using probability on each outreach step; set it only at the meeting milestones.	Non-misleading forecast
P5	Issue a naming convention and a standard process for adding a new client, reusing the standard stage set.	Prevents technical debt from recurring

15. Requirements Traceability Matrix

The matrix links each business problem to the requirements and rules that address it, ensuring nothing is missed.

Problem / Objective	Related requirements & rules	Addressed in
Duplicate leads	FR-01, FR-10, BR-01, BR-06	Sections 7, 8, 9, 12, 14 (P2)
Cannot recycle	FR-07, FR-11, BR-03, BR-04	Sections 7, 8, 9, 12, 14 (P2)
Cannot assess quality	FR-04, FR-05, FR-09, FR-12	Sections 7, 8, 11, 12, 14 (P3)
Distinguish reps without fragmenting	FR-03, BR-02	Sections 7, 8, 9

16. Business Analysis Competencies Demonstrated

- Problem analysis: traced three symptoms back to one root cause, a wrong data-splitting axis.
- Solution design: a central single pipeline, split by client, reps distinguished by Owner.
- Requirements specification: coded functional requirements, acceptance criteria, business rules and use cases.
- Data modeling: designed the field set and separated the quality dimension from the progress dimension.
- Process modeling: built As-is and To-be diagrams.
- Critical thinking: found technical debt and traced requirements back to the root problem.