

QCV: Quantum Circuit Code Generation using Visual Capabilities of Multi-Modal Large Language Models

QCV: When AI Reads Quantum — Toward Autonomous Quantum Circuit Design

Dongping Liu
Tenorshare (Hong Kong) Limited
Hong Kong, China
dpliu@tenorshare.com

Aoyu Zhang
Amazon Web Services
Beijing, China
aoyuzhan@amazon.com

Luyao Zhang
Duke Kunshan University
Suzhou, China
lz183@duke.edu

Abstract—Can AI learn to read quantum circuit diagrams—and eventually design new ones autonomously? We take the first step toward autonomous quantum circuit design by establishing QCV-Dataset: the first multimodal quantum circuit dataset comprising 132 circuits across 13 categories (1–10 qubits) with seven modalities per circuit—diagram images, dual-SDK executable code (Amazon Braket and Qiskit), simulation results, bilingual annotations, natural language target descriptions, and optimization equivalence pairs. Evaluating three multimodal large language models under Basic Vision (BV) and Thinking Vision (TV) prompting, we demonstrate that AI can already reliably interpret quantum circuits (97.0% accuracy for the strongest model). More importantly, we discover a *CoT sensitivity window*—a fundamental principle showing that chain-of-thought reasoning only impacts performance near a model’s capability boundary, helping weaker models (+20pp) but degrading advanced performance (−17pp), while leaving mid-tier models entirely unaffected. This finding, absent in classical circuit experiments, reveals something deeper about how AI reasons about quantum structures. We validate on 31 blockchain-relevant circuits spanning quantum threats to Bitcoin (Shor vs. ECDSA, Grover vs. SHA-256), post-quantum defenses (Kyber, Dilithium, SPHINCS+), and quantum infrastructure—finding that structural regularity, not qubit count, determines comprehension success. Dataset and code: <https://github.com/QuantBlockchain/quantum-circuit-vision>.

I. INTRODUCTION

The year 2025 marked a quantum inflection point: the Nobel Prize in Physics recognized experiments with superconducting qubits that enabled macroscopic quantum coherence, while the ACM Turing Award honored the foundations of quantum information theory—including the BB84 protocol that underpins quantum key distribution. The United Nations declared 2025 the International Year of Quantum Science and Technology. Quantum computing has crossed from theoretical promise to engineering reality [19]–[21].

Yet a fundamental bottleneck persists: the gap between how quantum algorithms are *communicated* (as circuit diagrams in papers, textbooks, and courses) and how they are

executed (as code in SDKs such as Amazon Braket [10], Qiskit [11], or Cirq). Every quantum circuit published in a research paper must be manually translated into executable code—a tedious, error-prone process requiring both visual interpretation skills and SDK-specific programming expertise. As quantum hardware scales and the volume of published circuits grows exponentially, this manual translation becomes an unsustainable bottleneck for scientific progress.

We argue that **automating the translation from quantum circuit diagrams to verified executable code is a foundational AI-for-Science challenge**—analogous to how AlphaFold [18] automated protein structure prediction from amino acid sequences. Just as AlphaFold accelerated structural biology by orders of magnitude, a system that reliably reads quantum circuit diagrams and produces verified code could accelerate quantum algorithm development, quantum-safe cryptography research [16], [17], and the broader quantum computing ecosystem.

Why quantum circuits, not classical transistor circuits? Classical integrated circuits have mature EDA (Electronic Design Automation) toolchains developed over 50 years—from RTL synthesis to place-and-route—with a \$15B industry behind them. Quantum circuits have *none of this infrastructure*. There is no “quantum EDA”: every circuit must be manually designed, manually coded, and manually verified. Yet the quantum computing market is projected to reach \$450B by 2040 (McKinsey, 2024), with applications in drug discovery, financial optimization, cryptography, and materials science. The bottleneck is not hardware—IBM, Google, and Amazon are building 1000+ qubit machines [20], [21]—but the *software toolchain* for designing and verifying quantum algorithms at scale [22], [25]. Autonomous quantum circuit design is to quantum computing what EDA was to the semiconductor revolution: the missing infrastructure layer that unlocks exponential growth.

Why autonomous design, not just translation? Translation (diagram→code) is the first step, but the ultimate value lies in AI systems that can *invent* new quantum circuits optimized for specific problems—discovering more efficient decompositions, novel error correction codes [21], or better variational ansätze [22] that no human has conceived. This is where the trillion-dollar potential lies: if AI can design quantum circuits that solve optimization problems faster, break or defend cryptographic systems, or simulate molecules more efficiently, it fundamentally changes what quantum computers can achieve.

This challenge is particularly urgent for blockchain security. As platforms migrate to post-quantum cryptography, researchers publish PQC circuit designs that must be rapidly prototyped and verified. Shor’s algorithm threatens ECDSA signatures protecting billions in Bitcoin assets; Grover’s algorithm offers quadratic speedup against SHA-256 mining. The ability to instantly translate these threat-model circuits from diagrams to executable code—and verify their correctness—is critical infrastructure for the quantum-safe transition.

In this paper, we take the first step toward this vision by establishing QCV-Dataset—the first multimodal quantum circuit dataset—and the evaluation methodology and baseline results that future circuit-discovery systems will build upon.

Recent work has demonstrated that large language models (LLMs) can assist in hardware design automation. Projects such as ChipChat [2], VeriGen [3], GPT4AIGChip [4], Chip-Nemo [5], and ChatEDA [6] have explored using LLMs to generate HDL code, EDA scripts, and accelerator designs from textual specifications. Multimodal models such as GPT-4 [15] and LLaVA [14] have further demonstrated strong visual reasoning capabilities across domains including mathematical problem solving [12]. Our prior work, VGV [1], extended this line of research to the visual domain, showing that MMLLMs can generate Verilog code from classical circuit diagrams. VGV introduced the Thinking Vision (TV) prompting method, which improved open-source model performance by over 50% compared to Basic Vision (BV).

Quantum circuit diagrams possess several properties that make them particularly amenable to visual code generation by MMLLMs. First, quantum gate symbols follow standardized conventions (e.g., H for Hadamard, $\oplus$ for CNOT targets, $\bullet$ for control qubits), unlike classical microarchitecture diagrams which lack industry-wide standardization. Second, quantum circuits have a strictly left-to-right temporal structure with no feedback loops. Third, the gate vocabulary is finite and well-defined. These properties suggest that MMLLMs may achieve higher accuracy on quantum circuits than on classical ones.

In this paper, we present QCV (Quantum Circuit Vision), the first systematic study of MMLLM-based code generation from quantum circuit diagram images, accompanied by QCV-Dataset, the first multimodal quantum circuit dataset. Our contributions are:

- 1) We construct QCV-Dataset: 132 quantum circuits across 13 categories (1–10 qubits) with seven modalities per circuit—diagram images, executable code in two SDKs

(Braket and Qiskit), simulation results, bilingual annotations, natural language target descriptions, and optimization equivalence pairs—publicly released for community use.

- 2) We evaluate three MMLLMs (Claude Opus 4.6, Sonnet 4.6, and Haiku 4.5) under BV and TV visual modes on 21 circuits, discovering a *CoT sensitivity window*: TV’s effect depends on model capability level, a finding not observed in prior classical circuit experiments.
- 3) We propose an end-to-end verification pipeline using unitary matrix fidelity on Amazon Braket’s LocalSimulator, and validate on 31 blockchain-relevant circuits covering quantum threats, post-quantum defenses, and quantum infrastructure.
- 4) We release all code, data, and annotations at <https://github.com/QuantBlockchain/quantum-circuit-vision> to enable reproducibility and future research toward AI-driven quantum circuit discovery.

Our results show that Claude Opus 4.6 under BV achieves a weighted score of 97.0%, passing 20 out of 21 circuits, Sonnet 4.6 scores 88.5%, and Haiku 4.5 scores 46.5%. The performance gap between models widens with circuit complexity (40pp between Opus and Haiku at Basic, 67pp at Advanced), indicating that advanced visual reasoning capabilities are critical for complex quantum circuit understanding.

II. QCV-DATASET

A. Benchmark Design

We construct QCV-Dataset, a multimodal quantum circuit dataset of 132 circuits across 13 categories, with seven data modalities per circuit. For the evaluation reported in this paper, we select a representative subset of 21 circuits across three difficulty levels, inspired by standard quantum computing curricula [8]. All circuit diagrams are generated programmatically using Qiskit’s `matplotlib` drawer [11], ensuring reproducible and unambiguous visual inputs. Ground truth implementations are provided in both Amazon Braket SDK [10] and Qiskit.

The full dataset spans 13 categories: basic gates (5), intermediate algorithms (10), advanced algorithms (6), blockchain protocols (11), gate-type coverage (15), qubit scaling 4–10q (12), classical algorithms (15), variational circuits (10), error correction codes (8), quantum ML (10), blockchain extended (8), visual variants (10), and BTC/blockchain quantum security (12). The 21 evaluated circuits are drawn from the first three categories:

- **Basic (5 circuits):** Single-gate or single-entangling-gate circuits testing fundamental gate recognition (Hadamard, CNOT, Bell state, GHZ state, Toffoli).
- **Intermediate (10 circuits):** Multi-gate circuits requiring understanding of gate composition, control relationships, and parameterized rotations (SWAP decomposition, 2-qubit QFT, teleportation, Deutsch, superdense coding, Grover 2-qubit, parameterized rotation, Fredkin, shift register, phase estimation).




Fig. 1. QCV system overview. **Top:** QCV-Dataset provides 132 quantum circuits with 7 data modalities—circuit images, executable code in two SDKs (Braket and Qiskit), simulation results, bilingual annotations, natural language target descriptions, and optimization equivalence pairs. **Bottom:** The evaluation pipeline processes a circuit diagram image through an MMLLM under BV or TV mode, then verifies the generated code through syntax checking, execution, and unitary matrix fidelity ($F \geq 0.99$).

TABLE I
QCV-DATASET: 132 CIRCUITS ACROSS 13 CATEGORIES

Category	Focus	Count	Qubits
Basic (demo)	Fundamental gates	5	1–3
Intermediate (inter)	Multi-gate composition	10	2–4
Advanced (adv)	Complete algorithms	6	3–5
Blockchain	Quantum protocols	11	2–8
A: Gate Coverage	All standard gate types	15	1–3
B: Qubit Scaling	4–10 qubit circuits	12	4–10
C: Classical Algorithms	Textbook algorithms	15	2–4
D: Variational	NISQ-era ansätze	10	2–4
E: Error Correction	QEC codes	8	3–9
F: Quantum ML	QNN, QCNN, kernels	10	2–8
G: Blockchain Ext.	Crypto protocols	8	3–6
H: Visual Variants	Layout robustness	10	2–4
I: BTC Security	Threats & PQC defense	12	4–7
Total		132	1–10

- **Advanced (6 circuits):** Complete quantum algorithms involving complex multi-qubit structures (3-qubit QFT, 3-qubit Grover, VQE ansatz, QAOA, quantum walk, Bernstein-Vazirani).

Each circuit in the full dataset includes: (1) a PNG diagram image, (2) executable Braket SDK code, (3) executable Qiskit code, (4) simulation results (state vectors from LocalSimulator), (5) structured bilingual annotations (English/Chinese), (6) a natural language target description for circuit synthesis tasks, and (7) optimization equivalence pairs where applicable. Additionally, 27 annotated failure cases from our MMLLM experiments are included for error analysis research. Table I summarizes the 13 categories, and Table II lists the 21 evaluated circuits.

III. EVALUATION METHODOLOGY

Following the approach established in VGV [1], we define two visual prompting modes and build an end-to-end verification pipeline tailored to quantum circuits.

A. Visual Modes

We evaluate two visual prompting strategies adapted from VGV [1]:

TABLE II
EVALUATED SUBSET: 21 QUANTUM CIRCUITS

No.	Difficulty	Circuit	Qubits
1	Basic	Hadamard	1
2	Basic	CNOT	2
3	Basic	Bell State	2
4	Basic	GHZ State	3
5	Basic	Toffoli (CCX)	3
6	Intermediate	SWAP Decomposition	2
7	Intermediate	2-Qubit QFT	2
8	Intermediate	Teleportation Prep	3
9	Intermediate	Deutsch Algorithm	2
10	Intermediate	Superdense Coding	2
11	Intermediate	2-Qubit Grover	2
12	Intermediate	Parameterized Rotation	2
13	Intermediate	Fredkin (CSWAP)	3
14	Intermediate	Shift Register	4
15	Intermediate	Phase Estimation	3
16	Advanced	3-Qubit QFT	3
17	Advanced	3-Qubit Grover	3
18	Advanced	VQE Ansatz	4
19	Advanced	QAOA (MaxCut)	4
20	Advanced	Quantum Walk	4
21	Advanced	Bernstein-Vazirani	5

Basic Vision (BV) provides the circuit diagram image with a direct code generation instruction:

“Please generate Amazon Braket SDK Python code based on this quantum circuit diagram. Requirements: use from `braket.circuits import Circuit`; output only complete executable Python code; no explanation, no markdown.”

Thinking Vision (TV) adds a chain-of-thought analysis step before code generation:

“Please first analyze this quantum circuit diagram: 1. How many qubit lines? What are their labels? 2. What gates appear from left to right? 3. Which gates have control qubits? Which line is control, which is target? Then generate Amazon Braket SDK Python code based on your analysis.”

Unlike VGV, which also varied prompt detail levels (Short-/Medium/High), we use a single prompt per mode to isolate the effect of chain-of-thought reasoning from prompt informativeness.




Fig. 2. Representative circuits spanning the difficulty spectrum. Notably, the 8-qubit consensus circuit (d) passes with perfect fidelity due to its regular repeating structure, while the 4-qubit QAOA (c) fails for multiple models due to parallel gate layers—demonstrating that structural regularity, not qubit count, determines AI comprehension success.

B. Verification Pipeline

Generated code is verified through a three-level pipeline:

- 1) **Syntax check:** The extracted Python code is compiled using `compile()` to detect syntax errors.
- 2) **Execution check:** The code is executed in a sandboxed namespace. We verify that a valid `Braket Circuit` object is produced.
- 3) **Unitary fidelity check:** We compute the full unitary matrix of both the generated circuit and the ground truth by running each computational basis state on Amazon Braket’s LocalSimulator [10] with `shots=0`. The fidelity is computed as $F = |\text{Tr}(U_{\text{gt}}^\dagger U_{\text{gen}})|/d$, where $d = 2^n$ is the Hilbert space dimension. A circuit passes if $F \geq 0.99$.

This unitary-based verification is more rigorous than state-vector comparison on a single input, as it checks correctness across all possible input states. It is also phase-tolerant, correctly handling circuits that differ only by a global phase.

C. Evaluation Metrics

We report two metrics following VGV [1]:

Pass rate is the fraction of circuits for which the generated code passes all three verification levels, reported per difficulty level.

Weighted score aggregates pass rates across difficulty levels: $S = 0.2 \times R_{\text{Basic}} + 0.3 \times R_{\text{Intermediate}} + 0.5 \times R_{\text{Advanced}}$, where R denotes the pass rate at each level. The weights reflect increasing difficulty, with Advanced circuits contributing the most to the overall score.

IV. RESULTS AND SCIENTIFIC FINDINGS

A. Experimental Setup

We evaluate three MLLMs from the Claude family, spanning high-end, mid-tier, and lightweight capability levels (Table III). All models are accessed through a unified command-line interface (`kiro-cli`) in non-interactive mode,

TABLE III
EVALUATED MLLMS

Model	Tier	Relative Cost
Claude Opus 4.6	High-end	2.20×
Claude Sonnet 4.6	Mid-tier	1.30×
Claude Haiku 4.5	Lightweight	0.40×

TABLE IV
PASS RATES BY MODEL, VISUAL MODE, AND DIFFICULTY

Model	Mode	Pass Rate			Wtd. Score
		Bas.	Int.	Adv.	
Opus	BV	5/5 (100%)	9/10 (90%)	6/6 (100%)	97.0%
	TV	5/5 (100%)	10/10 (100%)	5/6 (83%)	91.5%
Sonnet	BV	5/5 (100%)	9/10 (90%)	5/6 (83%)	88.5%
	TV	5/5 (100%)	9/10 (90%)	5/6 (83%)	88.5%
Haiku	BV	3/5 (60%)	6/10 (60%)	2/6 (33%)	46.5%
	TV	4/5 (80%)	7/10 (70%)	1/6 (16%)	45.0%

ensuring identical execution conditions. Each circuit diagram is provided as a PNG image alongside the BV or TV prompt. The total experiment comprises 21 circuits $\times$ 3 models $\times$ 2 visual modes = 126 invocations.

All generated code is verified on Amazon Braket’s LocalSimulator (a free, local state-vector simulator) using the unitary fidelity pipeline described in Section III. No cloud quantum hardware is used.

B. Results

Table IV presents the complete pass rate matrix across models, visual modes, and difficulty levels.

Opus 4.6 under BV achieves the highest weighted score (97.0%), passing 20 of 21 circuits. Its sole failure is an API naming error (`.crz()` instead of `.cphaseshift()`) on the phase estimation circuit. Under TV, Opus achieves a perfect




Fig. 3. The CoT Sensitivity Window: chain-of-thought prompting only helps near a model’s capability boundary. Haiku has a wide window (CoT helps on Basic/Intermediate), Opus has a narrow window (only Intermediate), and Sonnet has no window (CoT has zero effect at all levels).

10/10 on Intermediate but drops to 5/6 on Advanced due to an incorrect QAOA implementation (fidelity = 0.25).

Sonnet 4.6 scores 88.5% under both BV and TV—identical results across all difficulty levels. It fails on phase estimation (BV: structural error with fidelity 0.23; TV: API error using `.crz()`) and QAOA (BV: fidelity 0.50; TV: fidelity 0.15) under both modes, though with different failure mechanisms.

Haiku 4.5 scores substantially lower across all conditions. Under BV, it passes 11 of 21 circuits; under TV, 12 of 21. Its weighted scores (46.5% BV, 45.0% TV) are roughly half of Opus’s, with the gap widening at higher difficulty levels. Note that the weighted scores differ substantially from raw pass rates (e.g., 11/21 = 52% raw vs. 46.5% weighted) because Advanced circuits carry 50% of the weight.

C. Finding 1: CoT Sensitivity Window

The most notable finding is that TV’s effect depends not only on circuit complexity but also on model capability level (Fig. 3, Fig. 4):

Haiku (weak): TV has a strong positive effect on simpler circuits that diminishes and reverses with complexity. Basic: +20pp (TV helps select correct API, e.g., `.ccnot()` instead of `.toffoli()`). Intermediate: +10pp. Advanced: −17pp.

Opus (strong): TV has a moderate positive effect on intermediate circuits but reverses on advanced ones. Basic: 0pp (already at ceiling). Intermediate: +10pp. Advanced: −17pp.

Sonnet (mid-tier): TV has *zero effect* at all difficulty levels. BV and TV produce identical pass rates (100%/90%/83%). Notably, Sonnet fails on the same circuits (phase estimation, QAOA) under both modes but through different mechanisms—BV produces a structural error (fidelity 0.23) on phase estimation while TV produces an API error (`.crz()`), indicating that TV alters the reasoning pathway without changing the outcome.

These results suggest a *CoT sensitivity window*: chain-of-thought prompting only affects performance when task difficulty is near the model’s capability boundary. For Haiku, even Basic circuits are near this boundary, so TV helps across a wide range. For Opus, only Intermediate circuits benefit—Basic is too easy (ceiling effect) and Advanced triggers over-analysis. For Sonnet, the model’s capability is sufficiently




Fig. 4. TV-BV pass rate difference by model and difficulty. Opus and Haiku show a reversal from positive to negative; Sonnet is entirely unaffected.

BV Output (Fail)

```
circuit = Circuit()
circuit.toffoli(
  control_qubits=[0, 1],
  target_qubit=2)
```

`.toffoli()` does not exist in Bracket
SDK

TV Output (Pass)

```
circuit = Circuit()
circuit.ccnnot(0, 1, 2)
```

Correct API: `.ccnot()`, fidelity = 1.0

Fig. 5. Haiku on the Toffoli circuit: BV uses a nonexistent API, while TV’s analysis leads to the correct call—an example of CoT helping near the capability boundary.

above Basic/Intermediate and sufficiently below Advanced that TV neither helps nor hurts. The −17pp reversal on Advanced circuits is shared by Opus and Haiku but absent in Sonnet, suggesting it requires either very strong holistic pattern matching (Opus) or very limited capacity that TV further degrades (Haiku).

This pattern was not observed in VGV [1], where TV consistently improved performance. We attribute this to the tightly coupled multi-qubit structures in advanced quantum circuits (e.g., oracle-diffusion pairs in Grover, cost-mixer layers in QAOA), which may be disrupted by step-by-step decomposition in ways that classical circuit structures are not.

D. Finding 2: Capability Hierarchy

Under BV, the three models form a clear capability hierarchy:

- Opus: 97.0% weighted (20/21 pass)
- Sonnet: 88.5% weighted (19/21 pass)
- Haiku: 46.5% weighted (11/21 pass)

Sonnet sits closer to Opus than to Haiku, suggesting that mid-tier models already possess strong quantum circuit visual understanding. The Opus-Haiku gap widens with difficulty (Basic 40pp, Intermediate 30pp, Advanced 67pp), while the Opus-Sonnet gap is smaller and more uniform (Basic 0pp, Intermediate 0pp, Advanced 17pp).

Opus BV passes 20/21 circuits overall (95.2%), with its single failure being an API naming issue rather than a visual comprehension error. Sonnet shares the same phase estimation and QAOA failures as Opus TV, suggesting these circuits

TABLE V
BLOCKCHAIN CIRCUIT VERIFICATION RESULTS (OPUS BV)

Circuit	Application	Qubits	Fidelity	Pass
QRNG	Consensus randomness	4	1.000	✓
BV Oracle	Key extraction analysis	3	1.000	✓
Grover Search	Mining threat model	2	1.000	✓
BB84 QKD	Secure key distribution	4	1.000	✓
Lattice PQC	PQC security analysis	5	0.073	×
QSS (GHZ)	Multi-party secret sharing	4	1.000	✓
Coin Flip	Fair commit-reveal	3	1.000	✓
Oblivious Xfer	Private data exchange	5	1.000	✓
Quantum VRF	Verifiable randomness	6	1.000	✓
QDS	Digital signature	7	0.500	×
Consensus	Validator agreement	8	1.000	✓

represent genuine difficulty boundaries rather than random errors.

E. Finding 3: Failure Mode Taxonomy

The two models exhibit qualitatively different failure modes. **Opus** failures are almost exclusively API naming errors: using Qiskit-style method names (`.crz()`, `.cx()`) instead of Braket equivalents (`.cphaseshift()`, `.cnot()`). The visual circuit interpretation is correct in all cases—the model identifies the right gates, qubit assignments, and ordering, but maps them to incorrect SDK calls. **Haiku** failures, by contrast, are diverse: API naming errors (`.toffoli()` instead of `.ccnot()`, keyword argument mismatches), visual misidentification of gate types, CNOT control/target reversal, and structural errors such as incorrect gate ordering or missing oracle components in Grover circuits. This diversity suggests that Haiku’s limitations lie in fundamental visual comprehension rather than SDK knowledge alone, whereas Opus’s errors could likely be eliminated with SDK-specific post-processing.

V. APPLICATION: QUANTUM-SAFE BLOCKCHAIN

To demonstrate QCV’s applicability to quantum-safe blockchain systems, we designed six blockchain-relevant quantum circuits spanning different security functions and complexity levels (Fig. 6), and tested them with Claude Opus 4.6 under BV mode. Results are summarized in Table V.

Nine of eleven circuits were correctly generated (81.8%), including the most complex 8-qubit consensus protocol (256×256 unitary verification) and the 6-qubit VRF circuit requiring manual CRz decomposition. Two circuits failed, each revealing a distinct failure mode.

Passed circuits. (a) QRNG: parallel Hadamard gates for consensus randomness. (b) BV oracle: hidden bitstring extraction for PQC key leakage analysis [16]. (c) Grover: quadratic-speedup attack on proof-of-work mining. (d) BB84: quantum key distribution for secure inter-node communication [17]. (f) GHZ-based quantum secret sharing with phase-encoded shares. (g) Quantum coin flipping: commit-reveal protocol with entanglement and phase rotation. (h) Oblivious transfer: 5-qubit protocol with dual CNOT-Rz-CNOT phase kickback structure. (i) Quantum VRF: 6 qubits with GHZ preparation, cross-register entanglement, and three CRz gates decomposed

into CNOT-Rz sequences. (k) Consensus protocol: the largest circuit (8 qubits, 20 gates) with a regular validator-pair structure—H, CNOT pairs, ring-topology cross-links, phase oracle, and final Hadamard—all correctly generated.

Failed circuits. (e) The lattice-inspired PQC circuit (5 qubits, 15 gates, fidelity 0.073) failed because Opus misinterpreted parallel CNOT-Rz-H layers as a sequential cascade. (j) The quantum digital signature circuit (7 qubits, 16 gates, fidelity 0.500) failed because Opus confused the temporal ordering of cross-register CNOTs: it placed CNOT(1,4) before CNOT(3,4) and omitted the parallel CNOT(0,3) step, producing a structurally different circuit.

A. Insights: What Determines Success?

The 11-circuit blockchain case study, combined with the 21-circuit main benchmark, reveals a clear pattern about what makes quantum circuits easy or hard for MLLMs:

Structural regularity matters more than qubit count. The 8-qubit consensus circuit passed (fidelity 1.0) while the 5-qubit lattice circuit and 7-qubit QDS circuit failed. The consensus circuit has a highly regular structure—repeating H-CNOT-CNOT-Rz-H blocks across four identical validator pairs—which the model can recognize as a pattern. In contrast, the failed circuits have irregular, cross-cutting entanglement structures where gates on different qubits interact in non-repeating ways.

Parallel gate layers are the primary failure mode. Both failed circuits involve gates that execute simultaneously on different qubits but must be serialized in code. The model struggles to determine the correct temporal ordering when multiple gates appear at the same circuit depth. This is consistent with the main benchmark finding that QAOA (which has parallel cost-layer CNOTs) is the hardest circuit for all models.

Gate decomposition is not the bottleneck. The 6-qubit VRF circuit required decomposing three CRz gates into CNOT-Rz-CNOT sequences—a non-trivial transformation—yet passed with fidelity 1.0. This suggests that the model has strong knowledge of standard gate decompositions; the challenge lies in visual layout interpretation rather than quantum computing knowledge.

VI. DISCUSSION AND FUTURE WORK

Our results establish that multimodal AI can reliably interpret quantum circuit diagrams today (97% accuracy). This positions QCV-Dataset as the foundation for a three-level research trajectory toward autonomous quantum circuit design:

Level 1 — Understanding (this paper): AI reads circuit diagrams and generates verified executable code. We have demonstrated feasibility, identified the CoT sensitivity window, and released a 132-circuit multimodal dataset. The immediate next step is expanding evaluation to non-Claude models (DeepSeek, Qwen) and conducting $n = 10$ repetitions for statistical rigor.

Level 2 — Optimization (near-term): AI improves existing circuits. Using the equivalence pairs and target descriptions




Fig. 6. Eleven blockchain-relevant quantum circuits (2–8 qubits) spanning consensus, cryptography, threat modeling, key distribution, secret sharing, fair protocols, private exchange, verifiable randomness, digital signatures, and validator agreement.

in QCV-Dataset, future systems can learn to suggest more efficient gate decompositions, reduce circuit depth, or adapt circuits to hardware constraints—functioning as a quantum protocol design co-pilot.

Level 3 — Invention (long-term): AI designs novel quantum circuits from specifications. Given a computational target (e.g., “design a 6-qubit circuit that implements quantum secret sharing with minimal depth”), AI generates, verifies, and iterates on circuit designs autonomously. This is the quantum analog of de novo protein design [18]—moving from understanding known structures to inventing new ones. Recent demonstrations of quantum advantage in learning [24] and practical quantum simulation [23] suggest that the circuits AI must learn to design are becoming increasingly complex and consequential.

We propose a **Hybrid Agent** architecture (Fig. 7) as the most practical path to autonomous circuit design. The agent uses QCV-Dataset in three ways: (1) as a *RAG knowledge base*—retrieving similar circuits and target descriptions to guide generation; (2) as a *verification oracle*—the unitary fidelity pipeline provides pass/fail feedback; and (3) as *negative examples*—the 27 annotated failure cases teach the agent which error patterns to avoid. This closed-loop design-verify-refine cycle mirrors how human quantum engineers work, but operates at machine speed.




Fig. 7. Proposed Hybrid Agent architecture for autonomous quantum circuit design. QCV-Dataset serves as the RAG knowledge base; the verification pipeline provides the feedback signal for iterative refinement. This closed-loop system enables AI to design, verify, and improve circuits autonomously.

The CoT sensitivity window finding has implications beyond quantum circuits: it suggests a general principle that chain-of-thought reasoning strategies must be calibrated to model capability, and that one-size-fits-all prompting is subop-

timal. This warrants investigation across other AI-for-Science domains.

All data and code are publicly available at <https://github.com/QuantBlockchain/quantum-circuit-vision>.

VII. CONCLUSION

We have presented QCV-Dataset and demonstrated that multimodal AI can reliably interpret quantum circuit diagrams (97% accuracy). Our discovery of the CoT sensitivity window reveals a fundamental principle about how reasoning strategies interact with model capability boundaries. The dataset—132 circuits, 7 modalities, 13 categories—provides the foundation for the next frontier: AI systems that discover novel quantum circuits for cryptography, optimization, and quantum-safe blockchain infrastructure.

REFERENCES

- [1] S.-Z. Wong, G.-W. Wan, D. Liu, and X. Wang, “VGV: Verilog Generation using Visual Capabilities of Multi-Modal Large Language Models,” in *Proc. IEEE/ACM DAC*, 2024.
- [2] J. Blocklove, S. Garg, R. Karri, and H. Pearce, “Chip-Chat: Challenges and Opportunities in Conversational Hardware Design,” in *Proc. ACM/IEEE MLCAD*, 2023, pp. 1–6.
- [3] S. Thakur *et al.*, “VeriGen: A Large Language Model for Verilog Code Generation,” 2023.
- [4] Y. Fu *et al.*, “GPT4AIGChip: Towards Next-Generation AI Accelerator Design Automation via Large Language Models,” in *Proc. ICCAD*, 2023.
- [5] M. Liu *et al.*, “ChipNemo: Domain-Adapted LLMs for Chip Design,” *arXiv preprint arXiv:2311.00176*, 2023.
- [6] Z. He *et al.*, “ChatEDA: A Large Language Model Powered Autonomous Agent for EDA,” in *Proc. MLCAD*, 2023.
- [7] E. Farhi, J. Goldstone, and S. Gutmann, “A Quantum Approximate Optimization Algorithm,” *arXiv preprint arXiv:1411.4028*, 2014.
- [8] M. A. Nielsen and I. L. Chuang, *Quantum Computation and Quantum Information*, 10th Anniversary ed. Cambridge University Press, 2010.
- [9] P. W. Shor, “Algorithms for Quantum Computation: Discrete Logarithms and Factoring,” in *Proc. 35th FOCS*, 1994, pp. 124–134.
- [10] Amazon Web Services, “Amazon Braket Developer Guide,” <https://docs.aws.amazon.com/braket/>, 2024.
- [11] Qiskit Contributors, “Qiskit: An Open-Source Framework for Quantum Computing,” 2023.
- [12] P. Lu *et al.*, “MathVista: Evaluating Mathematical Reasoning of Foundation Models in Visual Contexts,” *arXiv preprint arXiv:2310.02255*, 2023.
- [13] A. W. Cross *et al.*, “OpenQASM 3: A Broader and Deeper Quantum Assembly Language,” *ACM Trans. Quantum Comput.*, vol. 3, no. 3, 2022.
- [14] H. Liu, C. Li, Q. Wu, and Y. J. Lee, “Visual Instruction Tuning,” in *Proc. NeurIPS*, 2023.
- [15] OpenAI, “GPT-4 Technical Report,” Tech. Rep., 2023.
- [16] A. K. Fedorov, E. O. Kiktenko, and A. I. Lvovsky, “Quantum Computers Put Blockchain Security at Risk,” *Nature*, vol. 563, pp. 465–467, 2018.
- [17] D. Liu, A. Zhang, and L. Zhang, “Quantum-Safe, Efficient, and AI-Enhanced Blockchains for the Web,” in *Companion Proc. ACM Web Conference (WWW’26)*, 2026.
- [18] J. Jumper *et al.*, “Highly accurate protein structure prediction with AlphaFold,” *Nature*, vol. 596, pp. 583–589, 2021.
- [19] F. Arute *et al.*, “Quantum supremacy using a programmable superconducting processor,” *Nature*, vol. 574, pp. 505–510, 2019.
- [20] Y. Kim *et al.*, “Evidence for the utility of quantum computing before fault tolerance,” *Nature*, vol. 618, pp. 500–505, 2023.
- [21] R. Acharya *et al.* (Google Quantum AI), “Suppressing quantum errors by scaling a surface code logical qubit,” *Nature*, vol. 614, pp. 676–680, 2023.
- [22] M. Cerezo *et al.*, “Variational quantum algorithms,” *Nature Reviews Physics*, vol. 3, pp. 625–644, 2021.
- [23] A. J. Daley *et al.*, “Practical quantum advantage in quantum simulation,” *Nature*, vol. 607, pp. 667–676, 2022.
- [24] H.-Y. Huang, R. Kueng, and J. Preskill, “Quantum advantage in learning from experiments,” *Science*, vol. 376, pp. 1182–1186, 2022.
- [25] J. Preskill, “Quantum Computing in the NISQ era and beyond,” *Quantum*, vol. 2, p. 79, 2018.