
Const(ConstUsize(0))
(7)
0
Const(ConstUsize(0))
(22)
0
Const(ConstUsize(0))
(24)
0
Const(ConstUsize(0))
(26)
0
Const(ConstUsize(0))
(28)
0
Const(ConstUsize(1))
(30)
0
Const(ConstUsize(0))
(32)
0
Const(ConstUsize(0))
(34)
0
Const(ConstUsize(2))
(36)
0
Const(ConstUsize(0))
(38)
0
Const(ConstUsize(0))
(40)
0
Const(ConstUsize(1))
(42)
0
Const(ConstUsize(0))
(44)
0
Const(ConstUsize(0))
(46)
0
Const(ConstUsize(2))
(48)
0
Const(ConstUsize(0))
(50)
0
Const(ConstUsize(0))
(52)
0
Const(ConstUsize(0))
(54)
0
Const(ConstUsize(0))
(56)
0
[FuncDefn(__main__.main)
(1)]
tket.unitary: 0
0
Module
(0)
core.generator: {'name':...}
core.used_extensions: [...]
name: '__main__'
Input
(2)
0
borrow_array<3,...
LoadConst
(8)
0
0
usize
Const(ConstUsize(1))
(9)
0
LoadConst
(23)
0
0
LoadConst
(25)
0
0
LoadConst
(27)
0
0
LoadConst
(29)
0
0
LoadConst
(31)
0
0
LoadConst
(33)
0
0
LoadConst
(35)
0
0
LoadConst
(37)
0
0
LoadConst
(39)
0
0
LoadConst
(41)
0
0
LoadConst
(43)
0
0
LoadConst
(45)
0
0
LoadConst
(47)
0
0
LoadConst
(49)
0
0
LoadConst
(51)
0
0
LoadConst
(53)
0
0
LoadConst
(55)
0
0
LoadConst
(57)
0
0
0
1
borrow<3,...>
(4)
0
borrow_array<5,...
LoadConst
(10)
0
usize
Const(ConstUsize(2))
(11)
0
Const(ConstUsize(1))
(16)
0
0
1
borrow<5, Type(Qubit)>
(5)
0
1
LoadConst
(12)
0
usize
Const(ConstUsize(2))
(18)
0
borrow_array<3,...
0
LoadConst
(17)
0
it
0
1
borrow<5, Type(Qubit)>
(6)
0
1
Const(ConstUsize(0))
(20)
0
0
LoadConst
(19)
0
0
1
2
return<5, Type(Qubit)>
(13)
0
Qubit
0
LoadConst
(21)
0
usize
borrow_array<5,...
0
1
2
return<5, Type(Qubit)>
(14)
0
0
1
2
return<3,...>
(15)
0
borrow_array<3,...
0
Output
(3)