EXPERIMENT 2

JavaScript DOM Manipulation and Event Handling – To-Do List

AIM

To create a dynamic to-do list using JavaScript DOM manipulation and event handling.

ALGORITHM

1. Create an input field, Add button and task list.
2. Read the task entered by the user.
3. Create a list item and append it to the DOM.
4. Use event listeners to complete or delete a task.
5. Test the application in a browser.

PROGRAM

```
<!DOCTYPE html>
<html><head><title>To-Do List</title>
<style>.done{text-decoration:line-through;color:gray}</style></head>
<body>
<h2>To-Do List</h2>
<input id="task" placeholder="Enter a task">
<button onclick="addTask()">Add</button>
<ul id="list"></ul>
<script>
function addTask(){
 const input=document.getElementById('task');
 if(!input.value.trim()) return;
 const li=document.createElement('li');
 const text=document.createElement('span');
 text.textContent=input.value;
 const done=document.createElement('button');
 done.textContent='Done';
 done.onclick=()=>text.classList.toggle('done');
 const del=document.createElement('button');
 del.textContent='Delete'; del.onclick=()=>li.remove();
 li.append(text,done,del);
 document.getElementById('list').appendChild(li);
 input.value='';
}
</script></body></html>
```

RESULT

Thus, a dynamic to-do list was created successfully using DOM manipulation and event handling.

VIVA QUESTIONS

1. What is the DOM?
2. What is event handling?
3. What does createElement() do?
4. What is the use of addEventListener()?
5. How can an HTML element be removed using JavaScript?