

VISTA Seminar

Seminar 37

May 11, 2022 10:00 am - 11:30 am EDT / 3:00 - 4:30 BST / 4:00 pm - 5:30 pm Paris

TOC:


1.	Presenter 1: Prof. Seung Kyu Min, Ulsan National Institute of Science &	
	Technology (UNIST), South Korea	page 2
2.	Presenter 2: Dr. Lucien Dupuy, Universite de Montpellier, France	page 3
3.	How to connect	page 4



Independent-Trajectory Mixed Quantum-Classical Approaches Based on Exact Factorization

Seung Kyu Min

Department of Chemistry, School of Natural Science, Ulsan National Institute of Science and Technology (UNIST), S. Korea
Email: skmin@unist.ac.kr



When multiple adiabatic electronic states are coupled to nuclear degrees of freedom, Born-Oppenheimer (BO) approximation breaks down. Especially when a molecular system absorbs a photon or multiple photons, we should treat nuclear motion beyond BO approximation to investigate nuclear wave packet splitting as well as quantum coherence. Statistical analysis based on multiple classical nuclear trajectories shows a nice description of BO populations. However, incorrect account for electron-nuclear correlations gives a wrong description for quantum coherence. Based on recent developments on exact factorization of a molecular wave function, a rigorous derivation of a correct electron-nuclear correlation is available which enables us to deal with proper quantum coherence and nuclear wave packet splitting. This correct electron-nuclear correlation contains not only the conventional nonadiabatic couplings with classical nuclear momenta but also couplings with quantum mechanical features of nuclear density. In this talk, I will present several research works to develop independent-trajectory mixed quantum-classical approaches based on exact factorization which are coupled to surface hopping [1] and Ehrenfest dynamics [2]. In addition, I will introduce a python-based program for excited state molecular dynamics, namely pyUNIxMD [3,4], which was developed by my group and various applications [5-7].

References:

- [1] J.-K. Ha, I.S. Lee, S.K. Min, J. Phys. Chem. Lett., **2018**, 9, 1097.
- [2] J.-K. Ha, S.K. Min, J. Chem. Phys., 2022 (in press) doi/10.1063/5.0084493.
- [3] Lee, I.S.; Ha, J.-K.; Han, D.; Kim, T.I.; Moon, S.W.; Min, S.K., J. Comp. Chem. **2021**, 42, 1755.
- [4] Kim, T.I.; Ha, J.-K.; Min, S.K., Top. Cur. Chem., 2022, 380, 8.
- [5] M. Filatov, S.K. Min, K.S. Kim, J. Chem. Theory Comput., 2018, 14, 4499.
- [6] M. Filatov, S.K. Min, K.S. Kim, J. Phys. Chem. Lett., **2018**, 9, 4995.
- [7] M. Filatov, M. Paolino, S.K. Min, C.H. Choi, Chem. Comm., 2019, 55, 5247.




Interacting trajectory ensemble in the framework of exact factorization

Lucien Dupuy

Laboratoire Univers et Particules de Montpellier, UMR-CNRS 5299, Université de Montpellier, 34095 Montpellier Cedex, France

<u>Email: lucien.dupuy@umontpellier.fr</u>





The exact factorization of the electro-nuclear wave function provides an advantageous formalism for the description of non-adiabatic processes[1]. Most notably, its inclusion of the electronic backreaction on the nuclear subsystem by the means of a single time-dependent potential energy surface (TDPES) together with a vector potential allows to unambiguously define the force driving nuclei in the classical limit. This feat lead to the introduction of a powerful generalization of the Ehrenfest dynamics to the non-adiabatic case: the coupled-trajectories mixed quantum-classical (CT-MQC) method[2,3]. Simulation of nuclear dynamics by the means of classical trajectories offers a much better scaling of the numerical cost with respect to the number of dimensions compared to wave function-based approaches. However, assuming classical behavior for all nuclear degrees of freedom is not always a sensible separation, as it neglects key nuclear quantum effects such as tunneling[4] across classically forbidden regions of the TDPES.

In this talk, I will present the recent efforts undertaken in our team to recover nuclear quantum effects from interacting trajectories[5,6,7] describing rigorously the nuclear motion in the exact factorization ansatz. Dynamics of classical and fully quantum nuclear trajectories will be compared through the study of Tully models[8].

References:

- [1] A. Abedi, N. T. Maitra, E. K. U. Gross, Phys. Rev. Lett. (2010)
- [2] A. Abedi, F. Agostini, & E. K. U. Gross, *EPL*, 106(3), 33001 (2014)
- [3] F. Talotta et al., J. Chem. Theory Comput. 16, 8, 4833–4848 (2020)
- [4] F. Agostini, I. Tavernelli & G. Ciccotti, Eur. Phys. J. B, 91(7), 1-12 (2018)
- [5] J. Schiff & B. Poirier, J. Chem. Phys. 136(3), 031102 (2012)
- [6] M. J., Hall, D. A. Deckert & H. M. Wiseman, *Physical Review X*, 4(4), 041013. (2014)
- [7] L. Cruz-Rodríguez et al., Chemical Physics, 503, 39-49 (2018)
- [8] J. C. Tully J. Chem. Phys. 93, 1061 (1990)



How to connect

Alexey Akimov is inviting you to a scheduled Zoom meeting.

Topic: VISTA, Seminar 37

Time: May 11, 2022 10:00 AM Eastern Time (US and Canada)

Join Zoom Meeting

https://buffalo.zoom.us/j/96087305151?pwd=b2NnQWFiR01SejJrRGhyWkdrQWNmUT09

Meeting ID: 960 8730 5151

Passcode: 797606 One tap mobile

+16465588656,,96087305151#,,,,*797606# US (New York)

+13126266799,,96087305151#,,,,*797606# US (Chicago)

Dial by your location

- +1 646 558 8656 US (New York)
- +1 312 626 6799 US (Chicago)
- +1 301 715 8592 US (Washington DC)
- +1 253 215 8782 US (Tacoma)
- +1 346 248 7799 US (Houston)
- +1 669 900 9128 US (San Jose)

Meeting ID: 960 8730 5151

Passcode: 797606

Find your local number: https://buffalo.zoom.us/u/adYIU5ctTW

Join by SIP

96087305151@zoomcrc.com

Join by H.323

162.255.37.11 (US West)

162.255.36.11 (US East)

115.114.131.7 (India Mumbai)

115.114.115.7 (India Hyderabad)

213.19.144.110 (Amsterdam Netherlands)

213.244.140.110 (Germany)

103.122.166.55 (Australia Sydney)

103.122.167.55 (Australia Melbourne)

149.137.40.110 (Singapore)

64.211.144.160 (Brazil)

69.174.57.160 (Canada Toronto)

65.39.152.160 (Canada Vancouver)

207.226.132.110 (Japan Tokyo)

149.137.24.110 (Japan Osaka)

Meeting ID: 960 8730 5151

Passcode: 797606