Virtual Memory: Systems

These slides adapted from materials provided by the textbook authors.

Virtual Memory: Systems

- **Simple memory system example**
- Case study: Core i7/Linux memory system
- Memory mapping

Review of Symbols

- **Basic Parameters**
  - **N = 2^n** : Number of addresses in virtual address space
  - **M = 2^m** : Number of addresses in physical address space
  - **P = 2^p** : Page size (bytes)
- **Components of the virtual address (VA)**
  - **TLBI**: TLB index
  - **TLBT**: TLB tag
  - **VPO**: Virtual page offset
  - **VPN**: Virtual page number
- **Components of the physical address (PA)**
  - **PPO**: Physical page offset (same as VPO)
  - **PPN:** Physical page number
  - **CO**: Byte offset within cache line
  - **CI:** Cache index
  - **CT**: Cache tag

Simple Memory System Example

- **Addressing**
  - 14-bit virtual addresses
  - 12-bit physical address
  - Page size = 64 bytes





1. Simple Memory System TLB

- 16 entries
- 4-way associative



Set	Tag	PPN	Valid	Tag	PPN	Valid	Tag	PPN	Valid	Tag	PPN	Valid
0	03	–	0	09	0D	1	00	–	0	07	02	1
1	03	2D	1	02	–	0	04	–	0	0A	–	0
2	02	–	0	08	–	0	06	–	0	03	–	0
3	07	–	0	03	0D	1	0A	34	1	02	–	0

2. Simple Memory System Page Table

Only show first 16 entries (out of 256)

VPN	PPN	Valid
00	28	1
01	–	0
02	33	1
03	02	1
04	–	0
05	16	1
06	–	0
07	–	0

VPN	PPN	Valid
08	13	1
09	17	1
0A	09	1
0B	–	0
0C	–	0
0D	2D	1
0E	11	1
0F	0D	1

3. Simple Memory System Cache

- 16 lines, 4-byte block size
- Physically addressed
- Direct mapped



Idx	Tag	Valid	B0	B1	B2	B3
0	19	1	99	11	23	11
1	15	0	–	–	–	–
2	1B	1	00	02	04	08
3	36	0	–	–	–	–
4	32	1	43	6D	8F	09
5	0D	1	36	72	F0	1D
6	31	0	–	–	–	–
7	16	1	11	C2	DF	03

Idx	Tag	Valid	B0	B1	B2	B3
8	24	1	3A	00	51	89
9	2D	0	–	–	–	–
A	2D	1	93	15	DA	3B
B	0B	0	–	–	–	–
C	12	0	–	–	–	–
D	16	1	04	96	34	15
E	13	1	83	77	1B	D3
F	14	0	–	–	–	–

Memory System: 14-bit Virtual Addresses; 12-bit Physical Addresses; 64 byte pages

Page Table
256 Entries
(first 16 shown)

VPN	PPN	Valid	VPN	PPN	Valid	VPN	PPN	Valid	VPN	PPN	Valid
00	28	1	04		0	08	13	1	0C	-	0
01	-	0	05	16	1	09	17	1	0D	2D	1
02	33	1	06	-	0	0A	09	1	0E	11	1
03	02	1	07	-	0	0B	-	0	0F	0D	1

TLB
4-way Set
Associative;
16 entries

Set	Tag	PPN	Valid	Tag	PPN	Valid	Tag	PPN	Valid	Tag	PPN	Valid
0	03	-	0	09	0D	1	00	-	0	07	02	1
1	03	2D	1	02	--	0	04	-	0	0A	-	0
2	02	-	0	08	-	0	06	-	0	03	-	0
3	07	-	0	03	0D	1	0A	34	1	02	-	0

Cache: 16 lines; 4-byte block size; Direct-mapped

Idx	Tag	Valid	B0	B1	B2	B3
0	19	1	99	11	23	11
1	15	0	–	–	–	–
2	1B	1	00	02	04	08
3	36	0	–	–	–	–
4	32	1	43	6D	8F	09
5	0D	1	36	72	F0	1D
6	31	0	–	–	–	–
7	16	1	11	C2	DF	03

Idx	Tag	Valid	B0	B1	B2	B3
8	24	1	3A	00	51	89
9	2D	0	–	–	–	–
A	2D	1	93	15	DA	3B
B	0B	0	–	–	–	–
C	12	0	–	–	–	–
D	16	1	04	96	34	15
E	13	1	83	77	1B	D3
F	14	0	–	–	–	–

Address Translation Example #1

Virtual Address: 0x03D4



VPN 0x0F TLBI 0x3 TLBT 0x03 TLB Hit? Y Page Fault? N PPN: 0x0D

Physical Address



CO 0 CI 0x5 CT 0x0D Hit? Y Byte: 0x36

Address Translation Example #2

Virtual Address: 0x0020



VPN 0x00 TLBI 0 TLBT 0x00 TLB Hit? N Page Fault? N PPN: 0x28

Physical Address



CO 0 CI 0x8 CT 0x28 Hit? N Byte: Mem