

## CSPB 3753 - Fall 2024 - Knox - Operating Systems

[Dashboard](#) / [My courses](#) / [2247:CSPB 3753](#) / [9 September - 15 September](#) / [Quiz on Module 3](#)

**Started on** Monday, 16 September 2024, 5:29 PM

**State** Finished

**Completed on** Monday, 16 September 2024, 5:35 PM

**Time taken** 5 mins 16 secs

**Marks** 20/20

**Grade** 10 out of 10 (100%)

### Question 1

Correct

Mark 1 out of 1

Why are threads called lightweight processes?

Select one:

- ☐ a. threads get blown away by process efficiency
- ☒ b. threads do not require as many OS resources as a process
- ☐ c. threads are less powerful than a process
- ☐ d. threads bind together to become a process



Your answer is correct.

The correct answer is: threads do not require as many OS resources as a process

## Question 2

Correct

Mark 1 out of 1

What is shared between threads of a process?

Select one:

- ☐ a. registers, code, data
- ☒ b. code, data, heap
- ☐ c. code, data, heap, stack
- ☐ d. registers, process control block



Your answer is correct.

The correct answer is: code, data, heap

## Question 3

Correct

Mark 2 out of 2

Why are multi-threads used over multi-processes?

Select one or more:

- ☒ a. Threads use up less memory ✓
- ☒ b. Some tasks allow parallelization ✓
- ☐ c. Threads do not have fault isolation
- ☒ d. Threads have faster context switching ✓
- ☐ e. Some tasks are sequential
- ☐ f. Writing thread safe code is easy

Your answer is correct.

The correct answers are: Threads have faster context switching, Threads use up less memory, Some tasks allow parallelization

## Question 4

Correct

Mark 2 out of 2

Why are multi-processes used over multi-threads?

Select one or more:

- ☒ a. Processes have fault isolation, threads do not ✓
- ☒ b. Processes avoid needing safe code by having separate address spaces for data and heap ✓
- ☐ c. Some tasks allow parallelization
- ☐ d. Processes use up less memory
- ☐ e. Processes have faster context switching
- ☒ f. Some tasks are sequential ✓

Your answer is correct.

The correct answers are: Some tasks are sequential, Processes have fault isolation, threads do not, Processes avoid needing safe code by having separate address spaces for data and heap

## Question 5

Correct

Mark 2 out of 2

What is a race condition?

Select one:

- ☐ a. simultaneous execution by multiple threads still has correct behavior
- ☐ b. service routine associated with a specific condition
- ☒ c. anomalous behavior due to unexpected critical dependence on the timing of events ✓
- ☐ d. code that can be interrupted in the middle of its execution and safely called again

Your answer is correct.

The correct answer is: anomalous behavior due to unexpected critical dependence on the timing of events

## Question 6

Correct

Mark 1 out of 1

What is meant by "thread safe"?

Select one:

- ☐ a. a task running only in kernel mode
- ☒ b. a block of code that functions correctly during simultaneous execution by multiple threads
- ☐ c. a block of code (service routine) associated with a specific condition
- ☐ d. a block of code that can be interrupted in the middle of its execution and safely called again



Your answer is correct.

The correct answer is: a block of code that functions correctly during simultaneous execution by multiple threads

## Question 7

Correct

Mark 1 out of 1

What is meant by reentrant?

Select one:

- ☐ a. a block of code that functions correctly during simultaneous execution by multiple threads
- ☒ b. a block of code that can be interrupted in the middle of its execution and safely called again
- ☐ c. a block of code (service routine) associated with a specific condition
- ☐ d. a task running only in kernel mode



Your answer is correct.

The correct answer is: a block of code that can be interrupted in the middle of its execution and safely called again

Question 8

Correct

Mark 2 out of 2

Which of the following are two-way communication methods?

Select one or more:

- ☐ a. Semaphore
- ☒ b. RPC ✓
- ☐ c. Pipes
- ☒ d. Sockets ✓
- ☒ e. Shared memory ✓
- ☐ f. Signals (interrupts)

Your answer is correct.

The correct answers are: Shared memory, Sockets, RPC

Question 9

Correct

Mark 2 out of 2

Which of the following is considered as a mechanism of Inter-Process Communications?

Select one or more:

- ☒ a. Shared memory ✓
- ☐ b. Concurrency
- ☒ c. Sockets ✓
- ☐ d. Deadlock
- ☒ e. Pipes ✓

Your answer is correct.

The correct answers are: Shared memory, Pipes, Sockets

## Question 10

Correct

Mark 2 out of 2

Which of the following are communication methods that can be used across machines?

Select one or more:

- ☐ a. Signals (interrupts)
- ☒ b. RPC ✓
- ☐ c. Shared memory
- ☐ d. Pipes
- ☒ e. Sockets ✓
- ☐ f. Message Passing

Your answer is correct.

The correct answers are: Sockets, RPC

## Question 11

Correct

Mark 1 out of 1

Which of the following is a disadvantage of IPC message passing?

Select one:

- ☐ a. It doesnt require synchronization
- ☒ b. It is slow ✓
- ☐ c. It is handled in the kernel
- ☐ d. There are no disadvantages

Your answer is correct.

The correct answer is: It is slow

Question **12**

Correct

Mark 1 out of 1

What is difference between Synchronous and Asynchronous system calls?

Select one:

- ☐ a. Asynchronous will not continue until the command is completed,  
Synchronous will return immediately
- ☐ b. Synchronous will not make call until the command can be completed,  
Asynchronous will always make the call and wait
- ☐ c. Asynchronous will only make call if it can be completed,  
Synchronous will only make the call if it must wait
- ☒ d. Synchronous will not continue until the command is completed,  
Asynchronous will return immediately



Your answer is correct.

The correct answer is:

Synchronous will not continue until the command is completed,  
Asynchronous will return immediately

Question **13**

Correct

Mark 2 out of 2

Which of the following are true about Shared Memory?

Select one or more:

- ☒ a. can be shared between two processes ✓
- ☐ b. access is only available from the kernel
- ☒ c. each memory segment can be named ✓
- ☒ d. allocated from kernel ✓
- ☐ e. duplicated during process creation with fork()
- ☐ f. allocated from the heap

Your answer is correct.

The correct answers are: allocated from kernel, can be shared between two processes, each memory segment can be named

Question **14**

Correct

Mark 1 out of 1

What is the name of the mechanism of packaging and unpacking the data in Remote Procedure Calls?

Select one:

- ☒ a. marshaling ✓
- ☐ b. deploying
- ☐ c. interrupting
- ☐ d. procedures

Your answer is correct.

The correct answer is: marshaling