

## CSPB 3702 - Reckwerdt - Cognitive Science

[Dashboard](#) / [My courses](#) / [2237:CSPB 3702](#) / [23 October - 29 October](#) / [Vision 3D Quiz](#)

**Started on** Sunday, 22 October 2023, 9:12 PM

**State** Finished

**Completed on** Sunday, 22 October 2023, 9:20 PM

**Time taken** 7 mins 26 secs

**Grade** Not yet graded

### Question 1

Complete

Mark 3.00 out of 3.00

How did Kosslyn help to settle (some of) the debate between pictoralists/visualists and symbolists?

Select one:

- ☐ a. He reviewed the case history of individuals with missing brain segments.
- ☐ b. He asked participants to perform a mental imagery task and then discuss how that activity related to their vision.
- ☒ c. He used MRI to compare the differences in brain activity between a mental imaging task and a picture viewing task.
- ☐ d. He never got involved in vision vs mental imagery.

Your answer is correct.

### Question 2

Complete

Mark 3.00 out of 3.00

Broca's area was discovered to be important in speech through which methodology?

Select one:

- ☐ a. Using an MRI to measure activity when speaking.
- ☐ b. Targeting surgical removal of segments of rat brains and measuring the amount and duration of squeaks.
- ☒ c. Studying the speech response patterns of brain injury patients with damage in that area.

Your answer is correct.

Question **3**

Complete

Mark 3.00 out of 3.00

What did Hubel & Weisel's Nobel Prize-winning study discussed in lecture (the one involving cats) discover?

Select one:

- ☐ a. Cats can demonstrate a mental rotation task.
- ☒ b. Cats have a particular neuron that responds to a bar of light in a particular orientation moving in a particular direction.
- ☐ c. Cats use the same visual search patterns as humans to find prey.

Your answer is correct.

Question **4**

Complete

Mark 3.00 out of 3.00

Which of the following examples from earlier in the class is an example of a convolution step?

Select one:

- ☐ a. Prospect Theory from our discussions of judgement and decision making
- ☐ b. The rotation problem from visual processing
- ☒ c. The "sombbrero" function in edge detection
- ☐ d. The rubik's cube problem in problem solving

Your answer is correct.

Question **5**

Complete

Mark 3.00 out of 3.00

As discussed in lecture (both this week and earlier in the course), one of the early tenets of cognitive science is that:

Select one:

- ☐ a. Software : Hardware :: Mind : Computer
- ☐ b. Computer : Hardware :: Brain : Conscious
- ☒ c. Software : Hardware :: Mind : Brain
- ☐ d. Software : Computer :: Brain : Hardware

Your answer is correct.

## Question 6

Complete

Mark 3.00 out of 3.00

A dendrite serves what purpose in a (prototypical) brain cell?

Select one:

- ☐ a. Sending signals (action potentials) to other brain cells.
- ☐ b. Combining input to determine if it meets the threshold to produce output.
- ☐ c. Dendrites do not serve a purpose in brain cell activity.
- ☒ d. Detecting inputs from other cells and contributing that information to the cell's decision.

Your answer is correct.

## Question 7

Complete

Mark 3.00 out of 3.00

Why do we need to use multiple rounds of training for neural networks?

Select one:

- ☐ a. Because we begin with random weights for all inputs.
- ☐ b. Because we might have over-corrected, creating a wrong output for a previously correct input.
- ☐ c. Because we need to continue to test new input options.
- ☒ d. All of the above.

Your answer is correct.

## Question 8

Complete

Mark 3.00 out of 3.00

What is the purpose of the backpropagation algorithm?

Select one:

- ☐ a. To choose which decision function you might use at each of your hidden layer nodes.
- ☒ b. To adjust the weights of all connections based on the impact that change would have on the output.
- ☐ c. To check if the answer you want could be generated by the inputs you expect.
- ☐ d. Backpropagation is not a useful algorithm.

Your answer is correct.

Question 9

Complete

Mark 3.00 out of 3.00

What is the process of "simulated annealing" affecting in neural net training?

Select one:

- ☐ a.  $x_j$  - the input
- ☐ b. Err - the error between what we wanted and what we got
- ☒ c.  $\alpha$  - alpha, our tuning parameter
- ☐ d. out'(in) - the impact of our potential change on our output

Your answer is correct.

Question 10

Complete

Mark 3.00 out of 3.00

Which of the following describes the general class of problems for which neural nets are well suited?

Select one:

- ☐ a. Search problems
- ☐ b. Cat identification problems
- ☒ c. pattern recognition problems
- ☐ d. spoken number recognition problems

Your answer is correct.

Question **11**

Complete

Mark 15.00 out of 15.00

Consider the convolution example from the video "Deep Learning - Object Recognition." (around 10:00)  
Repeat this method with the following matrices as in the video, and **produce the resulting convoluted feature on your own.**  
Report the results of the selected elements below **from your convoluted figure (3x3 matrix).**

	1	0	1				
	0	1	0				
	1	0	1				
	1	0	0	1	1		
	0	1	0	1	0		
	0	0	1	0	1		
	0	1	0	1	0		
	1	1	0	0	1		

Convoluted figure (Matrix - should be 3x3)  
Row 3, Column 2.

Convoluted figure (Matrix - should be 3x3)  
Row 1, Column 1

Convoluted figure (Matrix - should be 3x3)  
Row 2, Column 2. (center)

Your answer is correct.

Question **12**

Complete

Marked out of 16.00

Matrix A:

-1	-1	-1
-1	8	-1
-1	-1	-1

Matrix C:

1	1	1	1	1	1
0	0	1	1	1	1
0	0	0	0	1	1
1	0	1	0	0	0
0	1	0	0	0	0
1	0	1	0	0	1

Using the same technique that we saw in the lecture on convolutional neural networks, convolve Matrix A with Matrix C. The result should be a 4x4 matrix of numbers.

Below is the convolution of matrix A on matrix C.

## Convolution

-4	4	2	1
-3	-3	-5	4
-3	7	-2	-2
4	-3	-2	-1

Question **13**

Complete

Marked out of 16.00

Consider the following matrices:

Matrix B:				
1	-1	1		
-1	1	-1		
1	-1	1		

Matrix C:

1	1	1	1	1	1
0	0	1	1	1	1
0	0	0	0	1	1
1	0	1	0	0	0
0	1	0	0	0	0
1	0	1	0	0	1

Using the same technique that we saw in the lecture on convolutional neural networks, convolve Matrix B with Matrix C.  
The result should be a 4x4 matrix of numbers.

Below is the convolution of matrix A on matrix C.

**Convolution**

0	1	1	0
3	-1	1	1
-3	2	0	0
5	-3	2	1