

Running a hackathon on DeepStation: organizer guide

This guide takes you from signing in to announcing winners on **deepstation.ai/hackathons**. It is written for campus leads, each running a hackathon of up to about 50 people.

- **The example event is made up:** the *Demo Campus Quantum Hackathon*, with made-up people.
- **It describes the site as it works today.** Features still in development are listed under "Coming soon" at the end.
- **The participant and judge sections near the end are written to be forwarded** as they are.

Words used in this guide

- **Organizer:** the person who creates and runs a hackathon, which is you.
- **Participant:** someone who has joined your hackathon.
- **Judge:** someone you invite to score the teams' projects.
- **Hackathon page:** your event's page on DeepStation.
 - Its address looks like `https://deepstation.ai/hackathons/k3m9x2p7q1w8v5t0r6y4u2i9`.
 - The letters and numbers at the end are your hackathon's **code**. In this guide, `<code>` stands for yours.
- **Registration link:** the address of your hackathon page. Anyone who opens it can sign in and join, subject to the visibility and access code below.
- **Visibility:** who can open your hackathon page.
 - **Unlisted:** anyone with the link can open the page and join. It isn't shown on the public hackathons page. This is the default, and the one to use for a campus event.
 - **Private:** anyone with the link sees the basics, and must enter the access code to join.
 - **Public:** listed on the public hackathons page. Only DeepStation grants this, through listing review.
- **Access code:** a word you choose. When one is set, participants must type it to join.
- **Listing review:** DeepStation's check before a hackathon appears on the public hackathons page at `deepstation.ai/hackathons`. You don't need it for a campus event.
- **Problem statement:** a challenge you set. Each team may choose one to build against.
- **Team:** a group of participants who submit one project together. Every team has an **invite code** that lets others join it.
- **Criteria:** your judging questions. Each has a **Max Score**, the most points a judge can give on it.
- **Bucket:** a group of teams with the judges assigned to score them. You only use buckets if you don't want every judge to score every team.
- **Round:** a pass of judging. There is an **Initial Round**, and a **Final Round** for the finalists.
- **Finalist:** a team that goes through from the initial round to the final round.
- **Lock:** closing a round's scoring, so judges can no longer change their scores.


What you'll need

- ☐ **An email address to sign in with.** Your account is created the first time you sign in.
 - ☐ **Your event's start and end,** both date and time.
 - ☐ **A flyer image,** if you have one: JPG, PNG or WebP, up to 5 MB.
 - ☐ **Your problem statements:** a title, a one-line summary and details for each.
 - ☐ **Your judging questions,** and how many points each is worth.
 - ☐ **Your judges' email addresses.**
 - ☐ **Documents for participants,** such as a code of conduct or a schedule: PDF, Word, PowerPoint, Keynote, Markdown or images, up to 25 MB each.
 - ☐ **Optional: an access code,** if only your own students should be able to join.
-

Part 1: Set up your hackathon

Step 1. Sign in, and set up your profile

1. Go to <https://deepstation.ai/login>.
2. Choose **Continue with Google**, **Continue with Microsoft** (a university Microsoft account works), or **Continue with Email**.
 - With email, type your address. DeepStation emails you an 8-character sign-in code that looks like XXXX-XXXX.
 - Type the code on the page. It works for 15 minutes. If it doesn't arrive, check your junk folder.
 - If Google or Microsoft doesn't let you in, use **Continue with Email**. It works with any address.
3. **Optional:** add your name and photo, so participants recognise you.
 - Open your account menu at the top right, and choose **My Profile** (<https://deepstation.ai/community/profile/edit>).



Step 2. Create your hackathon

1. Go to <https://deepstation.ai/hackathons/dashboard> (your **My Hackathons** page) and click **Create Hackathon**. If you already have a hackathon there, the button at the top right says **New** instead.
2. Fill in the form. Only the name and the two dates are required.

Section	Field	What to enter
Basics	Name	e.g. <i>Demo Campus Quantum Hackathon</i>
	Description	A few sentences about the event
	Flyer Image	Optional. JPG, PNG or WebP, up to 5 MB
	Visibility	Unlisted for a campus event (see "Words used in this guide")
Schedule	Starts, Ends	The date and time the event opens and closes
Format & limits	Judging Mode	All Teams (every judge scores every team) or Buckets (you assign judges to groups of teams). You can change this later.
	Team Size	Minimum and Maximum , each from 1 to 10. The maximum is enforced: a full team can't take new members. The minimum is shown to participants but not enforced.
	Access Code	Switch on to require a code to join, and type the code

Section	Field	What to enter
	Max Teams, Max Participants	Not enforced yet. Registration doesn't close when these numbers are reached. See "Your questions, answered".
	Require GitHub Repository	Switch on if every team must submit a github.com link

3. Click **Create Hackathon**.

An **Unlisted** hackathon is open for registration as soon as you create it.

Create Hackathon
Set up a new hackathon event for the community.

Simulators, algorithms and quantum code software. Bring a laptop and curiosity; no quantum background needed.

Visibility
Unlisted
Anyone with the link can join. Not shown in discovery.

Schedule
Starts * Sat, Mar 13 2027 · 9:00 AM
Ends * Sun, Mar 14 2027 · 9:00 AM

Format & limits
Judging Mode
All Teams (Every judge scores every team)
Buckets (Judges assigned to groups of teams)

Team Size
Minimum: 1, Maximum: 4
Teams must have 1-4 members.

Access Code
Participants must enter this code to register.
QUANTUM27

Max Teams
Unlimited teams allowed.

Max Participants
Unlimited participants allowed.

Require GitHub Repository


Cancel Create Hackathon

Step 3. Find your way around your hackathon page

Open your hackathon page at <https://deepstation.ai/hackathons/<code>>.

- **Buttons at the top, which only you see:**
 - **Visibility & Listing:** your registration link, visibility and listing review (Step 4).
 - **Edit:** change the name, description, flyer, dates, judging mode, team size and switches you set in Step 2.
 - The edit form also has **Number of Finalists**, and **Lifecycle**. You can move Lifecycle forward, from Draft to Upcoming to Active. Only DeepStation can mark a hackathon Completed.
- **The main card:** your flyer, name, description, dates, the number of participants and the team size.
 - Participants see a **Join Hackathon** button here.

- **Join your own hackathon: click Join Hackathon once.** You aren't asked for the access code.
 - Until you join, the **Teams** and **Participants** tabs only show "Join this hackathon..."
 - Joining adds you to the participant list, and to the count.
- **Below it: View Results** (Step 13).
- **The tabs, each also reachable by adding ?tab= to the address:**
 - **Teams** (?tab=teams);
 - **Participants** (?tab=participants);
 - **Chat** (?tab=chat);
 - **Judges** (?tab=judges);
 - **Submission** (?tab=submission);
 - **Judging Criteria** (?tab=judging-criteria);
 - **Resources** (?tab=resources);
 - **Problem Statements** (?tab=problem-statements).



Step 4. Get your registration link, and choose who can join

1. Click **Visibility & Listing** at the top of your hackathon page. The address is `https://deepstation.ai/hackathons/<code>/settings`.
2. **Copy link** copies your registration link, `https://deepstation.ai/hackathons/<code>`. Send it to your students.
3. **Visibility** controls who can open the page: **Unlisted** or **Private**.
 - To change it, pick an option and click **Save changes**, which appears once you do.
 - Choosing **Private** shows an **Access code** box: a Private hackathon must have one.

- A hackathon created as **Private** starts as a draft, and nobody can join it yet. Open **Edit** and set **Lifecycle** to **Upcoming**. An Unlisted hackathon is open from the start.
4. **Access code on an Unlisted hackathon:** switch it on, or change it, with **Edit** on your hackathon page (the **Access Code** switch).
- Codes aren't case-sensitive.
 - Changing the code doesn't remove anyone who has already joined.

One hackathon per campus. Each hackathon has its own link, participants, teams, judges and results.

DeepStation Community Learn Platform Work with us Blog

DR

← Back to my hackathons

Demo Campus Quantum Hackathon

Manage visibility and DeepStation discovery listing.

Visibility [Copy link](#)

Controls who can open the hackathon page.

☐ Private
Anyone with the link and the access code can join. Not shown in any public feed.

☒ Unlisted **CURRENT**
Anyone with the direct link can view. Not shown in any public feed.

☐ Public
Listed on the DeepStation discovery feed. Granted through listing review.
Granted through DeepStation listing review

DeepStation listing

If approved, DeepStation makes your hackathon public and lists it on /hackathons.

[Submit for DeepStation listing](#)

Other settings

Edit name, dates, team sizes, prizes, judging criteria, and more from the hackathon detail page.

[Open hackathon page](#)

Step 5. Optional: list your hackathon publicly (listing review)

A campus event doesn't need this. If you want your hackathon on the public hackathons page at deepstation.ai/hackathons:

1. On **Visibility & Listing**, click **Submit for DeepStation listing**.
 - You can't choose **Public** yourself: DeepStation reviews every listing before it appears.
2. The page shows **Awaiting review: a DeepStation admin will review your submission soon**. Your hackathon page shows a notice while it waits.

3. A DeepStation admin approves or declines it, **the same day. No email is sent**; check this page or your hackathon page.
- **Approved:** it shows **Listed on DeepStation**, your hackathon becomes **Public**, and it appears on the public hackathons page.
 - **Not approved:** it shows **Listing not approved**, and the reviewer's feedback appears on your hackathon page. Your hackathon stays as it was, and your link keeps working.

Step 6. Add your documents (Resources)

1. Open the **Resources** tab (<https://deepstation.ai/hackathons/<code>?tab=resources>) and click **Add resource**.
2. Choose the **File**, and give it a **Title** and a one-line **Description**.
 - Files can be PDF, Word, PowerPoint, Keynote, Markdown or images (PNG, JPG, WebP), up to 25 MB.
3. Under **Who can see this**, choose **Everyone on this hackathon** or **Judges only**.
4. Click **Add resource** to upload it.

Your code of conduct, rules, schedule and judging guide belong here.

The screenshot shows the 'Add a resource' form within the DeepStation interface. At the top, there is a navigation bar with tabs: Teams, Participants, Chat, Judges, Submission, Judging Criteria, Resources (highlighted in blue), and Problem Statement. Below the navigation bar, the form is titled 'Add a resource' and lists supported file types: pdf, md, markdown, png, jpg, jpeg, webp, pptx, ppt, key, docx, with a note 'up to 25.0 MB'. The form has four main sections: 'File' with a 'Choose File' button and 'No file chosen' text; 'Title' with a text input field containing 'Code of conduct'; 'Description' with a text area containing 'The rules everyone agrees to when they join.'; and 'Who can see this' with a dropdown menu set to 'Everyone on this hackathon'. Below the dropdown, a note states 'Appears on this Resources tab for everyone who can open the hackathon.' At the bottom left is a 'Cancel' button, and at the bottom right is a blue 'Add resource' button.

Teams Participants Chat Judges Submission Judging Criteria **Resources** Problem Statement

Add a resource
pdf, md, markdown, png, jpg, jpeg, webp, pptx, ppt, key, docx · up to 25.0 MB

File
Choose File No file chosen

Title
Code of conduct

Description
The rules everyone agrees to when they join.

Who can see this
Everyone on this hackathon ▼


Appears on this Resources tab for everyone who can open the hackathon.

Cancel Add resource

Step 7. Add problem statements

1. Open the **Problem Statements** tab (<https://deepstation.ai/hackathons/<code>?tab=problem-statements>).
2. Click **Add a problem statement**, and fill in:
 - **Title**, e.g. *Quantum-safe messaging*;
 - **Summary**, the one line teams scan in the list;
 - **Details**, where formatting is supported.
3. Click **Publish**.
4. **To change or remove one**, use the pencil or bin icon beside it. The arrows move it up or down the list.

Teams choose a problem statement when they submit (Step 12). Choosing one is optional, and the choice appears only once you've published at least one.



Step 8. Set up judging: judges, criteria and buckets

The judging page has no button yet.

1. While signed in, open <https://deepstation.ai/hackathons/<code>/admin/judges>. That's your hackathon page's address with `/admin/judges` added to the end.
 - If you open it while signed out, sign in, then open the address again.
2. **Judge Management** has three parts:

- **Judging Mode:** click **All Teams** or **Buckets**. The change saves at once and deletes nothing.
- the **Judges** tab;
- the **Criteria** tab.
- A **Buckets** tab also appears in Buckets mode.

Judges

- **To invite someone by email:** under **Invite by Email**, type their address and click **Send Invite**.
 - They receive an email with a link that works for **7 days**.
 - **Pending Invitations** lists each invitation as Pending, Accepted or Expired.
 - The icons beside a pending invitation **resend** it (with a fresh link) or **revoke** it.
- **To add someone who has already joined your hackathon as a participant:** search for them by **name**, then click **Add**. The search box mentions email, but only names work today. Anyone else must be invited by email.
- Judges don't need to join your hackathon as participants.
- **Remove a judge only before they score.** The bin icon removes a judge at once, with no confirmation, and deletes every score they gave.


Community ▾
Learn ▾
Platform ▾
Work with us
Blog
DR

[← Back to Hackathon](#)

Judge Management

Configure judging mode, add judges, and organize team assignments

Judging Mode

All Teams

Every judge scores every team

Buckets

Judges assigned to groups of teams

Judges

Criteria


Invite by Email

Send Invite

PENDING INVITATIONS

	priya.raman@democampus.example	ACCEPTED
	marcus.bell@democampus.example	ACCEPTED
	lena.fischer@democampus.example	ACCEPTED
	noah.williams@democampus.example	PENDING

Judges (3)

	Priya Raman priya.raman@democampus.example · 2/3 scored	
	Marcus Bell marcus.bell@democampus.example · 2/3 scored	
	Lena Fischer lena.fischer@democampus.example · 0/3 scored	

Criteria (your judging questions)

- **New hackathons start with no questions. Add them before judging begins, or your judges have nothing to score.**
- **Add Question**, type the question, and set its **Max Score**, from 1 to 100 (the default is 5).
- The arrows move a question up or down, and the bin icon removes it. A question that already has scores can't be removed.
- **Weighting**: give a more important question a higher Max Score. A question out of 10 counts twice as much as one out of 5. The page shows the **Total possible score** across all questions.
- **From a spreadsheet**:
 - **Template** downloads an example file.
 - **Upload CSV** adds questions from a file with the columns `label` and `maxScore`.
- Click **Save Criteria**, which appears once you've made a change. **Nothing is kept until you click it.** The page confirms **Judging criteria saved**.

Participants and judges can read your questions on the **Judging Criteria** tab.

The screenshot shows the DeepStation web interface for Judge Management. At the top, there's a navigation bar with the DeepStation logo and links for Community, Learn, Platform, Work with us, and Blog. A user profile icon labeled 'DR' is in the top right. Below the navigation bar, a breadcrumb link '← Back to Hackathon' is visible. The main heading is 'Judge Management' with a subtitle 'Configure judging mode, add judges, and organize team assignments'. Under 'Judging Mode', there are two options: 'All Teams' (selected, with the description 'Every judge scores every team') and 'Buckets' (with the description 'Judges assigned to groups of teams'). Below this, there are tabs for 'Judges' and 'Criteria', with 'Criteria' being the active tab. The 'Judging Criteria' section has a subtitle 'Define the questions judges will use to score teams.' and three buttons: 'Template', 'Upload CSV', and '+ Add Question'. There are four criteria listed, each with a number, a question text, and a 'Max Score' input field. The criteria are: 1. 'Technical depth: how hard was the problem, and how well is it solved?' with a max score of 10; 2. 'Originality: is the idea new or a fresh take?' with a max score of 5; 3. 'Presentation: is the demo clear and convincing?' with a max score of 5; 4. 'Impact: who would use it, and how much would it help?' with a max score of 5. At the bottom, a summary states 'Total possible score: 25 points across 4 questions'.

DeepStation Community Learn Platform Work with us Blog DR

← Back to Hackathon

Judge Management

Configure judging mode, add judges, and organize team assignments

Judging Mode

All Teams
Every judge scores every team

Buckets
Judges assigned to groups of teams

Judges Criteria

Judging Criteria

Define the questions judges will use to score teams.

Template Upload CSV + Add Question

1 Technical depth: how hard was the problem, and how well is it solved?
Max Score 10

2 Originality: is the idea new or a fresh take?
Max Score 5

3 Presentation: is the demo clear and convincing?
Max Score 5

4 Impact: who would use it, and how much would it help?
Max Score 5

Total possible score: 25 points across 4 questions

Buckets (only if you chose Buckets)

- Choose how many buckets to **Split into** (1 to 20), and click **Redistribute All**. This creates Bucket 1, Bucket 2 and so on, and shares out all teams and judges between them.
- Adjust any bucket with **Add team...** and **Add judge...**, or remove one with its X. These lists show only teams and judges not yet in a bucket, so to move a team, remove it with X first. **Assign All to Smallest Buckets** places anyone left over.
- Teams created later, and judges you add directly, go into the smallest bucket automatically. **Judges who accept an email invitation don't, so add them to a bucket yourself.** The note at the bottom of the Buckets page says new judges are added automatically; that isn't true for invited judges.
- In the initial round, each judge scores only the teams in their bucket.

- **Set up buckets before judging starts. Redistribute All deletes every score in the hackathon,** in both rounds, and cannot be undone. It warns you only if scores have already been submitted.


Community ▾
Learn ▾
Platform ▾
Work with us
Blog
DR

[← Back to Hackathon](#)

Judge Management

Configure judging mode, add judges, and organize team assignments

Judging Mode

All Teams
Every judge scores every team

Buckets
Judges assigned to groups of teams

Judges
Buckets
Criteria

Redistribute All
Split 3 teams and 3 judges into equal groups. Replaces all current bucket assignments.

Split into buckets
⚡ Redistribute All

Unassigned (0 teams, 1 judges)
Assign All to Smallest Buckets

Bucket 1

TEAMS (2)

Entangled Minds ×
Superposition Squad ×

JUDGES (1)

Priya Raman ×

Add judge...

Bucket 2

TEAMS (1)

Qubit Crew ×

JUDGES (1)

Marcus Bell ×


Add judge...

New judges and teams are automatically added to the smallest bucket.

Part 2: During the event

Step 9. Watch registration (Participants tab)

- The number of participants shows on your hackathon page.
- The **Participants** tab lists everyone who has joined, and shows who is **On a team**. Search it with the search box.
 - You see it only after joining your own hackathon (Step 3).
- **Removing a participant:** organizers can't do this themselves yet. DeepStation can remove someone for you.



Step 10. Teams

Participants form their own teams on the **Teams** tab. Once you've joined your hackathon (Step 3), you can see every team there.

- **Create Team:** a team name, and **Open** (anyone can join directly) or **Private** (only people with the invite code can join).
 - The team gets an **invite code**, which its members share.
- **Join with Code:** type a team's invite code.
- **Join Team:** join an open team straight from the list.
- **Invite Members** (on the team page): a team member searches for a participant and invites them.
 - The invitation appears on that person's **Teams** tab under **Pending Invites**, where they **Accept** or **Decline**.
- **Copy Invite Link** (on the team page): a link that adds whoever opens it to the team.
 - **If your hackathon has an access code, the person must join the hackathon first**, with the code. The link can't add someone who hasn't.
- **The team page** (open any team from the list) shows:
 - its members, its submission and its **Files** (slides, PDFs; up to 100 MB each);
 - **Enter Chatroom**;
 - **Leave Team** for members;
 - for the team's creator: the pencil beside the team name (to edit it), **Delete Team**, and removing members.
- **A team at its maximum size shows "This team is full."**

Teams

Participants

Chat

Judges

Submission

Judging Criteria

Resources

Problem St

+ Create Team

Join with Code

Entangled Minds

3/4

Building a quantum-safe messenger.
We have Python and cryptography...

AP

JK

SO

Join Team

Qubit Crew

3/4

Compiling circuits that survive noise.
Looking for one more person...

TN

CM

RB

Team Created!

×

Your team is ready. Share the invite code with your teammates.

Team "Superposition Squad" created


Invite Code

c08eb437

Copy


Share this code with your teammates so they can join.

Done



Step 11. Chat

- **The Chat tab** on your hackathon page is one room for everyone: participants, judges and you. Your messages carry an **Organizer** label.
- **Each team has its own room.** Its members open it with **Enter Chatroom** on the team page.
- Press **Enter** to send, and **Shift + Enter** for a new line.



Step 12. Submissions

Each team submits one project, on the **Submission** tab or on its team page. A submission has:

- **Project name** (required) and **Description**;
- **Problem statement**: one of yours, or "No problem statement";
- **A demo video**: a **YouTube Demo Video** link, or an MP4 file (up to 500 MB) uploaded with **Choose MP4**.
 - The upload works only once the project is saved, so a team clicks **Submit Project** first, then uploads.
 - If a team gives both, judges see the upload.
- **A GitHub repository link**. It's optional, unless you switched on **Require GitHub Repository**, in which case it must be a github.com link;
- slides and other documents, in the team's **Files**.

The team clicks **Submit Project**, and can come back and **Update Submission** at any time.

Below the form, a **Share your project** box suggests a post for LinkedIn or X. **Its suggested text currently names a different DeepStation event, so ask teams to edit it before posting.**

The site does not close submissions at your end time. Tell teams your deadline clearly. Teams can still edit after it, so start judging once your deadline passes.

[Teams](#)[Participants](#)[Chat](#)[Judges](#)[Submission](#)[Judging Criteria](#)[Resources](#)[Problem St:](#)

Your team: **Entangled Minds**

✓ **Submission saved** — last updated Sep 28, 3:57 PM

Project Name *

SafeChat Q

Description

An end-to-end encrypted chat app that swaps classical key exchange for a post-quantum algorithm, with a side-by-side speed comparison.

134/5000 characters

Problem statement

Quantum-safe messaging

Optional. Pick the challenge your project is built against.

YouTube Demo Video

<https://youtube.com/watch?v=...>

Or upload an MP4

No YouTube link? Upload the pitch directly — MP4 up to 500 MB. If you provide both, judges see the upload.

[Choose MP4](#)

GitHub Repository

<https://github.com/democampus-example/safechat-q>

[Update Submission](#)

Part 3: Judging and results

Step 13. How judging works

1. **Your judges accept** (see "For judges" below). Once accepted, they see a **Judge Scoring** button on your hackathon page.
2. **Initial round:** every judge scores their teams: all teams, or, in Buckets mode, the teams in their bucket.
 - The scorecard shows the team's project name, description, video, demo and repository links, and team files.
 - **It doesn't show which problem statement the team chose.** If that matters to your judges, ask teams to name it in their description.

- Judges give each question a score from 1 up to its Max Score, add notes if they want, and **Submit**.
3. **Follow the scores** with **View Results** on your hackathon page
(<https://deepstation.ai/hackathons/<code>/admin/results> , **Judging Results**).
- The **Initial Round** and **Final Round** tabs each show a leaderboard: **Rank**, **Team**, **Total** and **Judges**.
 - **Total** is the average of the judges' scores for that team. Each judge's score is the sum of their question scores.
 - **Judges** is the number of judges who submitted.
 - **CSV** downloads the leaderboard.
 - **Only submitted scores count**. A score a judge is still editing, or saved as a draft after **Edit Scores**, is left out until they submit it again. Ask your judges not to leave scores in draft.
4. **Choose finalists**: on the Initial Round tab, click **Select Finalists**.
- The top teams by Total are ticked for you. How many is set by **Number of Finalists** under **Edit**; the default is 8.
 - Change the ticks if you want, then click **Confirm Finalists**.
5. **Final round**: judges score the finalists only, and buckets don't apply.
6. **Lock each round when its judging is done**. Click **Lock Round** on that round's tab. Judges then see "This round is locked. Scores cannot be edited."
- **Unlock Round** reopens it.

DeepStation Community Learn Platform Work with us Blog

PR

← Demo Campus Quantum Hackathon Initial Final

Judge Scoring

1 of 2 scored

Submitted Draft Remaining (1)

Entangled Minds
SafeChat Q

Qubit Crew
NoiseTamer 18/20

Scorecard Submission Overview Guidelines

Entangled Minds

SafeChat Q

An end-to-end encrypted chat app that swaps classical key exchange for a post-quantum algorithm, with a side-by-side speed comparison.

[Repository](#)

1 Technical depth: how hard was the problem, and how well is it solved?

1 2 3 4 5 6 7 8 9 10

Add notes (optional)...

2 Originality: is the idea new or a fresh take?

1 2 3 4 5

Add notes (optional)...

DeepStation

Community ▾Learn ▾Platform ▾Work with usBlog

DR

[← Back to Hackathon](#)

Judging Results

View aggregated scores and select finalists

Initial RoundFinal Round

Lock Round

Select Finalists (8)

CSV

Rank	Team	Technical depth...	Originality: is...	Presentation: i...	Impact: who wou...	Total	Judges
🏆	Entangled Minds	8.0	4.0	4.5	3.0	18.0	2
🥈	Qubit Crew	8.0	4.5	4.0	—	16.5	2

Step 14. Announce your winners


Results are visible only to organizers. There is no public results page yet. Announce your winners yourself, in the Chat tab and your own channels. **CSV** on the results page gives you the scores to work from.

Your dashboard: My Hackathons

<https://deepstation.ai/hackathons/dashboard> lists everything you're involved in:


- **Organizing:** your hackathons. A card opens that hackathon's **Visibility & Listing** page; from there you can go to the hackathon page. Each card shows its visibility and listing status.
- **Judging:** hackathons you judge, with **Score projects**.
- **Participating:** hackathons you've joined.

To start another event, click **New** at the top of this page. Before your first hackathon exists, the button reads **Create Hackathon**.



For participants (forward this part)

1. Open the link your organizer sent you, and click **Sign in to join**.
 - Choose **Continue with Google**, **Continue with Microsoft**, or **Continue with Email** and type the 8-character code DeepStation emails you.
 - You come back to the same page.
2. Click **Join Hackathon**. If a box asks for an access code, type the one your organizer gave you and click **Submit**. The page then shows **Registered**.



3. **Form a team** on the **Teams** tab:

- **Create Team:** choose a name, and **Open** or **Private**. Share your team's invite code with teammates, or send them the link from **Copy Invite Link** on your team page. They need to have joined the hackathon first.
- **Join with Code:** use a code a team gave you. Or click **Join Team** on an open team.
- Team invitations you receive appear under **Pending Invites**. Click **Accept** or **Decline**.

4. **Talk:** the **Chat** tab is the whole event's room. Your team's own room is behind **Enter Chatroom** on your team page.

5. **Submit** on the **Submission** tab:

- project name, description, problem statement (optional), and a GitHub link;
- then **Submit Project**. You can **Update Submission** later.
- **Demo video:** paste a **YouTube Demo Video** link, or upload an MP4 file (up to 500 MB) with **Choose MP4**. The upload works only after your first **Submit Project**. If you give both, judges see the upload.
- Put slides in your team's **Files**.

6. **Read the Resources and Judging Criteria tabs** to see the rules and how you'll be scored.

For judges (forward this part)

1. **Open the invitation email** and click its link. The link works for 7 days. If you can't find the email, check your Promotions and junk folders.

2. **Sign in with the same email address the invitation was sent to.** Another address won't work.
 - If you're signed in as someone else, click **Sign out and switch accounts**.
3. **The invitation is accepted automatically**, and you land on the scoring page. Later, open it from **Judge Scoring** on the hackathon page, or **Score projects** on your My Hackathons page.
4. **Scoring:**
 - The team list is on the left. If your organizer uses buckets, teams not assigned to you are greyed out in the initial round.
 - The **Submission** view shows each team's project.
 - Score every question on the **Scorecard**, from 1 up to its maximum, and add notes if you want.
 - **Save Draft** keeps your work. When you're done, click **Submit**, then **Confirm Submit**. Every question must have a score.
5. **Changing a score:** click **Edit Scores**, change it, and **submit again**. An edited score doesn't count until you resubmit. **Don't leave a score in draft: Save Draft after Edit Scores takes your earlier score out of the results until you submit again.** Once the organizer locks the round, scores can't change.
6. **The final round** is for the finalists only. Your organizer will tell you when it opens.

Your questions, answered

Question	What the site does today
A registration link for each campus	Yes. Each hackathon has its own link (Visibility & Listing → Copy link), so create one hackathon per campus.
A cap on team size	Yes. Team Size sets a minimum and a maximum, from 1 to 10. The maximum is enforced; the minimum is shown but not enforced.
A cap on participants	Not enforced yet. Max Participants and Max Teams can be entered, but registration doesn't close when they're reached. Watch the participant count on your hackathon page. To stop new sign-ups, switch on an access code under Edit , or change it: after that, only people with the new code can join.
Rubric and weights	Yes, through each question's Max Score (1 to 100). A question out of 10 counts twice as much as one out of 5. A judge's score is the sum of their question scores, and a team's Total is the average of its judges' scores. There's no separate weight field. You can import questions from a CSV file with the columns <code>label</code> and <code>maxScore</code> .
Only my campus's enrolled students	Not by email domain; the site can't restrict by domain. Use an access code shared only through your campus channels. Organizers can't remove a participant themselves yet; DeepStation can do it for you.
What a submission contains	Project name, description, problem statement (optional), a demo video (YouTube link or upload) and a GitHub repository link (optional, or required if you switch that on). Slides and images go in the team's Files . There is no separate image field.

Question	What the site does today
A code of conduct and other documents	Resources tab: click Add resource and upload a PDF, Word, PowerPoint, Keynote, Markdown or image file, up to 25 MB, for everyone on this hackathon or judges only .

Coming soon

- **More than one organizer on a hackathon.** You'll be able to invite co-organizers by email.