

Amazon Apparel Recommendations

[4.2] Data and Code:

<https://drive.google.com/open?id=0BwNkduBnePt2VWhCYXhMV3p4dTg>

[4.3] Overview of the data

In [0]:

```
#import all the necessary packages.

from PIL import Image
import requests
from io import BytesIO
import matplotlib.pyplot as plt
import numpy as np
import pandas as pd
import warnings
from bs4 import BeautifulSoup
from nltk.corpus import stopwords
from nltk.tokenize import word_tokenize
import nltk
import math
import time
import re
import os
import seaborn as sns
from collections import Counter
from sklearn.feature_extraction.text import CountVectorizer
from sklearn.feature_extraction.text import TfidfVectorizer
from sklearn.metrics.pairwise import cosine_similarity
from sklearn.metrics import pairwise_distances
from matplotlib import gridspec
from scipy.sparse import hstack
import plotly
import plotly.figure_factory as ff
from plotly.graph_objs import Scatter, Layout

plotly.offline.init_notebook_mode(connected=True)
warnings.filterwarnings("ignore")
```

In [0]:

```
# we have give a json file which consists of all information about
# the products
# loading the data using pandas' read_json file.
data = pd.read_json('tops_fashion.json')
```

In [0]:

```
print ('Number of data points : ', data.shape[0], \
      'Number of features/variables:', data.shape[1])
```

Number of data points : 183138 Number of features/variables: 19

Terminology:

What is a dataset?

Rows and columns

Data-point

Feature/variable

In [0]:

```
# each product/item has 19 features in the raw dataset.  
data.columns # prints column-names or feature-names.
```

Out[0]:

```
Index(['asin', 'author', 'availability', 'availability_type', 'brand', 'color',  
       'editorial_review', 'editorial_review', 'formatted_price',  
       'large_image_url', 'manufacturer', 'medium_image_url', 'model',  
       'product_type_name', 'publisher', 'reviews', 'sku', 'small_image_url',  
       'title'],  
      dtype='object')
```

Of these 19 features, we will be using only 6 features in this workshop.

1. asin (Amazon standard identification number)
2. brand (brand to which the product belongs to)
3. color (Color information of apparel, it can contain many colors as a value ex: red and black stripes)
4. product_type_name (type of the apparel, ex: SHIRT/TSHIRT)
5. medium_image_url (url of the image)
6. title (title of the product.)
7. formatted_price (price of the product)

In [0]:

```
data = data[['asin', 'brand', 'color', 'medium_image_url', 'product_type_name', 'title', 'formatted_price']]
```

In [0]:

```
print ('Number of data points : ', data.shape[0], \  
      'Number of features:', data.shape[1])  
data.head() # prints the top rows in the table.
```

Number of data points : 183138 Number of features: 7

Out[0]:

	asin	brand	color	medium_image_url	product_type_name	title	formatted_price
0	B016I2TS4W	FNC7C	None	https://images-na.ssl-images-amazon.com/images...	SHIRT	Minions Como Superheroes Ironman Long Sleeve R...	None
1	B01N49AI08	FIG Clothing	None	https://images-na.ssl-images-amazon.com/images...	SHIRT	FIG Clothing Womens Izo Tunic	None
2	B01JDPCOHO	FIG Clothing	None	https://images-na.ssl-images-amazon.com/images...	SHIRT	FIG Clothing Womens Won Top	None
3	B01N19U5H5	Focal18	None	https://images-na.ssl-images-amazon.com/images...	SHIRT	Focal18 Sailor Collar Bubble Sleeve Blouse Shi...	None
4	B004GSI2OS	FeatherLite	Onyx Black/ Stone	https://images-na.ssl-images-amazon.com/images...	SHIRT	Featherlite Ladies' Long Sleeve Stain Resistan...	\$26.26

[5.1] Missing data for various features.

Basic stats for the feature: product_type_name

In [0]:

```
# We have total 72 unique type of product_type_names
print(data['product_type_name'].describe())

# 91.62% (167794/183138) of the products are shirts,
```

```
count      183138
unique        72
top       SHIRT
freq      167794
Name: product_type_name, dtype: object
```

In [0]:

```
# names of different product types
print(data['product_type_name'].unique())
```

```
['SHIRT' 'SWEATER' 'APPAREL' 'OUTDOOR_RECREATION_PRODUCT'
 'BOOKS_1973_AND_LATER' 'PANTS' 'HAT' 'SPORTING_GOODS' 'DRESS' 'UNDERWEAR'
 'SKIRT' 'OUTERWEAR' 'BRA' 'ACCESSORY' 'ART_SUPPLIES' 'SLEEPWEAR'
 'ORCA_SHIRT' 'HANDBAG' 'PET_SUPPLIES' 'SHOES' 'KITCHEN' 'ADULT_COSTUME'
 'HOME_BED_AND_BATH' 'MISC_OTHER' 'BLAZER' 'HEALTH_PERSONAL_CARE'
 'TOYS_AND_GAMES' 'SWIMWEAR' 'CONSUMER_ELECTRONICS' 'SHORTS' 'HOME'
 'AUTO_PART' 'OFFICE_PRODUCTS' 'ETHNIC_WEAR' 'BEAUTY'
 'INSTRUMENT_PARTS_AND_ACCESSORIES' 'POWERSPORTS_PROTECTIVE_GEAR' 'SHIRTS'
 'ABIS_APPAREL' 'AUTO_ACCESSORY' 'NONAPPARELMISC' 'TOOLS' 'BABY_PRODUCT'
 'SOCKSHOSIERY' 'POWERSPORTS RIDING SHIRT' 'EYEWEAR' 'SUIT'
 'OUTDOOR_LIVING' 'POWERSPORTS RIDING JACKET' 'HARDWARE' 'SAFETY_SUPPLY'
 'ABIS_DVD' 'VIDEO_DVD' 'GOLF_CLUB' 'MUSIC_POPULAR_VINYL'
 'HOME_FURNITURE_AND_DECOR' 'TABLET_COMPUTER' 'GUILD_ACCESSORIES'
 'ABIS_SPORTS' 'ART_AND_CRAFT_SUPPLY' 'BAG' 'MECHANICAL_COMPONENTS'
 'SOUND_AND_RECORDING_EQUIPMENT' 'COMPUTER_COMPONENT' 'JEWELRY'
 'BUILDING_MATERIAL' 'LUGGAGE' 'BABY_COSTUME' 'POWERSPORTS_VEHICLE_PART'
 'PROFESSIONAL_HEALTHCARE' 'SEEDS_AND_PLANTS' 'WIRELESS_ACCESSORY']
```

In [0]:

```
# find the 10 most frequent product_type_names.
product_type_count = Counter(list(data['product_type_name']))
product_type_count.most_common(10)
```

Out[0]:

```
[('SHIRT', 167794),
 ('APPAREL', 3549),
 ('BOOKS_1973_AND_LATER', 3336),
 ('DRESS', 1584),
 ('SPORTING_GOODS', 1281),
 ('SWEATER', 837),
 ('OUTERWEAR', 796),
 ('OUTDOOR_RECREATION_PRODUCT', 729),
 ('ACCESSORY', 636),
 ('UNDERWEAR', 425)]
```

Basic stats for the feature: brand

In [0]:

```
# there are 10577 unique brands
print(data['brand'].describe())

# 183138 - 182987 = 151 missing values.
```

```
count      182987
unique     10577
top        Zago
freq       223
Name: brand, dtype: object
```

In [0]:

```
brand_count = Counter(list(data['brand']))
brand_count.most_common(10)
```

Out[0]:

```
[('Zago', 223),
 ('XQS', 222),
 ('Yayun', 215),
 ('YUNY', 198),
 ('XiaoTianXin-women clothes', 193),
 ('Generic', 192),
 ('Boohoo', 190),
 ('Alion', 188),
 ('Abetteric', 187),
 ('TheMogan', 187)]
```

Basic stats for the feature: color

In [0]:

```
print(data['color'].describe())

# we have 7380 unique colors
# 7.2% of products are black in color
# 64956 of 183138 products have brand information. That's approx 35.4%.
```

```
count      64956
unique     7380
top        Black
freq       13207
Name: color, dtype: object
```

In [0]:

```
color_count = Counter(list(data['color']))
color_count.most_common(10)
```

Out[0]:

```
[(None, 118182),
 ('Black', 13207),
 ('White', 8616),
 ('Blue', 3570),
 ('Red', 2289),
 ('Pink', 1842),
 ('Grey', 1499),
 ('*', 1388),
 ('Green', 1258),
 ('Multi', 1203)]
```

Basic stats for the feature: formatted_price

In [0]:

```
print(data['formatted_price'].describe())
```

Out[0]: 20 205 115 50 15 10 10 10 10 10

```
# Only 28,395 (15.5% of whole data) products with price information
```

```
count      28395
unique     3135
top       $19.99
freq       945
Name: formatted_price, dtype: object
```

In [0]:

```
price_count = Counter(list(data['formatted_price']))
price_count.most_common(10)
```

Out[0]:

```
[(None, 154743),
 ('$19.99', 945),
 ('$9.99', 749),
 ('$9.50', 601),
 ('$14.99', 472),
 ('$7.50', 463),
 ('$24.99', 414),
 ('$29.99', 370),
 ('$8.99', 343),
 ('$9.01', 336)]
```

Basic stats for the feature: title

In [0]:

```
print(data['title'].describe())

# All of the products have a title.
# Titles are fairly descriptive of what the product is.
# We use titles extensively in this workshop
# as they are short and informative.
```

```
count          183138
unique         175985
top      Nakoda Cotton Self Print Straight Kurti For Women
freq            77
Name: title, dtype: object
```

In [0]:

```
data.to_pickle('pickels/180k_apparel_data')
```

We save data files at every major step in our processing in "pickle" files. If you are stuck anywhere (or) if some code takes too long to run on your laptop, you may use the pickle files we give you to speed things up.

In [0]:

```
# consider products which have price information
# data['formatted_price'].isnull() => gives the information
# about the dataframe row's which have null values price == None|Null
data = data.loc[~data['formatted_price'].isnull()]
print('Number of data points After eliminating price=NULL :', data.shape[0])
```

Number of data points After eliminating price=NULL : 28395

In [0]:

```
# consider products which have color information
# data['color'].isnull() => gives the information about the dataframe row's which have null values price == None|Null
data = data.loc[~data['color'].isnull()]
```

```
print('Number of data points After eliminating color=NULL :', data.shape[0])
```

```
Number of data points After eliminating color=NULL : 28385
```

We brought down the number of data points from 183K to 28K.

We are processing only 28K points so that most of the workshop participants can run this code on their laptops in a reasonable amount of time.

For those of you who have powerful computers and some time to spare, you are recommended to use all of the 183K images.

In [0]:

```
data.to_pickle('pickels/28k_apparel_data')
```

In [0]:

```
# You can download all these 28k images using this code below.  
# You do NOT need to run this code and hence it is commented.
```

```
'''
```

```
from PIL import Image  
import requests  
from io import BytesIO  
  
for index, row in images.iterrows():  
    url = row['large_image_url']  
    response = requests.get(url)  
    img = Image.open(BytesIO(response.content))  
    img.save('images/28k_images/' + row['asin'] + '.jpeg')
```

```
'''
```

Out[0]:

```
"\nfrom PIL import Image\nimport requests\nfrom io import BytesIO\n\nfor index, row in images.iterrows():\n    url = row['large_image_url']\n    response = requests.get(url)\n    img = Image.open(BytesIO(response.content))\n    img.save('workshop/images/28k_images/' + row['asin'] + '.jpeg')\n\n"
```

[5.2] Remove near duplicate items

[5.2.1] Understand about duplicates.

In [0]:

```
# read data from pickle file from previous stage  
data = pd.read_pickle('pickels/28k_apparel_data')  
  
# find number of products that have duplicate titles.  
print(sum(data.duplicated('title')))  
# we have 2325 products which have same title but different color
```

2325

These shirts are exactly same except in size (S, M,L,XL)

:B00AQ4GMCK	:B00AQ4GMTS
:B00AQ4GMLQ	:B00AQ4GN3I

These shirts exactly same except in color

:B00G278GZ6	:B00G278W6O
:B00G278Z2A	:B00G2786X8

In our data there are many duplicate products like the above examples, we need to de-dupe them for better results.

[5.2.2] Remove duplicates : Part 1

In [0]:

```
# read data from pickle file from previous stage
data = pd.read_pickle('pickels/28k_apparel_data')
```

In [0]:

```
data.head()
```

Out[0]:

	asin	brand	color	medium_image_url	product_type_name	title	formatted_price
4	B004GSI2OS	FeatherLite	Onyx Black/ Stone	https://images-na.ssl-images-amazon.com/images...	SHIRT	Featherlite Ladies' Long Sleeve Stain Resistan...	\$26.26
6	B012YX2ZPI	HX-Kingdom Fashion T-shirts	White	https://images-na.ssl-images-amazon.com/images...	SHIRT	Women's Unique 100% Cotton T - Special Olympic...	\$9.99
11	B001LOUGE4	Fitness Etc.	Black	https://images-na.ssl-images-amazon.com/images...	SHIRT	Ladies Cotton Tank 2x1 Ribbed Tank Top	\$11.99
15	B003BSRPB0	FeatherLite	White	https://images-na.ssl-images-amazon.com/images...	SHIRT	FeatherLite Ladies' Moisture Free Mesh Sport S...	\$20.54
21	B014ICEDNA	FNC7C	Purple	https://images-na.ssl-images-amazon.com/images...	SHIRT	Supernatural Chibis Sam Dean And Castiel Short...	\$7.50

In [0]:

```
# Remove All products with very few words in title
data_sorted = data[data['title'].apply(lambda x: len(x.split())>4)]
print("After removal of products with short description:", data_sorted.shape[0])
```

After removal of products with short description: 27949

In [0]:

```
# Sort the whole data based on title (alphabetical order of title)
data_sorted.sort_values('title', inplace=True, ascending=False)
data_sorted.head()
```

Out[0]:

	asin	brand	color	medium_image_url	product_type_name	title	formatted_price
61973	B06Y1KZ2WB	Éclair	Black/Pink	https://images-na.ssl-images-amazon.com/images...	SHIRT	Éclair Women's Printed Thin Strap Blouse Black...	\$24.99
133820	B010RV33VE	xiaoming	Pink	https://images-na.ssl-images-amazon.com/images...	SHIRT	xiaoming Womens Sleeveless Loose Long T-shirts...	\$18.19
81461	B01DDSDLNS	xiaoming	White	https://images-na.ssl-images-amazon.com/images...	SHIRT	xiaoming Women's White Long Sleeve Single Brea...	\$21.58
75995	B00X5LYO9Y	xiaoming	Red Anchors	https://images-na.ssl-images-amazon.com/images...	SHIRT	xiaoming Stripes Tank Patch/Bear Sleeve Anchor...	\$15.91
151570	B00WPJG35K	xiaoming	White	https://images-na.ssl-images-amazon.com/images...	SHIRT	xiaoming Sleeve Sheer Loose Tassel Kimono Woma...	\$14.32

Some examples of duplicate titles that differ only in the last few words.

Titles 1:

- 16. woman's place is in the house and the senate shirts for Womens XXL White
- 17. woman's place is in the house and the senate shirts for Womens M Grey

Title 2:

- 25. tokidoki The Queen of Diamonds Women's Shirt X-Large
- 26. tokidoki The Queen of Diamonds Women's Shirt Small
- 27. tokidoki The Queen of Diamonds Women's Shirt Large

Title 3:

- 61. psychedelic colorful Howling Galaxy Wolf T-shirt/Colorful Rainbow Animal Print Head Shirt for woman Neon Wolf t-shirt
- 62. psychedelic colorful Howling Galaxy Wolf T-shirt/Colorful Rainbow Animal Print Head Shirt for woman Neon Wolf t-shirt
- 63. psychedelic colorful Howling Galaxy Wolf T-shirt/Colorful Rainbow Animal Print Head Shirt for woman Neon Wolf t-shirt
- 64. psychedelic colorful Howling Galaxy Wolf T-shirt/Colorful Rainbow Animal Print Head Shirt for woman Neon Wolf t-shirt

In [0]:

```
indices = []
for i, row in data_sorted.iterrows():
    indices.append(i)
```

In [0]:

```
import itertools
stage1_deduplicate_asins = []
i = 0
```

```

j = 0
num_data_points = data_sorted.shape[0]
while i < num_data_points and j < num_data_points:

    previous_i = i

    # store the list of words of ith string in a, ex: a = ['tokidoki', 'The', 'Queen', 'of', 'Diamonds'
    , 'Women's', 'Shirt', 'X-Large']
    a = data['title'].loc[indices[i]].split()

    # search for the similar products sequentially
    j = i+1
    while j < num_data_points:

        # store the list of words of jth string in b, ex: b = ['tokidoki', 'The', 'Queen', 'of', 'Diamonds',
        'Women's', 'Shirt', 'Small']
        b = data['title'].loc[indices[j]].split()

        # store the maximum length of two strings
        length = max(len(a), len(b))

        # count is used to store the number of words that are matched in both strings
        count = 0

        # itertools.zip_longest(a,b): will map the corresponding words in both strings, it will append
        None in case of unequal strings
        # example: a =['a', 'b', 'c', 'd']
        # b = ['a', 'b', 'd']
        # itertools.zip_longest(a,b): will give [('a', 'a'), ('b', 'b'), ('c', 'd'), ('d', None)]
        for k in itertools.zip_longest(a,b):
            if (k[0] == k[1]):
                count += 1

        # if the number of words in which both strings differ are > 2 , we are considering it as those
        two apperals are different
        # if the number of words in which both strings differ are < 2 , we are considering it as those
        two apperals are same, hence we are ignoring them
        if (length - count) > 2: # number of words in which both sensences differ
            # if both strings differ by more than 2 words we include the 1st string index
            stage1_dedupe_asins.append(data_sorted['asin'].loc[indices[i]])

        # start searching for similar apperals corresponds 2nd string
        i = j
        break
    else:
        j += 1
if previous_i == i:
    break

```

In [0]:

```
data = data.loc[data['asin'].isin(stage1_dedupe_asins)]
```

We removed the duplicates which differ only at the end.

In [0]:

```
print('Number of data points : ', data.shape[0])
```

Number of data points : 17593

In [0]:

```
data.to_pickle('pickels/17k_appral_data')
```

[5.2.3] Remove duplicates : Part 2

In the previous cell, we sorted whole data in alphabetical order of titles. Then, we removed titles which are adjacent and very similar title

But there are some products whose titles are not adjacent but very similar.

Examples:

Titles-1

86261. UltraClub Women's Classic Wrinkle-Free Long Sleeve Oxford Shirt, Pink, XX-Large
115042. UltraClub Ladies Classic Wrinkle-Free Long-Sleeve Oxford Light Blue XXL

Titles-2

75004. EVALY Women's Cool University Of UTAH 3/4 Sleeve Raglan Tee
109225. EVALY Women's Unique University Of UTAH 3/4 Sleeve Raglan Tees
120832. EVALY Women's New University Of UTAH 3/4-Sleeve Raglan Tshirt

In [0]:

```
data = pd.read_pickle('pickels/17k_apperial_data')
```

In [0]:

```
# This code snippet takes significant amount of time.  
# O(n^2) time.  
# Takes about an hour to run on a decent computer.  
  
indices = []  
for i, row in data.iterrows():  
    indices.append(i)  
  
stage2_dedupe_asins = []  
while len(indices)!=0:  
    i = indices.pop()  
    stage2_dedupe_asins.append(data['asin'].loc[i])  
    # consider the first apparel's title  
    a = data['title'].loc[i].split()  
    # store the list of words of ith string in a, ex: a = ['tokidoki', 'The', 'Queen', 'of', 'Diamonds'  
, 'Women's', 'Shirt', 'X-Large']  
    for j in indices:  
  
        b = data['title'].loc[j].split()  
        # store the list of words of jth string in b, ex: b = ['tokidoki', 'The', 'Queen', 'of', 'Diamonds'  
, 'Women's', 'Shirt', 'X-Large']  
  
        length = max(len(a), len(b))  
  
        # count is used to store the number of words that are matched in both strings  
        count = 0  
  
        # itertools.zip_longest(a,b): will map the corresponding words in both strings, it will append  
None in case of unequal strings  
        # example: a = ['a', 'b', 'c', 'd']  
        # b = ['a', 'b', 'd']  
        # itertools.zip_longest(a,b): will give [ ('a', 'a'), ('b', 'b'), ('c', 'd'), ('d', None) ]  
        for k in itertools.zip_longest(a, b):  
            if (k[0]==k[1]):  
                count += 1  
  
            # if the number of words in which both strings differ are < 3 , we are considering it as those  
two apparels are same, hence we are ignoring them  
            if (length - count) < 3:  
                indices.remove(j)
```

In [0]:

```
# from whole previous products we will consider only  
# the products that are found in previous cell
```

```
data = data.loc[data['asin'].isin(stage2_dedupe_asins)]
```

In [0]:

```
print('Number of data points after stage two of dedupe: ', data.shape[0])
# from 17k apperals we reduced to 16k apperals
```

Number of data points after stage two of dedupe: 16042

In [0]:

```
data.to_pickle('pickels/16k_apperial_data')
# Storing these products in a pickle file
# candidates who wants to download these files instead
# of 180K they can download and use them from the Google Drive folder.
```

6. Text pre-processing

In [0]:

```
data = pd.read_pickle('pickels/16k_apperial_data')

# NLTK download stop words. [RUN ONLY ONCE]
# goto Terminal (Linux/Mac) or Command-Prompt (Window)
# In the temrinal, type these commands
# $python3
# $import nltk
# $nltk.download()
```

In [0]:

```
# we use the list of stop words that are downloaded from nltk lib.
stop_words = set(stopwords.words('english'))
print ('list of stop words:', stop_words)

def nlp_preprocessing(total_text, index, column):
    if type(total_text) is not int:
        string = ""
        for words in total_text.split():
            # remove the special chars in review like '#$@!%^&*()_+-~?>< etc.
            word = ("").join(e for e in words if e.isalnum())
            # Conver all letters to lower-case
            word = word.lower()
            # stop-word removal
            if not word in stop_words:
                string += word + " "
        data[column][index] = string
```

list of stop words: {'such', 'and', 'hers', 'up', 'she', 'd', 'further', 'all', 'than', 'under', 'is', 'off', 'both', 'most', 'few', 'should', 're', 'very', 'just', 'then', 'didn', 'myself', 'in', 'too', 's', 'shouldn', 'herself', 'because', 'how', 'itself', 'what', 'shan', 'weren', 'doing', 'them', 'couldn', 'their', 'so', 'ain', 'haven', 'yourself', 'now', 'll', 'isn', 'about', 'over', 'into', 'before', 'du ring', 'on', 'as', 'aren', 'against', 'above', 'down', 'they', 'below', 'me', 'again', 'for', 'why', 'b een', 'yourselves', 'more', 'her', 'that', 'can', 'am', 'was', 'themselves', 'mightn', 'does', 'those', 'only', 'hasn', 'any', 'ma', 'are', 'nor', 'out', 'you', 'ourselves', 'the', 'an', 'has', 'where', 'i', 'while', 'ours', 'its', 'your', 'had', 'were', 'being', 'no', 'or', 'needn', 've', 'y', 'a', 'each', 'h ave', 'through', 'when', 'mustn', 'by', 'won', 'from', 'own', 'will', 'there', 't', 'him', 'these', 'do esn', 'theirs', 'my', 'did', 'of', 'who', 'until', 'wouldn', 'we', 'do', 'having', 'yours', 'other', 'w asn', 'it', 'with', 'once', 'here', 'don', 'o', 'whom', 'this', 'if', 'but', 'hadn', 'our', 'some', 'm', 'not', 'between', 'himself', 'same', 'at', 'be', 'he', 'after', 'which', 'to', 'his'}

In [0]:

```
start_time = time.clock()
# we take each title and we text-preprocess it.
for index, row in data.iterrows():
    nlp.preprocessing(row['title'], index, 'title')
```

```
time_clock(), time, time,
# we print the time it took to preprocess whole titles
print(time.clock() - start_time, "seconds")
```

3.5727220000000006 seconds

In [0]:

```
data.head()
```

Out[0]:

	asin	brand	color	medium_image_url	product_type_name	title	formatted_price
4	B004GSI2OS	FeatherLite	Onyx Black/ Stone	https://images-na.ssl- images- amazon.com/images...	SHIRT	featherlite ladies long sleeve stain resistant...	\$26.26
6	B012YX2ZPI	HX-Kingdom Fashion T- shirts	White	https://images-na.ssl- images- amazon.com/images...	SHIRT	womens unique 100 cotton special olympics wor...	\$9.99
15	B003BSRPB0	FeatherLite	White	https://images-na.ssl- images- amazon.com/images...	SHIRT	featherlite ladies moisture free mesh sport sh...	\$20.54
27	B014ICEJ1Q	FNC7C	Purple	https://images-na.ssl- images- amazon.com/images...	SHIRT	supernatural chibis sam dean castiel neck tshi...	\$7.39
46	B01NACPBG2	Fifth Degree	Black	https://images-na.ssl- images- amazon.com/images...	SHIRT	fifth degree womens gold foil graphic tees jun...	\$6.95

In [0]:

```
data.to_pickle('pickels/16k_apperial_data_preprocessed')
```

Stemming

In [0]:

```
from nltk.stem.porter import *
stemmer = PorterStemmer()
print(stemmer.stem('arguing'))
print(stemmer.stem('fishing'))
```

```
# We tried using stemming on our titles and it didnot work very well.
```

argu
fish

[8] Text based product similarity

In [0]:

```
data = pd.read_pickle('pickels/16k_apperial_data_preprocessed')
data.head()
```

Out[0] :

	asin	brand	color	medium_image_url	product_type_name	title	formatted_price
4	B004GSI2OS	FeatherLite	Onyx Black/ Stone	https://images-na.ssl-images-amazon.com/images...	SHIRT	featherlite ladies long sleeve stain resistant...	\$26.26
6	B012YX2ZPI	HX-Kingdom Fashion T-shirts	White	https://images-na.ssl-images-amazon.com/images...	SHIRT	womens unique 100 cotton special olympics wor...	\$9.99
15	B003BSRPB0	FeatherLite	White	https://images-na.ssl-images-amazon.com/images...	SHIRT	featherlite ladies moisture free mesh sport sh...	\$20.54
27	B014ICEJ1Q	FNC7C	Purple	https://images-na.ssl-images-amazon.com/images...	SHIRT	supernatural chibis sam dean castiel neck tshi...	\$7.39
46	B01NACPBG2	Fifth Degree	Black	https://images-na.ssl-images-amazon.com/images...	SHIRT	fifth degree womens gold foil graphic tees jun...	\$6.95

In [0] :

```
# Utility Functions which we will use through the rest of the workshop.

#Display an image
def display_img(url,ax,fig):
    # we get the url of the apparel and download it
    response = requests.get(url)
    img = Image.open(BytesIO(response.content))
    # we will display it in notebook
    plt.imshow(img)

#plotting code to understand the algorithm's decision.
def plot_heatmap(keys, values, labels, url, text):
    # keys: list of words of recommended title
    # values: len(values) == len(keys), values(i) represents the occurrence of the word keys(i)
    # labels: len(labels) == len(keys), the values of labels depends on the model we are using
        # if model == 'bag of words': labels(i) = values(i)
        # if model == 'tfidf weighted bag of words': labels(i) = tfidf(keys(i))
        # if model == 'idf weighted bag of words': labels(i) = idf(keys(i))
    # url : apparel's url

    # we will devide the whole figure into two parts
    gs = gridspec.GridSpec(2, 2, width_ratios=[4,1], height_ratios=[4,1])
    fig = plt.figure(figsize=(25,3))

    # 1st, plotting heat map that represents the count of commonly occurred words in title2
    ax = plt.subplot(gs[0])
    # it displays a cell in white color if the word is intersection(lis of words of title1 and list of words of title2), in black if not
    ax = sns.heatmap(np.array([values]), annot=np.array([labels]))
    ax.set_xticklabels(keys) # set that axis labels as the words of title
    ax.set_title(text) # apparel title

    # 2nd, plotting image of the the apparel
    ax = plt.subplot(gs[1])
    # we don't want any grid lines for image and no labels on x-axis and y-axis
    ax.grid(False)
    ax.set_xticks([])
    ax.set_yticks([])
```

```

# we call display_img basea with paramete url
display_img(url, ax, fig)

# displays combine figure ( heat map and image together)
plt.show()

def plot_heatmap_image(doc_id, vec1, vec2, url, text, model):

    # doc_id : index of the title1
    # vec1 : input apparels's vector, it is of a dict type {word:count}
    # vec2 : recommended apparels's vector, it is of a dict type {word:count}
    # url : apparels image url
    # text: title of recomonded apparel (used to keep title of image)
    # model, it can be any of the models,
        # 1. bag_of_words
        # 2. tfidf
        # 3. idf

    # we find the common words in both titles, because these only words contribute to the distance between two title vec's
    intersection = set(vec1.keys()) & set(vec2.keys())

    # we set the values of non intersecting words to zero, this is just to show the difference in heatmap
    for i in vec2:
        if i not in intersection:
            vec2[i]=0

    # for labeling heatmap, keys contains list of all words in title2
    keys = list(vec2.keys())
    # if ith word in intersection(list of words of title1 and list of words of title2): values(i)=count of that word in title2 else values(i)=0
    values = [vec2[x] for x in vec2.keys()]

    # labels: len(labels) == len(keys), the values of labels depends on the model we are using
    # if model == 'bag of words': labels(i) = values(i)
    # if model == 'tfidf weighted bag of words':labels(i) = tfidf(keys(i))
    # if model == 'idf weighted bag of words':labels(i) = idf(keys(i))

    if model == 'bag_of_words':
        labels = values
    elif model == 'tfidf':
        labels = []
        for x in vec2.keys():
            # tfidf_title_vectorizer.vocabulary_ it contains all the words in the corpus
            # tfidf_title_features[doc_id, index_of_word_in_corpus] will give the tfidf value of word in given document (doc_id)
            if x in tfidf_title_vectorizer.vocabulary_:
                labels.append(tfidf_title_features[doc_id, tfidf_title_vectorizer.vocabulary_[x]])
            else:
                labels.append(0)
    elif model == 'idf':
        labels = []
        for x in vec2.keys():
            # idf_title_vectorizer.vocabulary_ it contains all the words in the corpus
            # idf_title_features[doc_id, index_of_word_in_corpus] will give the idf value of word in given document (doc_id)
            if x in idf_title_vectorizer.vocabulary_:
                labels.append(idf_title_features[doc_id, idf_title_vectorizer.vocabulary_[x]])
            else:
                labels.append(0)

    plot_heatmap(keys, values, labels, url, text)

# this function gets a list of wrods along with the frequency of each word given "text"
def text_to_vector(text):
    word = re.compile(r'\w+')
    words = word.findall(text)
    # words stores list of all words in given string, you can try 'words = text.split()' this will also gives same result
    return Counter(words) # Counter counts the occurence of each word in list, it returns dict type object {word1:count}

```

```

def get_result(doc_id, content_a, content_b, url, model):
    text1 = content_a
    text2 = content_b

    # vector1 = dict{word11:#count, word12:#count, etc.}
    vector1 = text_to_vector(text1)

    # vector1 = dict{word21:#count, word22:#count, etc.}
    vector2 = text_to_vector(text2)

    plot_heatmap_image(doc_id, vector1, vector2, url, text2, model)

```

[8.2] Bag of Words (BoW) on product titles.

In [0]:

```

from sklearn.feature_extraction.text import CountVectorizer
title_vectorizer = CountVectorizer()
title_features = title_vectorizer.fit_transform(data['title'])
title_features.get_shape() # get number of rows and columns in feature matrix.
# title_features.shape = #data_points * #words_in_corpus
# CountVectorizer().fit_transform(corpus) returns
# the a sparase matrix of dimensions #data_points * #words_in_corpus

# What is a sparse vector?

# title_features[doc_id, index_of_word_in_corpus] = number of times the word occured in that doc

```

Out[0]:

(16042, 12609)

In [0]:

```

def bag_of_words_model(doc_id, num_results):
    # doc_id: apparel's id in given corpus

    # pairwise_dist will store the distance from given input apparel to all remaining apparels
    # the metric we used here is cosine, the coside distance is mesured as K(X, Y) = <X, Y> / (||X|| * ||Y||)
    pairwise_dist = pairwise_distances(title_features,title_features[doc_id])

    # np.argsort will return indices of the smallest distances
    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    #pdists will store the smallest distances
    pdists = np.sort(pairwise_dist.flatten())[0:num_results]


    #data frame indices of the 9 smallest distace's
    df_indices = list(data.index[indices])

    for i in range(0,len(indices)):
        # we will pass 1. doc_id, 2. title1, 3. title2, url, model
        get_result(indices[i],data['title'].loc[df_indices[0]], data['title'].loc[df_indices[i]], data['medium_image_url'].loc[df_indices[i]], 'bag_of_words')
        print('ASIN :',data['asin'].loc[df_indices[i]])
        print ('Brand:', data['brand'].loc[df_indices[i]])
        print ('Title:', data['title'].loc[df_indices[i]])
        print ('Euclidean similarity with the query image :', pdists[i])
        print('='*60)

    #call the bag-of-words model for a product to get similar products.
    bag_of_words_model(12566, 20) # change the index if you want to.
    # In the output heat map each value represents the count value
    # of the label word, the color represents the intersection
    # with inputs title.

#try 12566
#try 931

```




ASIN : B00JXQB5FQ

Brand: Si Row

Title: burnt umber tiger tshirt zebra stripes xl xxl

Euclidean similarity with the query image : 0.0




ASIN : B00JXQBASS6

Brand: Si Row

Title: pink tiger tshirt zebra stripes xl xxl

Euclidean similarity with the query image : 1.73205080757




ASIN : B00JXQCWT0

Brand: Si Row

Title: brown white tiger tshirt tiger stripes xl xxl

Euclidean similarity with the query image : 2.44948974278




ASIN : B00JXQCUIC

Brand: Si Row

Title: yellow tiger tshirt tiger stripes l

Euclidean similarity with the query image : 2.64575131106




ASIN : B07568NZX4

Brand: Rustic Grace

Title: believed could tshirt

Euclidean similarity with the query image : 3.0






ASIN : B01NB0NKRO

Brand: Ideology


Title: ideology graphic tshirt xl white
Euclidean similarity with the query image : 3.0



ASIN : B00JXQAFZ2

Brand: Si Row


Title: grey white tiger tank top tiger stripes xl xxl
Euclidean similarity with the query image : 3.0



ASIN : B01CLS8LMW

Brand: Awake


Title: morning person tshirt troll picture xl
Euclidean similarity with the query image : 3.16227766017



ASIN : B01KVZUB6G

Brand: Merona

Title: merona green gold stripes
Euclidean similarity with the query image : 3.16227766017



ASIN : B0733R2CJK

Brand: BLVD

Title: blvd womens graphic tshirt l
Euclidean similarity with the query image : 3.16227766017



ASIN : B012V0T6Y


=====

Brand: KM T-shirt

Title: km tiger printed sleeveless vest tshirt

Euclidean similarity with the query image : 3.16227766017

=====




ASIN : B00JXQC8L6

Brand: Si Row

Title: blue peacock print tshirt l

Euclidean similarity with the query image : 3.16227766017

=====



ASIN : B06XC3CZF6

Brand: Fjallraven

Title: fjallraven womens ovik tshirt plum xxl

Euclidean similarity with the query image : 3.16227766017

=====




ASIN : B005IT8OBA

Brand: Hetalia

Title: hetalia us girl tshirt

Euclidean similarity with the query image : 3.16227766017

=====




ASIN : B0088PN0LA

Brand: Red House

Title: canvas 3001 30s tshirt kelly xl

Euclidean similarity with the query image : 3.16227766017

=====




ASIN : B06X99V6WC

Brand: Brunello Cucinelli


Title: brunello cucinelli tshirt women white xl

Euclidean similarity with the query image : 3.16227766017


=====




ASIN : B06Y1JPW1Q
 Brand: Xhilaration
 Title: xhilaration womens lace tshirt salmon xxl
 Euclidean similarity with the query image : 3.16227766017



ASIN : B06X6GX6WG
 Brand: Animal
 Title: animal oceania tshirt yellow
 Euclidean similarity with the query image : 3.16227766017



ASIN : B017X8PW9U
 Brand: Diesel
 Title: diesel tserraf tshirt black
 Euclidean similarity with the query image : 3.16227766017



ASIN : B00IAA4JIQ
 Brand: I Love Lucy
 Title: juniors love lucywaaaaahhhh tshirt size xl
 Euclidean similarity with the query image : 3.16227766017

[8.5] TF-IDF based product similarity

In [0]:

```
tfidf_title_vectorizer = TfidfVectorizer(min_df = 0)
tfidf_title_features = tfidf_title_vectorizer.fit_transform(data['title'])
# tfidf_title_features.shape = #data_points * #words_in_corpus
# CountVectorizer().fit_transform(corporus) returns the a sparase matrix of dimensions #data_points * #words_in_corpus
# tfidf_title_features[doc_id, index_of_word_in_corpus] = tfidf values of the word in given doc
```

In [0]:

```

def tfidf_model(doc_id, num_results):
    # doc_id: apparel's id in given corpus

    # pairwise_dist will store the distance from given input apparel to all remaining apparels
    # the metric we used here is cosine, the coside distance is mesured as  $K(X, Y) = \langle X, Y \rangle / (\|X\| * \|Y\|)$ 
    # http://scikit-learn.org/stable/modules/metrics.html#cosine-similarity
    pairwise_dist = pairwise_distances(tfidf_title_features, tfidf_title_features[doc_id])

    # np.argsort will return indices of 9 smallest distances
    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    #pdists will store the 9 smallest distances
    pdists = np.sort(pairwise_dist.flatten())[0:num_results]

    #data frame indices of the 9 smallest distace's
    df_indices = list(data.index[indices])

    for i in range(0, len(indices)):
        # we will pass 1. doc_id, 2. title1, 3. title2, url, model
        get_result(indices[i], data['title'].loc[df_indices[0]], data['title'].loc[df_indices[i]], data['medium_image_url'].loc[df_indices[i]], 'tfidf')
        print('ASIN : ', data['asin'].loc[df_indices[i]])
        print('BRAND : ', data['brand'].loc[df_indices[i]])
        print('Eucliden distance from the given image : ', pdists[i])
        print('*'*125)
tfidf_model(12566, 20)
# in the output heat map each value represents the tfidf values of the label word, the color represents the intersection with inputs title


```



ASIN : B00JXQB5FQ

BRAND : Si Row


Eucliden distance from the given image : 0.0



ASIN : B00JXQASS6

BRAND : Si Row

Eucliden distance from the given image : 0.753633191245




ASIN : B00JXQCWIO

BRAND : Si Row

Eucliden distance from the given image : 0.935764394377





ASIN : B00JXQAFZ2

BRAND : Si Row

Euclidean distance from the given image : 0.95861535242



ASIN : B00JXQCUIC

BRAND : Si Row


Euclidean distance from the given image : 1.00007496145



ASIN : B00JXQAO94

BRAND : Si Row


Euclidean distance from the given image : 1.02321555246



ASIN : B00JXQAUWA

BRAND : Si Row


Euclidean distance from the given image : 1.0319918463



ASIN : B06XSCVFT5

BRAND : Studio M


Euclidean distance from the given image : 1.21068436704



ASIN : B06Y2GTYPM

BRAND : No Boundaries


Euclidean distance from the given image : 1.21216838107



ASIN : B012VQLT6Y

BRAND : KM T-shirt

Euclidean distance from the given image : 1.21979064028



ASIN : B06Y1VN8WQ

BRAND : Black Swan

Euclidean distance from the given image : 1.220684966



ASIN : B00Z6HEXWI

BRAND : Black Temptation


Euclidean distance from the given image : 1.22128139212



ASIN : B074TR12BH

BRAND : Ultra Flirt


Euclidean distance from the given image : 1.23133640946




ASIN : B072R2JXKW

BRAND : WHAT ON EARTH


Euclidean distance from the given image : 1.23184519726



ASIN : B074T8ZYGX
 BRAND : MKP Crop Top
 Eucliden distance from the given image : 1.23406074574



ASIN : B071ZDF6T2
 BRAND : Mossimo
 Eucliden distance from the given image : 1.23527855777




ASIN : B01K0H02OG
 BRAND : Tultex
 Eucliden distance from the given image : 1.23645729881



ASIN : B00H8A6ZLI
 BRAND : Vivian's Fashions
 Eucliden distance from the given image : 1.24996155053



ASIN : B010NN9RXO
 BRAND : YICHUN
 Eucliden distance from the given image : 1.25354614209



ASIN : B06XBY5QXL
 BRAND : Liz Claiborne
 Euclidean distance from the given image : 1.25388329384

[8.5] IDF based product similarity

In [0]:

```
idf_title_vectorizer = CountVectorizer()
idf_title_features = idf_title_vectorizer.fit_transform(data['title'])

# idf_title_features.shape = #data_points * #words_in_corpus
# CountVectorizer().fit_transform(courpus) returns the a sparase matrix of dimensions #data_points * #words_in_corpus
# idf_title_features[doc_id, index_of_word_in_corpus] = number of times the word occured in that doc
```

In [0]:

```
def nContaining(word):
    # return the number of documents which had the given word
    return sum(1 for blob in data['title'] if word in blob.split())

def idf(word):
    # idf = log(#number of docs / #number of docs which had the given word)
    return math.log(data.shape[0] / (nContaining(word)))
```

In [0]:

```
# we need to convert the values into float
idf_title_features = idf_title_features.astype(np.float)

for i in idf_title_vectorizer.vocabulary_.keys():
    # for every word in whole corpus we will find its idf value
    idf_val = idf(i)

    # to calculate idf_title_features we need to replace the count values with the idf values of the word
    # idf_title_features[:, idf_title_vectorizer.vocabulary_[i]].nonzero()[0] will return all documents in which the word i present
    for j in idf_title_features[:, idf_title_vectorizer.vocabulary_[i]].nonzero()[0]:
        # we replace the count values of word i in document j with idf_value of word i
        # idf_title_features[doc_id, index_of_word_in_courpus] = idf value of word
        idf_title_features[j,idf_title_vectorizer.vocabulary_[i]] = idf_val
```

In [0]:

```
def idf_model(doc_id, num_results):
    # doc_id: apparel's id in given corpus

    # pairwise_dist will store the distance from given input apparel to all remaining apparels
    # the metric we used here is cosine, the coside distance is mesured as K(X, Y) = <X, Y> / (||X|| * ||Y||)
    # http://scikit-learn.org/stable/modules/metrics.html#cosine-similarity
    pairwise_dist = pairwise_distances(idf_title_features,idf_title_features[doc_id])

    # np.argsort will return indices of 9 smallest distances
    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    #pdists will store the 9 smallest distances
```

```

pairsts = np.sort(pairwise_dists.flatten())[0:num_results]

#data frame indices of the 9 smallest distance's
df_indices = list(data.index[indices])


for i in range(0,len(indices)):
    get_result(indices[i],data['title'].loc[df_indices[0]], data['title'].loc[df_indices[i]], data['medium_image_url'].loc[df_indices[i]], 'idf')
    print('ASIN :',data['asin'].loc[df_indices[i]])
    print('Brand :',data['brand'].loc[df_indices[i]])
    print ('euclidean distance from the given image :', pdists[i])
    print('='*125)

idf_model(12566,20)
# in the output heat map each value represents the idf values of the label word, the color represents the intersection with inputs title

```



ASIN : B00JXQB5FQ
 Brand : Si Row
 euclidean distance from the given image : 0.0





ASIN : B00JXQASS6
 Brand : Si Row
 euclidean distance from the given image : 12.2050713112



ASIN : B00JXQCWT0
 Brand : Si Row
 euclidean distance from the given image : 14.4683626856



ASIN : B00JXQAFZ2
 Brand : Si Row
 euclidean distance from the given image : 14.4868329248





ASIN : B00JPOZ9GM

Brand : Sofra

euclidean distance from the given image : 17.1532153376



ASIN : B074T9KG9Q

Brand : Rain

euclidean distance from the given image : 17.3367152387



ASIN : B00H8A6ZLI

Brand : Vivian's Fashions


euclidean distance from the given image : 17.410075941



ASIN : B074G5G5RK

Brand : ERMANNO SCERVINO


euclidean distance from the given image : 17.5399213355



ASIN : B06XSCVFT5

Brand : Studio M


euclidean distance from the given image : 17.6127585437



ASIN : B06Y6FH453

Brand : Who What Wear

euclidean distance from the given image : 17.6237452825



ASIN : B074V45DCX

Brand : Rain


euclidean distance from the given image : 17.6343424968



ASIN : B07583CQFT

Brand : Very J

euclidean distance from the given image : 17.6375371274



ASIN : B073GJGVBN

Brand : Ivan Levi

euclidean distance from the given image : 17.7230738913



ASIN : B012VQLT6Y

Brand : KM T-shirt

euclidean distance from the given image : 17.7625885612



ASIN : B00ZZMYBRG

Brand : HP-LEISURE

euclidean distance from the given image : 17.7795368647

[9] Text Semantics based product similarity

In [0]:

```
# credits: https://www.kaggle.com/c/word2vec-nlp-tutorial#part-2-word-vectors
# Custom Word2Vec using your own text data.
# Do NOT RUN this code.
# It is meant as a reference to build your own Word2Vec when you have
# lots of data.

...
# Set values for various parameters
num_features = 300      # Word vector dimensionality
min_word_count = 1        # Minimum word count
num_workers = 4            # Number of threads to run in parallel
context = 10               # Context window size

downsampling = 1e-3       # Downsample setting for frequent words

# Initialize and train the model (this will take some time)
from gensim.models import word2vec
print ("Training model...")
model = word2vec.Word2Vec(sen_corpus, workers=num_workers, \
    size=num_features, min_count = min_word_count, \
    window = context)

...

```

In [0]:

```
from gensim.models import Word2Vec
from gensim.models import KeyedVectors
import pickle

# in this project we are using a pretrained model by google
# its 3.3G file, once you load this into your memory
# it occupies ~9Gb, so please do this step only if you have >12G of ram
# we will provide a pickle file which contains a dict ,
# and it contains all our corpus words as keys and model[word] as values
# To use this code-snippet, download "GoogleNews-vectors-negative300.bin"
# from https://drive.google.com/file/d/0B7XkCwpI5KDYNlNUTtLS21pQmM/edit
# it's 1.9GB in size.

...
model = KeyedVectors.load_word2vec_format('GoogleNews-vectors-negative300.bin', binary=True)
"""

#if you do NOT have RAM >= 12GB, use the code below.
with open('word2vec_model1', 'rb') as handle:
    model = pickle.load(handle)
```

In [0]:

```
# Utility functions

def get_word_vec(sentence, doc_id, m_name):
    # sentence : title of the apparel
    # doc_id: document id in our corpus
    # m_name: model information it will take two values
    # if m_name == 'avg', we will append the model[i], w2v representation of word i
    # if m_name == 'weighted', we will multiply each w2v[word] with the idf(word)
    vec = []
    for i in sentence.split():
        if i in vocab:
            if m_name == 'weighted' and i in idf_title_vectorizer.vocabulary_:
                vec.append(idf_title_features[doc_id, idf_title_vectorizer.vocabulary_[i]] * model[i])
            elif m_name == 'avg':
                vec.append(model[i])
```

```

        vec.append(model[word])
    else:
        # if the word in our corpus is not there in the google word2vec corpus, we are just ignoring it
        vec.append(np.zeros(shape=(300,)))
    # we will return a numpy array of shape (#number of words in title * 300 ) 300 = len(w2v_model[word])
]) # each row represents the word2vec representation of each word (weighted/avg) in given sentence
return np.array(vec)

def get_distance(vec1, vec2):
    # vec1 = np.array(#number_of_words_title1 * 300), each row is a vector of length 300 corresponds to each word in give title
    # vec2 = np.array(#number_of_words_title2 * 300), each row is a vector of length 300 corresponds to each word in give title

    final_dist = []
    # for each vector in vec1 we caluclate the distance(euclidean) to all vectors in vec2
    for i in vec1:
        dist = []
        for j in vec2:
            # np.linalg.norm(i-j) will result the euclidean distance between vectors i, j
            dist.append(np.linalg.norm(i-j))
        final_dist.append(np.array(dist))
    # final_dist = np.array(#number of words in title1 * #number of words in title2)
    # final_dist[i,j] = euclidean distance between vectors i, j
    return np.array(final_dist)

def heat_map_w2v(sentence1, sentence2, url, doc_id1, doc_id2, model):
    # sentance1 : title1, input apparel
    # sentance2 : title2, recommended apparel
    # url: apparel image url
    # doc_id1: document id of input apparel
    # doc_id2: document id of recommended apparel
    # model: it can have two values, 1. avg 2. weighted

    #s1_vec = np.array(#number_of_words_title1 * 300), each row is a vector(weighted/avg) of length 300 corresponds to each word in give title
    s1_vec = get_word_vec(sentence1, doc_id1, model)
    #s2_vec = np.array(#number_of_words_title1 * 300), each row is a vector(weighted/avg) of length 300 corresponds to each word in give title
    s2_vec = get_word_vec(sentence2, doc_id2, model)

    # s1_s2_dist = np.array(#number of words in title1 * #number of words in title2)
    # s1_s2_dist[i,j] = euclidean distance between words i, j
    s1_s2_dist = get_distance(s1_vec, s2_vec)

    # devide whole figure into 2 parts 1st part displays heatmap 2nd part displays image of apparel
    gs = gridspec.GridSpec(2, 2, width_ratios=[4,1], height_ratios=[2,1])
    fig = plt.figure(figsize=(15,15))

    ax = plt.subplot(gs[0])
    # ploting the heap map based on the pairwise distances
    ax = sns.heatmap(np.round(s1_s2_dist,4), annot=True)
    # set the x axis labels as recommended apparels title
    ax.set_xticklabels(sentence2.split())
    # set the y axis labels as input apparels title
    ax.set_yticklabels(sentence1.split())
    # set title as recommended apparels title
    ax.set_title(sentence2)

    ax = plt.subplot(gs[1])
    # we remove all grids and axis labels for image
    ax.grid(False)
    ax.set_xticks([])
    ax.set_yticks([])
    display_img(url, ax, fig)

    plt.show()

```

In [0]:

```
# vocab = stores all the words that are there in google w2v model
```

```

# vocab - stores all the words that are there in google w2v model
# vocab = model.wv.vocab.keys() # if you are using Google word2Vec

vocab = model.keys()
# this function will add the vectors of each word and returns the avg vector of given sentence
def build_avg_vec(sentence, num_features, doc_id, m_name):
    # sentence: its title of the apparel
    # num_features: the lenght of word2vec vector, its values = 300
    # m_name: model information it will take two values
    # if m_name == 'avg', we will append the model[i], w2v representation of word i
    # if m_name == 'weighted', we will multiply each w2v[word] with the idf(word)

    featureVec = np.zeros((num_features,), dtype="float32")
    # we will initialize a vector of size 300 with all zeros
    # we add each word2vec(wordi) to this festureVec
    nwords = 0

    for word in sentence.split():
        nwords += 1
        if word in vocab:
            if m_name == 'weighted' and word in idf_title_vectorizer.vocabulary_:
                featureVec = np.add(featureVec, idf_title_features[doc_id, idf_title_vectorizer.vocabulary_[word]] * model[word])
            elif m_name == 'avg':
                featureVec = np.add(featureVec, model[word])
    if(nwords>0):
        featureVec = np.divide(featureVec, nwords)
    # returns the avg vector of given sentence, its of shape (1, 300)
    return featureVec

```

[9.2] Average Word2Vec product similarity.

In [0]:

```

doc_id = 0
w2v_title = []
# for every title we build a avg vector representation
for i in data['title']:
    w2v_title.append(build_avg_vec(i, 300, doc_id, 'avg'))
    doc_id += 1

# w2v_title = np.array(# number of doc in courpus * 300), each row corresponds to a doc
w2v_title = np.array(w2v_title)

```

In [0]:

```

def avg_w2v_model(doc_id, num_results):
    # doc_id: apparel's id in given corpus

    # dist(x, y) = sqrt(dot(x, x) - 2 * dot(x, y) + dot(y, y))
    pairwise_dist = pairwise_distances(w2v_title, w2v_title[doc_id].reshape(1,-1))


    # np.argsort will return indices of 9 smallest distances
    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    # pdists will store the 9 smallest distances
    pdists = np.sort(pairwise_dist.flatten())[0:num_results]

    # data frame indices of the 9 smallest distace's
    df_indices = list(data.index[indices])

    for i in range(0, len(indices)):
        heat_map_w2v(data['title'].loc[df_indices[0]], data['title'].loc[df_indices[i]], data['medium_image_url'].loc[df_indices[i]], indices[0], indices[i], 'avg')
        print('ASIN :', data['asin'].loc[df_indices[i]])
        print('BRAND :', data['brand'].loc[df_indices[i]])
        print('euclidean distance from given input image :', pdists[i])
        print('='*125)

avg_w2v_model(12566, 20)
# in the give heat map, each cell contains the euclidean distance between words i, j


```



ASIN : B00JXQB5FQ

BRAND : Si Row


euclidean distance from given input image : 0.000690534




ASIN : B00JXQASS6

BRAND : Si Row


euclidean distance from given input image : 0.589193



ASIN : B00JXQCWT0
 BRAND : Si Row
 euclidean distance from given input image : 0.700344




ASIN : B00JXQAFZ2
 BRAND : Si Row
 euclidean distance from given input image : 0.89284



ASIN : B00JXQCUIC

BRAND : Si Row


euclidean distance from given input image : 0.956013



ASIN : B073R5Q8HD

BRAND : Colosseum


euclidean distance from given input image : 1.02297



ASIN : B06XBY5QXL

BRAND : Liz Claiborne


euclidean distance from given input image : 1.06693



ASIN : B01L8L73M2

BRAND : Hotgirl4 Raglan Design

euclidean distance from given input image : 1.07314




ASIN : B01EJS5H06

BRAND : Vansty

euclidean distance from given input image : 1.07572


=====



ASIN : B01BO1XRK8

BRAND : Le Bos

euclidean distance from given input image : 1.084



ASIN : B072R2JXKW

BRAND : WHAT ON EARTH


euclidean distance from given input image : 1.08422



ASIN : B074MJRGW6

BRAND : Two by Vince Camuto


euclidean distance from given input image : 1.0895



ASIN : B00JXQCFRS

BRAND : Si Row


euclidean distance from given input image : 1.09006



ASIN : B01I53HU6K

BRAND : ouxiuli


euclidean distance from given input image : 1.09201



ASIN : B0711NGTQM

BRAND : THILFIGER RTW


euclidean distance from given input image : 1.09234



ASIN : B01EFSLO8Y

BRAND : Vansty


euclidean distance from given input image : 1.0934



ASIN : B0716TVWQ4

BRAND : THILFIGER RTW


euclidean distance from given input image : 1.0942



ASIN : B0716MVPGV

BRAND : V.Secret


euclidean distance from given input image : 1.09483



ASIN : B016OPN4OI

BRAND : TIKE Fashions

euclidean distance from given input image : 1.09513



ASIN : B018WDJCUA
 BRAND : INC - International Concepts Woman
 euclidean distance from given input image : 1.09669

[9.4] IDF weighted Word2Vec for product similarity

In [0]:

```
doc_id = 0
w2v_title_weight = []
# for every title we build a weighted vector representation
for i in data['title']:
    w2v_title_weight.append(build_avg_vec(i, 300, doc_id, 'weighted'))
    doc_id += 1
# w2v_title = np.array(# number of doc in courpus * 300), each row corresponds to a doc
w2v_title_weight = np.array(w2v_title_weight)
```

In [0]:

```
def weighted_w2v_model(doc_id, num_results):
    # doc_id: apparel's id in given corpus


    # pairwise_dist will store the distance from given input apparel to all remaining apparels
    # the metric we used here is cosine, the coside distance is mesured as K(X, Y) = <X, Y> / (||X|| * ||Y||)
    # http://scikit-learn.org/stable/modules/metrics.html#cosine-similarity
    pairwise_dist = pairwise_distances(w2v_title_weight, w2v_title_weight[doc_id].reshape(1,-1))


    # np.argsort will return indices of 9 smallest distances
    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    #pdists will store the 9 smallest distances
    pdists = np.sort(pairwise_dist.flatten())[0:num_results]

    #data frame indices of the 9 smallest distace's
    df_indices = list(data.index[indices])

    for i in range(0, len(indices)):
        heat_map_w2v(data['title'].loc[df_indices[0]], data['title'].loc[df_indices[i]], data['medium_image_url'].loc[df_indices[i]], indices[0], indices[i], 'weighted')
        print('ASIN : ', data['asin'].loc[df_indices[i]])
        print('Brand : ', data['brand'].loc[df_indices[i]])
        print('euclidean distance from input : ', pdists[i])
        print('='*125)

weighted_w2v_model(12566, 20)
#931
#12566
# in the give heat map, each cell contains the euclidean distance between words i, j
```






ASIN : B00JXQB5FQ

Brand : Si Row


euclidean distance from input : 0.00390625




ASIN : B00JXQASS6

Brand : Si Row

euclidean distance from input : 4.06389






ASIN : B00JXQCWTO

Brand : Si Row

euclidean distance from input : 4.77094




ASIN : B00JXQAFZ2

Brand : Si Row

euclidean distance from input : 5.36016





ASIN : B00JXQAUWA

Brand : Si Row


euclidean distance from input : 5.68952





ASIN : B00JXQAO94

Brand : Si Row

euclidean distance from input : 5.69302






ASIN : B00JXQCUIC

Brand : Si Row

euclidean distance from input : 5.89344




ASIN : B015H41F6G

Brand : KINGDE

euclidean distance from input : 6.13299






ASIN : B073R5Q8HD

Brand : Colosseum

euclidean distance from input : 6.25671




ASIN : B074P8MD22

Brand : Edista

euclidean distance from input : 6.3922






ASIN : B00C0I3U3E

Brand : Stanzino

euclidean distance from input : 6.4149




ASIN : B073R4ZM7Y

Brand : Colosseum

euclidean distance from input : 6.45096






ASIN : B01C60RDLQ

Brand : 1 Mad Fit


euclidean distance from input : 6.46341




ASIN : B06XBY5QXL

Brand : Liz Claiborne

euclidean distance from input : 6.53922






ASIN : B071YF3WDD

Brand : Merona

euclidean distance from input : 6.5755




ASIN : B00H8A6ZLI

Brand : Vivian's Fashions

euclidean distance from input : 6.63821






ASIN : B00Z6HEXWI


Brand : Black Temptation


euclidean distance from input : 6.66074

lauren active ralph lauren striped polo tank top burnt orangewhite large



black swan estera raw umber l womens shirt






ASIN : B06Y1VN8WQ

Brand : Black Swan

euclidean distance from input : 6.70576

anna kaci womens asymmetrical sheer brown leopard cheetah print long sleeve top multicoloured medium



ASIN : B00KSNTY7Y

Brand : Anna-Kaci

euclidean distance from input : 6.70612

[9.6] Weighted similarity using brand and color.

In [0]:

```
# some of the brand values are empty.
# Need to replace Null with string "NULL"
data['brand'].fillna(value="Not given", inplace=True)

# replace spaces with hypen
brands = [x.replace(" ", "-") for x in data['brand'].values]
types = [x.replace(" ", "-") for x in data['product_type_name'].values]
colors = [x.replace(" ", "-") for x in data['color'].values]
```

```

brand_vectorizer = CountVectorizer()
brand_features = brand_vectorizer.fit_transform(brands)

type_vectorizer = CountVectorizer()
type_features = type_vectorizer.fit_transform(types)

color_vectorizer = CountVectorizer()
color_features = color_vectorizer.fit_transform(colors)

extra_features = hstack((brand_features, type_features, color_features)).tocsr()

```

In [0]:

```

def heat_map_w2v_brand(sentance1, sentance2, url, doc_id1, doc_id2, df_id1, df_id2, model):

    # sentance1 : title1, input apparel
    # sentance2 : title2, recommended apparel
    # url: apparel image url
    # doc_id1: document id of input apparel
    # doc_id2: document id of recommended apparel
    # df_id1: index of document1 in the data frame
    # df_id2: index of document2 in the data frame
    # model: it can have two values, 1. avg 2. weighted

    #s1_vec = np.array(#number_of_words_title1 * 300), each row is a vector(weighted/avg) of length 300
    #corresponds to each word in give title
    s1_vec = get_word_vec(sentance1, doc_id1, model)
    #s2_vec = np.array(#number_of_words_title2 * 300), each row is a vector(weighted/avg) of length 300
    #corresponds to each word in give title
    s2_vec = get_word_vec(sentance2, doc_id2, model)

    # s1_s2_dist = np.array(#number of words in title1 * #number of words in title2)
    # s1_s2_dist[i,j] = euclidean distance between words i, j
    s1_s2_dist = get_distance(s1_vec, s2_vec)

    data_matrix = [[['Asin', 'Brand', 'Color', 'Product type'],
                   [data['asin'].loc[df_id1], brands[doc_id1], colors[doc_id1], types[doc_id1]], # input apparel's features
                   [data['asin'].loc[df_id2], brands[doc_id2], colors[doc_id2], types[doc_id2]]] # recommended apparel's features

    colorscale = [[0, '#1d004d'], [.5, '#f2e5ff'], [1, '#f2e5d1']] # to color the headings of each column

    # we create a table with the data_matrix
    table = ff.create_table(data_matrix, index=True, colorscale=colorscale)
    # plot it with plotly
    plotly.offline.iplot(table, filename='simple_table')

    # devide whole figure space into 25 * 1:10 grids
    gs = gridspec.GridSpec(25, 15)
    fig = plt.figure(figsize=(25,5))

    # in first 25*10 grids we plot heatmap
    ax1 = plt.subplot(gs[:, :-5])
    # plotting the heap map based on the pairwise distances
    ax1 = sns.heatmap(np.round(s1_s2_dist, 6), annot=True)
    # set the x axis labels as recommended apparels title
    ax1.set_xticklabels(sentance2.split())
    # set the y axis labels as input apparels title
    ax1.set_yticklabels(sentance1.split())
    # set title as recommended apparels title
    ax1.set_title(sentance2)

    # in last 25 * 10:15 grids we display image
    ax2 = plt.subplot(gs[:, 10:16])
    # we dont display grid lines and axis labels to images
    ax2.grid(False)
    ax2.set_xticks([])
    ax2.set_yticks([])

    # pass the url it display it
    display_img(url, ax2, fig)

```

```
plt.show()
```

In [0]:

```
def idf_w2v_brand(doc_id, w1, w2, num_results):
    # doc_id: apparel's id in given corpus
    # w1: weight for w2v features
    # w2: weight for brand and color features


    # pairwise_dist will store the distance from given input apparel to all remaining apparels
    # the metric we used here is cosine, the coside distance is mesured as  $K(X, Y) = \langle X, Y \rangle / (\|X\| * \|Y\|)$ 
    # http://scikit-learn.org/stable/modules/metrics.html#cosine-similarity
    idf_w2v_dist = pairwise_distances(w2v_title_weight, w2v_title_weight[doc_id].reshape(1,-1))
    ex_feat_dist = pairwise_distances(extra_features, extra_features[doc_id])
    pairwise_dist = (w1 * idf_w2v_dist + w2 * ex_feat_dist)/float(w1 + w2)

    # np.argsort will return indices of 9 smallest distances
    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    #pdists will store the 9 smallest distances
    pdists = np.sort(pairwise_dist.flatten())[0:num_results]

    #data frame indices of the 9 smallest distace's
    df_indices = list(data.index[indices])

    for i in range(0, len(indices)):
        heat_map_w2v_brand(data['title'].loc[df_indices[0]], data['title'].loc[df_indices[i]], data['medium_image_url'].loc[df_indices[i]], indices[0], indices[i], df_indices[0], df_indices[i], 'weighted')
        print('ASIN :', data['asin'].loc[df_indices[i]])
        print('Brand :', data['brand'].loc[df_indices[i]])
        print('euclidean distance from input :', pdists[i])
        print('='*125)


idf_w2v_brand(12566, 5, 5, 20)
# in the give heat map, each cell contains the euclidean distance between words i, j
```



ASIN : B00JXQB5FQ

Brand : Si Row

euclidean distance from input : 0.001953125



ASIN : B00JXQCWT0

Brand : Si Row


euclidean distance from input : 2.38547115326



ASIN : B00JXQASS6

Brand : Si Row


euclidean distance from input : 2.73905105609



ASIN : B00JXQAFZ2

Brand : Si Row


euclidean distance from input : 3.387187195



ASIN : B00JXQAUWA

Brand : Si Row

euclidean distance from input : 3.5518684389





ASIN : B00JXQAO94

Brand : Si Row

euclidean distance from input : 3.5536174776







ASIN : B00JXQCUIC

Brand : Si Row


euclidean distance from input : 3.65382804889



ASIN : B00JXQCFRS

Brand : Si Row


euclidean distance from input : 4.12881164569



ASIN : B00JXQC8L6

Brand : Si Row


euclidean distance from input : 4.20390052813



ASIN : B00JV63CW2

Brand : Si Row


euclidean distance from input : 4.28658676166



ASIN : B015H41F6G

Brand : KINGDE

euclidean distance from input : 4.38937078798



ASIN : B00JXQBBMI

Brand : Si Row

euclidean distance from input : 4.39790992755

=====

=====

lsu tigers colosseum womens yellow purple slit back 12 sleeves tshirt



ASIN : B073R5Q8HD


Brand : Colosseum

euclidean distance from input : 4.45122858369

=====

=====

edista embellished zebra womens small tank cami black



ASIN : B074P8MD22

Brand : Edista


euclidean distance from input : 4.51897779787

=====

=====

red pink floral heel sleeveless shirt xl xxl






ASIN : B00JV63QOE

Brand : Si Row


euclidean distance from input : 4.52937545794



ASIN : B00C0I3U3E

Brand : Stanzino


euclidean distance from input : 4.53032614076



ASIN : B01ER184O6

Brand : GuPoBoU168


euclidean distance from input : 4.54681702403



ASIN : B073R4ZM7Y

Brand : Colosseum

euclidean distance from input : 4.54835554445



ASIN : B071YF3WDD

Brand : Merona

euclidean distance from input : 4.61062742555



leopard print raglan top burgundy size

ASIN : B01C60RLDQ


Brand : 1 Mad Fit

euclidean distance from input : 4.64591789282

In [0]:

```
# brand and color weight =50
# title vector weight = 5


idf_w2v_brand(12566, 5, 50, 20)
```



ASIN : B00JXQB5FQ

Brand : Si Row


euclidean distance from input : 0.000355113636364



ASIN : B00JXQCWTO

Brand : Si Row

euclidean distance from input : 0.433722027865



ASIN : B00JXQASS6

Brand : Si Row


euclidean distance from input : 1.65509310669



ASIN : B00JXQAFZ2

Brand : Si Row

euclidean distance from input : 1.77293604103






ASIN : B00JXQAUWA

Brand : Si Row


euclidean distance from input : 1.80287808538



ASIN : B00JXQAO94

Brand : Si Row



euclidean distance from input : 1.80319609241



ASIN : B00JXQCUIC

Brand : Si Row


euclidean distance from input : 1.82141619628



ASIN : B00JXQCFRS

Brand : Si Row


euclidean distance from input : 1.90777685025



ASIN : B00JXQC8L6

Brand : Si Row


euclidean distance from input : 1.92142937433



ASIN : B00JV63CW2

Brand : Si Row


euclidean distance from input : 1.93646323497



ASIN : B00JXQBBMI

Brand : Si Row


euclidean distance from input : 1.95670381059




ASIN : B00JV63QQE

Brand : Si Row

euclidean distance from input : 1.9806066343






ASIN : B00JV63VC8

Brand : Si Row


euclidean distance from input : 2.01218559992



ASIN : B00JXQAX2C

Brand : Si Row


euclidean distance from input : 2.01335178755



ASIN : B00JXQC0C8

Brand : Si Row


euclidean distance from input : 2.01388334827



ASIN : B00JXQABBO

Brand : Si Row


euclidean distance from input : 2.0367257555



ASIN : B01ER18406

Brand : GuPoBoU168


euclidean distance from input : 2.65620416778



ASIN : B01LZ7BQ4H

Brand : WAYF


euclidean distance from input : 2.6849067823



ASIN : B01KJUM6JI

Brand : YABINA

euclidean distance from input : 2.68583819266



ASIN : B01M06V4X1

Brand : WAYF

euclidean distance from input : 2.69476194865

[10.2] Keras and Tensorflow to extract features

In [0]:

```
import numpy as np
from keras.preprocessing.image import ImageDataGenerator
from keras.models import Sequential
from keras.layers import Dropout, Flatten, Dense
from keras import applications
```

```

from __future__ import applications
from sklearn.metrics import pairwise_distances
import matplotlib.pyplot as plt
import requests
from PIL import Image
import pandas as pd
import pickle

```

Using TensorFlow backend.

In [0]:

```

# https://gist.github.com/fchollet/f35fbc80e066a49d65f1688a7e99f069
# Code reference: https://blog.keras.io/building-powerful-image-classification-models-using-very-little-
# data.html

# This code takes 40 minutes to run on a modern GPU (graphics card)
# like Nvidia 1050.
# GPU (Nvidia 1050): 0.175 seconds per image

# This codse takes 160 minutes to run on a high end i7 CPU
# CPU (i7): 0.615 seconds per image.

#Do NOT run this code unless you want to wait a few hours for it to generate output

# each image is converted into 25088 length dense-vector

'''

# dimensions of our images.
img_width, img_height = 224, 224

top_model_weights_path = 'bottleneck_fc_model.h5'
train_data_dir = 'images2//'
nb_train_samples = 16042
epochs = 50
batch_size = 1

def save_bottlebeck_features():

    #Function to compute VGG-16 CNN for image feature extraction.

    asins = []
    datagen = ImageDataGenerator(rescale=1. / 255)

    # build the VGG16 network
    model = applications.VGG16(include_top=False, weights='imagenet')
    generator = datagen.flow_from_directory(
        train_data_dir,
        target_size=(img_width, img_height),
        batch_size=batch_size,
        class_mode=None,
        shuffle=False)

    for i in generator.filenames:
        asins.append(i[2:-5])

    bottleneck_features_train = model.predict_generator(generator, nb_train_samples // batch_size)
    bottleneck_features_train = bottleneck_features_train.reshape((16042,25088))

    np.save(open('16k_data_cnn_features.npy', 'wb'), bottleneck_features_train)
    np.save(open('16k_data_cnn_feature_asins.npy', 'wb'), np.array(asins))

    save_bottlebeck_features()

'''

```

[10.3] Visual features based product similarity.

In [0]:

```
#load the features and corresponding ASINS info.
bottleneck_features_train = np.load('16k_data_cnn_features.npy')
asins = np.load('16k_data_cnn_feature_asins.npy')
asins = list(asins)

# load the original 16K dataset
data = pd.read_pickle('pickels/16k_apperial_data_preprocessed')
df_asins = list(data['asin'])

from IPython.display import display, Image, SVG, Math, YouTubeVideo

#get similar products using CNN features (VGG-16)
def get_similar_products_cnn(doc_id, num_results):
    doc_id = asins.index(df_asins[doc_id])
    pairwise_dist = pairwise_distances(bottleneck_features_train, bottleneck_features_train[doc_id].reshape(1,-1))

    indices = np.argsort(pairwise_dist.flatten())[0:num_results]
    pdists = np.sort(pairwise_dist.flatten())[0:num_results]

    for i in range(len(indices)):
        rows = data[['medium_image_url', 'title']].loc[data['asin']==asins[indices[i]]]
        for indx, row in rows.iterrows():
            display(Image(url=row['medium_image_url'], embed=True))
            print('Product Title: ', row['title'])
            print('Euclidean Distance from input image:', pdists[i])
            print('Amazon Url: www.amzon.com/dp/' + asins[indices[i]])

get_similar_products_cnn(12566, 20)
```



Product Title: burnt umber tiger tshirt zebra stripes xl xxl
Euclidean Distance from input image: 0.0
Amazon Url: www.amzon.com/dp/B00JXQB5FQ



Product Title: pink tiger tshirt zebra stripes xl xxl
Euclidean Distance from input image: 30.0501
Amazon Url: www.amzon.com/dp/B00JXQASS6



Product Title: yellow tiger tshirt tiger stripes l
Euclidean Distance from input image: 41.2611
Amazon Url: www.amazon.com/dp/B00JXQCUIC



Product Title: brown white tiger tshirt tiger stripes xl xxl
Euclidean Distance from input image: 44.0002
Amazon Url: www.amazon.com/dp/B00JXQCWTO



Product Title: kawaii pastel tops tees pink flower design
Euclidean Distance from input image: 47.3825
Amazon Url: www.amazon.com/dp/B071FCWD97



Product Title: womens thin style tops tees pastel watermelon print
Euclidean Distance from input image: 47.7184
Amazon Url: www.amazon.com/dp/B01JUNHBRM



Product Title: kawaii pastel tops tees baby blue flower design
Euclidean Distance from input image: 47.9021
Amazon Url: www.amazon.com/dp/B071SBCY9W





Product Title: edv cheetah run purple multi xl
Euclidean Distance from input image: 48.0465
Amazon Url: www.amazon.com/dp/B01CUPYBM0



Product Title: danskin womens vneck loose performance tee xsmall pink ombre
Euclidean Distance from input image: 48.1019
Amazon Url: www.amazon.com/dp/B01F7PHXY8



Product Title: summer alpaca 3d pastel casual loose tops tee design
Euclidean Distance from input image: 48.1189
Amazon Url: www.amazon.com/dp/B01I80A93G



Product Title: miss chievous juniors striped peplum tank top medium shadowpeach
Euclidean Distance from input image: 48.1313
Amazon Url: www.amazon.com/dp/B0177DM70S



Product Title: red pink floral heel sleeveless shirt xl xxl
Euclidean Distance from input image: 48.1695
Amazon Url: www.amazon.com/dp/B00JV63QQE





Product Title: moana logo adults hot v neck shirt black xxl
Euclidean Distance from input image: 48.2568
Amazon Url: www.amazon.com/dp/B01LX6H43D



Product Title: abaday multicolor cartoon cat print short sleeve longline shirt large
Euclidean Distance from input image: 48.2657
Amazon Url: www.amazon.com/dp/B01CR57YY0



Product Title: kawaii cotton pastel tops tees peach pink cactus design
Euclidean Distance from input image: 48.3626
Amazon Url: www.amazon.com/dp/B071WYLBZS



Product Title: chicago chicago 18 shirt women pink
Euclidean Distance from input image: 48.3836
Amazon Url: www.amazon.com/dp/B01GXAZTRY



Product Title: yichun womens tiger printed summer tshirts tops
Euclidean Distance from input image: 48.4493
Amazon Url: www.amazon.com/dp/B010NN9RXO



Product Title: nancy lopez whimsy short sleeve whiteblacklemon drop xs
Euclidean Distance from input image: 48.4788
Amazon Url: www.amazon.com/dp/B01MPX6IDX



Product Title: womens tops tees pastel peach ice cream cone print
Euclidean Distance from input image: 48.558
Amazon Url: www.amazon.com/dp/B0734GRKZL



Product Title: uswomens mary j blige without tshirts shirt
Euclidean Distance from input image: 48.6144
Amazon Url: www.amazon.com/dp/B01M0XXFKK