Quantus Cold Wallet: every call

Quantus Cold Wallet is an offline signer. It holds a key, reads a transaction from a QR code shown by the Quantus hot wallet, shows what is about to be signed, and returns the signature as a QR code. It never sends anything over a network. This document has a demo key and 72 transactions to sign with it.

1. Go offline

The wallet does not create, import or unlock a key while the phone reports any connection. Turn on Airplane Mode, then make sure Wi-Fi and Bluetooth are off as well. For a quick test the **Override for Testing** button on the "Network Detected" screen lifts this lock.

2. Import the demo key

1. Tap **Import Key**, type the 24 words below separated by spaces, and tap **Import Key**.
2. Tap **Enable Face ID** or **Use Passcode only**, then **Go To Wallet**.
3. The wallet shows this account:
   `qzkiyWnN4MCXeALXfXeNckSK44Mcoyteia7ZE9mh5MUJpSyjg`
   checkphrase **Saddle-Chime-Goose-Fond-Alpha**

1 dismiss	7 isolate	13 humor	19 host
2 decline	8 inflict	14 quarter	20 purity
3 gasp	9 derive	15 capital	21 night
4 pulse	10 tiger	16 clinic	22 steel
5 orchard	11 glad	17 ride	23 transfer
6 distance	12 used	18 hour	24 proud

3. Sign a transaction

1. Tap **Scan Transaction** and allow camera access.
2. Point the camera at any QR code on the following pages, on screen or printed. A transaction marked "part 1 of 2" is in two codes: scan both, one after the other.
3. The review screen shows the transaction in the heading of its code. Tap **Approve and Sign** and confirm with Face ID or the passcode.
4. The signature appears as a QR code, which the hot wallet would scan to submit the transaction. Tap **Done**. **Cancel Transaction** rejects a request instead.

The demo account holds no funds and the transactions are for the Planck test network. Nothing is broadcast: the cold wallet has no network access, and only the hot wallet can submit a signed transaction.

1. SEND 1.5 QTC

To qzo5r1kCyoaxTdBTksX2sxhBmCVKioCLQ2hKFNdQXUQ6d3Ymq
Balances · transfer_allow_death



2. SEND 1.5 QTC

To qzo5r1kCyoaxTdBTksX2sxhBmCVKioCLQ2hKFNdQXUQ6d3Ymq
Balances · transfer_keep_alive



3. BALANCES TRANSFER ALL

Balances · transfer_all



4. BALANCES BURN

Balances · burn



5. SYSTEM REMARK

System · remark



6. SYSTEM SET HEAP PAGES

System · set_heap_pages



7. SYSTEM SET CODE

System · set_code



8. SYSTEM SET CODE WITHOUT CHECKS

System · set_code_without_checks



9. SYSTEM SET STORAGE

System · set_storage



10. SYSTEM KILL STORAGE

System · kill_storage



11. SYSTEM KILL PREFIX

System · kill_prefix



12. SYSTEM REMARK WITH EVENT

System · remark_with_event



13. SYSTEM AUTHORIZE UPGRADE

System · authorize_upgrade



14. SYSTEM AUTHORIZE UPGRADE WITHOUT CHECKS

System · authorize_upgrade_without_checks



15. SYSTEM APPLY AUTHORIZED UPGRADE

System · apply_authorized_upgrade



16. TIMESTAMP SET

Timestamp · set



17. PREIMAGE NOTE PREIMAGE

Preimage · note_preimage → System · remark



18. PREIMAGE UNNOTE PREIMAGE

Preimage · unnote_preimage



19. PREIMAGE REQUEST PREIMAGE

Preimage · request_preimage



20. PREIMAGE UNREQUEST PREIMAGE

Preimage · unrequest_preimage



21. PREIMAGE ENSURE UPDATED

Preimage · ensure_updated




22. UTILITY BATCH ALL

Utility · batch_all → System · remark




23. UTILITY BATCH ALL

Utility · batch_all → 2 × Balances · transfer_allow_death




24. UTILITY BATCH ALL part 1 of 2

Utility · batch_all → 16 × Balances · transfer_allow_death



24. UTILITY BATCH ALL part 2 of 2

`Utility · batch_all → 16 × Balances · transfer_allow_death`



25. REVERSIBLETRANSFERS SET HIGH SECURITY

`ReversibleTransfers · set_high_security`



26. REVERSIBLETRANSFERS SET HIGH SECURITY

`ReversibleTransfers · set_high_security`



27. REVERSIBLETRANSFERS CANCEL

`ReversibleTransfers · cancel`



28. REVERSIBLETRANSFERS EXECUTE TRANSFER

ReversibleTransfers · execute_transfer



29. REVERSIBLE SEND 1.5 QTC

To qzo5r1kCyoaxTdBTksX2sxhBmCVKioCLQ2hKFNdQXUQ6d3Ymq
ReversibleTransfers · schedule_transfer



30. REVERSIBLE SEND 1.5 QTC

To qzo5r1kCyoaxTdBTksX2sxhBmCVKioCLQ2hKFNdQXUQ6d3Ymq
ReversibleTransfers · schedule_transfer_with_delay



31. REVERSIBLE SEND 1.5 QTC

To qzo5r1kCyoaxTdBTksX2sxhBmCVKioCLQ2hKFNdQXUQ6d3Ymq
ReversibleTransfers · schedule_transfer_with_delay



32. REVERSIBLETRANSFERS RECOVER FUNDS

`ReversibleTransfers · recover_funds`



33. TECHCOLLECTIVE ADD MEMBER

`TechCollective · add_member`



34. TECHCOLLECTIVE PROMOTE MEMBER

`TechCollective · promote_member`



35. TECHCOLLECTIVE DEMOTE MEMBER

`TechCollective · demote_member`



36. TECHCOLLECTIVE REMOVE MEMBER

TechCollective · remove_member



37. TECHCOLLECTIVE VOTE

TechCollective · vote



38. TECHCOLLECTIVE CLEANUP POLL

TechCollective · cleanup_poll



39. TECHCOLLECTIVE EXCHANGE MEMBER

TechCollective · exchange_member



40. TECHREFERENDA SUBMIT

TechReferenda · submit



41. TECHREFERENDA SUBMIT

TechReferenda · submit



42. TECHREFERENDA SUBMIT

TechReferenda · submit → System · remark



43. TECHREFERENDA SUBMIT

TechReferenda · submit



44. TECHREFERENDA SUBMIT

TechReferenda · submit



45. TECHREFERENDA PLACE DECISION DEPOSIT

TechReferenda · place_decision_deposit



46. TECHREFERENDA REFUND DECISION DEPOSIT

TechReferenda · refund_decision_deposit



47. TECHREFERENDA CANCEL

TechReferenda · cancel



48. TECHREFERENDA KILL

`TechReferenda · kill`



49. TECHREFERENDA NUDGE REFERENDUM

`TechReferenda · nudge_referendum`



50. TECHREFERENDA ONE FEWER DECIDING

TechReferenda · one_fewer_deciding



51. TECHREFERENDA REFUND SUBMISSION DEPOSIT

TechReferenda · refund_submission_deposit



52. TECHREFERENDA SET METADATA

`TechReferenda · set_metadata`



53. TECHREFERENDA SET METADATA

`TechReferenda · set_metadata`



54. TREASURYPALLET SET TREASURY ACCOUNT

TreasuryPallet · set_treasury_account



55. MULTISIG CREATE MULTISIG

Multisig · create_multisig



56. MULTISIG PROPOSE

Multisig · propose → System · remark



57. MULTISIG APPROVE

Multisig · approve → System · remark



58. MULTISIG CANCEL

Multisig · cancel



59. MULTISIG REMOVE EXPIRED

Multisig · remove_expired



60. MULTISIG CLAIM DEPOSITS

Multisig · claim_deposits



61. MULTISIG EXECUTE

Multisig · execute → System · remark



62. MULTISIG PROPOSE 0.9 QTC

To qznQKhufTDfU3szAzfgCny7wMhxUN3qjEqneiRUNgC7MjSDyG
Multisig · propose → Balances · transfer_allow_death




63. MULTISIG APPROVE 4.2 QTC

To qznQKhufTDfU3szAzfgCny7wMhxUN3qjEqneiRUNgC7MjSDyG
Multisig · approve → Balances · transfer_allow_death




64. MULTISIG APPROVE part 1 of 2

`Multisig · approve → Utility · batch_all → 16 × Balances · transfer_allow_death`




64. MULTISIG APPROVE part 2 of 2

`Multisig · approve → Utility · batch_all → 16 × Balances · transfer_allow_death`




65. MULTISIG PROPOSE part 1 of 2

`Multisig · propose → Utility · batch_all → 16 × Balances · transfer_allow_death`



65. MULTISIG PROPOSE part 2 of 2

`Multisig · propose → Utility · batch_all → 16 × Balances · transfer_allow_death`



66. MULTISIG EXECUTE 3 QTC

To qznQKhufTDfU3szAzfgCny7wMhxUN3qjEqneiRUNgC7MjSDyG
Multisig · execute → Balances · transfer_allow_death



67. WORMHOLE VERIFY PRIVATE BATCH

Wormhole · verify_private_batch



68. WORMHOLE VERIFY PUBLIC BATCH

Wormhole · verify_public_batch



69. VESTING CLAIM

Vesting · claim



70. VESTING CREATE SCHEDULE

Vesting · create_schedule



71. VESTING END SCHEDULE

Vesting · end_schedule



72. VESTING RETARGET SCHEDULE

Vesting · retarget_schedule

