

Refutation of a Nielsen application of Ioana’s Theorem 8.2 to a twisted comultiplication

Daniel Eric Fredriksen
Quanyra Inc.
<https://github.com/Quanyra/connes-rigidity>

9 August 2026

Abstract

We examine J. L. Nielsen’s argument that applies Ioana’s Theorem 8.2 (J. Amer. Math. Soc. 24 (2011)) to the twisted comultiplication

$$\Theta(fu_g) = fu_g \otimes \Phi(u_g)$$

built from an assumed $*$ -isomorphism $\Phi: L(G) \rightarrow L(H)$, in order to obtain injective group morphisms and run a reductio related to Connes’ rigidity conjecture. We show that this application does not go through: by construction,

$$\Theta(A_G) \subseteq A_G \bar{\otimes} L(H),$$

which is the forbidden tensor leg in Ioana’s hypothesis (2). Consequently Theorem 8.2 does not license the rigid-case output for this map, and the reductio that depends on that output does not start. The argument is supported by primary-source pins of Nielsen NIEWTC and Ioana JAMS 2011, and by a machine-checked Lean 4 packaging (release **v0.1.1-obstruction**) that imports one classical Nielsen by-construction package and proves failure of hypothesis (2) and non-licensing of rigid output for that application. We do not claim that Connes’ rigidity conjecture is true or false, and we do not validate or refute the OpenAI or Zhou counterexample constructions.

MSC 2020: 46L10, 46L35, 22D25, 03B35.

Suggested arXiv categories: math.OA (primary); math.GR (secondary).

Science package: tag v0.1.1-report; version DOI

<https://doi.org/10.5281/zenodo.21859308>;

concept DOI <https://doi.org/10.5281/zenodo.21845586>.

Lean package: tag v0.1.1-obstruction; version DOI

<https://doi.org/10.5281/zenodo.21859309>;

concept DOI <https://doi.org/10.5281/zenodo.21845588>.

1 Introduction and non-claims

Connes’ rigidity conjecture (ICC + property (T) form) asserts that if G and H are countable discrete ICC groups with Kazhdan’s property (T) and $L(G) \cong L(H)$, then $G \cong H$. Nielsen proposes a reductio that assumes $L(G) \cong L(H)$, equips G with a Bernoulli action, forms the crossed product $A_G = L^\infty(X) \rtimes G$, builds a twisted comultiplication Θ from Φ , and applies Ioana’s classification to extract group morphisms, then derives a contradiction (Part I against claimed counterexamples; Part II as a universal proof of the conjecture).

In scope. Nielsen’s use of Θ together with Ioana’s Theorem 8.2 to obtain an injective morphism δ_2 —the load-bearing step of that reductio—and a machine-checked packaging of the obstruction logic.

Out of scope (explicit non-claims).

- Connes rigidity true or false.
- Validity or invalidity of OpenAI **ten-proofs** or Zhou arXiv:2608.02327 as counterexamples.
- Full formalization of Ioana (2011) or of group von Neumann algebras $L(\Gamma)$ in mathlib.
- Lean construction of the spatial tensor product $A_G \bar{\otimes} L(H)$, Bernoulli crossed products, or the W^* -closed range of a concrete Θ .

2 Ioana’s hypothesis (2)

Ioana’s Theorem 8.2 concerns a unital $*$ -homomorphism into a tensor product of two Bernoulli crossed products $M = M_1 \bar{\otimes} M_2$. The rigid/standard conclusion requires non-intertwining hypotheses, including (2):

$$\begin{aligned}\theta(N) &\not\prec_M L(\Gamma_1) \bar{\otimes} M_2, \\ \theta(N) &\not\prec_M M_1 \bar{\otimes} L(\Gamma_2).\end{aligned}$$

(See Ioana [1], Theorem 8.2.)

3 The obstruction

Theorem 1 (Bounded obstruction). *Identify Nielsen’s $\Theta: A_G \rightarrow A_G \bar{\otimes} A_H$ with Ioana’s $\theta: N \rightarrow M_1 \bar{\otimes} M_2$ by $N = A_G$, $M_1 = A_G$, $M_2 = A_H$, $\Gamma_2 = H$. By Nielsen’s definition*

$$\Theta(fu_g) = fu_g \otimes \Phi(u_g), \quad \Phi(u_g) \in L(H),$$

one has the containment

$$\Theta(A_G) \subseteq A_G \bar{\otimes} L(H) = M_1 \bar{\otimes} L(\Gamma_2).$$

Containment of the image in $M_1 \bar{\otimes} L(\Gamma_2)$ implies that it is not the case that $\theta(N) \not\prec M_1 \bar{\otimes} L(\Gamma_2)$ (Popa’s intertwining relation $\prec$ from inclusion of the image). Therefore Ioana’s hypothesis (2) fails for this Θ , and Theorem 8.2 does not supply the rigid-case group morphisms from this application. The reductio that requires δ_2 from that step does not start.

Remark 1 (Nielsen’s own text). *Nielsen records the containment into the group-algebra leg and treats it as “target alignment” (NIEWTC, Remark 21). Under Ioana’s published wording, that containment is a failed hypothesis (2), not a harmless alignment. Nielsen also claims non-intertwining conditions (NI1)–(NI2) hold uniformly via deformation and Cartan arguments; even granting those for other legs, they do not remove the literal containment that negates the second conjunct of hypothesis (2).*

4 Lean packaging

Companion repository <https://github.com/Quanyra/connes-rigidity-lean>, tag v0.1.1-obstruction.
Build pin: c1e6dfb7347261336714e57de86e6f25c7627461.

Declaration	Role
<code>nielsen_theta_by_construction_lands_in_bad_leg</code>	Classical import: Nielsen definitional package and by-construction containment as a semantic situation
<code>nielsen_theta_by_construction_blocks_ioana82_hyp2</code>	Proved: hypothesis (2) fails
<code>nielsen_theta_by_construction_no_rigid_output_licensed_by_hyp2</code>	Proved: rigid output not licensed by that application
<code>intertwinesIntoConditionOne_of_le</code>	Proved: containment + nonzero unit $\Rightarrow$ condition-(1) intertwiner

Axiom profile of the main exports. Only the classical import `nielsen_theta_by_construction_lands_in_bad_leg` together with standard Lean foundations (`propext`, `Classical.choice`, `Quot.sound`). The former custom Popa bridge axiom has been removed; the containment-to-intertwiner direction is proved on the semantic condition-(1) interface.

CI. `lake build`; no `sorry/admit`; axiom/opaque register check.

5 Primary sources

- Nielsen, *Connes' Rigidity Conjecture...* (NIEWTC), Aug 2026; PDF SHA-256 9529E43EBFF1E38A808397DA0C0FC56CABCB71C41B622FABA54B6B57573D3884.
- Ioana, JAMS 24 (2011), DOI 10.1090/S0894-0347-2011-00706-6; PDF SHA-256 0EF129649596FC6BDF36A7ADA3C197...

6 Conclusion

The Nielsen Ioana+ Θ reductio is refuted as an application of Ioana's Theorem 8.2: the map Θ is built so that a mandatory non-intertwining hypothesis fails. Remaining open by design: whether Connes' conjecture holds, and whether any particular counterexample construction is correct.

References

- [1] A. Ioana, *W^* -superrigidity for Bernoulli actions of property (T) groups*, J. Amer. Math. Soc. **24** (2011), 1175–1226. doi:10.1090/S0894-0347-2011-00706-6.
- [2] J. L. Nielsen, *Connes' Rigidity Conjecture and the Failure of Recent Counterexamples* (NIEWTC), Aug 2026. Local pin SHA-256 9529E43EBFF1E38A808397DA0C0FC56CABCB71C41B622FABA54B6B57573D3884.
- [3] D. E. Fredriksen, *connes-rigidity-lean v0.1.1-obstruction*, Zenodo (2026), doi:10.5281/zenodo.21859309 concept doi:10.5281/zenodo.21845588.
- [4] D. E. Fredriksen, *Refutation of the Nielsen Ioana+ Θ Reductio*, Zenodo (2026), doi:10.5281/zenodo.21859308; concept doi:10.5281/zenodo.21845586.