Hypothesis failure for Ioana's Theorem 8.2 under a twisted comultiplication

Daniel Eric Fredriksen
Quantyra Inc.
https://github.com/Quantyra/connes-rigidity

28 October 2026 — v0.1.3-report

Abstract

We examine J. L. Nielsen's argument that applies Ioana's Theorem 8.2 (J. Amer. Math. Soc. 24 (2011)) to the twisted comultiplication

$$\Theta(fu_g) = fu_g \otimes \Phi(u_g)$$

built from an assumed $*$-isomorphism $\Phi\colon L(G) \to L(H)$, in order to obtain injective group morphisms and run a reductio related to Connes' rigidity conjecture. We show that this application does not go through: by construction,

$$\Theta(A_G) \subseteq A_G \bar{\otimes} L(H),$$

which is the forbidden tensor leg in Ioana's hypothesis (2). Consequently Theorem 8.2 does not license the rigid-case output for this map, and the reductio that depends on that output does not start. This revision corrects our summary of Theorem 8.2 and addresses the three defenses in Nielsen's 49-page revision, Section 21, and its retained Section 9 appeal by comparing the required hypotheses. The argument is supported by primary-source pins of Nielsen NIEWTC and Ioana JAMS 2011, and by a machine-checked Lean 4 packaging (release `v0.1.1-obstruction`) that imports one classical Nielsen by-construction package and proves semantic hypothesis (2) failure. Its non-licensing export is a definitional consequence for a placeholder output, not a formalization of Ioana's conclusion or injectivity. We do not claim that Connes' rigidity conjecture is true or false, and we do not validate or refute the OpenAI or Zhou counterexample constructions.

MSC 2020: 46L10, 46L35, 22D25, 03B35.
Suggested arXiv categories: math.OA (primary); math.GR (secondary).
Science package: v0.1.3-report; version DOI not assigned.
Historical science deposit: version DOI https://doi.org/10.5281/zenodo.21859653 (v0.1.2-report; previous PDF); concept DOI https://doi.org/10.5281/zenodo.21845586.
Lean package: tag `v0.1.1-obstruction`; version DOI https://doi.org/10.5281/zenodo.21859309; concept DOI https://doi.org/10.5281/zenodo.21845588.
Lean source (tag tree): https://github.com/Quantyra/connes-rigidity-lean/tree/v0.1.1-obstruction.

Revision note (28 October 2026). Our previous version overstated Theorem 8.2 by describing its input as unital and its conclusion as injective group morphisms. Its general input is a $*$-homomorphism; its torsion-free conclusion gives a homomorphism into the product group, not asserted injectivity of both coordinates. We correct that summary below and distinguish Nielsen's additional injectivity claim. We also address Section 21 of the 49-page NIEWTC artifact inspected on 28 October 2026 and its retained Section 9 appeal. The title, bounded obstruction and Lean anchors are unchanged.

1 Introduction and non-claims

Notation. G and H are countable discrete groups. $L(G)$ and $L(H)$ are their group von Neumann algebras. $A_G = L^\infty(X) \rtimes G$ is a Bernoulli crossed product. $\Phi\colon L(G) \to L(H)$ is an assumed $*$-isomorphism. The twisted comultiplication is $\Theta(fu_g) = fu_g \otimes \Phi(u_g)$. Popa's intertwining-by-bimodules relation is written $\prec$; its negation is $\not\prec$.

Connes' rigidity conjecture (ICC + property (T) form) asserts: if G and H are countable discrete ICC groups with Kazhdan's property (T) and $L(G) \cong L(H)$, then $G \cong H$.

Nielsen proposes a reductio that assumes $L(G) \cong L(H)$, equips G with a Bernoulli action, forms A_G, builds Θ from Φ, applies Ioana's classification to extract group morphisms, and derives a contradiction (Part I against claimed counterexamples; Part II as a universal proof of the conjecture).

In scope. Nielsen's use of Θ with Ioana's Theorem 8.2 to obtain a morphism δ_2, subsequently argued by Nielsen to be injective—the load-bearing step of that reductio—and a machine-checked packaging of the obstruction logic.

Out of scope (explicit non-claims).

- Connes rigidity true or false.
- Validity or invalidity of OpenAI `ten-proofs` or Zhou arXiv:2608.02327 as counterexamples.
- Full formalization of Ioana (2011) or of group von Neumann algebras $L(\Gamma)$ in mathlib.
- Lean construction of the spatial tensor product $A_G \bar{\otimes} L(H)$, Bernoulli crossed products, or the W*-closed range of a concrete Θ.

2 Ioana's hypothesis (2)

Ioana's Theorem 8.2 takes a general $*$-homomorphism $\theta\colon N \to M_1 \bar{\otimes} M_2$, in its stated Bernoulli and relative-property (T) setting. In the torsion-free case it concludes that θ is unital and supplies a character, a group homomorphism $\delta\colon \Lambda \to \Gamma_1 \times \Gamma_2$ and unitary-conjugacy data. It does not state that both coordinate homomorphisms are injective. In general it gives a finite-index subgroup $\Lambda_1 \subseteq \Lambda$ and a one-to-one map $\delta\colon \Lambda_1 \to \Gamma_1 \times \Gamma_2$, with a finite subgroup K normalized by every $\delta(\lambda)$ and $\delta(\lambda\lambda')^{-1}\delta(\lambda)\delta(\lambda') \in K$; the accompanying formula has a nonzero corner and finitely many normalizers of the Cartan algebra. This is not an unqualified pair of injective coordinate homomorphisms. See [1, Theorem 8.2, pp. 1207–1208] for the full statement. Nielsen's desired injectivity of δ_2 is a subsequent claim. Our particular Θ is unital, but unitality is not the general input assumption of that theorem.

Both conclusions require the stated hypotheses, including hypothesis (2):

$$\theta(N) \not\prec_M L(\Gamma_1)\bar{\otimes}M_2,$$
$$\theta(N) \not\prec_M M_1\bar{\otimes}L(\Gamma_2).$$

(See Ioana [1], Theorem 8.2.) Both conjuncts are required. If either fails, Theorem 8.2 does not license the rigid-case output for that θ.

3 The obstruction

Theorem 1 (Bounded obstruction)**.** *Identify Nielsen's $\Theta\colon A_G \to A_G\bar{\otimes}A_H$ with Ioana's $\theta\colon N \to M_1\bar{\otimes}M_2$ by $N = A_G$, $M_1 = A_G$, $M_2 = A_H$, $\Gamma_2 = H$. By Nielsen's definition*

$$\Theta(fu_g) = fu_g \otimes \Phi(u_g), \qquad \Phi(u_g) \in L(H),$$

one has the containment

$$\Theta(A_G) \subseteq A_G \,\bar{\otimes}\, L(H) = M_1\bar{\otimes}L(\Gamma_2).$$

If a unital image sits inside a von Neumann subalgebra $B \subseteq M$, then the image intertwines into B in Popa's sense: in the corner criterion take both projections equal to 1, the inclusion homomorphism, and the nonzero partial isometry $v = 1$. The relation $\psi(x)v = vx$ is then immediate ([1, Theorem 1.3.1(1), p. 1184]; see also [3]). Thus one does not have $\theta(N) \not\prec_M B$. Taking $B = M_1\bar{\otimes}L(\Gamma_2)$ shows that the second conjunct of Ioana's hypothesis (2) fails for this Θ. Therefore Theorem 8.2 does not supply the rigid-case group morphisms from this application. The reductio that requires δ_2 from that step does not start.

4 Response to the 49-page Nielsen revision

Here page numbers refer to the 49-page artifact of NIEWTC [2], identified by its hash in Section 7. Definition 8 (p. 21) retains the same formula for Θ and ambient $A_G\bar{\otimes}A_H$. Remark 11 (p. 23; formerly Remark 21 in the 46-page source) and Lemma 14 (pp. 26–27) acknowledge the containment $\Theta(A_G) \subseteq A_G\bar{\otimes}L(H)$. Nielsen does name both mixed targets (p. 24, Case (II); p. 27) and explicitly claims to exclude the right one. The issue is that asserted exclusion despite the admitted containment, not a simple omission of the right target.

The targets are different. The single factors $A_G \otimes 1$ and $1 \otimes A_H$ are distinct from the left mixed target $L(G)\bar{\otimes}A_H$ and the right mixed target $A_G\bar{\otimes}L(H)$. Lemma 14 invokes Cartan non-intertwining into $L(G)$, declares the right mixed containment irrelevant to corner intertwining, and asserts a symmetric exclusion of the right target. But the corner criterion permits the unit witness just given. Moreover, $\Theta(L^\infty(X)) = L^\infty(X) \otimes 1$ lies inside the right mixed target: the Cartan images are not symmetric between the two Bernoulli factors. An argument about the left mixed target cannot establish the required non-intertwining into the right mixed target: it is false here by the unit witness.

The three defenses in Section 21 (pp. 37–39). Remark 13 (pp. 37–38) invokes deformation fixity of $\Theta(u_g)$ and the Cartan image $L^\infty(X) \otimes 1$, uniformly in Φ. Even granting these properties, they are compatible with the right mixed containment and do not remove its intertwining witness. Remark 14 (p. 38) invokes property (T) spectral gap and describes an exclusion of intertwining into a

single tensor factor. Such an exclusion does not exclude a mixed target that contains the whole first crossed product and the second group algebra. Remark 15 (p. 38) identifies genuine involvement of both factors with the rigid alternative and refers back to the earlier non-intertwining checks. Involvement of both factors is compatible with a mixed-target alternative; it does not establish both conjuncts of hypothesis (2).

This distinction also matters for a trichotomy formulation. Ioana's Theorem C explicitly includes both mixed targets in alternative (2) [1, p. 1179]; its own same-factor and torsion-free setting must also be respected. Invoking internal proof machinery does not eliminate the disputed premise: the proof of Theorem 8.2 starts under (1)–(2), uses assumption (2) to obtain (8.b), and then applies Theorem 6.1 [1, pp. 1208–1209]. The existing containment witness is therefore still decisive for this particular application. This is non-licensing by the theorem, not nonexistence of group morphisms or a claim that its conclusion could never hold for special inputs.

5 The separate appeal to Ioana's Section 9

Remark 11 also invokes Theorem 9.1, Lemma 9.2(4), Case (5), and the full Section 9 pipeline. This appeal already appeared in the archived Remark 21; it is not a new October argument. Ioana does treat a mixed case there, so the Section 8 obstruction should not be presented as an obstruction to every use of Section 9.

The relevant hypothesis comparison is specific. Theorem 9.1 starts with a crossed-product isomorphism

$$N = C \rtimes \Lambda \;\cong\; qMq, \qquad M = B^{\Gamma} \rtimes \Gamma,$$

with the actions and groups satisfying its stated assumptions [1, Theorem 9.1, p. 1213]. The proof transports comultiplication through this isomorphism before using Lemma 9.2 and the subsequent cases [1, pp. 1214–1217]. The group-factor isomorphism $L(G) \cong L(H)$ assumed by Nielsen does not itself supply this crossed-product-isomorphism setup. Constructing the injective Θ is not a construction of that isomorphism, and the cited appeal supplies no hypothesis-by-hypothesis replacement. Thus the reviewed appeal demonstrates no repair of the application at issue. This is a comparison with the published hypotheses, not a new theorem that such an extension, or any alternative argument, is impossible.

6 Lean packaging and verification

Companion repository: `https://github.com/Quantyra/connes-rigidity-lean`.
Release tag: `v0.1.1-obstruction`.
Tag tree: `https://github.com/Quantyra/connes-rigidity-lean/tree/v0.1.1-obstruction`.
Build pin: `c1e6dfb7347261336714e57de86e6f25c7627461`.
Modules: `ConnesRigidity.NielsenThetaImage`, `ConnesRigidity.NielsenThetaBlock`.

What is imported versus proved. One declaration is a classical import of Nielsen's definitional package and the by-construction containment. The remaining named exports below are proved from that import on a semantic condition-(1) interface. Lean does not construct the spatial tensor product or the concrete range of Θ. The main exports assert the existence of an imported semantic image situation in which the hypothesis fails; they do not construct the concrete analytic objects. The containment bridge is in `ConnesRigidity.Ioana.OperatorAlgebra.IntertwiningConditionOne`. The cited release [4] provides the unchanged Lean anchor. Its historical exact-anchor build was independently verified; the verification record documents build and audit provenance and scope.

In Lean, `IoanaRigidOutput` is a placeholder: its carrier is `Unit` and its injectivity field is `True`. It contains no actual group homomorphism or injectivity data. Licensing is *defined* as `hyp2.holds` together with `Nonempty` of this placeholder output. The non-licensing export is therefore a direct consequence of semantic hypothesis (2) failure; it formalizes neither Ioana's conclusion nor injectivity. This abstract record is separate from the classical hypothesis failure established in Section 3.

Declaration	Role
`nielsen_theta_by_construction_lands_in_bad_leg`	**Classical import:** Nielsen definitional package and by-construction containment as a semantic situation
`nielsen_theta_by_construction_blocks_ioana82_hyp2`	**Proved:** hypothesis (2) fails
`nielsen_theta_by_construction_no_rigid_output_licensed_by_hyp2`	**Proved (definitional):** placeholder output not licensed by semantic hypothesis (2)
`intertwinesIntoConditionOne_of_le`	**Proved:** containment + nonzero unit ⇒ condition-(1) intertwiner

Axiom profile of the main exports. Only the classical import `nielsen_theta_by_construction_lands_in_bad_leg` together with standard Lean foundations (`propext`, `Classical.choice`, `Quot.sound`). The former custom Popa bridge axiom has been removed; the containment-to-intertwiner direction is proved on the semantic condition-(1) interface.

How to verify (cold clone).

```
git clone https://github.com/Quantyra/connes-rigidity-lean.git
cd connes-rigidity-lean
git checkout v0.1.1-obstruction
lake build
```

Then confirm: no `sorry`/`admit`; axiom/opaque register check as in the repository CI; declarations above are present in the named modules.

7 Primary sources

- Nielsen, NIEWTC, 49-page artifact inspected 28 October 2026, title-page date August 2026; 564,856 bytes; PDF SHA-256 `BC201CC37F897EEEDA2446D1926AB7945405E5A96CF27176CA0E4157476D324E`. Source: `https://philpapers.org/archive/NIEWTC.pdf`, record `https://philpapers.org/rec/NIEWTC`. Embedded creation/modification metadata: 28 October 2026, 15:26:37 at UTC−05:00; this is not a certified upload date.
- Historical Nielsen NIEWTC, 46 pages, title-page date August 2026; PDF SHA-256 `9529E43EBFF1E38A808397DA0C0FC56CABCB71C41B622FABA54B6B57573D3884`. Historical pin retained for comparison; current page anchors refer to the 49-page artifact above.
- Ioana, JAMS 24 (2011), DOI `https://doi.org/10.1090/S0894-0347-2011-00706-6`; PDF SHA-256 `0EF129649596FC6BDF36A7ADA3C1972CF1B20FB838D5E560D1FCACCEF21501E3`.

8 Remarks

- **Ruled out:** obtaining Ioana Theorem 8.2 rigid-case output from this Θ as defined, and any reductio step that requires that output from this application.
- **Not ruled out:** Connes' conjecture; independent status of any counterexample construction; other theorems of Ioana; other maps in place of Θ.
- **Lean boundary:** the machine-checked core packages the obstruction logic after a classical import of the by-construction containment. It is not a full formalization of Ioana (2011).
- **Repair routes (neutral):** a different map, a different theorem, or an independent proof that hypothesis (2) holds for some modified setup. This note does not endorse any repair.

9 Conclusion

The Nielsen Ioana+Θ reductio does not go through as an application of Ioana's Theorem 8.2: the map Θ is built so that a mandatory non-intertwining hypothesis fails. Remaining open by design: whether Connes' conjecture holds, and whether any particular counterexample construction is correct.

References

[1] A. Ioana, *W^*-superrigidity for Bernoulli actions of property (T) groups*, J. Amer. Math. Soc. **24** (2011), 1175–1226. https://doi.org/10.1090/S0894-0347-2011-00706-6.

[2] J. L. Nielsen, *Connes' Rigidity Conjecture: Disproof of the Counterexamples and Proof of the Theorem* (NIEWTC), title-page date August 2026. 49-page artifact inspected 28 October 2026; historical 46-page artifact also retained. Identity hashes are listed in Section 7. https://philpapers.org/rec/NIEWTC.

[3] S. Popa, *On a class of type II_1 factors with Betti numbers invariants*, Ann. of Math. (2) **163** (2006), 809–899. https://doi.org/10.4007/annals.2006.163.809.

[4] D. E. Fredriksen, *connes-rigidity-lean v0.1.1-obstruction: paper-strength Nielsen Theta blocks Ioana 8.2 hyp (2)*, Zenodo (2026). Version DOI https://doi.org/10.5281/zenodo.21859309; concept DOI https://doi.org/10.5281/zenodo.21845588. Titles match the frozen Zenodo deposit metadata (not the title of this note).

[5] D. E. Fredriksen, *Hypothesis failure for Ioana's Theorem 8.2 under a twisted comultiplication* (v0.1.2-report), Zenodo (2026). Version DOI https://doi.org/10.5281/zenodo.21859653; concept DOI https://doi.org/10.5281/zenodo.21845586. Historical deposit of the previous version, not the present revised PDF.