

Hypothesis failure for Ioana’s Theorem 8.2 under a twisted comultiplication

Daniel Eric Fredriksen
Quanyra Inc.
<https://github.com/Quanyra/connes-rigidity>

9 August 2026

Abstract

We examine J. L. Nielsen’s argument that applies Ioana’s Theorem 8.2 (J. Amer. Math. Soc. 24 (2011)) to the twisted comultiplication

$$\Theta(fu_g) = fu_g \otimes \Phi(u_g)$$

built from an assumed $*$ -isomorphism $\Phi: L(G) \rightarrow L(H)$, in order to obtain injective group morphisms and run a reductio related to Connes’ rigidity conjecture. We show that this application does not go through: by construction,

$$\Theta(A_G) \subseteq A_G \bar{\otimes} L(H),$$

which is the forbidden tensor leg in Ioana’s hypothesis (2). Consequently Theorem 8.2 does not license the rigid-case output for this map, and the reductio that depends on that output does not start. The argument is supported by primary-source pins of Nielsen NIEWTC and Ioana JAMS 2011, and by a machine-checked Lean 4 packaging (release `v0.1.1-obstruction`) that imports one classical Nielsen by-construction package and proves failure of hypothesis (2) and non-licensing of rigid output for that application. We do not claim that Connes’ rigidity conjecture is true or false, and we do not validate or refute the OpenAI or Zhou counterexample constructions.

MSC 2020: 46L10, 46L35, 22D25, 03B35.

Suggested arXiv categories: math.OA (primary); math.GR (secondary).

Science package: version DOI <https://doi.org/10.5281/zenodo.21859653> (v0.1.2-report; PDF on deposit); concept DOI <https://doi.org/10.5281/zenodo.21845586>.

Lean package: tag `v0.1.1-obstruction`; version DOI <https://doi.org/10.5281/zenodo.21859309>; concept DOI <https://doi.org/10.5281/zenodo.21845588>.

Lean source (tag tree): <https://github.com/Quanyra/connes-rigidity-lean/tree/v0.1.1-obstruction>.

1 Introduction and non-claims

Notation. G and H are countable discrete groups. $L(G)$ and $L(H)$ are their group von Neumann algebras. $A_G = L^\infty(X) \rtimes G$ is a Bernoulli crossed product. $\Phi: L(G) \rightarrow L(H)$ is an assumed $*$ -isomorphism. The twisted comultiplication is $\Theta(fu_g) = fu_g \otimes \Phi(u_g)$. Popa’s intertwining-by-bimodules relation is written $\prec$; its negation is $\not\prec$.

Connes' rigidity conjecture (ICC + property (T) form) asserts: if G and H are countable discrete ICC groups with Kazhdan's property (T) and $L(G) \cong L(H)$, then $G \cong H$.

Nielsen proposes a reductio that assumes $L(G) \cong L(H)$, equips G with a Bernoulli action, forms A_G , builds Θ from Φ , applies Ioana's classification to extract group morphisms, and derives a contradiction (Part I against claimed counterexamples; Part II as a universal proof of the conjecture).

In scope. Nielsen's use of Θ with Ioana's Theorem 8.2 to obtain an injective morphism δ_2 —the load-bearing step of that reductio—and a machine-checked packaging of the obstruction logic.

Out of scope (explicit non-claims).

- Connes rigidity true or false.
- Validity or invalidity of OpenAI `ten-proofs` or Zhou arXiv:2608.02327 as counterexamples.
- Full formalization of Ioana (2011) or of group von Neumann algebras $L(\Gamma)$ in mathlib.
- Lean construction of the spatial tensor product $A_G \bar{\otimes} L(H)$, Bernoulli crossed products, or the W^* -closed range of a concrete Θ .

2 Ioana's hypothesis (2)

Ioana's Theorem 8.2 concerns a unital $*$ -homomorphism $\theta: N \rightarrow M$ into a tensor product of two Bernoulli crossed products $M = M_1 \bar{\otimes} M_2$. Under stated deformation and rigidity hypotheses, the rigid/standard conclusion supplies character data and injective group morphisms. That conclusion requires non-intertwining hypotheses, including hypothesis (2):

$$\begin{aligned}\theta(N) &\not\prec_M L(\Gamma_1) \bar{\otimes} M_2, \\ \theta(N) &\not\prec_M M_1 \bar{\otimes} L(\Gamma_2).\end{aligned}$$

(See Ioana [1], Theorem 8.2.) Both conjuncts are required. If either fails, Theorem 8.2 does not license the rigid-case output for that θ .

3 The obstruction

Theorem 1 (Bounded obstruction). *Identify Nielsen's $\Theta: A_G \rightarrow A_G \bar{\otimes} A_H$ with Ioana's $\theta: N \rightarrow M_1 \bar{\otimes} M_2$ by $N = A_G$, $M_1 = A_G$, $M_2 = A_H$, $\Gamma_2 = H$. By Nielsen's definition*

$$\Theta(fu_g) = fu_g \otimes \Phi(u_g), \quad \Phi(u_g) \in L(H),$$

one has the containment

$$\Theta(A_G) \subseteq A_G \bar{\otimes} L(H) = M_1 \bar{\otimes} L(\Gamma_2).$$

If a unital image sits inside a von Neumann subalgebra $Q \subseteq M$, then the image intertwines into Q in Popa's sense: one does not have $\theta(N) \not\prec_M Q$ (see Popa [3]). Taking $Q = M_1 \bar{\otimes} L(\Gamma_2)$ shows that the second conjunct of Ioana's hypothesis (2) fails for this Θ . Therefore Theorem 8.2 does not supply the rigid-case group morphisms from this application. The reductio that requires δ_2 from that step does not start.

Remark 1 (Nielsen’s own text). *Nielsen records the containment into the group-algebra leg and treats it as “target alignment” (NIEWTC, Remark 21). Under Ioana’s published wording, that containment is a failed hypothesis (2), not a harmless alignment. Nielsen also claims non-intertwining conditions (NI1)–(NI2) hold uniformly via deformation and Cartan arguments. Even if those hold for other legs, they do not remove the literal containment that negates the second conjunct of hypothesis (2).*

4 Lean packaging and verification

Companion repository: <https://github.com/Quantyra/connes-rigidity-lean>.

Release tag: v0.1.1-obstruction.

Tag tree: <https://github.com/Quantyra/connes-rigidity-lean/tree/v0.1.1-obstruction>.

Build pin: c1e6dfb7347261336714e57de86e6f25c7627461.

Modules: ConnesRigidity.NielsenThetaImage, ConnesRigidity.NielsenThetaBlock.

What is imported versus proved. One declaration is a classical import of Nielsen’s definitional package and the by-construction containment. The remaining named exports below are proved from that import on a semantic condition-(1) interface. Lean does not construct the spatial tensor product or the concrete range of Θ .

Declaration	Role
<code>nielsen_theta_by_construction_lands_in_bad_leg</code>	Classical import: Nielsen definitional package and by-construction containment as a semantic situation
<code>nielsen_theta_by_construction_blocks_ioana82_hyp2</code>	Proved: hypothesis (2) fails
<code>nielsen_theta_by_construction_no_rigid_output_licensed_by_hyp2</code>	Proved: rigid output not licensed by that application
<code>intertwinesIntoConditionOne_of_le</code>	Proved: containment + nonzero unit $\Rightarrow$ condition-(1) intertwiner

Axiom profile of the main exports. Only the classical import `nielsen_theta_by_construction_lands_in_bad_leg` together with standard Lean foundations (`propext`, `Classical.choice`, `Quot.sound`). The former custom Popa bridge axiom has been removed; the containment-to-intertwiner direction is proved on the semantic condition-(1) interface.

How to verify (cold clone).

```
git clone https://github.com/Quantyra/connes-rigidity-lean.git
cd connes-rigidity-lean
git checkout v0.1.1-obstruction
lake build
```

Then confirm: no `sorry/admit`; axiom/opaque register check as in the repository CI; declarations above are present in the named modules.

5 Primary sources

- Nielsen, *Connes' Rigidity Conjecture...* (NIEWTC), Aug 2026; PDF SHA-256 9529E43EBFF1E38A808397DA0C0FC56CABCB71C41B622FABA54B6B57573D3884. Local pin; not an arXiv preprint at the time of writing.
- Ioana, JAMS 24 (2011), DOI <https://doi.org/10.1090/S0894-0347-2011-00706-6>; PDF SHA-256 0EF129649596FC6BDF36A7ADA3C1972CF1B20FB838D5E560D1FCACCEF21501E3.

6 Remarks

- **Ruled out:** obtaining Ioana Theorem 8.2 rigid-case output from this Θ as defined, and any reductio step that requires that output from this application.
- **Not ruled out:** Connes' conjecture; independent status of any counterexample construction; other theorems of Ioana; other maps in place of Θ .
- **Lean boundary:** the machine-checked core packages the obstruction logic after a classical import of the by-construction containment. It is not a full formalization of Ioana (2011).
- **Repair routes (neutral):** a different map, a different theorem, or an independent proof that hypothesis (2) holds for some modified setup. This note does not endorse any repair.

7 Conclusion

The Nielsen Ioana+ Θ reductio does not go through as an application of Ioana's Theorem 8.2: the map Θ is built so that a mandatory non-intertwining hypothesis fails. Remaining open by design: whether Connes' conjecture holds, and whether any particular counterexample construction is correct.

References

- [1] A. Ioana, *W^* -superrigidity for Bernoulli actions of property (T) groups*, J. Amer. Math. Soc. **24** (2011), 1175–1226. <https://doi.org/10.1090/S0894-0347-2011-00706-6>.
- [2] J. L. Nielsen, *Connes' Rigidity Conjecture and the Failure of Recent Counterexamples* (NIEWTC), Aug 2026. Local pin SHA-256 9529E43EBFF1E38A808397DA0C0FC56CABCB71C41B622FABA54B6B57573D3884.
- [3] S. Popa, *On a class of type II_1 factors with Betti numbers invariants*, Ann. of Math. (2) **163** (2006), 809–899. <https://doi.org/10.4007/annals.2006.163.809>.
- [4] D. E. Fredriksen, *connes-rigidity-lean v0.1.1-obstruction: paper-strength Nielsen Theta blocks Ioana 8.2 hyp (2)*, Zenodo (2026). Version DOI <https://doi.org/10.5281/zenodo.21859309>; concept DOI <https://doi.org/10.5281/zenodo.21845588>. Titles match the frozen Zenodo deposit metadata (not the title of this note).
- [5] D. E. Fredriksen, *Hypothesis failure for Ioana's Theorem 8.2 under a twisted comultiplication (v0.1.2-report)*, Zenodo (2026). Version DOI <https://doi.org/10.5281/zenodo.21859653>; concept DOI <https://doi.org/10.5281/zenodo.21845586>. Deposit includes this note as PDF plus long-form markdown.